

# TEST CASE – B3 STANDARD

Version:

1.1

Author:

Alexander Vejling Sennefelder

netcompany

## Document history

Version	Date	Author	Status	Comments
0.1	12-01-2023	Alexander Vejling Sennefelder	Draft	Original Draft
0.2	16-01-2023	Lukas Martin Wick	Review	Added comments
1.0	06-02-2023	Lukas Martin Wick	Update review	Updated and finalized
1.1	10-05-2023	Alexander Vejling Sennefelder	Updated	Updated test scenario test cases and XML Examples

## Table of contents

<b>1</b>	<b>Pre-conditions.....</b>	<b>3</b>
1.1	Process flow.....	3
<b>2</b>	<b>Test Scenarios .....</b>	<b>4</b>
2.1	Description of test scenarios .....	4
2.2	Test scenario 1 – Acceptance.....	5
2.2.1	XML example .....	5
2.3	Test scenario 3 – Rejection .....	6
2.3.1	XML example .....	6

# 1 Pre-conditions

To complete the functional test case for “B3 Standard”, the company must have an established connection to the AS4-gateway, and have a functioning system user to DMS Export, see [Connectivity Guide & System Guide](#).

Furthermore, ensure that you for this test case have the correct URLs, Services, and Actions, as seen in the table below. In place of {CVR} and {UID}, fill out your own CVR and UID in the URLs. While the URLs and Services are the same for all the test cases, the Actions however, will change depending on the test case you are performing, please keep an eye out that you have the correct Action for the test case in hand.

To submit the XML for this test case, use the following endpoint:

URL	UFE Service	TFE Service	Action
<a href="https://secureftpgatewaytest.skat.dk:6384/exchange/CVR_{CVR}UID_{UID}">https://secureftpgatewaytest.skat.dk:6384/exchange/CVR_{CVR}UID_{UID}</a>	DMS.Export2	DMS.Export	Declaration.Submit

For retrieving the notification, use the following endpoint:

URL	UFE Service	TFE Service	Action
<a href="https://secureftpgatewaytest.skat.dk:6384/exchange/CVR_{CVR}UID_{UID}">https://secureftpgatewaytest.skat.dk:6384/exchange/CVR_{CVR}UID_{UID}</a>	DMS.Export2	DMS.Export	Notification

## 1.1 Process flow

The process flow for a B3 standard declaration can be seen in Figure 1 below:




Figure 1 – Process flow for a B3 Standard declaration

## 2 Test Scenarios

To complete this test case, test scenario 1, and 2 in the table below must be passed successfully. Descriptions and specifics for each test can be found in the coming sections. Be sure to go through the scenarios thoroughly. It is recommended that you use the attached files to test the notifications.

Test no.	Test scenario	Passed/Failed
1	Submit B3 – Standard declaration, which is accepted	<input type="checkbox"/>
2	Submit B3 – Standard declaration, which is rejected	<input type="checkbox"/>

### 2.1 Description of test scenarios

The following sections will describe the aim of each specific scenario and provide the desired results of the test scenarios. It is worth noting that there can be changes in the notifications provided by DMS Export as the solution is still in development.

The purpose of the test scenarios is to ensure connection to the system, and that you as a company can receive the correct notifications when sending in XMLs. Each step describes what you need to do when going through the test case. An XML for the standard declaration is made available in the same folder where you found this test case document. This can be changed according to the test scenario.

For a B3 there are three possible authorisations that are required to submit the declarations. C517, C518, and C519. C517 is for private customs warehousing. C518 is for public customs warehousing in warehouse type 1. C519 is for public customs warehousing in warehouse type 2. For more information regarding specifics of these types of warehouses, consult TOLDST ServiceDesk, or see <https://skat.dk/data.aspx?oid=2230079> & <https://skat.dk/data.aspx?oid=2250665> (section Drift af Toldoplæg)

## 2.2 Test scenario 1 – Acceptance

The aim of this scenario is to get a notification that the B3 Standard XML has been accepted. The following table shows the necessary test steps for completing this scenario as well as expected results. For the first step it is recommended using the provided declaration XML found in the **Test Case** folder. Secondly, make sure that your **LRN** is unique, and that the **Submitter** field is correct (this is done by putting your CVR in the **Submitter/Name** and **Submitter/ID** fields).

Step no.	Description of steps	Expected result	Passed
1	Use the provided “Test Case - B3 Standard Acceptance” XML found in the test case folder (remember to replace the <b>{{LRN}}</b> and <b>{{CVR}}</b> placeholders)	You should have the test <b>XML</b> ready for the next step	<input type="checkbox"/>
2	Ensure your XML has elements matching that of section <a href="#">2.2.1</a> to ensure acceptance.	Ensure that your XML has the matching elements of section <a href="#">2.2.1</a> with regards to authorization (12 12 000 000)	<input type="checkbox"/>
3	Submit the declaration using the conditions found under Pre-conditions	The declaration should be sent to the system	<input type="checkbox"/>
4	Pull the notifications	You should be able to pull notifications from the system	<input type="checkbox"/>
5	Acceptance of submission of B3 declaration by receiving the <b>CWMACC</b> , and <b>CWMCLE</b> notifications	Receive notifications <b>CWMACC</b> and <b>CWMCLE</b> and pass the test	<input type="checkbox"/>

### 2.2.1 XML example

```

<ns3:Declarant>
  <ns3:ID>DK{ {CVR} }</ns3:ID>
</ns3:Declarant>

  <ns2:Authorisation>
    <ns2:SequenceNumeric>1</ns2:SequenceNumeric>
    <ns2:ID>{ {authorisationID} }</ns2:ID>
    <ns2:Type>C517</ns2:Type>
  </ns2:Authorisation>

```

## 2.3 Test scenario 2 – Rejection

The aim of this scenario is for the EO to get a notification that the B3 Standard XML has been rejected.

The following table shows the test steps necessary to complete this scenario as well as expected results. For the first step it is recommended adapting the provided declaration XML found in the **Test Case** folder. Secondly, make sure that your **LRN** is unique, and that the **Submitter** field is correct (this is done by putting your CVR in the **Submitter/Name** and **Submitter/ID** fields). Then go to the “**Exporter**” (13 01 000 000) element in the **XML** and ensure that it is as described in step no. 2.

Step no.	Description of steps	Expected result	Passed
1	Use the provided “Test Case - B3 Standard Acceptance” XML found in the test case folder (remember to replace the <b>{{LRN}}</b> and <b>{{CVR}}</b> placeholders)	You should have the test <b>XML</b> ready for the next step	<input type="checkbox"/>
2	Ensure your XML has elements matching that of section <a href="#">2.3.1</a> to ensure rejection.	Ensure that your XML has the matching elements of section <a href="#">2.3.1</a> with regards to authorization (12 12 000 000)	<input type="checkbox"/>
3	Submit the declaration using the conditions found under Pre-conditions	The declaration should be sent to the system	<input type="checkbox"/>
4	Pull the notifications	You should be able to pull notifications from the system	<input type="checkbox"/>
5	Rejection of a submission of B3 declaration by receiving the <b>CWMREJ</b> notification	Receive <b>CWMREJ</b> and pass the test	<input type="checkbox"/>

### 2.3.1 XML example

```

<ns3:Declarant>
  <ns3:ID>DK1234567890</ns3:ID>
</ns3:Declarant>
  <ns2:Authorisation>
    <ns2:SequenceNumeric>1</ns2:SequenceNumeric>
    <ns2:ID>{{authorisationID}}</ns2:ID>
    <ns2:Type>C420</ns2:Type>
  </ns2:Authorisation>

```