

H7 XML Guide



Version 1.2

Table of contents

1.	The aim of this document	2
2.	Glossary	4
3.	System specific fields	6
	FunctionCode	7
	Procedure Category	7
	MRN 8	
	Submitter	8
	Amendment	9
4.	Group 11 – Message information (including procedure codes)	11
	Declaration type/Additional declaration type	12
	Goods item number	12
	Procedure.....	13
	Additional Procedure	14
5.	Group 12 – References of messages, documents, certificates, authorizations	17
	Previous Document.....	18
	Additional Information.....	18
	Supporting Document.....	19
	Transport Document.....	20
	Additional Reference	20
	Reference number/UCR.....	21
	LRN 21	
6.	Group 13 - Parties	23
	Exporter (Consignor)	24
	Importer.....	24
	Declarant.....	25
	Representative	27
	Additional fiscal references.....	28
7.	Group 14 - Valuation information/Taxes	29
	Intrinsic Value	30
	Freight 30	
8.	Group 16 - Places/Countries/Regions	32
	Location of goods.....	33
	Customs office of presentation.....	36
9.	Group 18 – Goods identification	38
	Supplementary Units	39
	Gross Mass.....	39
	Description of goods	40
	Number of packages	40
	Classification	41

The aim of this document

1

The aim of this document is to give an in-depth description of the different fields and data elements contained in the XSD-file for H7 based on the European Union Customs Data Model (EUCDM).

The document is structured after the EUCDM grouping of the data elements as well as DMS-specific data fields that are required by the system when using the S2S solution:

- **System-specific fields:** This section includes fields that are needed by the system to recognize what declaration is sent in, who is submitting the declaration, as well other data that is needed to fulfill the desired action.
- **Group 11:** This section contains basic information about the declaration, meaning if the declaration is pre-lodged or a standard and which procedures the declaration should be processed under. All this information has influence over how the declaration is processed, what kind of business scenario (e.g., B2B, private to private, etc.) and procedure to be expected and requested.
- **Group 12:** This section is for the submitter to present all other relevant information and documents related to the submitted declaration that is not contained in the data fields. This is especially used for references tracking documents, authorizations and supplying tracking numbers.
- **Group 13:** This section contains information on all parties involved in the import. It is here information on the importer, exporter, declarant, fiscal reference, and representative is provided either by ID or other identifiable information depending on whether the party is a business or private person.
- **Group 14:** In this section the value of the goods item(s) is provided as well as the postal charges for the transportation of the goods to the final destination. The total value of the goods item(s) is the base for which the VAT is calculated.
- **Group 16:** This section contains the information on where the goods will be or are presented (depending on whether it is a pre-lodged or a standard declaration) as well as the Customs Office of presentation.
- **Group 18:** In this section the submitter supplies more detailed information on the goods item(s) such as a weight, description, Taric code(s), etc.

Under each data element in the groups is provided a detailed description on whether the field is mandatory or optional as well as what rules to adhere to depending on the desired business scenario to make use of, and XML-examples are provided to give context.

Information on EUCDM code, as well as the SAD-box number in the old system is also provided to help the reader in seeking further information if needed, as well as give a mapping between the old system and the new system when possible.

Glossary

2

For making the document shorter and easier to read, some abbreviations are used. Here is given a list of the abbreviations used in this document.

Abbrevia- tion	Description	Details
M	Mandatory	The field is mandatory to declare.
O	Optional	The field is optional to declare or should only be declared if relevant information is available.
MC	Conditionally mandatory	The information is mandatory dependent on other information given in the declaration, e.g., type of declaration or commodity code.
DL	Declaration level	The information is given on header level and applies to all the goods items in the declaration.
GSL	Goods shipment level	The information is given on goods shipment level and applies to all the goods items in the goods shipment.
GIL	Goods item level	The information is given on goods item level and applies to only the goods item it is declared under.
C/A	Possible to correct/amend?	Indicated whether the data element can be corrected or amended.
SAD	Single Administrative Document	The SAD is the main customs form used in international trade to or from the European Union Customs Union.
SAD-box	Single Administrative Document box	The box-number of the fields in the old Importsystemet.
EUCDM	European Union Customs Data Model	The European Union Customs Data Model (EUCDM) is the model for Customs trans-European systems such as NCTS, AES, ICS, EOS and for Member States national customs clearance systems
XSD	XML Schema Definition	A document that specifies how to formally describe the elements in an Extensible Markup Language (XML) document. This description can be used to verify that each item of content in a document adheres to the description of the element in which the content is to be placed.
XML	Extensible Markup Language	A simple text-based format for representing structured information, storing, and sending data. It is the file format used to send declarations to DMS.

System specific fields

3

This group of fields are specific to the it-system and is not part of the EUCDM. These fields are mainly used for the system to specify what kind of declaration is sent in, or which one to send requests to.

FunctionCode						
EUCDM 6.1	XSD/XML-name:	XSD-path				
None	FunctionCode	Declaration/FunctionCode				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
	None	n..2	None	None	M DL	No/No
Description:						
This data element is the code which indicates what type of request that is being sent, whether it be a submission, amendment, correction, etc. There are predefined codes for each request.						
Rules/codes/other relevant information:						
For H7 it is possible to use these codes:						
<ul style="list-style-type: none"> - 9: Initial submission of an H7 declaration - 4: Correction/Amendment request to an already existing H7 declaration - 1: Invalidation/Invalidation and Repayment request to and already existing H7 declaration - 24: Goods presentation of goods items on an H7 declaration 						
XML-examples:						
<p><FunctionCode>9</FunctionCode> --- for submission</p> <p>or</p> <p><FunctionCode>4</FunctionCode> --- for amendment/correction</p> <p>or</p> <p><FunctionCode>1</FunctionCode> --- for invalidation/invalidation and repayment</p> <p>or</p> <p><FunctionCode>24</FunctionCode> --- for goods presentation</p>						

Procedure Category						
EUCDM 6.1	XSD/XML-name:	XSD-path				
None	ProcedureCategory	Declaration/ProcedureCategory				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
	None	an..3	None	None	M DL	No/No
Description:						
This data element indicates what type of declaration is being submitted/amended/corrected/etc.						
Rules/codes/other relevant information:						
There is only one way to fill this data element when it relates to an H7 declaration: “H7”.						
XML-examples:						
<ProcedureCategory>H7</ProcedureCategory>						

MRN

EUCDM 6.1	XSD/XML-name:	XSD-path				
None	ID	Declaration/ID				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
	None	an..18	None	None	MC DL	No/No
Description:						
<p>The MRN is automatically generated following the EUCDM legislation as a unique combination of 18 characters. The MRN is created by the Customs agency and is send as part of the CWMACC notification for an IMA and in the CWMRCV notification for an IMD.</p> <p>The combination of the 18 characters is, in the time of writing, as follows:</p> <ul style="list-style-type: none"> - The last two digits of the year of formal acceptance of the declaration (e.g., '21' for 2021) <ul style="list-style-type: none"> - Consist of 2 digits - 2. Country where the declaration/proof of the customs status of union goods/notification is lodged (e.g., 'DK' for Denmark) <ul style="list-style-type: none"> - Consist of 2 letters - 3. Unique identifier based on year and country (e.g., 21DK04K21LO1) <ul style="list-style-type: none"> - Consist of 12 alphanumeric characters - 4. Procedure identifier of the declaration (e.g., R for H1, H2, H3, H4, H6, H7 or I2) <ul style="list-style-type: none"> - Consist of 1 alphanumeric character - 5. Control digit (e.g., '5') <ul style="list-style-type: none"> - Consist of 1 alphanumeric character <p>6. Based on the ISO 6346 algorithm</p>						
Rules/codes/other relevant information:						
<p>Only used for, and is mandatory, correction, amendment, invalidations and invalidation and repayment requests.</p> <p>Is used to point to the H7 declaration that the request must be send to.</p>						
XML-examples:						
<ID>22DK123456789012R3</ID>						

Submitter

EUCDM 6.1	XSD/XML-name:	XSD-path				
None	Submitter	Declaration/Submitter				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
	Name ID	an..70 an..17	None	None	M DL	No/No
Description:						
The name and identifier of the company submitting the declaration.						
Rules/codes/other relevant information:						
Submitter Name: The CVR/SE-number/EORI given by the client certificate used for the submission of declarations. Submitter ID: The CVR/SE-number/EORI given by the client certificate used for the submission of declarations.						
XML-examples:						
<pre> <Submitter> <Name>12345678</Name> <ID>12345678</ID> </Submitter> </pre>						

Amendment

EUCDM 6.1	XSD/XML-name:	XSD-path				
None	Amendment	Declaration/Amendment				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
	SequenceNumeric ChangeReasonCode ChangeReasonText	n..5 an..3 an..70	None	None	MC DL	No/No

Description:

Only used for and is mandatory for correction, amendment, invalidations and invalidation and repayment requests.
Is used to specify the reason for changes or invalidations.

Rules/codes/other relevant information:

Must **only** be declared when submitting an amendment/correction/invalidation/invalidation and repayment request.

There can only be declared one amendment field pr. request.

There are specific codes for indicating the reason for a correction/amendment/invalidation/invalidation and repayment in the ChangeReasonCode:

Correction/amendment:

- '5': Corrected by declarant.
- '6': Addition of missing data element.
- '7': Mistaken customs procedure.
- '8': Special circumstances that do not justify placement.
- '10': Corrected by Customs.
- '11': Corrected - quota quantity addition agreed.
- '13': Corrected - by DMS.
- '14': Corrected - by DMS.

Invalidation

- '22': Goods have been returned to supplier
- '23': Union goods declared by mistake
- '24': Registration of same goods on several declarations
- '25': Postal low value consignments returned on basis of barcode S10
- '26': Accepted declarations with goods to be placed under another customs procedure
- '27': The customs procedure is no longer justified due to special circumstances

Invalidation and repayment:

- '22': Goods have been returned to supplier
- '23': Union goods declared by mistake
- '24': Registration of same goods on several declarations
- '25': Postal low value consignments returned on basis of barcode S10

In the ChangeReasonText field there should be a short description for the reason of changes/invalidation **of at least 10 characters**.

XML-examples:

For correction/amendment:

```
<Amendment>
  <SequenceNumeric>1</SequenceNumeric>
  <ChangeReasonCode>5</ChangeReasonCode>
  <ChangeReasonText>Spelling error in field</ChangeReasonCode>
</Amendment>
```

For invalidation/invalidation and repayment:

<Amendment>

```
<SequenceNumeric>1</SequenceNumeric>  
<ChangeReasonCode>22</ChangeReasonCode>  
<ChangeReasonText>Goods have been returned to supplier</ChangeReasonCode>  
</Amendment>
```

Group 11 – Message information (including procedure codes)

4

Declaration type/Additional declaration type						
EUCDM 6.1	XSD/XML-name:	XSD-path				
11 01 000 000 and 11 02 000 000	TypeCode	Declaration/TypeCode				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
	None	a3	1/1 and 1/2	1.1	M DL	No/No
Description:						
Indicates what type of action is intended: submission of an IMA/IMD, a correction/amendment request or an invalidation/invalidation and repayment request						
Rules/codes/other relevant information:						
<p>The only relevant codes to declare in this field is:</p> <ul style="list-style-type: none"> - 'IMA' for submitting a standard declaration - 'IMD' for submitting a pre-lodged declaration - 'COR' for sending a correction or amendment request to an already existing declaration - 'INV' for sending an invalidation or invalidation and repayment request to an already existing declaration - 'GPR' for presenting goods to an already existing pre-lodged H7 declaration <p>It is not possible to send a correction request to change an IMD to an IMA.</p>						
XML-examples:						
<p><TypeCode>IMA</TypeCode> --- for submitting an IMA</p> <p>or</p> <p><TypeCode>IMD</TypeCode> --- for submitting an IMD</p> <p>or</p> <p><TypeCode>COR</TypeCode> --- for submitting a correction/amendment request</p> <p>or</p> <p><TypeCode>INV</TypeCode> --- for submitting an invalidation/invalidation and repayment</p> <p>or</p> <p><TypeCode>GPR</TypeCode> --- for presenting goods declared on a pre-lodged declaration</p>						

Goods item number						
EUCDM 6.1	XSD/XML-name:	XSD-path				
11 03 000 000	SequenceNumeric	Declaration/GoodsShipment/GovernmentAgencyGoodsItem/SequenceNumeric				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
	None	n..5	1/6	32	M GIL	Yes/No
Description:						
Goods item number.						
Rules/codes/other relevant information:						
The sequence identifier. Must be sequential. Start at 1 .						
XML-examples:						
One goods item:						
<GovernmentAgencyGoodsItem>						

<pre> <SequenceNumeric>1</SequenceNumeric> </GovernmentAgencyGoodsItem> </pre>
<p>Multiple goods items:</p> <pre> <GovernmentAgencyGoodsItem> <SequenceNumeric>1</SequenceNumeric> </GovernmentAgencyGoodsItem> <GovernmentAgencyGoodsItem> <SequenceNumeric>2</SequenceNumeric> </GovernmentAgencyGoodsItem> <GovernmentAgencyGoodsItem> <SequenceNumeric>3</SequenceNumeric> </GovernmentAgencyGoodsItem> </pre>

Procedure

EUCDM 6.1	XSD/XML-name:	XSD-path				
11 09 000 000	GovernmentProcedure	Declaration/GoodsShipment/GovernmentAgencyGoodsItem/ GovernmentProcedure				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
None	SequenceNumeric	n..5				
11 09 001 000	CurrentCode	an2	1/10	37	M	Yes/No
11 09 002 000	PreviousCode	an2			GIL	

Description:

The procedure code for which the goods are declared.

Rules/codes/other relevant information:

The code to be entered are four-digit, which is composed of two-digit code representing the procedure requested – **CurrentCode**, and a second two-digit code representing the previous procedure - **PreviousCode**.

‘Previous procedure’ means the procedure under which the goods were placed before being placed under the procedure requested.

There is only one way to fill **CurrentCode** and **PreviousCode** for an H7 declaration:

- **CurrentCode: ‘40’**
 - Simultaneous release for free circulation and home use of goods.
 - Entry for home use of goods in the context of trade between the Union and the countries with which it has formed a customs union.
 - Entry for home use of goods in the context of trade referred to in Article 1(3) of the code.
- **PreviousCode: ‘00’**
 - This code is used to indicate that there is no previous procedure

Since this field is the first procedure to be declared in the declaration, SequenceNumeric should be ‘1’.

XML-examples:

```

<GovernmentProcedure>
  <SequenceNumeric>1</SequenceNumeric>
  <CurrentCode>40</CurrentCode>
  <PreviousCode>00</PreviousCode>
</GovernmentProcedure>

```

Additional Procedure

EUCDM 6.1	XSD/XML-name:	XSD-path				
11 10 000 000	GovernmentProcedure	Declaration/GoodsShipment/GovernmentAgencyGoodsItem/ GovernmentProcedure				
None 11 10 001 000	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
	SequenceNumeric CurrentCode	n..5 an..7	1/11	37	M GIL	Yes/No

Description:

The additional procedure for which the goods are declared.

Rules/codes/other relevant information:

This field is in the XML almost identical to 11 09 000 000 – Procedure but does not contain the sub element 11 09 002 000 – Previous-Code, and the CurrentCode is three characters.

It is **mandatory** to declare at **least one additional procedure** but up to two additional procedures can be declared.

For the **first**, and **mandatory** additional procedure, one of the following procedure codes must be declared:

- **'C07':** Consignments of negligible value
In the old Importsystemet this was declared as **'4000C07'**.
- **'C08':** Consignments sent from one private individual to another, seen as a gift.
In the old Importsystemet this was declared as **'4000C08'**.

For the **second**, and **optional** additional procedure, one of the following procedure codes can be declared:

- **‘F48’ (Importordningen – the Import/IOSS scheme):** Import under the special scheme for distance sales of goods imported from third countries and territories set out in Title XII Chapter 6 Section 4 of Directive 2006/112/EC. With the Import scheme, a seller can report and VAT monthly for distance sales of imported goods from countries and territories outside of EU to private consumers in EU. With that, the consumer avoids an extra charge of VAT when they receive their goods.
When a company/seller has enrolled in the Import scheme they receive an IOSS number that should be declared on the customs declaration.
Read more about the Import scheme (Importordningen – or Moms One Stop Shop) here:
<https://skat.dk/skat.aspx?oid=2302077>
- When making use of the Import scheme, 13 16 000 000– Additional fiscal references must be declared with **13 16 031 000 - RoleCode = ‘FR5’ and a valid IOSS number.**
See also XML-examples below.
- **‘F49’ (Transportørordningen – the Transport scheme):** Import under the special arrangements for declaration and payment of import VAT set out in Title XII Chapter 7 of Directive 2006/112/EC.
With the Transport scheme the transporter makes the guarantee for the VAT payment for declarations for private persons.

When making use of the Transport scheme the submitter should adhere to the following rules for filling out specific fields:

- **13 04 000 000 – Importer:** The special EORI-number for private persons ‘DK09999981’ should be filled in **13 04 017 000 – Importer ID**. The **name and address** information should be filled in **13 04 018 000 – Importer Address**.
- **13 05 000 000 – Declarant:** The transporter’s special EORI-number for private customs declarations should be filled in **13 05 017 000 – Declarant ID**. Nothing should be filled in **13 05 016 000 - Declarant name** and **13 05 018 000 – Declarant Address** as the information based on the EORI-number is automatically drawn from the DK-CRS database.
- **13 06 000 000 – Representative (Agent):** The transporter’s EORI-number should be filled in **13 06 017 000 – Representative ID**, both the transporter’s special EORI-number for private customs declarations

and their “normal” EORI-number can be used. In **13 06 030 000 – Representative FunctionCode** the code **‘2’ – Direct representation** should be used.

See also XML-examples below.

XML-examples:

For consignments of negligible value (without a second additional procedure):

```
<GovernmentProcedure>
  <SequenceNumeric>1</SequenceNumeric>
  <CurrentCode>40</CurrentCode>
  <PreviousCode>00</PreviousCode>
</GovernmentProcedure>
<GovernmentProcedure>
  <SequenceNumeric>2</SequenceNumeric>
  <CurrentCode>C07</CurrentCode>
</GovernmentProcedure>
```

Consignments sent from one private individual to another (without a second additional procedure):

```
<GovernmentProcedure>
  <SequenceNumeric>1</SequenceNumeric>
  <CurrentCode>40</CurrentCode>
  <PreviousCode>00</PreviousCode>
</GovernmentProcedure>
<GovernmentProcedure>
  <SequenceNumeric>2</SequenceNumeric>
  <CurrentCode>C08</CurrentCode>
</GovernmentProcedure>
```

The Import scheme:

```
<GovernmentProcedure>
  <SequenceNumeric>1</SequenceNumeric>
  <CurrentCode>40</CurrentCode>
  <PreviousCode>00</PreviousCode>
</GovernmentProcedure>
<GovernmentProcedure>
  <SequenceNumeric>2</SequenceNumeric>
  <CurrentCode>C07</CurrentCode>
</GovernmentProcedure>
<GovernmentProcedure>
  <SequenceNumeric>3</SequenceNumeric>
  <CurrentCode>F48</CurrentCode>
</GovernmentProcedure>
```

together with **IOSS number and RoleCode = ‘FR5’ in 13 16 031 000 – Additional fiscal references role code (DomesticDutyTax-Party/RoleCode)**

```
<DomesticDutyTaxParty>
  <SequenceNumeric>1</SequenceNumeric>
  <ID>IM1234567890</ID>
  <RoleCode>FR5</RoleCode>
</DomesticDutyTaxParty>
```

The Transport scheme:

```
<GovernmentProcedure>
  <SequenceNumeric>1</SequenceNumeric>
  <CurrentCode>40</CurrentCode>
  <PreviousCode>00</PreviousCode>
</GovernmentProcedure>
<GovernmentProcedure>
  <SequenceNumeric>2</SequenceNumeric>
  <CurrentCode>C07</CurrentCode>
</GovernmentProcedure>
<GovernmentProcedure>
  <SequenceNumeric>3</SequenceNumeric>
  <CurrentCode>F49</CurrentCode>
```


</GovernmentProcedure>

together with the rules specified above for **13 04 016 000 – Importer Name**, **13 04 017 000 – Importer ID**, **13 04 018 000 – Importer Address**, **13 05 017 000 – Declaration ID**, **13 06 017 000 – Representative ID** and **13 06 030 000 – Representative FunctionCode**

<Importer>

 <Name>Importer Name</Name>

 <ID>DK09999981</ID>

 <Address>

 <CityName>City name</CityName>

 <CountryCode>DK</CountryCode>

 <Line>Street name 123</Line>

 <PostcodeID>1234</PostcodeID>

 </Address>

</Importer>

<:Declarant>

 <ID>DK12345678</ID>

</Declarant>

<Agent>

 <ID>DK23456789</ID>

 <FunctionCode>2</FunctionCode>

</Agent>

Group 12 – References of messages, documents, cer- tificates, authorizations

5

This group of fields includes all extra relevant information and documents, as well as reference numbers to the declaration

Previous Document						
EUCDM 6.1	XSD/XML-name:	XSD-path				
12 01 000 000	PreviousDocument	GSL: Declaration/GoodsShipment/PreviousDocument GIL: Declaration/GoodsShipment/GovernmentAgencyGoodsItem/PreviousDocument				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
None	SequenceNumeric	n..5				
12 03 002 000	CategoryCode	an..3			O	
12 03 001 000	ID	an..70	2/1	40	GSL	Yes/No
12 03 002 000	TypeCode	an..3			GIL	
None	LineNumeric	n..5				
Description:						
Information relating to a previous document.						
Rules/codes/other relevant information:						
<p>If one subfield is filled, all subfields must be filled.</p> <p>For relevant codes to fill in CategoryCode and TypeCode, see: https://www.skat.dk/skat.aspx?old=1658884</p> <ul style="list-style-type: none"> - CategoryCode should be filled according to the ‘Dok kat’-column - TypeCode should be filled according to the ‘Dok art’-column. <p>To refer multiple documents, repeat this element the required number of times and fill in SequenceNumeric sequentially starting at 1.</p> <p>For LineNumeric enter the sequential number of the item in the supporting document (e.g., certificate, license, permit, entry document etc.), corresponding to the item in question.</p>						
XML-examples:						
<pre> <PreviousDocument> <SequenceNumeric>1</SequenceNumeric> <CategoryCode>X</CategoryCode> <ID>ID123</ID> <TypeCode>740</TypeCode> <LineNumeric>1</LineNumeric> </PreviousDocument> </pre>						

Additional Information						
EUCDM 6.1	XSD/XML-name:	XSD-path				
12 02 000 000	AdditionalInformation	GSL: Declaration/GoodsShipment/AdditionalInformation GIL: Declaration/GoodsShipment/GovernmentAgencyGoodsItem/AdditionalInformation				
None	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
12 02 008 000	SequenceNumeric	n..5	2/2	44	O	Yes/No
12 02 009 000	StatementCode	an5			GSL	
	StatementDescription	an..512			GIL	
Description:						
Used for any additional information relevant for the declaration.						

Rules/codes/other relevant information:

Optional to declare and can be declared on GoodsShipment level or GoodsItem level or both.

If given on GoodsShipment level (**GSL**) the information applies to **all** the goods items in the declaration.

If given on GoodsItem level (**GIL**) the information applies to **only** the goods items which it is declared under.

If one sub element is filled, they all must be filled.

There can be declared multiple additional documents. Number them sequentially in the SequenceNumeric field.

For information on which codes to use, see here:

StatementCode:

<https://svn.taxud.gefeg.com/svn/Documentation/Archive/EUCDM%205.2/EN/EUCDM/Annex-B/i21.htm#1FMain/FData%20groups/TGroup-2/EB-2-2>

A short description of the additional information should be provided in the **StatementDescription** field.

XML-examples:

```
<AdditionalInformation>
  <SequenceNumeric>1</SequenceNumeric>
  <StatementCode>00101</StatementCode>
  <StatementDescription>Description</StatementDescription>
</AdditionalInformation>
```

Supporting Document

EUCDM 6.1	XSD/XML-name:	XSD-path				
12 03 000 000	SupportingDocument	GSL: Declaration/GoodsShipment/SupportingDocument GIL: Declaration/GoodsShipment/GovernmentAgencyGoodsItem/SupportingDocument				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
None	SequenceNumeric	n..5			O	
12 03 001 000	ID	an..70	2/3	48	GSL	Yes/No
12 03 002 000	TypeCode	an4			GIL	

Description:

Identification or reference number of Union or international documents, certificates and authorizations produced in support of the declaration, and additional references.

Rules/codes/other relevant information:

Optional to declare and can be declared on GoodsShipment level or GoodsItem level or both.

If given on GoodsShipment level (**GSL**) the information applies to **all** the goods items in the declaration.

If given on GoodsItem level (**GIL**) the information applies to **only** the goods items which it is declared under.

If one sub element is filled, they all must be filled.

There can be declared multiple supporting documents. Number them sequentially in the SequenceNumeric field.

For information on which codes to use in **TypeCode**, see here:

<https://www.skat.dk/skat.aspx?old=109749>

The **ID** is the ID-number of the document.

XML-examples:

```
<SupportingDocument>  
  <SequenceNumeric>1</SequenceNumeric>
```

```
<ID>ID1234</ID>
<TypeCode>0050</TypeCode>
</SupportingDocument>
```

Transport Document

EUCDM 6.1	XSD/XML-name:	XSD-path				
12 05 000 000	TransportContractDocument	GSL: Declaration/GoodsShipment/Consignment/ TransportContractDocument GIL: Declaration/GoodsShipment/GovernmentAgencyGoodsItem/ TransportContractDocument				
None	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
12 05 001 000	SequenceNumeric	n..5	New	New	M	Yes/No
12 05 002 000	ID	an..70			GSL	
	Type	an4			GIL	
Description:						
Transport document with which the goods have been brought into the customs territory of the Union.						
Rules/codes/other relevant information:						
<p>Can be declared on GoodsShipment level or GoodsItem level or both.</p> <p>In case there is an Air Waybill it should be declared here.</p> <p>If given on GoodsShipment level (GSL) the information applies to all the goods items in the declaration.</p> <p>If given on GoodsItem level (GIL) the information applies to only the goods items which it is declared under.</p> <p>If one sub element is filled, they all must be filled.</p> <p>There can be declared multiple transport documents. Number them sequentially in the SequenceNumeric field.</p> <p>For information on which codes to use in Type, see here:</p> <p>https://www.skat.dk/skat.aspx?old=1658884</p> <p>The ID is the ID-number of the document.</p>						
XML-examples:						
<pre><TransportContractDocument> <SequenceNumeric>1</SequenceNumeric> <ID>AirWaybill123</ID> <Type>N740</Type> </TransportContractDocument ></pre>						

Additional Reference

EUCDM 6.1	XSD/XML-name:	XSD-path				
12 04 000 000	AdditionalReference	GSL: Declaration/GoodsShipment/AdditionalReference GIL: Declaration/GoodsShipment/GovernmentAgencyGoodsItem/AdditionalReference				
None 12 04 001 000 12 04 002 000	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
	SequenceNumeric	n..5	New	New	O	Yes/No
	ID	an..70			GSL	
	TypeCode	an4			GIL	
Description:						

An additional declarations made which is not covered by Supporting Document, Transport Document or Additional Information.

Rules/codes/other relevant information:

Optional to declare and can be declared on GoodsShipment level or GoodsItem level or both.

If given on GoodsShipment level (**GSL**) the information applies to **all** the goods items in the declaration.

If given on GoodsItem level (**GIL**) the information applies to **only** the goods items which it is declared under.

If one sub element is filled, they all must be filled.

There can be declared multiple additional references. Number them sequentially in the SequenceNumeric field.

For information on which codes to use in **TypeCode**, see here:

<https://www.skat.dk/skat.aspx?old=109749>

The **ID** is the ID-number of the document.

XML-examples:

```
<AdditionalReference>
  <SequenceNumeric>1</SequenceNumeric>
  <ID>ID1234</ID>
  <TypeCode>1234</TypeCode>
</AdditionalReference>
```

Reference number/UCR

EUCDM 6.1	XSD/XML-name:	XSD-path				
12 08 000 000	UCR	GSL: Declaration/GoodsShipment/UCR GIL: Declaration/GoodsShipment/GovernmentAgencyGoodsItem/UCR				
12 08 001 000	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
	TraderAssignedReferenceID	an..35	2/4	7	O GSL GIL	Yes/No

Description:

Unique number that follows the good all the way. Used by transporters.

Rules/codes/other relevant information:

Fill in a unique number for identification of the transaction.

XML-examples:

```
<UCR>  
  <TraderAssignedReferenceID>1234567890ABCDEFGH123</TraderAssignedReferenceID>  
</UCR>
```

LRN

EUCDM 6.1	XSD/XML-name:	XSD-path				
12 09 001 000	FunctionalReferenceID	Declaration/ FunctionalReferenceID				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
	None	an..22 (an..24)	2/5	None	M	Yes/No

Description:

LRN – The local reference number (LRN) shall be used. It is nationally defined and allocated by the declarant in agreement with the competent authorities to identify each single declaration.

Rules/codes/other relevant information:

No special characters are allowed.

Must be unique but can be reused for resubmission if the declaration has been rejected, **except** for when the declaration has been rejected due to invalidation of a pre-lodged (IMD) declaration.

Note:

If submitting an additional message (amendment/correction/I2 - GPR/invalidation/etc.) to a declaration declared using the EUCDM 5.2 data model, the LRN can be up to 24 characters. This is NOT possible for submission with the EUCDM 6.1 data model.

XML-examples:

```
<FunctionalReferenceID>140721DKQXYMEEW</FunctionalReferenceID>  
<FunctionalReferenceID>9754349057254</FunctionalReferenceID>
```

Group 13 - Parties

6

This group of fields describes all the involved parties for the imported goods.

Exporter (Consignor)						
EUCDM 6.1	XSD/XML-name:	XSD-path				
13 01 000 000	Consignor	GSL: Declaration/GoodsShipment/Consignor GIL: Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Consignor				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
13 01 016 000	Name	an..70	3/1	2	M GSL GIL	Yes/No
13 01 018 000	Address					
13 01 018 022	CityName	an..35				
13 01 018 020	CountryCode	a2				
13 01 018 019	Line	an..70				
13 01 018 021	PostCodeID	an..9				
Description:						
Name and address of the party exporting the good(s) into the union.						
Rules/codes/other relevant information:						
Mandatory to declare and can be declared on GoodsShipment level or GoodsItem level or both.						
If given on GoodsShipment level (GSL) the information applies to all the goods items in the goods shipment. If given on GoodsItem level (GIL) the information applies only the goods items which it is declared under.						
If Name includes the special character & , it should be declared as &amp; ;						
XML-examples:						
<pre> <Consignor> <Name>Exporter Name</Name> <Address> <CityName>Oslo</CityName> <CountryCode>NO</CountryCode> <Line>Street Address</Line> <PostcodeID>1345</PostcodeID> </Address> </Consignor> </pre>						

Importer						
EUCDM 6.1	XSD/XML-name:	XSD-path				
13 04 000 000	Importer	Declaration/GoodsShipment/Importer				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
13 04 016 000	Name	an..70				
13 04 017 000	ID	an..17				
13 04 018 000	Address		3/15			
13 04 018 022	CityName	an..35	and	9	M	Yes/No
13 04 018 020	CountryCode	a2	3/16		GSL	
13 04 018 019	Line	an..70				
13 04 018 021	PostCodeID	an..9				
Description:						
Name, ID, and address of the party importing the good(s) into the union.						
Rules/codes/other relevant information:						

The required information is specified by the EORI number in 3/16 – Importer ID:

- If Importer ID is 'DK09999981' then the Name and Address fields **must be filled**.
- If Importer ID is **not** 'DK09999981' then the Name and Address fields **must not be filled**.

Importer and Declarant can be the same.

If Name uses the special character **&**, it should be declared as **&**;

XML-examples:

If Importer ID is 'DK09999981':

```
<Importer>
  <Name>Importer Name</Name>
  <ID>DK09999981</ID>
  <Address>
    <CityName>City name</CityName>
    <CountryCode>DK</CountryCode>
    <Line>Street name 123</Line>
    <PostcodeID>1234</PostcodeID>
  </Address>
</Importer>
```

If Importer ID is not 'DK09999981':

```
<Importer>
  <ID>DK12345678</ID>
</Importer>
```

Declarant

EUCDM 6.1	XSD/XML-name:	XSD-path				
13 05 000 000	Declarant	Declaration/Declarant				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
13 05 016 000	Name	an..70				
13 05 017 000	ID	an..17				
13 05 018 000	Address					
13 05 018 022	CityName	an..35				
13 05 018 020	CountryCode	a2				
13 05 018 019	Line	an..70				
13 05 018 021	PostCodeID	an..9	3/17			
13 05 074 000	Contact		and	14	M DL	Yes/No
None	SequenceNumeric	n..5	3/18			
13 05 074 016	Name	an..70				
None	Communication					
None	SequenceNumeric	n..5				
13 05 074 075/ 13 05 074 076	ID	an..50				
None	TypeCode	an..3				
Description:						
ID, name and address of the person or company importing the goods. Importer and declarant can be the same.						
Rules/codes/other relevant information:						
The required information is specified by the EORI number given in 13 05 017 000 – Declarant ID:						
<ul style="list-style-type: none"> - If Declarant ID is 'DK099999981' then the Name and Address fields must be filled. 						

- If Declarant ID is **not** 'DK09999981' then the Name and Address fields **must not be filled**.

It is optional to declare 13 05 074 016 – Declaration Contact. If declared all subfields must be filled, and both a 13 05 074 076 - E-mail address and 13 05 074 075 - Phone number is required, see XML-examples below.

The **TypeCode** indicates if it an e-mail address or a telephone number, and uses the following codes:

- 'EM' – E-mail address
- 'TEL' – Telephone Number

It is possible to declare up to 9 Contacts.

If Name uses the special character **&**, it should be declared as **&**;

XML-examples:

If Declarant ID is 'DK09999981':

```
<Declarant>
  <Name>Declarant Name</Name>
  <ID>DK09999981</ID>
  <Address>
    <CityName>City name</CityName>
    <CountryCode>DK</CountryCode>
    <Line>Street name 123</Line>
    <PostcodeID>1234</PostcodeID>
  </Address>
</Declarant>
```

If Declarant ID is not 'DK09999981':

```
<Declarant>
  <ID>DK12345678</ID>
</Declarant>
```

Declarant with Contact:

```
<Declarant>
  <Name>Declarant Name</Name>
  <ID>DK09999981</ID>
  <Address>
    <CityName>City name</CityName>
    <CountryCode>DK</CountryCode>
    <Line>Street name 123</Line>
    <PostcodeID>1234</PostcodeID>
  </Address>
  <Contact>
    <SequenceNumeric>1</SequenceNumeric>
    <Name>Contact Person Name</Name>
    <Communication>
      <SequenceNumeric>1</SequenceNumeric>
      <ID>12345678</ID>
      <TypeCode>TEL</TypeCode>
    </Communication>
    <Communication>
      <SequenceNumeric>2</SequenceNumeric>
      <ID>xml@told.dk</ID>
      <TypeCode>EM</TypeCode>
    </Communication>
  </Contact>
</Declarant>
```

Representative

EUCDM 6.1	XSD/XML-name:	XSD-path				
13 06 000 000	Agent	Declaration/Agent				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
13 06 017 000	Name	an..17				
13 06 030 000	FunctionCode	n1				
13 06 074 000	Contact					
None	SequenceNumeric	n..5	3/20			
13 06 074 016	name	an..70	and	14	O	Yes/No
None	Communication		3/21		DL	
None	SequenceNumeric	n..5				
13 06 074 075/	ID	an..50				
13 06 074 076						
None	TypeCode	an..3				

Description:

Identification of party authorized to act on behalf of another party.

Rules/codes/other relevant information:

ID: This should be the EORI number of the representative party.

FunctionCode: There are two valid codes to declare in this field:

- '2': Direct representation
- '3': Indirect representation

If Importer - 13 04 000 000 and Declarant - 13 05 000 000 (including all their sub-elements) are NOT identical, there must be declared a Representative/Agent.

It is optional to declare 13 06 074 016 – Representative/Agent Contact. If filled all subfields have to be filled, and both an 13 06 074 076 - E-mail address and 13 06 074 075 - Phone number is required, see XML-examples below.

The **TypeCode** indicates if it an e-mail address or a telephone number, and uses the following codes:

- 'EM' – E-mail address
- 'TEL' – Telephone Number

It is possible to declare up to 9 Contacts.

XML-examples:

Direct representation:

```
<Agent>
  <ID>DK12345678</ID>
  <FunctionCode>2</FunctionCode>
</Agent>
```

Indirect representation:

```
<Agent>
  <ID>DK12345678</ID>
  <FunctionCode>3</FunctionCode>
</Agent>
```

Agent with Contact:

```
<Agent>
  <ID>DK12345678</ID>
  <FunctionCode>2</FunctionCode>
  <Contact>
    <SequenceNumeric>1</SequenceNumeric>
    <name>Agent Name</name>
```

```
<Communication>
  <SequenceNumeric>1</SequenceNumeric>
  <ID>12345678</ID>
  <TypeCode>TEL</TypeCode>
</Communication>
<Communication>
  <SequenceNumeric>2</SequenceNumeric>
  <ID>xml@told.dk</ID>
  <TypeCode>EM</TypeCode>
</Communication>
</Contact>
</Agent>
```

Additional fiscal references

EUCDM 6.1	XSD/XML-name:	XSD-path				
13 16 000 000	DomesticDutyTaxParty	Declaration/GoodsShipment/DomesticDutyTaxParty				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
None	SequenceNumeric	n..5				
13 16 034 000	ID	an..17	3/40	44	O GSL	Yes/No
13 16 031 000	RoleCode	an3				
Description:						
Additional fiscal references. Should be declared if the submitter wants to make use of special scheme for distance sales of goods imported from third countries and territories (IOSS). Can either be filled out with IOSS number or VAT number.						
Rules/codes/other relevant information:						
<p>There is only one relevant RoleCode for an H7 declaration:</p> <ul style="list-style-type: none"> - 'FR5': Vendor (IOSS) - Taxable person making use of the special scheme for distance sales of goods imported from third countries and territories set out in Title XII Chapter 6 Section 4 of Directive 2006/112/EC and holder of the VAT identification number referred to in Article 369q therein. <p>The ID field should be filled with the IOSS number or VAT number. The SequenceNumeric field should be filled with '1' as there is only one possible fiscal reference to declare.</p>						
XML-examples:						
<pre><DomesticDutyTaxParty> <SequenceNumeric>1</SequenceNumeric> <ID>IM1234567890</ID> <RoleCode>FR5</RoleCode> </DomesticDutyTaxParty></pre>						

Group 14 - Valuation information/Taxes

7

This group of fields specifies the value of the goods items that the VAT should be calculated from as well as the postal charges to the destination.

Intrinsic Value						
EUCDM 6.1	XSD/XML-name:	XSD-path				
14 14 000 000	InvoiceLine	Declaration/GoodsShipment/GovermentAgencyGoodsItem/Commodity/InvoiceLine				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
14 14 014 000	ItemChargeAmount	n..16,2	4/18	42	M	Yes/Yes
14 14 012 000	currencyID	a3				
Description:						
The value of the imported item.						
Rules/codes/other relevant information:						
A valid currency code must also be defined, see list of all valid currency codes here: https://www.nationalbanken.dk/valutakurser						
If there is no value for the item fill in '0.00'.						
XML-examples:						
<pre> <InvoiceLine> <ItemChargeAmount currencyID="EUR">20.00</ItemChargeAmount> </InvoiceLine> <InvoiceLine> <ItemChargeAmount currencyID="DKK">60.00</ItemChargeAmount> </InvoiceLine> <InvoiceLine> <ItemChargeAmount currencyID="EUR">0.00</ItemChargeAmount> </InvoiceLine> </pre>						

Freight						
EUCDM 6.1	XSD/XML-name:	XSD-path				
14 15 000 000	Freight	GSL: Declaration/GoodsShipment/Consignment/Freight GIL: Declaration/GoodsShipment/GovermentAgencyGoodsItem/Freight				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
14 15 014 000	rate	n...16,2	New	None	M	
14 15 012 000	currencyID	a3			GSL	Yes/Yes
Description:						
Transportation cost to the destination.						
Rules/codes/other relevant information:						

Must be declared on GoodsShipment level or GoodsItem level or both.

- If given on GoodsShipment level (**GSL**) the transportation cost is for **all** the goods items in the declaration.
- If given on GoodsItem level (**GIL**) the transportation cost is **only** for the goods items which it is declared under.
- If given on **both** GoodsShipment level (**GSL**) and GoodsItem level (**GIL**) the transportation costs on GoodsShipment level (**GSL**) **must be the sum of all the** GoodsItem level (**GIL**) transportation costs.

A valid currency code must also be defined, see list of all valid currency codes here: <https://www.nationalbanken.dk/valutakurser>

If there is no transportations costs fill in '0.00'.

XML-examples:

```
<Freight>  
  <rate currencyID="EUR">40.00</rate>  
</Freight>
```

```
<Freight>  
  <rate currencyID="DKK">60.00</rate>  
</Freight>
```

```
<Freight>  
  <rate currencyID="EUR">1.00</rate>  
</Freight>
```


Group 16 - Places/Countries/Regions

8

This group identifies where the goods will be/are presented.

Location of goods						
EUCDM 6.1	XSD/XML-name:	XSD-path				
16 15 000 000	GoodsLocation	Declaration/GoodsShipment/Consignment/GoodsLocation				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
16 15 036 000	Name	an..17	5/23	30	M – IMA O - IMD	Yes/No
16 15 053 000	ID	an..4				
16 15 045 000	TypeCode	a1				
16 15 046 000	IdentificationType	a1				
16 15 018 000	Address					
16 15 018 022	CityName	an..35				
16 15 018 020	CountryCode	a2				
16 15 018 019	Line	an..70				
16 15 018 021	PostCodeID	an..9				
16 15 052 000	authorisationReferenceNumber	an..35				
16 15 047 000	CustomsOffice					
16 15 047 001	identification	an8				
16 15 048 049	latitude	an..17				
16 15 048 050	longitude	an..17				
16 15 051 000	EconomicOperator					
16 15 051 017	identification	an..17				
Description:						
The location of the goods.						
The sub elements describe the following: <ul style="list-style-type: none">- Name: UN/LOCODE- ID: Additional identifier- TypeCode: Type of location- IdentificationType: Qualifier of identification- Address:<ul style="list-style-type: none">- CityName: Name of city- CountryCode: The country code- Line: Street name- PostCodeID: Post code- authorisationReferenceNumber: Authorisation number- CustomsOffice:<ul style="list-style-type: none">- identification: Customs Office ID- latitude: Latitude coordinate- longitude: Longitude coordinate- EconomicOperator:<ul style="list-style-type: none">- Identification: EORI number						
Rules/codes/other relevant information:						
The location of the goods.						
The sub elements describe the following: <ul style="list-style-type: none">- Name: UN/LOCODE- ID: Additional identifier – currently not in use- TypeCode: Type of location- Address:<ul style="list-style-type: none">- TypeCode: Qualifier of identification- CityName: Name of city- CountryCode: Country code						

- **Line:** Street name
- **PostCodeID:** Post code
- **authorisationReferenceNumber:** Authorisation number
- **CustomsOffice:**
 - **identification:** Customs Office ID
- **latitude:** Latitude coordinate
- **longitude:** Longitude coordinate
- **EconomicOperator:**
 - **Identification:** EORI number

Rules/codes/other relevant information:

Mandatory for a standard H7 declaration (IMA).

Type of location:

The type of location, and how it is declared, is given by the fields: TypeCode and IdentificationType. For declaring the location of goods there are predefined codes for indicating the type of location and how it is declared with specific possible values and combinations:

- **TypeCode (Type of location)**
This TypeCode Indicates the type of location where the goods will be presented.
The TypeCodes and their types of locations are:
 - **'A':** Designated place
 - **'B':** Authorised place – **NOT possible to use yet**
 - **'C':** Approved place
 - **'D':** Other
 - **IdentificationType (Qualifier of identification – indicates how the location will be declared)**
The Address/TypeCode will indicate how the location will be declared/described.
The Address/TypeCodes are:
 - **'U':** UN/LOCODE
 - **'V':** Customs Office ID
 - **'W':** GNSS coordinates – **currently unavailable**
 - **'X':** EORI number – **currently unavailable**
 - **'Y':** Authorisation number - **NOT possible to use yet**
 - **'Z':** Free text
- The valid combinations for the two fields are:**
- **'A'** and **'U':** Designated place identified by UN/LOCODE (e.g., DKCPH-0011 for Copenhagen - Langelinje)
 - **'A'** and **'V':** Designated place identified by Customs Office ID (e.g., DK007900 for Skattecenter København)
 - **'B'** and **'Y':** Authorised place identified by Authorisation number. - **NOT possible to use yet**
 - **'C'** and **'Z':** Approved place identified by filling in the address fields.
 - **'D'** and **'Z':** Other place identified by filling in the address fields.
 - **'D'** and **'W':** Other place identified by GNSS coordinates. – **currently unavailable**
 - **'D'** and **'X':** Other place identified by an EORI number. – **currently unavailable**

Name:

What to fill in this field is given by the **Qualifier of identification**, meaning that if:

- **IdentificationType = 'U':** this field should be the UN/LOCODE (e.g., 'DKCPH-0011').
- **IdentificationType = 'V':** this field should **not** be filled.
- **IdentificationType = 'W':** this field should **not** be filled. – **currently unavailable**
- **IdentificationType = 'X':** this field should **not** be filled. – **currently unavailable**
- **IdentificationType = 'Z':** fill in the name/ID of the location.

ID:

What to fill in this field is given by the **Type of location**, meaning that if:

- **IdentificationType = 'U':** this field should **not** be filled.

- **IdentificationType = 'V'**: this field should **not** be filled.
- **IdentificationType = 'W'**: this field should **not** be filled. – **currently unavailable**
- **IdentificationType = 'X'**: this field can be filled with an additional identifier. – **currently unavailable**
- **IdentificationType = 'Z'** this field should **not** be filled.

TypeCode (Type of location):

Valid codes for the type of location:

- **'A'**: Designated place (can be combined with IdentificationType: 'U' and 'V')
- **'C'**: Approved place (can be combined with IdentificationType: 'Z')
- **'D'**: Other (can be combined with IdentificationType: 'Z', 'X' and 'W')

IdentificationType (Qualifier of identification):

Valid codes for the type of location:

- **'U'**: UN/LOCODE (can be combined with TypeCode: 'A')
- **'V'**: Customs Office ID (can be combined with TypeCode: 'A')
- **'W'**: GNSS coordinates (can be combined with TypeCode: 'D') – **currently unavailable**
- **'X'**: EORI number (can be combined with TypeCode: 'D') – **currently unavailable**
- **'Y'**: Authorisation number (can be combined with TypeCode: 'B') – **NOT possible to use yet**
- **'Z'**: Free text (can be combined with TypeCode: 'C' and 'D')

Address:

CityName:

City name of the location of goods.

Should only be filled when **IdentificationType = 'Z'**.

CountryCode:

Country code of the location of goods.

Should only be filled when **IdentificationType = 'Z'**.

Line:

Street name and street number of the location of goods.

Should only be filled when **IdentificationType = 'Z'**.

PostCodeID:

Post code of the location of goods.

Should only be filled when **IdentificationType = 'Z'**.

authorisationReferenceNumber:

Authorisation number.

Should only be filled when **IdentificationType = 'Y'**. – **NOT possible to use yet**

CustomsOffice:

identification:

Customs Office ID (e.g., DK007900).

Should only be filled when **IdentificationType = 'V'**.

See the list of Customs Office ID's here: https://ec.europa.eu/taxation_customs/dds2/rd/rd_search_home.jsp?Lang=en

latitude:

Latitude coordinate of the location of goods.

Should only be filled when **IdentificationType = 'W'**. – **currently unavailable**

longitude:

Longitude coordinate of the location of goods.

Should only be filled when **IdentificationType = 'W'**. – **currently unavailable**

EconomicOperator:

identification:

EORI number of Economic Operator.

Should only be filled when **IdentificationType = 'X'**. – **currently unavailable**

XML-examples:

For TypeCode ‘A’ and IdentificationType ‘U’:

```
<Consignment>
  <GoodsLocation>
    <Name>DKCPH-0011</Name>
    <TypeCode>A</TypeCode>
    <IdentificationType>U</IdentificationType>
  </GoodsLocation>
</Consignment>
```

For TypeCode ‘A’ and IdentificationType ‘V’:

```
<Consignment>
  <GoodsLocation>
    <TypeCode>A</TypeCode>
    <IdentificationType>V</IdentificationType>
    <CustomsOffice>
      <identification>DK007900</identification>
    </CustomsOffice>
  </GoodsLocation>
</Consignment>
```

For TypeCode ‘C’ and IdentificationType ‘Z’:

```
<Consignment>
  <GoodsLocation>
    <Name>Name of Location</Name>
    <TypeCode>C</TypeCode>
    <IdentificationType>Z</IdentificationType>
    <Address>
      <CityName>City name</CityName>
      <CountryCode>DK</CountryCode>
      <Line>Street name 123</Line>
      <PostcodeID>1234</PostcodeID>
    </Address>
  </GoodsLocation>
</Consignment>
```

For TypeCode ‘D’ and IdentificationType ‘Z’:

```
<Consignment>
  <GoodsLocation>
    <Name>Name of Location</Name>
    <TypeCode>D</TypeCode>
    <IdentificationType>Z</IdentificationType>
    <Address>
      <CityName>City name</CityName>
      <CountryCode>DK</CountryCode>
      <Line>Street name 123</Line>
      <PostcodeID>1234</PostcodeID>
    </Address>
  </GoodsLocation>
</Consignment>
```

Customs office of presentation

EUCDM 6.1	XSD/XML-name:	XSD-path
-----------	---------------	----------

18 02 001 000	DeclarationOfficeID	Declaration/DeclarationOfficeID				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
	None	an8	5/26	44	M DL	Yes/No
Description:						
Indicates the customs office where the goods are presented for the purpose of placing them under a customs procedure.						
Rules/codes/other relevant information:						
Customs office IDs can be found here: https://ec.europa.eu/taxation_customs/dds2/rd/rd_search_home.jsp?Lang=en						
XML-examples:						
Eg.: For <i>Hanstholm Toldekspedition</i> : <DeclarationOfficeID>DK003103</DeclarationOfficeID>						

Group 18 – Goods identifica- tion

9

This group of fields describes the goods items in more detail. It indicates the weight, the type of goods as well as how many packages is involved.

Supplementary Units						
EUCDM 6.1	XSD/XML-name:	XSD-path				
18 02 001 000	TariffQuantity	Declaration/GoodsShipment/GovernmentAgencyGoodsItem/ Commodity/GoodsMeasure/TariffQuantity				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
	None	n..16,6	6/2	41	MC GIL	Yes/No
Description:						
Quantity of the goods item.						
Rules/codes/other relevant information:						
<p>Only needed if 11 10 000 000 – Additional Procedure is 'C08' (see Additional Procedure) AND if it concerns goods referred to in Article 27 of Regulation (EC) No 1186/2009:</p> <ul style="list-style-type: none"> - Tobacco products - Alcohols and alcoholic beverages - Perfumes and toilet waters <p>For more details see: https://eur-lex.europa.eu/legal-content/EN/TXT/HTML/?uri=CELEX:32009R1186</p>						
XML-examples:						
<pre><GoodsMeasure> <GrossMassMeasure unitCode="KGM">0.5</GrossMassMeasure> <TariffQuantity unitCode=LPA">0.4</TariffQuantity> </GoodsMeasure></pre>						

Gross Mass						
EUCDM 6.1	XSD/XML-name:	XSD-path				
18 04 001 000	GrossMassMeasure	GSL: Declaration/ GoodsShipment/GoodsMeasure/GrossMassMeasure GIL: Declaration/GoodsShipment/GovernmentAgencyGoodsItem/Commodity/GoodsMeasure/GrossMassMeasure				
	Sub elements	Format	EUCDM 5.2	SAD-box no.	Mandatory?	C/A
	None	n..16,6	6/5	35	M -GSL M- GIL	Yes/No
Description:						
The gross mass weight of the goods item(s) including packaging in KGM.						
Rules/codes/other relevant information:						
Must be declared on GoodsShipment level (GSL) or Goods Item level (GIL) or both.						
<p>If given on GoodsShipment level (GSL) the gross mass weight is for all the goods items in the declaration.</p> <p>If given on Goods Item level (GIL) the gross mass weight is only for the goods items which it is declared under.</p> <p>If given on both GoodsShipment level (GSL) and GoodsItem level (GIL) gross mass weight on GoodsShipment level (GSL) must be the sum of all the GoodsItem level (GIL) gross mass weights.</p>						
Rules for rounding down/up values: <ul style="list-style-type: none"> - from 0.001 to 0.499: rounding down to the nearest kg. - from 0.5 to 0.999: rounding up to the nearest kg. - A gross mass of less than 1 kg should be entered as '0.' followed by a number of decimals up to 6. 						

