DMS System Guide

Functional guide to DMS



Table of contents

1.	Introduction	5
2.	Technical overview	7
2.1	Relation between DMS System-to-System and DMS Online.	
2.2	System overview	
2.3	Services and endpoints	
3.	Requesting notifications	10
3.1	Notification Request Design Suggestion	
	Requesting notifications	
	AS4 Notification Pull Request Header	
	AS4 Notification Pull Response	
4.	Import declaration submission and additional messages	18
4.1	Overview of declaration types with their additional messages	
4.2	Submission.	
4.3	Correction	20
4.4	Amendment	20
4.5	Invalidation	21
4.6	Invalidation and Repayment	
4.7	Remission and Repayment	
4.8	I2 - Goods Presentation	
5.	Export and exit declaration submission and additional messages	23
5.1	Overview of declaration types with their possible additional a	messages 24
5.2	Submission	
5.2.1	Specific for exit summary declarations	25
5.3	Correction	
5.4	Amendment	25
5.5	Cancellation	26
5.6	Invalidation	26
5.7	Supplementary Declaration	27
5.8	C2 Goods Presentation	
5.9	IE-messages related to exit	
5.9.1	Arrival notification to Office of Exit (IE507)	
	Manifest presentation notification (IE547)	
	Information on Non-Exited Export (IE583)	
	Exit Notification (IE590)	
6.	Transit declaration submission and additional messages	29
6.1	Pre-requisites for transit	
6.2	Overview of declaration types	30
6.3	Submission	
The s	ubmission of a transit declaration D1/D2 starts the transit flow	v of the specified
	anniamment Transit de alametiana ann aith an ha amhraitta d an	

consignment. Transit declarations can either be submitted as a standard declaration

	(D1, D2) or a pre-lodged declaration. If the transit declaration		
	presented by a D4 Presentation Notification. When submitted,	standard dec	larations
	are immediately processed through the full declaration flow, v	vhereas pre-lo	odged
	declarations stay in one state until the goods are presented wit	h a D4 Preser	ntation
	Notification.	.31	
6.4	Correction	.31	
	Amendment		
	Cancellation		
	Invalidation		
	D2 Simplified		
	D4 Goods Presentation Notification		
	IE-messages related to transit		
	Arrival notification to Office of destination (IE007)		
6.10.2	· · · · · · · · · · · · · · · · · · ·		
6.10.2	` ,		
6.10.3 6.10.4	,		
6.10.5			2.4
6.10.6	5 INFORMATION ABOUT NON-ARRIVED MOVEMENT	(IE141)	34
_	T	26	
	Export and Exit notifications		
	List of notifications		
	Overview of notifications		
	Reading notifications		
	Notification descriptions for export and import related notification		40
	CWMACC - Declaration acceptance notification		
	CWMCLE - Declaration clearance notification		
7.2.3	CWMCTL – Control Notification	.43	
7.2.4	CWMINV - Declaration invalidation notification	.43	
7.2.5	CWMRCV – Receival notification	.44	
7.2.6	CWMREJ - Rejection notification	.47	
7.2.7	CWMREQ – Customs position on request notification	.51	
	CWMRES - Result of request notification		
	CWMROG – Release of Goods		
7.2.10			
7.2.11			
7.2.12	\mathcal{E}		
7.2.13			
7.2.1 ²			
7.2.1 - 7.2.15	•		
7.2.16	\mathcal{E}		
7.2.10	o		
	1		
7.2.18	8 Error codes and warnings	.04	
8.	Transit notifications	66	
	List of notifications		
	Overview of notifications		
	Reading notifications		
	Notification descriptions		
	IE004 – Amendment accepted		
ð.2.1	IE009 – Invalidation Decision	. / 1	

8.2.2	IE019 – Potential discrepancies are noted	72
8.2.3	IE025 - Goods release notification	73
8.2.1	IE028 – MRN allocated	73
8.2.2	IE029 - Release for transit	74
8.2.1	IE035 – Recovery Notification	78
	IE043 - Unloading permission for authorized consignee	
	IE045 - Write-off notification	
	IE051 - No release	
	IE055 - Guarantee not valid notification	
	IE056 – Declaration rejected	
	IE057 – Rejection (Office of Destination)	
	IE060 - Control decision notification	
	IE928 - Validation (transit declaration positive ACK)	
0.2.	111)20 variation (transit declaration positive ricit)	
9.	Error handling	00
	Rejected declaration	
	Missing notifications	
	No CWMCLE notification	
	No CWMTAX notification	
	No CWMRCV notification/No notifications	
9.2.3	NO CWINICO HOURICATION/NO HOURICATIONS	94
	Getting access	
	DMS Online	
	DMS System-to-System	
	User roles	
10.3.1	Representation	97
	Verifying functionality	
	XSDs and test cases	
11.1.1	F	
	2 DMS Export	
11.1.3	B DMS Transit	100
	Appendix	
12.1	Flow of declarations, and related notifications	102
12.2	Import notification flows	102
12.2.1		
12.3	Export and Exit notification flows	108
12.3.1	Notification flows	108
12.4	Transit Notification flows	114
12.4.1	Notification flows	114
12.5	AS4 Services	118
12.5.1	Services for production environment	119
12.5.2	<u>-</u>	
12.5.3	Services for UFE environment	122
12.6	Codelists used in notifications	123
12.6.1	10182 – StatementTypeCode	123
12.6.2	* -	
12.6.3		

2.6.4	131 - Validation rules	12	5)
-------	------------------------	----	---	---

Introduction



This guide describes the functionality of the new Declaration Management System – DMS. The target group for this system guide is developers responsible for developing system-to-system (S2S) integration from own customs clearance system to DMS System-to-System.

The aim of this document is to provide an understanding of the technical setup around a system-to-system integration. While the DMS <u>Connectivity Guide</u> (found on <u>Danish Customs and Tax Administration's GitHub</u>) explains how to establish connection to the AS4-gateway, this system guide explains the message flows and the functions that can be carried out with DMS. In specific, it also explains the notifications in detail.

This document will be enhanced continuously. So far, the document covers functionality of DMS in general including DMS Import, DMS Export and DMS Transit. While all functionality for DMS Export and DMS Transit is covered only H7 and I2 declaration types are covered for DMS Import.

Technical overview



2.1 Relation between DMS System-to-System and DMS Online

DMS can be accessed either via an S2S solution called DMS System-to-System, where declarations are submitted through the AS4-gateway, or via the systems online UI called DMS Online.

In principle, all system functions can be managed through both access points, UI or S2S. If using DMS System-to-System, the recommendation is to use the UI only to look up information to avoid the risk of mismatch of data between own backend and DMS, e.g., if a declaration is lodged via S2S integration but amended via the UI, your backend will not know which data was changed via the UI.

2.2 System overview

DMS has two types of actions: One for submitting declarations, additional messages, and IE-messages and one for requesting notifications, which are statuses of a declaration.




Figure 2.2.1 – System overview

<u>Figure 2.2.1</u> shows that when lodging a declaration, additional message, or IE-message (requested service), the desired action is called. In the AS4-gateway, the submitted XML is syntax validated, and a synchronous response is returned. In case of a syntax error, the request is synchronously rejected. If the syntax validation is passed, the declaration or additional message is sent to the backend system, where semantic validation and further processing of the declaration, additional message or IE-message will be carried out.

To know if the declaration, additional message, or IE-message has been accepted or received and what its status is, another action – the notification action – needs to be called by the user. When called with a specific set of parameters, the notification request returns all notifications available matching those request parameters.

2.3 Services and endpoints

All services and actions are reached through the AS4-gateway from the same endpoint, where the AS4-header indicates which service and action to call.

See details on endpoint and AS4-header in the <u>DMS Connectivity Guide</u>.

A description of all services and actions can be found in appendix, section <u>12.5 - AS4 Services</u>.

The endpoints are:

Environment	Hostname	Port
UFE	secureftpgatewaytest.skat.dk	6384
TFE	secureftpgatewaytest.skat.dk	6384
Prod	secureftpgateway.skat.dk	6384

Table 3.1.1.1 – Endpoints

This information is combined with details of the company, creating a complete endpoint:

[&]quot;https://secureftpgatewaytest.skat.dk:6384/exchange/CVR_{CVR}_UID_{UID}"

Requesting notifications



This section describes how notifications (or declaration statuses) are managed.

After a declaration is submitted, it passes through the system in different states that describe where the declaration is in the customs process. The system communicates the state of a declaration through **notifications**.

Receiving notifications is a multi-part process. The parts of the process are **Pushing notification requests** and **Pulling notification responses**. Notification requests should be pushed with a given time interval and pulls of notification responses from the AS4-gateway queue should be interwoven in between – an example of how to work with notification pushes and pulls is described in section 3.1.

The notifications function on a **pagination** system, which means that only a limited number of notifications can be requested at a time. If the total number of available notifications exceeds the requested amount, multiple pages need to be requested.

A notification push contains the parameters "submitterId", "dateFrom", "dateTo", "page" and "size", which describe the time interval within which notifications should be retrieved, what page is wanted in the time interval and the number of notifications return per page. Upon pushing a notification request, a synchronous response will be elicited by the AS4-gateway in the form of an 'OK' response or an error.

When a push is performed successfully, the AS4-gateway will asynchronously retrieve a response from DMS and place it in a queue within the AS4-gateway from which a pull can then be performed. The pull will result in a synchronous response. The response will contain the notifications requested in the push, and the total amount of notifications in the time range.

It is important to continue pulling notifications from the AS4-gateway until the queue is empty, as not all notifications are generated from a request for specific notifications.

A notification holds information on which declaration the notification relates to, the state of the declaration, customs position response in relation to additional message requests, error codes (if rejected), etc.

In section **Error! Reference source not found.** and <u>7.2</u> there is a list and description of each notification type, how to read it from the notification response and other relevant information. For further information on which notifications to expect from the different declarations and additional message flows, see Appendix, section <u>12</u>.

3.1 Notification Request Design Suggestion


Notifications are requested in time intervals. We recommend requesting all notifications that occurred in the last 7 minutes every 5 minutes, see the simplified example below. With the suggested pattern it is important to keep track of which notifications has already been received, notifications can be uniquely identified by the NotificationSID as described in section 7.1.2

				Sync Pull	Time			
Action #	Time	Push	Pull	Response	range	Page	Size	Comment
					11:53			
					-	0	500	A request is sent with a 7-minute
1	12:00	1			12:00			time range, starting at page 0.
2	12:02		1					A pull is performed at 12:02.
								Notification response is received at
								12:02 containing 90 notifications
								from 11:53 to 12:00. As there are
								only 90 notifications in total, it's a
3	12:02			1				single page.
					11:58			
					-	0	500	A request is sent with a 7-minute
4	12:05	2			12:05			time range, starting at page 0.
5	12:07		2					A pull is performed at 12:07.
								Notification response is received at
								12:07 containing 500 of a total of
								590 notifications from 11:58 to
								12:05. As there are 590 notifica-
								tions in total, there is 2 pages that
6	12:07			2				has to be requested in total.
								A request is sent with the same 7-
					11:58	1	500	minute time range as in action #4
_	120-				-			but now requesting page 1 instead
7	12:07	3			12:05			of page 0.
8	12:09		3					A pull is performed at 12:09.
								Notification response is received at
								12:09 containing the remaining 90
								of the 590 notifications from 11:58
								to 12:05. As there are 590 notifica-
								tions in total, there are 2 pages. As
								we requested the second page in ac-
	10.00			2				tion 7, all notifications have been
9	12:09			3				pulled successfully.

Table 3.1.1.1 – Notification Request Design (seconds are omitted for simplicity)

The notification system is based upon a pagination system. This allows for a more controlled flow of how many notifications are requested and delivered at once. This should help not with receiving too much information at once.

The flow diagram below shows how the notification functions with the implemented pagination.



At the start of the flow, a notification request shall be made requesting **page 0** in the timeframe for which notifications are wanted. See chapter 3.1.1.

Then pull the notifications from the queue, as seen in the flow diagram. Check if the response contains any notifications, if there is none, then the flow is over, and the given timeframe is empty. If the response contains any notifications, check if it contains additional pages. Below is a response containing 130 notifications <*TotalSize>130*</*TotalSize>* in the requested timeframe.

To check if it contains additional pages, use the following equation.

pages = TotalSize/size

Here the size is the amount specified in the push request, if none specified the default value is 500. Then round the result up to the nearest whole number.

Pages = 130/500

Amount of pages = ceil (0.26), which means that 130 notifications will result in 1 page

Note that the pages in the pull request are 0-indexed, which means the page count starts at 0.

Example 1: If you have only 1 page available, the total amount of pages to request is 1, but in the request, it is written as 0.

Example 2: If you have 5 pages, the total amount of pages to request is 5, but in the request, you will have to request the pages from page = 0 to (and including) page = 4.

If there are additional pages, request the next one at the start of the flow diagram, continue this behavior until all pages in the timeframe are requested and pulled. If there are no additional pages (as seen in 3.1.3) pull notifications again, as there might be other things on the queue as seen in the diagram.

3.1.1 Requesting notifications

When requesting a set of notifications, the values below can be specified in the message properties. MessageId of the request is contained in the pull response alongside the requested notifications. The MessageId is part of MessageInfo in the AS4-header.

Attribute	Value	Example
submitterId	The submitter ID described in section 6.1.2 in the <u>Connectivity Guide</u>	13123456
dateTo	must be described in YYYY-MM-DDTHH:MI:ss.SSS in time zone UTC-0	2022-02-17T12:53:00.000
dateFrom	must be described in YYYY-MM-DDTHH:MI:ss.SSS in time zone UTC-0	2022-02-17T13:00:00.000
lang	The language of the response (must be EN)	EN
page	The page wanted in the request. Default 0	0
size	The page size wanted – Default 500 The max size is 500	500

An XML example of the MessageProperties is shown below:

```
<eb3:MessageProperties>
<eb3:Property name="submitterId">13116482</eb3:Property>
<eb3:Property name="dateTo">2022-02-7T12:53:00.000</eb3:Property>
<eb3:Property name="dateFrom">2022-02-17T13:00:00.000</eb3:Property >
<eb3:Property name="lang">EN</eb3:Property>
<eb3:Property name="page">0</eb3:Property>
<eb3:Property name="size">500</eb3:Property>
</eb3:MessageProperties>
```

3.1.2 AS4 Notification Pull Request Header

This section explains which information should be contained in the AS4 header when pulling a notification from a Message Partition Channel (MPC).

Message Partition Channel identifies the queue on the AS4-gateway that you will receive messages from. Only one queue per environment exists in DMS, see below.

Environ-	Message Partition Channel
ment	
Production	urn:fdc:dk.skat.mft.DMS/import2/response
TFE	urn:fdc:dk.skat.mft.DMS/import2/response
UFE	urn:fdc:dk.skat.mft.DMS/import2/response

The following attributes must be provided when pulling:

Attribute	Value	Example
Message- Info.Timestamp	YYYY-MM-DDTHH:MI:ss.SSSZ	2021-01-19T15:24:37.376Z
MessageInfo.MessageId	GUID	4874bbf7-33c0-49cb-8b98- ca399fccf34a
PullRequest.Property[mpc]	Message Partition Channel	urn:fdc:dk.skat.mft.DMS/im- port2/response

A full XML example of the messaging header is shown below:

3.1.3 AS4 Notification Pull Response

A notification pull response from the AS4-gateway consists of the SOAP envelope, and, in case the queue is not empty, an additional XML document containing the actual notifications. How to read the additional XML document is described in section <u>7.1.2</u>. A full response to a pull request can be seen on The Tax Administration's <u>GitHub</u> in Onboarding Documents\appendix\.

The message property "*RefToOriginalMessageId*" seen below contains the MessageID of the message used to generate the response, such as the MessageID of a request of specific notifications (see <u>3.1.1.</u>). *RefToOriginalMessageId* should therefore be used to keep track of responses to messages.

```
<eb:MessageProperties>
        <eb:Property name="RefToOriginalMessageId">a46efff9-e56b-48fb-8439-
627843cce50b</eb:Property>
</eb:MessageProperties>
```

When the queue is empty, the AS4 gateway response contains only the soap envelope. A complete example of a full soap envelope is shown below.

```
<?xml version='1.0' encoding='UTF-8'?>
<soapenv:Envelope xmlns:soapenv="http://www.w3.org/2003/05/soap-envelope">
<soapenv:Header xmlns:wsa="http://www.w3.org/2005/08/addressing">
   <eb:Messaging xmlns:eb=http://docs.oasis-open.org/ebxml-msg/ebms/v3.0/ns/core/200704/</pre>
soapenv:mustUnderstand="true">
       <eb:SignalMessage>
            <eb:MessageInfo>
                <eb:Timestamp>2022-06-16T08:13:17.207Z</eb:Timestamp>
                <eb:MessageId>20fc5a2f-8184-40ee-80b4-89825a538f6f@SKAT-MFT</pb:MessageId>
                <eb:RefToMessageId>3c3d0efd-3e33-4749-9315-74a887e31ed5/eb:RefToMessageId>
            </eb:MessageInfo>
            <eb:Error category="Communication" errorCode="EBMS:0006" origin="ebMS"</pre>
severity="warning" shortDescription="EmptyMessagePartitionChannel">
                <eb:Description xml:lang="en-US">No message for requested MPC
(urn:fdc:dk.skat.mft.DMS/import2/response)</eb:Description>
<eb:ErrorDetail>//SOAPHeader/eb:Messaging/eb:SignalMessage/eb:PullRequest</eb:ErrorDetail>
            </eb:Error>
       </eb:SignalMessage>
   </eb:Messaging>
</soapenv:Header>
<soapenv:Body/>
</soapenv:Envelope>
```

The error returned for an empty queue **does not indicate a problem** with the communication, but simply that the queue has been emptied. This is **expected behaviour**.

Import declaration submission and additional messages



All Import declarations and additional messages can be submitted through DMS Online, as well as through DMS System-to-System in an XML format. In both cases, the data that needs to be provided is defined by the <u>EUCDM</u> standard.

All schemas used in DMS are available on The Tax Administration's GitHub.

Information on how to submit the declarations and the additional messages is described in <u>DMS Connectivity Guide</u> on The Tax Administration's <u>GitHub.</u>

4.1 Overview of declaration types with their additional messages

This section displays an overview of Import declaration types and additional messages.

Note that some declaration types are additional messages in themselves. For example, the I2 Goods Presentation declaration, is a goods presentation message for an H7 declaration.

A short description of the different declarations types is provided in <u>DMS Onboardingguide</u> (in Danish) on The Tax Administration's <u>GitHub.</u>

Function	H1	H2	Н3	H4	Н5	Н6	H7	I1	I2
Submission	N/A	N/A	N/A	N/A	N/A	N/A	X	N/A	X
Correction	N/A	N/A	N/A	N/A	N/A	N/A	X	N/A	-
Amendment	N/A	N/A	N/A	N/A	N/A	N/A	X	N/A	-
Invalidation	N/A	N/A	N/A	N/A	N/A	N/A	X	N/A	-
Invalidation and Repayment	N/A	N/A	N/A	N/A	N/A	N/A	X	N/A	-
Goods presenta- tion	N/A	N/A	N/A	N/A	N/A	N/A	X	N/A	-

Table 4.1.1 – Declaration types

N/A indicates that the functionality has not been developed yet.

4.2 Submission

The main functionality is the submission of declarations. Declarations can either be filled out as a standard (IMA), or as a pre-lodged (IMD) declaration. IMA declarations are only sent to DMS and must therefore include a Goods location. An IMD is pre-lodged, and goods location must be reported to Manifest and presented to Manifest upon arrival. Presentation of goods can also be done using the I2 Goods Presentation notification. Using I2 requires a customs decision (Bevilling) as Approved Consignee (ACE). Please clarify with the Danish Customs Agency's customer service how to present.

Submissions are sent to the system using the Submission XSD (see section $\underline{4.1}$) for the relevant declaration type. How to fill in the XML schema for submission and which rules to adhere to can be found in the XML guides for the different declaration types under the related declaration type folder for $\underline{\text{Import}}$ and $\underline{\text{Export}}$.

When submitting a declaration, the **Declaration.Submit** service should be used, see section 12.5.

4.3 Correction

A correction request can be submitted to a declaration **before** the goods have been presented and **before** the declaration has been accepted (when the CWMACC notification is received, see section **Error! Reference source not found.**, meaning that the declaration still must be in its **pre-lodged** state.

Corrections are sent to the system using the Amendment XSD. It is important that there is <u>at least one changed data</u> <u>element</u> when submitting a correction. If not the correction request will be rejected with the given error code (see section 7.2.6 and section 7.2.18).

Rules and details on how to fill out the data elements in the XML for each declaration type, and which data elements can be corrected, can be found on The Tax Administration's <u>GitHub</u> under the related declaration type folder. Go to section <u>4.1</u> to see which Import declaration types that can be corrected.

When submitting a correction request the **Declaration.Amend** action should be used, see section <u>12.5.</u>

4.4 Amendment

An amendment request can be submitted to a declaration **after** the goods have been presented and **after** the declaration has been accepted (the CWMACC notification is received, see section <u>7.2.1</u>), meaning that the declaration must be an **IMA**, either by directly being submitted as a standard declaration or by having had the goods presented.

Amendments are sent to the system using the Amendment XSD. It is important that there is <u>at least one changed data element</u> when submitting an amendment, if not the amendment request will be rejected with the given error code (see section <u>7.2.6</u> and section <u>7.2.18</u>).

Rules and details on how to fill out the data elements in the XML for the different declaration types, and which data elements can be amended, can be found on The Tax Administration's <u>Github</u> under the related declaration type folder, go to section <u>4.1</u> to see which declaration types can be amended.

When an amendment request has been submitted, a customs officer will have to manually grant the request. Therefore, it may take some time before the expected notifications arrive.

When submitting an amendment request the **Declaration.Amend** action should be used, see section <u>12.5</u>.

4.5 Invalidation

An invalidation request can be submitted to a declaration when needed in case of non-repayment. If there has been a payment of customs debt on the declaration, use the Invalidation and Repayment request (see section <u>4.6</u>).

Invalidation requests are sent to the system using the Invalidation XSD. A customs officer will have to manually grant or deny the request. Therefore, it might take some time before the expected notifications arrive and the declaration is invalidated.

Rules and details on how to fill out the data elements in the XML for invalidating the different declaration types can be found on The Tax Administration's <u>GitHub</u> under the related declaration type folder, go to section 4.1 to see which declaration types can be invalidated.

When submitting an invalidation request the **Declaration.Invalidate** action should be used, see section 12.5.

4.6 Invalidation and Repayment

An invalidation and repayment request can be submitted to a declaration **after** the goods have been presented, **after** the declaration has been accepted (the CWMACC notification is received, see section <u>7.2.1</u>) and **after** the customs debt has been paid.

Invalidation and repayment requests are sent to the system using the Invalidation and Repayment XSD. A customs officer will have to manually grant the request. Therefore, it might take some time before the expected notifications arrive and the declaration is invalidated.

Rules and details on how to fill out the data elements in the XML for invalidating the different declaration types can be found on The Tax Administration's <u>GitHub</u> under the related declaration type folder, go to section <u>4.1</u> to see which declaration types an invalidation and repayment request can be submitted to.

When submitting an invalidation and repayment request the **Declaration.InvalidateRemissionRepayment** action should be used, see section 12.5.

4.7 Remission and Repayment

Currently not available as a separate functionality.

4.8 I2 - Goods Presentation

Most EOs will not use this, as the main presentation notification is to be delivered through Manifest.

Please implement and use the I2 Presentation notification only if explicitly told so during your onboarding process.

An I2 Goods Presentation notification can be submitted to a pre-lodged H7 declaration (IMD) when the goods are to be presented. The I2 Goods Presentation notification is used for some specific scenarios but contains similar information as the one delivered to Manifest.

I2 Goods Presentation notifications are sent to the system using the I2 XSD. The Goods Presentation notification follows the I2 EUCDM standard, where details on specific data elements and their usage can be seen in the provided schema <u>here</u>.

When submitting an I2 Goods Presentation notification the **Declaration.Amend.Goodspresented** action should be used, see section <u>12.5</u>.

Export and Exit declaration submission and additional messages



The submission of an export declaration (B1-4/C1-2) or an exit summary declaration (A1/A2, A3) starts an export flow of the specified goods, and the export flow completes when the declaration is invalidated or when DMS receives an Exit Result from the Office of Exit, which is sent to DMS when the trader at exit has sent the Exit Notification to the Office of Exit.

All declarations and additional messages can be submitted through DMS Online, as well as through DMS System-to-System in an XML format. In both cases, the data to be provided is defined by the EUCDM standard as well as the DDNXA. A guide to the XML format of the declarations can be found in the <u>DMS Export XML guide</u> or the <u>DMS Exit XML Guide</u>. All XSD schemas used for DMS Export (including exit) are available on The Tax Administration's GitHub.

Information on how to submit the declarations and the additional messages provided in <u>DMS</u> Connectivity Guide on The Tax Administration's GitHub.

5.1 Overview of declaration types with their possible additional messages

This section displays an overview of export declaration types and additional messages.

Some declaration types, which are considered declarations customs-wise, are categorized as "additional messages" in the system. For example, the C2 Goods Presentation declaration is an additional message to an export declaration and cannot stand alone in the context of the system.

NB: Correction/amendment (COR), cancellation/invalidation (INV), supplementary declaration (SL presentation (GPR) are all considered "additional messages" in the system. These must all refer to via an MRN and are not stand-alone declarations.

A short description of the different declaration types is provided in DMS Onboarding Guide (in Danish) on The Tax Administration's <u>GitHub</u>

Function	A1	A2	A3	B1	B2	В3	B4	C1	C2
Submission	X	X	X	X	X	X	X	X	X
Correction	X	X	X	X	X	X	X	X	-
Amendment	X	X	X	X	X	X	X	X	-
Invalidation	X	X	X	X	X	X	X	X	-
Goods presenta- tion	-	-	-	X	X	X	X	X	-
Supplement	-	-	-	-	-	-	-		-

Table 3.1.3.1 – Declaration types

5.2 Submission

The submission of an export declaration (B1-4/C1) starts the export flow of the specified consignment. Export declarations can be either submitted as a standard declaration (EXA, EXB, EXC, COA), or as a pre-lodged declaration (EXD, EXE, EXF, COD). When submitted, standard declarations are immediately processed through the full declaration flow, whereas pre-lodged declarations stay in one state until the goods are presented with a C2 Presentation Notification.

How to fill in the XML schema for submission and which rules to adhere to can be found in the <u>DMS Export XML guide</u> and the <u>DMS Exit XML Guide</u>.

When submitting a declaration, the **Declaration.Submit** action should be used, see section 12.5.

5.2.1 Specific for exit summary declarations

Exit summary declarations (A1/A2) also start the export flow of the specified consignment, but they can only be submitted as a standard declaration, meaning that exit summary declarations cannot be pre-lodged.

5.3 Correction

A correction is used to correct erroneous data in a **pre-lodged** declaration. Corrections will, if valid, be automatically granted and does not need approval from a customs officer.

A correction can be submitted to a declaration **before** the goods have been presented and **before** the declaration has been accepted, meaning that the declaration still must be in its **pre-lodged** state. Note that this means exit summary declarations cannot be corrected, as these cannot be pre-lodged.

Rules and details on how to fill out the data elements in the XML for each declaration type, and which data elements can be corrected, can be found in the <u>DMS Export XML guide</u>.

Corrections are sent to the system using the Amendment XSD. It is important that <u>there is</u> <u>at least one changed data element</u> when submitting a correction. If not, the correction request will be rejected with the given error code (see section <u>7.2.6</u> and section <u>7.2.18</u>).

When submitting a correction request the **Declaration.Amend** action should be used, see section <u>12.5</u>.

5.4 Amendment

An amendment used to amend data in a standard declaration. Differently from corrections, amendments will, if valid, must be approved by a customs officer.

An amendment request can be submitted to a declaration **after** the goods have been presented and **after** the declaration has been accepted (the CWMACC notification is received, see section 7.2.1).

Rules and details on how to fill out the data elements in the XML for each declaration type, and which data elements can be amended, can be found in the <u>DMS Export XML guide</u> that can be found on The Tax Administration's <u>GitHub</u> in the folder Export XSDs

Amendments are sent to the system using the Amendment XSD. It is important that there is <u>at least one changed data element</u> when submitting a correction. If not, the amendment request will be rejected with the relevant error code (see section <u>7.2.6</u> and section <u>7.2.18</u>).

When submitting a correction request the **Declaration.Amend** action should be used, see section <u>12.5</u>.

5.5 Cancellation

A cancellation request can be submitted to a pre-lodged declaration if it is no longer relevant. Note that this means an exit summary declaration cannot be cancelled, as it cannot be pre-lodged. Cancellations will be automatically granted and does not need approval from a customs officer.

Cancellation requests are sent to the system using the Invalidation XSD. Rules and details on how to fill out the data elements in an invalidation can be found in the <u>DMS Export XML guide</u>.

Cancellation of a pre-lodged declaration that has not been presented, does not require a customs officer to manually grant or deny the request.

When submitting a cancellation request the **Declaration.Invalidate** action should be used, see section 12.5.

5.6 Invalidation

An invalidation request can be submitted to a declaration if the exportation of goods has been cancelled before the goods of left customs territory. Invalidations will have to be approved by a customs officer unless special permissions are given.

Invalidation requests are sent to the system using the Invalidation XSD. Rules and details on how to fill out the data elements in an invalidation can be found in the <u>DMS Export XML guide</u> that can be found on The Tax Administration's <u>GitHub</u> in the folder Export XSDs.

Invalidation of an accepted declaration requires a customs officer to manually grant or deny the request. Therefore, it might take some time before the expected notifications arrive and the declaration is invalidated. The trader will receive notifications throughout the case handling process (see section <u>7.2.11</u>).

When submitting an invalidation request the **Declaration.Invalidate** action should be used, see section $\underline{12.5}$.

5.7 Supplementary Declaration

A Supplementary Declaration converts a Simplified Export declaration (C1) to a full export declaration, B1 or B4. It is not relevant for exit summary declarations.

Rules and details on how to fill out the data elements in a Supplementary Declaration can be found in the DMS Export XML guide.

When submitting a Supplementary Declaration the **Declaration.Amend.Supplement** action should be used, see section <u>12.5</u>.

5.8 C2 Goods Presentation

A C2 (Goods Presentation Notification) additional message can be submitted to a pre-lodged export declaration when the goods are to be presented. Note that a C2 *is not considered a declaration* in DMS, but instead is considered an additional message just like correction/amendment, invalidation, and supplementary declaration messages.

Rules and details on how to fill out the data elements in an C2 Goods Presentation can be found in the <u>DMS Export XML guide</u>.

When submitting an C2 Goods Presentation the **Declaration.Amend.Goodspresented** action should be used, see section 12.5.

5.9 IE-messages related to exit

When a consignment arrives/departs at the office of exit, the trader may be required to send messages to confirm that the goods have left the union. The following sections describe how these messages are generally used, but the contents of these sections do not serve as customs-related advice. If such advice is needed, please consult the relevant EU documentation (for instance DDNXA) for your specific scenario or contact Toldstyrelsen's Servicedesk.

Specific XMLs are required when sending these IE-messages. Find specifications of the IE-messages in the DMS Exit XML Guide found on The Tax Administration's <u>GitHub</u>. Also note that there are specific services/actions for the IE-messages. Find the services/actions in 12.5 AS4 Services.

5.9.1 Arrival notification to Office of Exit (IE507)

In some scenarios, upon the arrival of the consignment at the Customs Office of Exit, the Trader at Exit sends an arrival notification via an 'Arrival at Exit' E_ARR_EXT (IE507) message to the Customs Office of Exit and requests that the goods are allowed to leave the European Union Customs Territory. Note that this message is normally used when the Office of Exit and Office of Export are different but consult DDNXA for specific scenarios.

5.9.2 Manifest presentation notification (IE547)

The exiting process of goods in the "Goods Held for Storing" state is initiated by the submission of a manifest via a 'Manifest Presentation' E_MAN_PRE (IE547) message from the Trader at Exit. For more information on this, consult DDNXA or other relevant customs documentation.

5.9.3 Information on Non-Exited Export (IE583)

The trader can be prompted by the Customs Office of Export to submit an 'Information on Non-Exited Export' E_EXT_RSP (IE583) message in scenarios, where the 'Arrival notification to Office of Exit' E_ARR_EXT (IE507) or the 'Exit Notification' E_EXT_NOT (IE590) has not been received by the Customs Office of Exit. For more information on this, consult DDNXA or other relevant customs documentation.

5.9.4 Exit Notification (IE590)

When the consignment has left the European Union Customs Territory, the Trader at Exit notifies the Customs Office of Exit via an 'Exit Notification' E_EXT_NOT (IE590) message that the goods have exited the Union.

Transit declaration submission and additional messages



The submission of a transit declaration (D1/D2) or a pre-lodged declaration (D4) to the office of departure starts a transit flow of the specified goods and completes when the goods are released at the destination, or an error occurs along the way.

All declarations and additional messages can be submitted through DMS Online, as well as through DMS System-to-System in XML format. In both cases, the data to be provided is defined by the EUCDM standard and DDNTA. A guide to the XML format of the declarations can be found in the <u>DMS Transit XML guide</u>. All XSD schemas used for DMS Transit are available on The Tax Administration's GitHub.

Information on how to submit the declarations and the additional messages is provided in <u>DMS</u> <u>Connectivity Guide</u> on The Tax Administration's <u>GitHub.</u>

6.1 Prerequisites for transit

The prerequisites for sending transit declarations to the system are two things: a valid guarantee and authorizations to create the specific declaration.

To submit transit declarations, the user must have a valid guarantee available to them. The GRN (Guarantee Reference Number) will be noted on the declaration and is checked against the existing guarantees. If there is an error in with the guarantee, refer to the notifications IE055 and IE051. For onboarding to DMS Transit, specific test-guarantees will be issued, and the company will be informed about which guarantees to use on TFE-environment.

There are many different authorizations an economic operator may hold, but in this context only the ones necessary for simplified procedure is used and described.

To engage in a simplified procedure (D2, see chapter <u>6.8</u>), the consignor must be authorized to do so. This is noted in the field" authorization" in the IE015 where the type must have the value "C521", and the reference number must be valid.

For the consignee to be able to unload the goods at their facilities, they must also have authorization to do so. The authorization allows them to not present the goods at the Office of Destination when received.

6.2 Overview of declaration types

This section displays an overview of transit declaration types and additional messages.

Some declaration types are categorized as "additional messages" in the system. For example, the D4 Goods Presentation declaration for transit is an additional message to a transit declaration and cannot stand alone in the context of the system.

A short description of the different declaration types is provided in DMS Onboarding Guide (in Danish) on The Tax Administration's <u>GitHub</u>

Function	D1	D2	D4	
				1

Submission	X	X	X
Correction	X	X	-
Amendment	X	X	-
Invalidation	X	X	-
Goods presentation	X	X	-

Table 5.9.4.1 – Declaration types

For more information on how the declaration types work regarding AS4, please refer to 12.5

6.3 Submission

The submission of a transit declaration D1/D2 starts the transit flow of the specified consignment. Transit declarations can either be submitted as a standard declaration (D1, D2) or a pre-lodged declaration. If the transit declaration is pre-lodged it can be presented by a D4 Presentation Notification within 30 days. When submitted, standard declarations are immediately processed through the full declaration flow, whereas pre-lodged declarations stay in one state until the goods are presented with a D4 Presentation Notification.

How to fill in the XML schema for submission and which rules to adhere to can be found in the <u>DMS Transit XML guide</u> that can be found on The Tax Administration's <u>GitHub</u> in the folder Transit XSDs

When submitting a D1 or D2 declaration, the **Declaration.Submit** action should be used, see section 12.5.

6.4 Correction

A correction (IE013) is used to correct erroneous data in a **pre-lodged** declaration. Corrections will, if valid, be automatically granted and does not need approval from a customs officer.

A correction can be submitted to a declaration **before** the goods have been presented and **before** the declaration has been accepted, meaning that the declaration still must be in its **pre-lodged** state.

Rules and details on how to fill out the data elements in the XML for each declaration type, and which data elements can be corrected, can be found in the <u>DMS Transit XML guide</u> that can be found on The Tax Administration's GitHub in the folder Transit XSDs.

Corrections are sent to the system using the Amendment XSD. It is important that there is at least one changed data element when submitting a correction. If not, the correction request will be rejected with an IE056.

When submitting a correction request the **Declaration.Amend** action should be used, see section 12.5.

6.5 Amendment

An amendment (IE013) used to amend data in a standard declaration. Differently from corrections, amendments will, if valid, must be approved by a customs officer.

An amendment request can be submitted to a declaration **after** the state of the declaration has been set to accepted and **before** the declaration has been released for transit (the IE004 notification is the positive response to an amendment, see 8.2.1).

Rules and details on how to fill out the data elements in the XML for each declaration type, and which data elements can be amended, can be found in the <u>DMS Transit XML guide</u> that can be found on The Tax Administration's GitHub in the folder Transit XSDs.

Amendments are sent to the system using the Amendment XSD. It is important that there is <u>at least one changed data element</u> when submitting a correction. If not, the amendment request will be rejected with IE056.

When submitting a correction request the **Declaration.Amend** action should be used, see section 12.5.

6.6 Cancellation

A cancellation request (IE014) can be submitted to a pre-lodged declaration if it is no longer relevant. Cancellations will be automatically granted and does not need approval from a customs officer.

Cancellation requests are sent to the system using the Invalidation XSD. Rules and details on how to fill out the data elements in an invalidation can be found in the <u>DMS Transit XML guide</u> that can be found on The Tax Administration's <u>GitHub</u> in the folder Transit XSDs.

Cancellation of a pre-lodged declaration that has not been presented, does not require a customs officer to manually grant or deny the request.

Cancellation of a pre-lodged declaration that has not been presented, does not require a customs officer to manually grant or deny the request.

When submitting a cancellation request the **Declaration.Invalidate** action should be used, see section 12.5.

6.7 Invalidation

An invalidation request (IE014) can be submitted to a declaration if it has not yet been released for transit. For the request to be viewed as an invalidation and not a cancellation, the movement must not have the status "pre-lodged". Invalidations will have to be approved by a customs officer unless special permissions are given.

Invalidation requests are sent to the system using the Invalidation XSD. Rules and details on how to fill out the data elements in an invalidation can be found in the <u>DMS Transit XML guide</u> that can be found on The Tax Administration's GitHub in the folder Transit XSDs.

Invalidation of an accepted declaration requires a customs officer to manually grant or deny the request. Therefore, it might take some time before the expected notifications arrive and the declaration is invalidated. The trader will receive the IE009 (Invalidation decision) (see section 8.2.1).

When submitting an invalidation request the **Declaration.Invalidate** action should be used, see section <u>12.5</u>.

6.7.1 D2 Simplified

The simplified procedure is much akin to the standard procedure. The difference being that for the simplified procedure the customs officer does not have direct access to the goods as the goods are placed at the premises of authorized consignor (at departure), or at the premises of the authorized consignee (at destination). To perform this procedure, the traders at departure and destination must have the necessary authorizations.

6.8 D4 Goods Presentation Notification

A D4 (IE170, Goods Presentation Notification) additional message can be submitted to a prelodged transit declaration, within 30 days, when the goods are to be presented to the office of departure. Note that a D4 *is not considered a declaration* in DMS, but instead it is considered an additional message just like correction/amendment, invalidation, and supplementary declaration messages.

Rules and details on how to fill out the data elements in an D4 Goods Presentation can be found in the <u>DMS Transit XML guide</u> that can be found on The Tax Administration's <u>GitHub</u> in the folder Transit XSDs.

When submitting an D4 Goods Presentation the **Declaration.Amend.Goodspresented** action should be used, see section 12.5.

6.9 IE-messages related to Transit

6.9.1 Arrival Notification to Office of Destination (IE007)

The Arrival Notification is sent to the Office of Destination by the Trader at Destination, announcing the arrival of the movement. Only an authorized consignee needs to send an arrival notification when the goods arrive at their premises.

6.9.2 Unloading Remarks to Office of Destination (IE044)

The unloading remarks is sent to the Office of Destination by the Trader at Destination informing the Office of Destination about the unloading. This can be sent after the trader at destination receives the IE043 - Unloading Permission notification.

6.9.3 Guarantee Access Codes (IE026)

The Holder of Transit procedure assigns (or re-assigns) one or more guarantee access codes to one of their own guarantees. Therefore, they communicate the information to the Office of Guarantee using the Guarantee access codes (IE026)

6.9.4 Query on Guarantees (IE034)

At any point of time, the Holder of the Transit Procedure or the Guarantor is allowed to perform guarantee queries to the Guarantee Management System to check the details of their own guarantees even when no MRN may have been allocated to the transit movement yet. This is done by sending the 'Query on Guarantees' E_GUA_QUE (IE034) message to GMS, which replies back to the Holder of the Transit Procedure with the 'Response Query on Guarantees' E_GUA_RSP (IE037) message.

6.9.5 Request of Release (IE054)

When a control shows minor discrepancies for a movement, the holder is requested to give advice on their proposed revisions. If the Holder of the Transit Procedure does not provide any advice right away after the control, the status of the movement is set to *Under release request*. Next, the Holder of the Transit Procedure should give advice through the 'Request of Release' E_REQ_REL (IE054) message within the defined time limit set by the timer "*Declaration_await-ing_release_request*".

6.9.6 Information About Non-Arrived Movement (IE141)

When a movement leaves the Office of Departure the timers "Awaiting Receipt of Arrival Advice" and "Awaiting Receipt of Control Results" starts. If either of these run out, so neither the Arrival Advice (IE006) nor the control results (IE018) are received at Office of Departure, the Enquiry procedure can be initiated.

If there is no IE006 available, Competent Authority of Enquiry at Departure verifies that the information on the Consignee is not sufficient. It then sends the 'Request on Non-Arrived Movement' E_REQ_MOV (IE140) to the Holder of the Transit Procedure. The holder must then answer with a IE141 within 28 days. If the message is not sent within the time limit, or the response is negative, Recovery is recommended, and the Competent Authority of Enquiry at Departure will decide whether to start that process or continue with Enquiry.

Import, Export and Exit notifications



7.1 List of Import and Export notifications

7.1.1 Overview of Import and Export/Exit notifications

Here is a list of all the notifications that the system produces, as well as a description of when and how they are issued. The tables below list the notifications and illustrate in which business area the various notifications can be received. For a description of the flow of declarations, see appendix, section 11.

Code	Import	Export/Exit
CWMACC	Х	х
CWMCLE	Х	Х
CWMCTL	Х	Х
CWMINV	Х	Х
CWMRCV	Х	Х
CWMREJ	X	х
CWMREQ	X	х
CWMRES	X	х
CWMTAX	X	-
CWMCAS	N/A	Х
CWMDOC	N/A	Х
CWMEOG	N/A	Х
CWMGER	N/A	Х
CWMMAC	N/A	Х
CWMROG	N/A	X
CWMWTR	N/A	х
CWMSPM	N/A	Х

Table 7.1.1.1– Notifications to expect for the different business areas

Code	Title	Description
CWMACC	Declaration acceptance notification	The submitted declaration has been accepted
CWMCLE	Declaration clear- ance notification	Procedure is accepted and goods are cleared to be re- leased

CWMCTL	Declaration control notification	The declaration has been selected for control
CWMINV	Declaration invalida- tion notification	The declaration has been invalidated
CWMRCV	Request receival notification	The submitted declaration/request has been received
CWMREJ	Rejection notification	The declaration/request has been rejected/cancelled
CWMREQ	Customs position on request notification	Customs position response on request
CWMRES	Result of request notification	Result of corrections made to the declaration, either by submitter or customs
CWMTAX	Customs debt notification	Notification of details on customs debt with which the declarant or the representative is informed about the details of the customs debt
CWMCAS	Manual Handling State Notification	Notification informing the submitter about the state of a manual work task
CWMDOC	Document Presentation Notification	Notification telling the submitter that he must present one or more documents, related to the declaration. The notification is also used to remind the submitter about a document that had to be submitted already
CWMEOG	Exit of Goods	Notification informing the submitter about goods exiting the Union
CWMGER	Notify Exit Confirmation Reminder	Notification reminding the submitter that Exit Results have not yet been received
CWMMAC	Pending manual decision	Notification informing the submitter that a received declaration is pending manual decision
CWMROG	Release of Goods	Notification informing the submitter that the goods can be released
CWMWTR	Work Task Rejection Notification	Notification informing the submitter that a manual work task is rejected
CWMSPM	Special Procedure Timer Expiration Reminder	Notification informing the submitter that a special procedure timer is expiring

Table 7.1.1.2 – List of notification types

For an overview of the notifications that can be expected for submission, and the additional messages, see Appendix in section $\underline{12}$.

7.1.2 Reading notifications

When requesting notifications from a given time interval, the notifications can arrive in bundles. Each notification bundle is indicated by the <notifications> </notifications> tags (notice Notifications is in plural) and can contain multiple notifications indicated by multiple <notification> </notification> tags. See the example below:

```
<NotificationResult>
   <TotalSize>100</TotalSize>
   <Notifications>
       <Notification>
           <NotificationEventType>CWMxxx</NotificationEventType>
           <NotificationSID>ccaldd33-2f53-4df8-85ff-d8d1727cf972/NotificationSID>
           <Declaration>
               <MRN>21DKXARQJHQNAHO4R0
               <LRN>NOTIFICATION 01
               <SubmitterReferenceNumber>NOTIFICATION_01/SubmitterReferenceNumber>
           </Declaration>
       </Notification>
       <Notification>
           <NotificationEventType>CWMxxx</NotificationEventType>
           <NotificationSID>ea989da5-bf32-4fa7-84ae-a6c02b0a1302</NotificationSID>
           <Declaration>
               <MRN>21DKUYRRHDAKJ512R3
               <LRN>NOTIFICATION 02
               <SubmitterReferenceNumber>NOTIFICATION_02/SubmitterReferenceNumber>
           </Declaration>
           .....
       </Notification>
   </Notifications>
</NotificationResult>
```

Table 7.1.2.1 – Notification example

All notifications have **common data elements** that provide information of the declaration. However, the fields and information included after the <SubmitterReferenceNumber>-element in the <Notification>-elements depend on the notification type.

An overview of the information contained in the different **common data elements** can be seen below:

Element name	Description
TotalSize	The total amount of notifications in the response.
NotificationEventType	The type of notification, defined as the code described in Table 7.1.1.2
NotificationSID	A unique ID used for all notifications
Declaration	Contains information that applies to the entire declaration
MRN	The MRN of the submitted declaration that the notification belongs to
LRN	The LRN of the submitted declaration
SubmitterReferenceNumber	The submitted LRN on the declaration

Table 7.1.2.2 – Information contained in Notifications

The following sections will give an insight into the different notification types, what to be aware of, and how to read them. For a larger overview of the different data elements, and for the notifications they occur in, see Appendix, section <u>12</u>.

7.2 Notification descriptions for Export, Exit and Import related notifications.

7.2.1 CWMACC - Declaration Acceptance Notification

The declaration acceptance notification informs the submitter that the declaration has been accepted.

If there are no errors in the declaration, the notification will appear when submitting a standard declaration, or after presenting the goods declared in a pre-lodged declaration. You can see in the Appendix when CWMACC will appear in the notification flow.

7.2.1.1 Technical description

Below is an example of the CWMACC-notification:

Table 7.2.1.1 – CWMACC Notification

A CWMACC notification can in certain circumstances also contain an error or warning message, as seen in the following example:

```
<Notification>
    <NotificationEventType>CWMACC</NotificationEventType>
    <NotificationSID>eb343964-359e-49a2-ba40-d96ea32b375f</NotificationSID>
    <Declaration>
       <MRN>23DKD0SCLWDRSIPKR0
       <LRN>CWMACCNOTIFICATION 02
       <VersionID>1</VersionID>
       <SubmitterReferenceNumber>CWMNOTIFICATION 02/SubmitterReferenceNumber>
           <DateTimeString formatCode="304">20230227124707Z</DateTimeString>
       </AcceptanceDateTime>
       <SubmitterID>12345678</SubmitterID>
    </Declaration>
       <ValidationCode>DKW11607</ValidationCode>
           <DocumentSectionCode>
             $.consignmentShipment[?(@.sequenceNumber == 1)].goodsItems[?(@.sequenceNumber == 1]
       </Pointer>
    </Error>
    <NotificationCreatedDate>
       <DateTimeString formatCode="304">20230227124806Z</DateTimeString>
    </NotificationCreatedDate>
</Notification>
```

Table 7.2.1.2 – CWMACC Notification with a warning

Contained within the <Error> element is the <ValidationCode> and <Pointer> elements. These indicate the code of the error as well as specifying the data element that triggered the warning. In this example, something in the first goods item of the first consignment has triggered a warning with the validation code DKW11607. This warning did not result in a rejection of the declaration, but it is best practice to investigate the specified data element when receiving a warning in the CWMACC notification.

Besides from the common data elements described in section <u>7.1.2</u>, and the elements specified above, there are only a few elements that can be retrieved from this notification:

Element name	Description
VersionID	The version number of the declaration. If c rections or changes (e.g. presentation of goods) have been made to the declaration be fore it has been accepted, this number will b an integer >1 depending on how many times changes have been applied
AcceptanceDateTime	The date and time of the acceptance of the d laration
NotificationCreatedDate	The time of creation of the notification. The same as <i>IssueDateTime</i>

Table 7.2.1.3 – Information in Notification

7.2.2 CWMCLE - Declaration Clearance Notification

The CWMCLE notification contains information about the clearance for the procedure, and therefore also about the release of the goods (if this has not already been done). It is sent out only after (though not necessarily directly after) the declaration has been accepted and the CWMACC-notification has been sent.

7.2.2.1 Technical description

```
<Notification>
   <NotificationEventType>CWMCLE</NotificationEventType>
    <NotificationSID>14232971-a2c5-48ed-b387-f2fe507f0b11/NotificationSID>
    <Declaration>
       <MRN>23DKD0SCLWDRSIPKR0</mrn>
       <LRN>CWMCLENOTIFICATION 01
       <VersionID>1</VersionID>
       <SubmitterReferenceNumber>CWMCLENOTIFICATION 01/SubmitterReferenceNumber>
    </Declaration>
    <AdditionalInformation>
       <StatementCode>A2</StatementCode>
       <StatementTypeCode>AFB</StatementTypeCode>
    </AdditionalInformation>
       <DateTimeString formatCode="304">20230227124930Z</DateTimeString>
   </IssueDateTime>
</Notification>
```

Table 7.2.2.1 – Notification example

As seen in the sample, the notification contains a section called <AdditionalInformation> </AdditionalInformation>. The additional information contains information relevant for the trader.

Based on what is indicated in the <StatementCode> the additional information can be different types of information. See the table below:

Element name	Description
VersionID	The version of the declaration that has been cleared
AdditionalInformation	Contains relevant information for the submitter
StatementCode	Description of the relevant information. In the example above it shows the result of the control of the goods.
	A list of possible values can be seen in section 12.7.2
StatementTypeCode	Describes what kind of additional message the Additional Message is – 'AFB' is a Customs Position Motivation.
	A list of possible values can be seen in section 12.7.1

Table 7.2.2.2 – Information in Notification example

7.2.3 CWMCTL – Control Notification

The CWMCTL notification informs the submitter that the related declaration has been selected for control. Because control must be performed, it might take longer than usual for the declaration to go through the flow.

7.2.3.1 Technical description

Table 7.2.3.1 – Notification example

7.2.4 CWMINV - Declaration Invalidation Notification

The CWMINV notification appears when an accepted declaration has been invalidated. For the declaration to reach the 'Invalidated' state, a customs officer (in most cases) must approve an invalidation request.

However, the invalidation notification can also appear if a declaration has been selected for control and deemed not OK.

7.2.4.1 Technical description

```
<Notification>
   <NotificationEventType>CWMINV</NotificationEventType>
   <NotificationSID>109d1567-9581-4d29-8734-8e59e037caff/NotificationSID>
    <Declaration>
       <MRN>23DKLMJDHWUS9NRRA2
       <LRN>CWMINVNOTIFICATION 01
       <SubmitterReferenceNumber>CWMINVNOTIFICATION_01/SubmitterReferenceNumber>
   </Declaration>
    <AdditionalInformation>
       <StatementCode>3</StatementCode>
       <StatementTypeCode>AFB</StatementTypeCode>
   </AdditionalInformation>
    <NotificationCreatedDate>
       <DateTimeString formatCode="304">20230317090704Z</DateTimeString>
    </NotificationCreatedDate>
</Notification>
```

Table 7.2.4.1 – Notification example

The notification provides information on the invalidation request in the <AdditionalInformation>-element.

Element name	Description
AdditionalInformation	Contains additional information about the re
	quest
StatementCode	Encoded reason for invalidation. In the exar
	ple 3 is 'invalidation per trader's request
	A list of possible values can be found in sec
	tion <u>12.6</u>
StatementTypeCode	Describes what kind of additional informati
	the Additional information is – 'AFB' is a
	Customs Position Motivation.
	A list of possible values can be found in sec
	tion <u>12.6</u>

Table 7.2.4.2 – Information in Notification example

7.2.5 CWMRCV – Receival notification

The CWMRCV notification informs the trader that their declaration or request (an additional message, see section <u>5.1</u>) was received. The format of the CWMRCV notification may change depending on which message was received. An explanation on how to read the different kinds of CWMRCV notification is provided in the following sections.

7.2.5.1 CWMRCV of a pre-lodged or exit summary declaration

When submitting a pre-lodged or an exit summary declaration, the subsequent CWMRCV-notification will look like the example below:

Table 7.2.5.1 – Notification example

As seen in the example above, there is no further information than the common elements described in section <u>7.1.2</u>. The CWMRCV notification for a pre-lodged or exit summary declaration **does not contain** an <AdditionalMessage>-element, see section below.

7.2.5.2 CWMRCV of a pre-lodged declaration with warnings

Warnings are sent after submission of a pre-lodged declaration when there is something that the submitter should be aware of, e.g., a quota or restriction on a goods item, or if there are errors in the declaration.

Instead of initially rejecting a pre-lodged declaration with data that would have resulted in a rejection (CWMREJ) of the declaration upon goods presentation, the submitter receives warning codes in the CWMRCV notification. The submitter then has a chance to submit a correction request and thereby correct the erroneous data (see sections $\underline{4.3}$ (Import) and $\underline{5.3}$ (Export)).

Table 7.2.5.2 – Notification example

There can be multiple warnings sent in the CWMRCV notification, all shown in an <Error>- element. The <ValidationCode>-element contains the warning code indicating what the error is and thereby which data elements should be corrected.

For a full list of warnings and error codes, see the document <u>Error and Warning codes</u> found on The Tax Administration's github.

7.2.5.3 CWMRCV of an additional message

After submission of an additional message (see section <u>5.1</u> for more details), the submitter will receive the CWMRCV notification when the message has been received by the system. To be able to refer to the additional message, an MRN is assigned to it.

Table 7.2.5.3 – Notification example

In the example above, the <mrn> of the initial declaration that the request was submitted to can be seen in the top of the notification under the <Declaration> element, whereas the <mrn> of the additional message/request is stated in the <AdditionalMessage> element.

A way to distinguish which type of request the CWMRCV belongs to is to look at the MRN in the AdditionalMessage> element:

For a CWMRCV notification received from the receival of a **correction/amendment-request**, the MRN will be given as

- xxxxCORxxxxxxxxxxx - the 5th to 7th characters is 'COR'

For a CWMRCV notification received from the receival of an **invalidation request**, the MRN will be given as

- xxxx**INV**xxxxxxxxxxx – the 5th to 7th characters are 'INV'

For a CWMRCV notification received from the receival of an **I2/C2/Goods Presentation Notification**, the MRN will be given as

- xxxx**GPR**xxxxxxxxxxx - the 5th to 7th characters are '**GPR**'

For a CWMRCV notification resulting from the receival of a **Supplementary declaration for a C1 (Simplified Declaration)**, the MRN will be given as

- xxxx**SUP**xxxxxxxxxx - the 5th to 7th characters are 'SUP'

The MRN of the additional message will also appear in the CWMREJ notification under the <mrn>-element if the additional message is rejected, and in the CWMREQ notification (as <urn>, see more about this in section 7.2.7) when Customs has taken position on the additional message. Thusly, the trader can distinguish which received additional message has been rejected or taken position on.

7.2.6 CWMREJ - Rejection notification

7.2.6.1 CWMREJ for a declaration

Receiving a CWMREJ notification after submitting a declaration means that there are errors in the submitted declaration that result in the declaration not passing validation. Whether it is breaking a business rule or submitting an invalid code or ID, the CWMREJ notification contains information on the specifics of the error(s).

Table 7.2.6.1 – Notification example

As with the CWMRCV notification with warnings, the CWMREJ also includes information on the error in the <Error>-element. However, in a CWMREJ, there are a few more elements containing information on where to find the error.

In the example above a business rule was broken. The broken business rule is stated as an error code in <ValidationCode>. The <Pointer> -element(s) indicate(s) which data element(s) in the declaration should be changed for the declaration to be accepted.

For a full list of warnings and error codes, see the document <u>Error and Warning codes</u> found on The Tax Administration's GitHub.

7.2.6.2 CWMREJ of an additional message

As with the CWMREJ notification of a rejected declaration, the errors for the rejection of an additional message are also displayed in the <Error> element of the notification.

In the <Error>-element, an error code is contained in the <ValidationCode> element as well as an error description in the <ValidationText> element, as seen in the example below.

```
<Notification>
   <NotificationEventType>CWMREJ/NotificationEventType>
    <NotificationSID>aaf17321-f0a7-4a2f-818a-87bd784369fb</NotificationSID>
       <LRN>CWMREJNOTIFICATION 02
       <SubmitterReferenceNumber>CWMREJNOTIFICATION 02/SubmitterReferenceNumber>
       <RejectionDateTime>
            <DateTimeString formatCode="304">20230317101806Z</DateTimeString>
       </RejectionDateTime>
       <SubmitterID>12345678/SubmitterID>
    </Declaration>
    <Error>
       <Error>
           <ValidationCode>DK3040</ValidationCode>
            <ValidationText>It is not allowed to amend "Procedure" (D.E. 11 09 000 000), "Re-
quested Procedure" (D.E. 11 09 001 000), "Previous procedure" (D.E. 11 09 002 000), "Additional Pro-
cedure" (D.E. 11 10 000 000 + 11 10 001 000).</validationText>
       </Error>
   </Error>
    <NotificationCreatedDate>
       <DateTimeString formatCode="304">20230317101806Z</DateTimeString>
    </NotificationCreatedDate>
    <AdditionalMessage>
       <MRN>23DKCOR8NK7ADLFN00
```

```
</AdditionalMessage>
</Notification>
```

Table 7.2.6.2 – Notification example

Unlike the CWMREJ notification that is sent when a *declaration* is rejected, the CWMREJ notification sent when an *additional message* is rejected contains an <additionalMessage>-element, which matches the MRN in the <additionalMessage>-element of the CWMRCV notification for the submitted additional message (see also section 7.2.5.3). The submitter can then know which additional message was received and thereafter rejected.

For a full list of warnings and error codes, see the document <u>Error and Warning codes</u> found on The Tax Administration's GitHub.

7.2.6.3 CWMREJ after I2/C2 – Goods presentation

The CWMREJ notification can appear after submission of an I2/C2 in two scenarios:

- The I2/C2 additional message is rejected
- The pre-lodged declaration is rejected

Rejection of the I2/C2 additional message

In case the I2/C2 additional message is rejected, the CWMREJ notification will contain error code(s) and error description(s) in an <Error> element describing the error(s) present. It will also contain an <AdditionalMessage>-element indicating that it is the additional message that is rejected and not the initial pre-lodged declaration. The MRN in the <Addition-alMessage>-element will be on the format xxxxGPRxxxxxxxxxxx, meaning that the additional message that is being rejected is a GPR – Goods Presentation. See also the example below.

```
<Notification>
        <NotificationEventType>CWMREJ</NotificationEventType>
        <NotificationSID>590f9ad6-b9f5-4abf-bec7-3837a219fe30/NotificationSID>
        <Declaration>
            <MRN>21DKIMEZICQN4VJJR2
           <LRN>CWMREJNOTIFICATION 03
            <SubmitterReferenceNumber>CWMREJNOTIFICATION 03/SubmitterReferenceNumber>
            <RejectionDateTime>
               <DateTimeString formatCode="304">20211118102017Z</DateTimeString>
            </RejectionDateTime>
        </Declaration>
        <Error>
            <ValidationCode>DK1072</ValidationCode>
                <DocumentSectionCode>$.consignmentShipment[?(@.sequenceNumber==0)].locations[?(@.localions)]
tionRoleType=="14")].physicalAddress.countryCode</DocumentSectionCode>
            </Pointer>
        </Error>
        <NotificationCreatedDate>
            <DateTimeString formatCode="304">20211118102019Z</DateTimeString>
        </NotificationCreatedDate>
        <AdditionalMessage>
```

```
<MRN>21DKGPRJBYGXSEVD00</MRN>
     </AdditionalMessage>
     </Notification>
```

Table 7.2.6.3 – Notification example

In this example, the CountryCode element under GoodsLocation was invalid in the I2/C2 additional message. The pre-lodged declaration remains in the state of 'Pending Goods Presentation' and a new (and corrected) I2/C2 additional message can be submitted to present the goods for the initial declaration.

Rejection of the initial pre-lodged declaration

The second case of receiving a CWMREJ notification after submitting a Goods Presentation notification is when the initial pre-lodged declaration ends up being rejected. This can happen if the submitter does not submit a correction for the errors that were given as warnings in the initial declaration's CWMRCV notification (see section <u>7.2.5.2</u>) which needed to be corrected for the declaration to be accepted.

In this case, the CWMREJ notification will contain the corresponding error code(s) and error description(s) of the warning code(s) from the CWMRCV notification in an <Error>-element describing the error(s) in the declaration. Unlike the CWMREJ notification from the rejection of an I2/C2 additional message, this scenario **does not contain an** <AdditionalMessage> **element**. See example below.

```
<Notification>
   <NotificationEventType>CWMREJ/NotificationEventType>
   <NotificationSID>72bf03f5-3084-496f-b904-4e2041d9ac6d</NotificationSID>
   <Declaration>
       <LRN>CWMREJNOTIFICATION 04
       <SubmitterReferenceNumber>CWMREJNOTIFICATION 04/SubmitterReferenceNumber>
       <RejectionDateTime>
           <DateTimeString formatCode="304">20230317103736Z</DateTimeString>
       </RejectionDateTime>
       <SubmitterID>12345678/SubmitterID>
   </Declaration>
   <Error>
       <Error>
                              DK6001
           <ValidationCode>
                                         </ValidationCode>
       </Error>
       <Error>
                                DK6002
                                          </ValidationCode>
           <ValidationCode>
       </Error>
       <Error>
                                DK6000
                                          </ValidationCode>
           <ValidationCode>
       </Error>
       <Error>
           <ValidationCode>
                               DK2005
                                         </ValidationCode>
       </Error>
   <NotificationCreatedDate>
       <DateTimeString formatCode="304">20230317103736Z</DateTimeString>
```

```
</NotificationCreatedDate>
</Notification>
```

Table 7.2.6.4 – Notification example

In the example above invalid EORI numbers was declared in the declaration, and it was not corrected after receiving warnings in its CWMRCV notification. This results in the declaration being rejected when the goods were presented.

In this case, the pre-lodged declaration will have to be resubmitted with a new LRN.

7.2.7 CWMREQ – Customs position on request notification

When submitting an additional message, the submitter will receive a CWMREQ notification when the additional message has been processed, either by the system or a Customs officer.

7.2.7.1 Technical description

```
<Notification>
    <NotificationEventType>CWMREQ</NotificationEventType>
   <NotificationSID>b7feacf0-78f7-4633-b04f-cf92eb937813</NotificationSID>
    <Declaration>
       <MRN>23DK2Z3LLWOYFGZ3A5
       <LRN>CWMREQNOTIFICATION 01
       <SubmitterReferenceNumber>CWMREQNOTIFICATION 01/SubmitterReferenceNumber>
       <SubmitterID>12345678/SubmitterID>
    </Declaration>
    <AdditionalInformation>
       <StatementTypeCode>AFB</StatementTypeCode>
       <StatementDescription>Granted automatically.</StatementDescription>
    </AdditionalInformation>
    <CustomsPosition>
       <ID>4d068d54-a092-4abd-a551-3e4d64f1e62c</ID>
       <Type>GRANTED</Type>
    </CustomsPosition>
    <NotificationCreatedDate>
       <DateTimeString formatCode="304">20230313132316Z</DateTimeString>
    </NotificationCreatedDate>
    <AdditionalMessage>
       <URN>23DKCORJEGT7ECLL09</URN>
    </AdditionalMessage>
</Notification>
```

Table 7.2.7.1 – Notification example

Note that the CWMREQ notification uses the element <urn> Unique Reference Number (URN) to refer to the additional message in the <AdditionalMessage> field. The URN and MRN values are functionally equivalent, so the only difference is the name of the element, as can be verified by checking that the MRN field in the CWMRCV matches the URN field in the CWMREQ for the additional message in question.

The CWMREQ notification contains information about the customs position in the <customsPosition> element, including the ID of the decision as well as the type indicating whether the request was GRANTED or DENIED.

If there are comments from the customs office, they are included in the <AdditionalInformation> ... </AdditionalInformation> element.

7.2.8 CWMRES - Result of request notification

The CWMRES notification arrives after the declaration has been corrected or amended. It notifies the trader of the result of their request.

When submitting a pre-lodged declaration, the CWMRES notification will contain information on all changes the declaration has gone through in the process, i.e., changing type (from Pre-lodged to Standard) when goods are presented, as well as any changes in or amendment of location of goods or other data elements.

7.2.8.1 Technical description

A step-for-step explanation of how to read this XML example is included after the example.

```
<Notification>
   <NotificationEventType>CWMRES
   <NotificationSID>f4bb3bd5-55b8-4bd2-8307-b1be75026ec0</NotificationSID>
   <Declaration>
       <MRN>23DKSSMVLMRQMYE1A0
       <LRN>CWMRESNOTIFICATION 01</LRN>
       <VersionID>3</VersionID>
       <SubmitterReferenceNumber>CWMRESNOTIFICATION 01/SubmitterReferenceNumber>
       <amendment>
           <createdBy>CWM</createdBy>
           <sequenceNumber>2</sequenceNumber>
           <value>DK12345678
           <pointer>$.parties[?(@.partyRoleType == 'EX')].partyIdentification</pointer>
           <timestamp/>
           <declarationVersion>1</declarationVersion>
       </amendment>
       <amendment>
           <createdBy>CWM</createdBy>
           <sequenceNumber>4</sequenceNumber>
           <value>A</value>
           <pointer>$.type</pointer>
           <timestamp/>
           <declarationVersion>2</declarationVersion>
       </amendment>
       <amendment>
           <createdBy>CWM</createdBy>
           <sequenceNumber>1</sequenceNumber>
           <value>DK005600
           <pointer>$.consignmentShipment[?(@.sequenceNumber == 0)].locations[?(@.loca-
tionRoleType == '14')].customsOfficeID</pointer>
```

Table 7.2.8.1 – Notification example

The <amendment> element gives insight into which changes the declaration has gone through in the process.

In the example above, the pre-lodged declaration (<declarationVersion> = 1) has gone through a correction to the Exporter ID before goods presentation, incrementing the declaration <VersionID> from version 1 to 2. Thereafter, the goods have been presented, and the location of the goods have been changed on the declaration during goods presentation, taking the declaration <VersionID> from 2 to 3. This is why the <VersionID> is 3 in the CWMRES notification in the top of the example, as this is the current version of the declaration at the time of receiving that notification, after it has gone through two corrections.

Even if the CWMRES notification arrives after a goods presentation is sent to the system, there is no <additionalMessage> element, as the changes stated in the CWMRES notification relate to the initial pre-lodged declaration.

The <versionID> element refers to the current version of the declaration at the time of submitting the additional message. The <declarationVersion> element, on the other hand, refers to the version of the declaration that the changes apply to. This is why they are different in the example above. The example can be read as: the current version of the declaration is version 3. The change from version 1 to 2 occurred when a correction was submitted, changing the Exporter ID to DK12345678. The change from version 2 to 3 occurred upon presenting the goods, as indicated by the \$.type value changing to A for EXA instead of EXD (see example Table 7.2.8.2 below). Along with this goods presentation, the location of the goods was also changed, resulting in amendments for the location data elements under the pointer>.

Note that each change of an individual data element **does not** increment the declaration version. The declaration version is only incremented upon the system receiving an additional message for that declaration, no matter how many changes the additional message results in.

As mentioned in the previous paragraph, after submitting a goods presentation (GPR) additional message, the resulting CWMRES notification will always have an <amendment> element of the following form:

Table 7.2.8.2 – Goods presentation CWMRES example

This <amendment> element indicates, in the <pointer> element, that the declaration has changed type – in this case from pre-lodged (type: D) to standard (type: A). When submitting an amendment/correction, the <pointer> element will instead contain the pointer to the data element(s) that have been changed by the correction/amendment. For more information on amendments, see section 4.4 (Import) and 5.4 (Export).

Element name	Description
amendment	
createdBy	The system that created the amendment
sequenceNumber	Number uniquely identifying the amendment object
Value	The updated value of the amended/corrected data element
Pointer	Pointer indication the amended/corrected data element
declarationVersion	The version number of the declaration that was amended/corrected

Table 7.2.8.3 – Information in Notification

7.2.9 CWMROG – Release of Goods

7.2.9.1 Specific for DMS Import

In DMS Import, the CWMROG notification means the exact same thing as the CWMCLE notification and contains information about the release of the goods. It is sent out only after (though not necessarily directly after) the declaration has been accepted and the CWMACC notification has been sent.

This notification is identical to the CWMCLE notification and is considered a bug in the system for DMS Import. It does not mean that an error has occurred, and it should be handled exactly as the CWMCLE notification. It is expected behavior in DMS Export.

7.2.9.2 Specific for DMS Export

In DMS Export, the CWMROG notification follows the CWMCLE notification after an anticipated export record (AER) has been created for the consignment in question. **Note** that the CWMROG notification is expected in DMS Export, as it notifies the trader that the goods are cleared and ready for release, thus marking the last step before exit procedures begin.

NB: In the context of a summary exit declaration (A1/A2), the CWMROG notification is not preceded by CWMACC and CWMCLE.

7.2.9.3 Technical description

Table 7.2.9.1 – Notification example

As seen in the sample, the notification contains a section called <additionalInformation>
.... </additionalInformation>. The additional information contains information relevant
for the trader. Based on what is indicated in the <StatementCode>, the additional information
can be different types of information (see statementcode>, the additional information
can be different types of information (see statementcode>). See the table below (or the
CWMCLE notification, see section 7.2.2):

Element name	Description
VersionID	The version of the declaration that has been cleared
AdditionalInformation	Contains relevant information for the submitter
StatementCode	Description of the relevant information. In the example above it indicated the result of the control of the goods – 'A1' means 'Considered Satisfactory' (as for the CWMCLE notification)
StatementTypeCode	Describes what kind of additional message the Additional Message is – 'AFB' is a Customs Position Motivation.

Table 7.2.9.2 – Information in Notification

7.2.10 CWMTAX - Customs debt notification

Note: This notification is only relevant for DMS Import

7.2.10.1 Specific for DMS Import

When submitting a declaration, the submitter is notified by the CWMTAX notification that a calculation of customs debt has been done. The CWMTAX notification appears after the initial submission of a declaration, which for a standard (IMA) declaration is the final calculation (unless amendments are requested and granted for the customs value of a goods item), and for a pre-lodged (IMD) declaration it is only a preliminary calculation – there will be a recalculated customs debt when goods are presented, and the CWMTAX notification will be sent from the system again.

7.2.10.2 Technical description

```
<Notification>
       <NotificationEventType>CWMTAX</NotificationEventType>
       <NotificationSID>685eefec-f413-425d-a055-927856d36993</NotificationSID>
       <Declaration>
           <MRN>21DKRSYEMQS500TGR1
           <LRN>CWMTAXNOTIFICATION 01
           <VersionID>1</VersionID>
           <SubmitterReferenceNumber>CWMTAXNOTIFICATION 01/SubmitterReferenceNumber>
           <DutyTaxFee>
               <Pavment>
                   <ReferenceID>DK12345678:1</ReferenceID>
                   <PaymentAmount>75.1</PaymentAmount>
                   <TaxAssessedAmount>0</TaxAssessedAmount>
               </Payment>
           </DutyTaxFee>
           <GoodsShipment>
                <GovernmentAgencyGoodsItem>
                   <SequenceNumeric>1</SequenceNumeric>
                   <Commodity>
                       <DutvTaxFee>
                           <Payment>
                               <PaymentAmount>75.1</PaymentAmount>
                                <TaxAssessedAmount>75.1</TaxAssessedAmount>
                           </Payment>
                            <SpecificTaxBaseQuantity>301/SpecificTaxBaseQuantity>
                            <DeductAmount>0
                            <TaxRateNumeric>25.0</TaxRateNumeric>
                            <TypeCode>B00</TypeCode>
                       </DutyTaxFee>
                   </Commodity>
               </GovernmentAgencyGoodsItem>
           </GoodsShipment>
        </Declaration>
       <IssueDateTime>
           <DateTimeString formatCode="304">20210915172600Z</DateTimeString>
       </IssueDateTime>
    </Notification>
```

Table 7.2.10.1 – Notification example

As seen in the example above, the notification contains information of the payment under the <Declaration> element and the <GovernmentAgencyGoodsItem> element, each having slightly different sub-elements.

Element name	Description
Declaration	Information on the payment for the entire de laration
DutyTaxFee	DutyTaxFee captures Duty/Tax/Fee data of particular duty/tax/fee type
Payment	This element contains information on a give payment
ReferenceID	Payment ID
PaymentAmount	The actual amount paid, or to be paid, for al items in the declaration, rounded down to or digit.
TaxAssessedAmount	Assessed amount of duty/tax/fee (includes a types of charges and duties). Assessed per duty/tax/fee type by declaration.
GoodsShipment	GoodsShipment captures the data of the shipment of the goods belonging to one particular consignment crossing the border of the Customs area
GovernmentAgencyGoodsItem	Information on the payment for the specific goods item
SequenceNumeric	The number of the goods item as given on the submitted declaration.
Commodity	Details about the properties of the goods
DutyTaxFee	DutyTaxFee captures Duty/Tax/Fee data of particular duty/tax/fee type
Payment	This element contains information on the ba of the calculation of a given payment
PaymentAmount	The actual amount paid, or to be paid, for th specific item, rounded down to one digit.
TaxAssessedAmount	Assessed amount of duty/tax/fee (includes a types of charges and duties). Assessed per duty/tax/fee type by item
SpecificTaxBaseQuantity	The quantity on which a duty or tax or fee w be assessed (FreightChargeAmount + CustomsValueAmount)
DeductAmount	Amount of relief applicable from a duty or t

Element name	Description
TaxRateNumeric	Rate of duty or tax or fee applicable to commodities or of tax applicable to services (25. = 25%)
TypeCode	Code for type of tax to be applied (eg., B00 VAT)
IssueDateTime	The time of creation of the notification. The same as <i>NotificationCreatedDate</i>

Table 7.2.10.2 – Information in Notification

7.2.11 CWMCAS - Manual Handling State Notification

The manual handling state notification informs the submitter that a manual work task has been created and its state.

In the *Queued for handling* state is the system is awaiting a decision on the declaration or an additional message by a customs officer.

In the *Completed* state the manual decision has been closed, and another notification about the new status of declaration is sent such as a CWMINV if an invalidation was requested, or a CWMREQ in other circumstances (see section 7.2.7).

7.2.11.1 Technical description

Below is an example of the CWMCAS-notification:

```
<Notification>
    <NotificationEventType>CWMCAS</NotificationEventType>
    <NotificationSID>30447456-0e86-4d68-8414-69121fb1e841</NotificationSID>
    <Declaration>
       <MRN>23DKZPGOISSSNX0EA2
       <LRN>CWMCASNOTIFICATION 01
       <VersionID>1</VersionID>
       <SubmitterReferenceNumber>CWMCASNOTIFICATION 01/SubmitterReferenceNumber>
       <SubmitterID>12345678/SubmitterID>
    </Declaration>
    <AdditionalInformation>
        <StatementCode>41</StatementCode>
       <StatementDescrip-tion>Declaration queued for manual case handling
       </StatementDescription>
    </AdditionalInformation>
    <IssueDateTime>
        <DateTimeString formatCode="304">20230313120547Z</DateTimeString>
    </IssueDateTime>
</Notification>
```

Table 7.2.11.1 – Notification example

Besides from the common data elements described in section 8.1.2 there are only a few elements that can be retrieved from this notification:

Element name	Description
AdditionalInformation/State- mentCode	Provides additional information or the state of the manual task.
	41 - Queued for handling
	42 - Handling in progress
	43 - Completed
AdditionalInformation/ StatementDescription	Provides additional information or the state of the manual task in an easily readable format.

Table 7.2.11.2 – Information in Notification

7.2.12 CWMDOC - Document Presentation Notification

Notification informing the submitter that one or more documents must be provided for the declaration to pass. The notification may also be used retroactively, that is, to remind the submitter about a document that had to be submitted already.

7.2.12.1 Technical description

Below is an example of the CWMDOC-notification:

Table 7.2.12.1 – Notification example

Besides from the common data elements described in section 7.1.2 there are only a few elements that can be retrieved from this notification:

Element name	Description	
AdditionalDocument\Type	The type of document that must be present should have been submitted	

AdditionalDocument\Identifier	The identifier of document that must be pre sent or should have been submitted	
Control\TypeCode	The type of control to be performed on the documents. 10 is documents control.	

Table 7.2.12.2 – Information in Notification

7.2.13 CWMEOG - Exit of Goods

Note: This notification is only relevant for DMS Export

7.2.13.1 Specific for DMS Export

The CWMEOG notification informs the trader that the movement has successfully exited the European Union Customs Territory.

7.2.13.2 Technical description

Below is an example of the CWMEOG notification:

7.2.14 CWMGER - Notify Exit Confirmation Reminder

The CWMGER notification is sent to the trader by the system when the time limit to receive exit results has run out, i.e., when the trader has not sent the exit results message to the system in time.

7.2.14.1 Technical description

Below is an example of the CWMGER notification:

```
<Notification>
   <NotificationSID>d51ba646-5319-4680-89c5-227c50cc21ae</NotificationSID>
   <NotificationEventType>CWMGER</NotificationEventType>
   <Declaration>
       <VersionID>1</VersionID>
       <EffectiveDateTime>[2023,3,13,9,32,21,284070396]
       <MRN>23DKIVXHPGBOFOL8A5
        <LRN>CWMGERNOTIFICATION 01
       <CustomsOfficeOfExport>DK004700</CustomsOfficeOfExport>
       <Declarant>
           <ID>DK99999996</ID>
       </Declarant>
       <Exporter>
           <ID>DK99999996</ID>
       </Exporter>
   </Declaration>
   <Control>
       <SequenceNumeric>1</SequenceNumeric>
       <LimitDateTime formatCode="304">2024-03-13T09:32:21.284/LimitDateTime>
   </Control>
   <IssueDateTime>
       <DateTimeString formatCode="304">2023-03-13T09:32:21.284/DateTimeString>
   </IssueDateTime>
</Notification>
```

Table 7.2.14.1 – Notification example

Besides from the common data elements described in section 8.1.2 there are only a few elements that can be retrieved from this notification:

Element name	Description	
Declaration		
Control/SequenceNumeric	Numeric identifier for the control	
Control/LimitDateTime	The time limit that was exceeded	

Table 7.2.14.2 – Information in Notification

7.2.15 CWMMAC - Pending manual decision

7.2.15.1 Specific for DMS Export

CWMMAC is a notification informing the submitter that a received declaration is pending a manual decision before the goods can be released for export.

A CWMMAC notification will occur after a declaration is accepted (CWMACC), but before it is cleared for release (CWMCLE). Therefore, the consignment goods must be presented before a CWMMAC will occur in the case of a pre-lodged declaration. Along with the

CWMMAC notification, a CWMCAS notification (see section <u>7.2.11</u>) will also be sent to the trader, notifying the trader that the case is pending manual handling.

A customs officer must then manually grant or deny release for the declaration in question. Two additional CWMCAS notifications are sent during this flow – one when the case handling begins, and one when the case handling is completed.

7.2.15.2 Technical description

Below is an example of the CWMMAC-notification:

```
<Notification>
   <NotificationEventType>CWMMAC</NotificationEventType>
   <NotificationSID>d531f4b7-9372-4889-a818-d7ff8031be1c/NotificationSID>
   <Declaration>
       <MRN>23DKJXG1AFWNLURJA9
       <SubmitterReferenceNumber>CWMMACNOTIFICATION 01/SubmitterReferenceNumber>
       <SubmitterID>12345678/SubmitterID>
   </Declaration>
   <AdditionalInformation>
       <StatementCode>Proviant Angivelse
       <StatementDescription>MANUAL RELEASE</StatementDescription>
   </AdditionalInformation>
   <IssueDateTime>
       <DateTimeString formatCode="304">2023-03-10T12:47:27.208/DateTimeString>
   </IssueDateTime>
</Notification>
```

Table 7.2.15.1 – Notification example

Besides from the common data elements described in section 7.1.2 there are only a few elements that can be retrieved from this notification:

Element name	Description
AdditionalInformation	
StatementCode	Code describing the reason for manual reledecision
StatementDescription	Description of the manual release decision

Table 7.2.15.2 – Information in Notification

7.2.16 CWMWTR - Work Task Rejection Notification

7.2.16.1 Specific for DMS Export

The CWMWTR notification is triggered when a customs agent denies the manual decision for the release of goods as notified by the CWMMAC notification. It notifies the trader that the request for release has been rejected.

7.2.16.2 Technical description

Below is an example of the CWMWTR-notification:

```
<Notification>
    <NotificationEventType>CWMWTR</NotificationEventType>
   <NotificationSID>13668cde-5203-44d4-9199-6612b3394968</NotificationSID>
    <Declaration>
       <MRN>23DKHILRSJBWVZGIA6
       <LRN>CWMWTRNOTIFICATION 01
       <SubmitterReferenceNumber>CWMWTRNOTIFICATION 01/SubmitterReferenceNumber>
       <SubmitterID>12345678/SubmitterID>
    </Declaration>
    <AdditionalInformation>
       <StatementCode>Proviant Angivelse/StatementCode>
       <StatementTypeCode>MANUAL RELEASE</statementTypeCode>
       <StatementDescription>Comments for submitter</StatementDescription>
    </AdditionalInformation>
    <IssueDateTime>
       <DateTimeString formatCode="304">20230319113121Z</DateTimeString>
    </IssueDateTime>
</Notification>
```

Table 7.2.17.1 – Notification example

Besides from the common data elements described in section 7.1.2 the following elements can be retrieved from the notification:

Element name	Description
AdditionalInformation	
StatementCode	Code describing the reason for manual release decision
StatementTypeCode	TypeCode for the notification
StatementDescription	Description of the manual release decision

Table 7.2.17.2 – Information in Notification

7.2.17 CWMSPM - Special Procedure Timer Expiration Reminder

7.2.17.1 Specific for DMS Export

The CWMSPM notification might be triggered when a timer for a deadline is created or changed. This notification does not require any immediate action.

7.2.17.2 Technical description

Below is an example of the CWMSPM-notification:

Table 7.2.17.1 – Notification example

Besides from the common data elements described in section 7.1.2 the following elements can be retrieved from the notification:

Element name	Description	
TimerExpirationInfo		
ExpirationDateTime	Date and time for when the timer expires	

Table 7.2.17.2 – Information in Notification

7.2.18 Error codes and warnings

When filling out the data elements for submitting a declaration, errors can happen.

If there are errors when submitting a standard declaration, the declaration will be rejected and a CWMREJ notification will be sent with error codes indicating the error in the declaration. The declaration should then be resubmitted by using the submission XML (the LRN can be reused in this case) with the corrected content in the data elements.


When submitting a pre-lodged declaration with errors, the declaration will not immediately be rejected – **instead the errors will be presented as warnings and sent in the CWMRCV notification.** This provides a chance to **correct the declaration before the goods are presented** (see section 6.2). If the errors are not corrected before the presentation of goods, the declaration will be rejected when the goods are presented, and the declaration will have to be resubmitted as for a standard declaration.

However, a warning is not always an error. It can simply be a warning about restrictions on commodity codes or other relevant information to be aware of in the declaration.

The way to distinguish a warning code from an error code, besides looking at the type of declaration, is that warnings are given on the form **DKWxxxx**, whereas error codes are in the format **DKxxxx**, **CWMxxxxxx**, **DMSxxxxxx**, etc.

For a full list of warnings and error codes, see the document <u>Error and Warning codes</u> <u>found on The Tax Administration's GitHub.</u>

Transit notifications



8.1 List of notifications

This section is an overview of the notifications which can appear when a user sends in a transit declaration.

Please note that notifications seen in the transit domain differs, sometimes greatly, from the import and export domain. Therefore, transit notifications are separated from the other notification domains into this stand-alone chapter.

8.1.1 Overview of notifications

Here is a list of all the notifications that the system produces, as well as a description of when and how they are issued. The tables below list the notifications and illustrate in which business area the various notifications can be received. For a description of the flow of declarations, see appendix, section <u>12</u>.

IE	Description	Sender	Official IE Name	Message name
IE004	Acceptance message for amendment	Office of Departure	AMENDMENT ACCEPTANCE	(E_AMD_ACC)
IE009	Invalidation decision	Office of Departure	INVALIDATION DECISION	(E_INV_DEC)
IE019	Potential discrepancies are noted	Office of Departure	DISCREPANCIES	(E_DIS_SND)
IE025	Goods release notification	Office of Destination	GOODS RELEASE NOTIFICATION	(E_GDS_REL)
IE028	Acceptance message with MRN	Office of Departure	MRN ALLOCATED	(E_MRN_ALL)
IE029	Release for transit	Office of Departure	RELEASE FOR TRANSIT	(E_REL_TRA)
IE035	Notification regarding recovery procedure initiation	Office of Departure	RECOVERY NOTIFICATION	(E_REC_NOT)
IE043	Unloading permission for authorized consignee	Office of Destination	UNLOADING PERMISSION	(E_ULD_PER)

EI045	Write-off notification	Office of Departure	WRITE-OFF NOTIFICATION	(E_WRT_NOT)
IE051	No release (If no guarantee is provided within a timer, or control result is B1) IE051	Office of Departure	NO RELEASE FOR TRANSIT	(E_REL_NOT)
IE055	Guarantee not valid notification	Office of Departure	GUARANTEE NOT VALID	(E_GUA_INV)
IE056	Rejection	Office of Departure	REJECTION FROM OFFICE OF DEPARTURE	(E_DEP_REJ)
IE057	Rejection	Office of Destination	REJECTION FROM OFFICE OF DESTINATION	(E_DES_REJ)
IE060	Control decision notifi- cation	Office of Departure	CONTROL DECISION NOTI- FICATION (E_CTR	
IE928	Validation (transit declaration positive ACK)	Office of Departure	POSITIVE ACKNOWLEDGE	(E_POS_ACK)

Table 8.1.1.1 – Transit notification types

8.1.2 Reading notifications

When requesting notifications from a given time interval, the notifications can arrive in bundles. Each notification bundle is indicated by the <notifications> </notifications> tags (notice Notifications is in plural) and can contain multiple notifications indicated by multiple <notification> tags (Notification in singular). See the example below:

```
<NotificationResult>
    <TotalSize>3</TotalSize>
    <Notifications>
       <Notification>
           <IExxx>
               <messageSender>NTA.DK</messageSender>
                <messageRecipient>12345678</messageRecipient>
                operationDateAndTime>2023-03-06T12:36:09/preparationDateAndTime>
                <messageIdentification>GXPFCUKMBVJLV6</messageIdentification>
                <messageType>CCxxxC</messageType>
                <correlationIdentifier>334ad542-7320-4c3e-9163-6cc6b244057/correla-
tionIdentifier>
               <TransitOperation>
                    <LRN>LRN230220231695
                    <MRN>23DKMPXS87GC14R1K6
               </TransitOperation>
            </IExxx>
       </Notification>
            <Notifications>
       <Notification>
           <IExxx>
                <messageSender>NTA.DK</messageSender>
                <messageRecipient>12345678</messageRecipient>
                <preparationDateAndTime>2023-03-06T12:36:09</preparationDateAndTime>
                <messageIdentification>GXPFCUKMBVJLV6</messageIdentification>
                <messageType>CCxxxC</messageType>
                <correlationIdentifier>334ad542-7320-4c3e-9163-6cc6b244057/correla-
tionIdentifier>
                <TransitOperation>
                   <LRN>LRN230220231695
                   <MRN>23DKMPXS87GC14R1K6
               </TransitOperation>
            </IExxx>
       </Notification>
    </Notifications>
</NotificationResult>
```

Figure 8.1.1.2 – Notification example

All notifications have **common data elements** that provide information of the declaration. However, the fields and information included after the <<u>SubmitterReferenceNumber</u>>-element in the <<u>Notification</u>>-elements depend on the notification type.

An overview of the information contained in the different **common data elements** can be seen below:

Element name	Description	Rules
TotalSize	The total amount of notifications in the response.	
CCxxxC	The notification type	The numbers in the element name correspond with the numbers in its IE-name (CC056C would be IE056)
messageSender	The sender of the message. For notifications, this will often be NTA.dk, which is the system	
messageRecipient	The receiver. For notifications, this will be the users SE-number	
preparationDateAndTime	Time of sending for the message	
messageIdentification	Unique identification number for the message. Not to be confused with neither MRN nor LRN.	
messageType	The same as "CCxxxC"	
correlationIdentifier	Unique identifier for a given request.	
TransitOperation	Contains information that applies to the entire declaration.	
MRN	The MRN of the submitted declaration that the tification belongs to	18 chars, string
LRN	The Local Reference Number of the submitted declaration	1-22 chars, string

Table 7.1.2.2 – Information contained in Notifications

The following sections will give an insight into the different notification types, what to be aware of, and how to read them. For a larger overview of the different data elements, and for the notifications they occur in, see Appendix, section 12.

8.2 Notification descriptions

8.2.1 IE004 – Amendment accepted

The Amendment accepted (IE004) informs the holder of the transit procedure that their Amendment (IE013) has been accepted.

8.2.1.1 Technical description

Below is an example of the IE004-notification:

```
<CC004C>
        <messageSender>NTA.DK</messageSender>
        <messageRecipient>13421730</messageRecipient>
        arationDateAndTime>2023-02-15T08:17:43</preparationDateAndTime>
        <messageIdentification>SBZR7YQFLCH4J1/messageIdentification>
        <messageType>CC004C</messageType>
        <correlationIdentifier>1.qtbyy49e14</correlationIdentifier>
        <TransitOperation>
            <MRN>23DKVBW6RP9UXRHSK0
            <amendmentAcceptanceDateAndTime>2023-02-15T07:49:48</amendmentAcceptanceDate-</pre>
AndTime>
        </TransitOperation>
        <CustomsOfficeOfDeparture>
            <referenceNumber>DK005600</referenceNumber>
        </CustomsOfficeOfDeparture>
        <HolderOfTheTransitProcedure>
            <identificationNumber>DK55123456</identificationNumber>
        </HolderOfTheTransitProcedure>
    </CC004C>
</Notification>
```

Figure 8.2.1.1 Notification example

8.2.2 IE009 – Invalidation Decision

The Invalidation decision notification informs the Holder of the transit procedure that their invalidation request (IE014) has been accepted. It is sent automatically to the holder if the IE014 is valid. The state of movement is automatically set to Cancelled.

8.2.2.1 Technical description

Below is an example of the IE009-notification:

```
<Notification>
    <CC009C>
        <messageSender>NTA.DK</messageSender>
        <messageRecipient>13421730</messageRecipient>
        <preparationDateAndTime>2023-02-22T09:57:20</preparationDateAndTime>
        <messageIdentification>0WVFM3UYC7F2DS</messageIdentification>
        <messageType>CC009C</messageType>
        <correlationIdentifier>91fbe867-0f75-4c14-8a33-f4b34a1654d//correlationIdentifier
        <TransitOperation>
           <LRN>JTF20220231044
           <MRN>23DKDBE3C9NCK5GVK8
        </TransitOperation>
        <Invalidation>
            <requestDateAndTime>2023-02-22T10:57:06</requestDateAndTime>
            <decisionDateAndTime>2021-06-14T13:18:16/decisionDateAndTime>
            <decision>1</decision>
            <initiatedByCustoms>0</initiatedByCustoms>
```

Figure 8.2.2.1 Notification example

8.2.3 IE019 – Potential discrepancies are noted.

The Potential discrepancies (IE019) message informs the Holder of the transit procedure that there are major discrepancies reported in the destination control results. The control results are sent from Office of Destination to Office of Departure, where Office of Departure informs the Holder of the transit procedure if there are potential discrepancies (control result code = B1). This is done using the IE019 notification.

You can see in the <u>Appendix</u> when IE019 will appear in the notification flow.

8.2.3.1 Technical description

Below is an example of the IE019-notification:

```
<Notification>
   <CC019C>
       <messageSender>NTA.DK</messageSender>
       <messageRecipient>swp.transit.agent</messageRecipient>
       arationDateAndTime>2023-03-13T07:19:53</preparationDateAndTime>
       <messageIdentification>U1Q06OGN8OZQ7E</messageIdentification>
        <messageType>CC019C</messageType>
       <correlationIdentifier>JCONI96YNQHOO9</correlationIdentifier>
       <TransitOperation>
            <MRN>23DKCGHIKWYYRZ7PK3
            <discrepanciesNotificationDate>2023-03-13</discrepanciesNotificationDate>
       </TransitOperation>
       <CustomsOfficeOfDeparture>
            <referenceNumber>DK005600</referenceNumber>
       </CustomsOfficeOfDeparture>
       <HolderOfTheTransitProcedure>
            <identificationNumber>DK55123456</identificationNumber>
            <name>Jens Jensen</name>
            <Address>
               <streetAndNumber>Vej 1</streetAndNumber>
               <postcode>8000</postcode>
                <city>Aarhus</city>
```

Figure 8.2.3.1 – Notification example

8.2.4 IE025 - Goods release notification

The Goods release notification (IE025) message informs the trader at destination that the goods are released from transit.

The message will appear after a risk analysis at the office of destination. If the **release indicator is 1** no control has been made, or the control result code is A1 or A5. If the **release indicator is 2 or 4** the control result code is B1. Technical description

8.2.4.1 Technical description

Below is an example of the IE025-notification:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<ns2:CC025C xmlns:ns2="http://ncts.dgtaxud.ec">
 <messageSender>NTA.DK</messageSender>
 <messageRecipient>swp.transit.agent/messageRecipient>
 <messageIdentification>LRNLM6100F3CD</messageIdentification>
 <messageType>CC025C</messageType>
 <correlationIdentifier>86ae2505-3b67-41dd-b39e-b5e5f42d23b/correlationIdentifier>
  <TransitOperation>
   <MRN>23DKY3HUSS8CDLAKK0
   <releaseDate>2023-02-20</releaseDate>
   <releaseIndicator>1</releaseIndicator>
 </TransitOperation>
 <CustomsOfficeOfDestinationActual>
   <referenceNumber>DK004700</referenceNumber>
 </CustomsOfficeOfDestinationActual>
  <TraderAtDestination>
   <identificationNumber>DK55123456</identificationNumber>
  </TraderAtDestination>
</ns2:CC025C>
```

Figure 8.2.4.1 – Notification example

8.2.5 IE028 – MRN allocated

If the Declaration passed initial control, and the holder of the transit procedure receives a IE928, an MRN allocated (IE028) will be sent to the Holder when the declaration gets an MRN.

8.2.5.1 Technical description

Below is an example of the IE028-notification:

```
<messageRecipient>13421730</messageRecipient>
       <preparationDateAndTime>2023-03-13T16:07:35</preparationDateAndTime>
        <messageIdentification>F70HG2SRUZLHIZ</messageIdentification>
        <messageType>CC028C</messageType>
       <correlationIdentifier>ba6e97eb-97bc-4c10-a9b9-6d41ecc1f66/correlationIdentifier
       <TransitOperation>
           <LRN>AVSE864</LRN>
           <MRN>23DKYSIWRSOVTOYPK6
           <declarationAcceptanceDate>2023-03-13</declarationAcceptanceDate>
       </TransitOperation>
       <CustomsOfficeOfDeparture>
           <referenceNumber>DK005600</referenceNumber>
       </CustomsOfficeOfDeparture>
       <HolderOfTheTransitProcedure>
           <identificationNumber>DK55123456</identificationNumber>
       </HolderOfTheTransitProcedure>
   </ccn28c>
</Notification>
```

Figure 8.2.5.1 – Notification example

8.2.6 IE029 - Release for transit

The released for transit notification (IE029) message informs the Holder of the transit procedure that the goods are released for transit. This message is sent from Office of Departure right before the goods leave that office. When this message is sent, the state of the movement is changed to "Movement released".

8.2.6.1 Technical description

Below is an example of the IE029-notification. The length of the declaration is because it contains information from the whole declaration and movement this far in the flow.

```
<security>0</security>
    <reducedDatasetIndicator>0</reducedDatasetIndicator>
    <bindingItinerary>0</bindingItinerary>
</TransitOperation>
<Authorisation>
    <Authorisation>
        <sequenceNumber>1</sequenceNumber>
        <type>C521</type>
        <referenceNumber>DKACR55-12345</referenceNumber>
    </Authorisation>
    <Authorisation>
        <sequenceNumber>2</sequenceNumber>
        <type>C505</type>
        <referenceNumber>DKCGU55-12345</referenceNumber>
    </Authorisation>
</Authorisation>
<CustomsOfficeOfDeparture>
    <referenceNumber>DK005600</referenceNumber>
</CustomsOfficeOfDeparture>
<CustomsOfficeOfDestinationDeclared>
    <referenceNumber>IT277100</referenceNumber>
</CustomsOfficeOfDestinationDeclared>
<CustomsOfficeOfTransitDeclared>
    <CustomsOfficeOfTransitDeclared>
        <sequenceNumber>1</sequenceNumber>
        <referenceNumber>CH001253</referenceNumber>
    </CustomsOfficeOfTransitDeclared>
    <CustomsOfficeOfTransitDeclared>
        <sequenceNumber>2</sequenceNumber>
        <referenceNumber>IT275105</referenceNumber>
    </CustomsOfficeOfTransitDeclared>
</CustomsOfficeOfTransitDeclared>
<HolderOfTheTransitProcedure>
    <identificationNumber>DK55123456</identificationNumber>
    <name>Testvirksomhedens navn
    <Address>
        <streetAndNumber>Gade 1</streetAndNumber>
        <postcode>1000</postcode>
        <city>Copenhagen</city>
        <country>DK</country>
    </Address>
</HolderOfTheTransitProcedure>
<ControlResult>
    <code>A3</code>
    <date>2023-03-10</date>
    <controlledBy>N/A</controlledBy>
    <text>Simplified procedure</text>
</ControlResult>
<Guarantee>
   <Guarantee>
```

```
<sequenceNumber>1</sequenceNumber>
        <guaranteeType>1</guaranteeType>
        <GuaranteeReference>
            <GuaranteeReference>
                <sequenceNumber>1</sequenceNumber>
                <GRN>23DK005600000000A1
                <accessCode>1234</accessCode>
                <amountToBeCovered>5000</amountToBeCovered>
                <currency>DKK</currency>
            </GuaranteeReference>
        </GuaranteeReference>
    </Guarantee>
</Guarantee>
<Consignment>
    <countryOfDestination>DK</countryOfDestination>
    <containerIndicator>0</containerIndicator>
    <grossMass>334
    <referenceNumberUCR>DK1234567891234567891/referenceNumberUCR>
    <Consignor>
        <identificationNumber>DK55123456</identificationNumber>
        <name>Koppel</name>
        <Address>
           <streetAndNumber>Funke-Str. 30</streetAndNumber>
            <postcode>44149</postcode>
           <city>Dortmund</city>
            <country>DE</country>
        </Address>
    </Consignor>
    <Consignee>
        <name>Koppel SPA</name>
        <Address>
           <streetAndNumber>Desio 56</streetAndNumber>
            <postcode>20033</postcode>
           <city>Desio</city>
           <country>IT</country>
        </Address>
    </Consignee>
    <LocationOfGoods>
        <typeOfLocation>A</typeOfLocation>
        <qualifierOfIdentification>V</qualifierOfIdentification>
        <CustomsOffice>
            <referenceNumber>DK009860</referenceNumber>
        </CustomsOffice>
    </LocationOfGoods>
    <DepartureTransportMeans>
        <DepartureTransportMeans>
            <sequenceNumber>1</sequenceNumber>
            <typeOfIdentification>30</typeOfIdentification>
           <identificationNumber>HK 93 080</identificationNumber>
            <nationality>DK</nationality>
```

```
</DepartureTransportMeans>
            </DepartureTransportMeans>
            <PlaceOfLoading>
                <country>DK</country>
                <location>Arhus
            </PlaceOfLoading>
            <HouseConsignment>
                <HouseConsignment>
                    <sequenceNumber>1</sequenceNumber>
                    <grossMass>334.00
                    <ConsignmentItem>
                        <ConsignmentItem>
                            <goodsItemNumber>1
                            <declarationGoodsItemNumber>1</declarationGoodsItemNumber>
                            <Commodity>
                               <descriptionOfGoods>SP-1, Excavator Spare Parts/descrip-
tionOfGoods>
                               <CommodityCode>
                                   <harmonizedSystemSubHeadingCode>220820</harmonizedSys</pre>
temSubHeadingCode>
                               </CommodityCode>
                               <GoodsMeasure>
                                   <grossMass>334.00
                                </GoodsMeasure>
                           </Commodity>
                            <Packaging>
                               <Packaging>
                                   <sequenceNumber>1</sequenceNumber>
                                   <typeOfPackages>CT</typeOfPackages>
                                   <numberOfPackages>16</numberOfPackages>
                                    <shippingMarks>Mark1</shippingMarks>
                               </Packaging>
                               <Packaging>
                                   <sequenceNumber>2</sequenceNumber>
                                   <typeOfPackages>CS</typeOfPackages>
                                    <numberOfPackages>3</numberOfPackages>
                                   <shippingMarks>Mark2</shippingMarks>
                               </Packaging>
                            </Packaging>
                            <Pre><PreviousDocument>
                                <PreviousDocument>
                                   <sequenceNumber>1</sequenceNumber>
                                   <type>N822</type>
                                   <referenceNumber>144IC CV 7732/ 26 M</referenceNumber</pre>
                                   <goodsItemNumber>1/goodsItemNumber>
                                    <typeOfPackages>CT</typeOfPackages>
                                   <numberOfPackages>16</numberOfPackages>
                                    <measurementUnitAndQualifier>KGM</measurementUnitAnd-</pre>
Oualifier>
                                   <quantity>200</quantity>
```

Figure 8.2.6.1 – Notification example

There is no specific fields in the notification that is necessary to note for the remainder of the transit flow. Most fields are taken from the submitted declaration, as mentioned above.

8.2.7 IE035 – Recovery Notification

The Recovery notification is used when a recovery is initiated. The Competent Authority of Recovery at Departure sends an IE035 to the holder of the transit procedure to inform them that a recovery has begun.

8.2.7.1 Technical description

Below is an example of the IE035-notification:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<ns2:CC035C xmlns:ns2="http://ncts.dgtaxud.ec">
 <messageSender>NTA.DK</messageSender>
  <messageRecipient>mocked.user.1/messageRecipient>
  <preparationDateAndTime>2023-01-31T18:46:45</preparationDateAndTime>
  <messageIdentification>YVZXIKWRNFRO9I</messageIdentification>
 <messageType>CC035C</messageType>
 <TransitOperation>
    <MRN>23DKVOJSXEUMYAEZK2
    <declarationAcceptanceDate>2023-01-31</declarationAcceptanceDate>
 </TransitOperation>
  <RecoveryNotification>
   <recoveryNotificationDate>2023-01-31</recoveryNotificationDate>
   <amountClaimed>0</amountClaimed>
    <currency>EUR</currency>
 </RecoveryNotification>
  <CustomsOfficeOfDeparture>
    <referenceNumber>DK005600</referenceNumber>
  </CustomsOfficeOfDeparture>
  <CustomsOfficeOfRecoveryAtDeparture>
    <referenceNumber>DK000460</referenceNumber>
  </CustomsOfficeOfRecoveryAtDeparture>
  <HolderOfTheTransitProcedure>
    <identificationNumber>DK55123456</identificationNumber>
    <name>Name Name</name>
    <Address>
      <streetAndNumber>vej 4</streetAndNumber>
     <postcode>8000</postcode>
     <city>Aarhus</city>
      <country>DK</country>
    </Address>
```

```
</HolderOfTheTransitProcedure>
</ns2:CC035C>
```

Figure 8.2.7.1 – Notification example

8.2.8 IE043 - Unloading permission for authorized consignee

This notification appears when the goods are at Office of Destination.

If the timer "Waiting for automatic unloading" expires, the Office of Destination decides no control is needed, and the consignee can unload the goods. When the timer expires, the "Unloading permission" notification (IE043) is sent to the consignee to allow them unloading at the authorized place.

8.2.8.1 Technical description

Below is an example of the IE043-notification:

```
<ns2:CC043C PhaseID="NCTS5.0" xmlns:ns2="http://ncts.dgtaxud.ec">
    <messageSender>NTA.DK</messageSender>
    <messageRecipient>swp.transit.agent</messageRecipient>
    <preparationDateAndTime>2023-02-20T14:28:20</preparationDateAndTime>
    <messageIdentification>8HXMU28SGH9YQZ</messageIdentification>
    <messageType>CC043C</messageType>
    <TransitOperation>
        <MRN>23DKY3HUSS8CDLAKK0
        <declarationType>T1</declarationType>
        <declarationAcceptanceDate>2023-02-20</declarationAcceptanceDate>
        <security>2</security>
        <reducedDatasetIndicator>1</reducedDatasetIndicator>
    </TransitOperation>
    <CustomsOfficeOfDestinationActual>
        <referenceNumber>DK004700</referenceNumber>
    </CustomsOfficeOfDestinationActual>
    <HolderOfTheTransitProcedure>
        <identificationNumber>DK55123456</identificationNumber>
        <name>Name name</name>
        <Address>
            <streetAndNumber>vej 4</streetAndNumber>
            <postcode>8000</postcode>
            <city>Aarhus</city>
            <country>DK</country>
        </Address>
    </HolderOfTheTransitProcedure>
    <TraderAtDestination>
        <identificationNumber>DK55123456</identificationNumber>
    </TraderAtDestination>
    <Consignment>
        <countryOfDestination>DK</countryOfDestination>
```

```
<containerIndicator>1</containerIndicator>
<inlandModeOfTransport>4</inlandModeOfTransport>
<grossMass>6000.204</grossMass>
<Consignor>
    <identificationNumber>DK55123456</identificationNumber>
    <name>name name</name>
    <Address>
        <streetAndNumber>vej 4</streetAndNumber>
        <postcode>24605</postcode>
        <city>Abu Dhabi</city>
        <country>AE</country>
    </Address>
</Consignor>
<Consignee>
    <identificationNumber>DK55123456</identificationNumber>
    <name>Name Name</name>
    <Address>
        <streetAndNumber>vej 4</streetAndNumber>
        <postcode> 24605 </postcode>
        <city>Abu Dhabi</city>
        <country>AE</country>
    </Address>
</Consignee>
<TransportEquipment>
    <sequenceNumber>1</sequenceNumber>
    <containerIdentificationNumber>CSQU3054383/containerIdentificationNumber>
    <numberOfSeals>1</numberOfSeals>
    <Seal>
        <sequenceNumber>1</sequenceNumber>
        <identifier>F7434G</identifier>
    </Seal>
    <GoodsReference>
        <sequenceNumber>1</sequenceNumber>
        <declarationGoodsItemNumber>1</declarationGoodsItemNumber>
    </GoodsReference>
</TransportEquipment>
<DepartureTransportMeans>
    <sequenceNumber>1</sequenceNumber>
    <typeOfIdentification>40</typeOfIdentification>
    <identificationNumber>LKW 52/145-6978-569/AF362:1</identificationNumber>
    <nationality>AE/nationality>
</DepartureTransportMeans>
<HouseConsignment>
    <sequenceNumber>1</sequenceNumber>
    <grossMass>6000.204</grossMass>
    <ConsignmentItem>
        <goodsItemNumber>1/goodsItemNumber>
        <declarationGoodsItemNumber>1</declarationGoodsItemNumber>
        <Commodity>
```

```
<descriptionOfGoods>Pure-bred breeding animals- A descrip-
tion of the goods is added in this element</descriptionOfGoods>
                    <cusCode>0010002-7</cusCode>
                    <CommodityCode>
                        <harmonizedSystemSubHeadingCode>220820</harmonizedSystemSubHead-</pre>
ingCode>
                    </CommodityCode>
                    <DangerousGoods>
                        <sequenceNumber>1</sequenceNumber>
                        <UNNumber>0004</UNNumber>
                    </DangerousGoods>
                    <GoodsMeasure>
                        <grossMass>3340.102
                    </GoodsMeasure>
                </Commodity>
                <Packaging>
                    <sequenceNumber>1</sequenceNumber>
                    <typeOfPackages>1A</typeOfPackages>
                    <numberOfPackages>1</numberOfPackages>
                    <shippingMarks>0</shippingMarks>
                </Packaging>
                <Packaging>
                    <sequenceNumber>2</sequenceNumber>
                    <typeOfPackages>1A</typeOfPackages>
                    <numberOfPackages>1</numberOfPackages>
                    <shippingMarks>0</shippingMarks>
                </Packaging>
                <PreviousDocument>
                    <sequenceNumber>1</sequenceNumber>
                    <type>N822</type>
                    <referenceNumber>4785B CV</referenceNumber>
                    <goodsItemNumber>123/goodsItemNumber>
                    <complementOfInformation>Internal Community TD/complementOfInfor-
mation>
                </PreviousDocument>
                <SupportingDocument>
                    <sequenceNumber>1</sequenceNumber>
                    <type>N820</type>
                    <referenceNumber>56788 CV 7732</referenceNumber>
                    <complementOfInformation>Some information/complementOfInformation>
                </SupportingDocument>
                <AdditionalInformation>
                    <sequenceNumber>1</sequenceNumber>
                    <code>20200</code>
                    <text>Export from one EFTA country subject to duties or ex-
port from the Union subject to du-ties</text>
                </AdditionalInformation>
            </ConsignmentItem>
            <ConsignmentItem>
                <goodsItemNumber>2</goodsItemNumber>
```

```
<declarationGoodsItemNumber>2</declarationGoodsItemNumber>
                <Commodity>
                    <descriptionOfGoods>Asses-A descrip-
tion of the goods is added in this ele-ment</descriptionOfGoods>
                    <cusCode>0010002-7</cusCode>
                    <CommodityCode>
                        <harmonizedSystemSubHeadingCode>220820</harmonizedSystemSubHead-</pre>
ingCode>
                    </CommodityCode>
                    <DangerousGoods>
                        <sequenceNumber>1</sequenceNumber>
                        <UNNumber>0004</UNNumber>
                    </DangerousGoods>
                    <GoodsMeasure>
                        <grossMass>2660.102</grossMass>
                    </GoodsMeasure>
                </Commodity>
                <Packaging>
                    <sequenceNumber>1</sequenceNumber>
                    <typeOfPackages>1A</typeOfPackages>
                    <numberOfPackages>1</numberOfPackages>
                    <shippingMarks>0</shippingMarks>
                </Packaging>
                <Pre><PreviousDocument>
                    <sequenceNumber>1</sequenceNumber>
                    <type>N235</type>
                    <referenceNumber>144IC CV 9932/ 26 M</referenceNumber>
                    <goodsItemNumber>123/goodsItemNumber>
                    <complementOfInformation>Proof of customs status/complementOfInfor-
mation>
                </PreviousDocument>
                <SupportingDocument>
                    <sequenceNumber>1</sequenceNumber>
                    <type>N380</type>
                    <referenceNumber>RD/5678-8</referenceNumber>
                    <complementOfInformation>Some information/complementOfInformation>
                </SupportingDocument>
                <AdditionalInformation>
                    <sequenceNumber>1</sequenceNumber>
                    <code>20300</code>
                    <text>Export</text>
                </AdditionalInformation>
            </ConsignmentItem>
        </HouseConsignment>
    </Consignment>
</ns2:CC043C>
```

Figure 8.2.8.1 – Notification example

8.2.9 IE045 - Write-off notification

This notification appears when the state of the movement is set to "movement written off" at the office of departure. This notification informs the holder of the transit procedure that the goods are discharged from the office of departure.

8.2.9.1 Technical description

Below is an example of the IE045-notification:

```
<Notification>
    <CC045C>
        <messageSender>messageRecipient/messageSender>
        <messageRecipient>17059511/messageRecipient>
        <preparationDateAndTime>2023-03-10T12:26:45</preparationDateAndTime>
        <messageIdentification>EOS10SAM5CFBYI</messageIdentification>
        <messageType>CC045C</messageType>
        <correlationIdentifier>1.rwq9w752jf</correlationIdentifier>
        <TransitOperation>
            <MRN>23DK16QY0XWJT370J6
            <writeOffDate>2023-03-10</writeOffDate>
        </TransitOperation>
        <CustomsOfficeOfDeparture>
            <referenceNumber>DK005600</referenceNumber>
        </CustomsOfficeOfDeparture>
        <HolderOfTheTransitProcedure>
            <identificationNumber>DK55123456</identificationNumber>
            <name>Testvirksomhedens navn
            <Address>
                <streetAndNumber>Gade og nr</streetAndNumber>
                <postcode>Postnr</postcode>
                <city>By</city>
                <country>DK</country>
            </Address>
        </HolderOfTheTransitProcedure>
    </cc045c>
</Notification>
```

Figure 8.2.9.1 – Notification example

8.2.10 IE051 - No release

This notification appears if serious irregularity is found during the examination of the goods by the office of departure. The no release (IE051) informs the holder of the transit procedure that the goods are not released for transit.

8.2.10.1 Technical description

Below is an example of the IE045-notification:

```
<Notification>
    <CC051C>
        <messageSender>messageRecipient/messageSender>
        <messageRecipient>17059511</messageRecipient>
        <preparationDateAndTime>2023-03-14T16:23:54</preparationDateAndTime>
        <messageIdentification>WPJSVUSBZWYIKQ</messageIdentification>
        <messageType>CC051C</messageType>
        <correlationIdentifier>545b532c-a322-43b9-b300-3499866bd73/correlationIdentifier
        <TransitOperation>
            <MRN>23DKW0EYB411YRNYJ5
            <declarationSubmissionDateAndTime>2023-02-28T14:27:26</declarationSubmis-</pre>
sionDateAndTime>
            <noReleaseMotivationCode>G1</noReleaseMotivationCode>
        </TransitOperation>
        <CustomsOfficeOfDeparture>
            <referenceNumber>DK005600</referenceNumber>
        </CustomsOfficeOfDeparture>
        <HolderOfTheTransitProcedure>
            <identificationNumber>DK55123456</identificationNumber>
            <name>Testvirksomhedens navn
            <Address>
                <streetAndNumber>Gade og nr</streetAndNumber>
                <postcode>Postnr</postcode>
                <city>By</city>
                <country>DK</country>
            </Address>
        </HolderOfTheTransitProcedure>
    </cc051c>
</Notification>
```

Figure 8.2.10.1 – Notification example

8.2.11 IE055 - Guarantee not valid notification

If there are problems with the guarantee used in the declaration, the result of the guarantee check is unsuccessful, and the timer "Guarantee await amendment" starts. The "Guarantee not valid" notification is sent to the holder of the transit procedure to inform them that they need to send the declaration amendment (IE013) before the timer ends, otherwise the goods will not be released for transit.

8.2.11.1 Technical description

Below is an example of the IE055 message:

```
<Notification>
```

```
<CC055C>
       <messageSender>NTA.DK</messageSender>
       <messageRecipient>17059511</messageRecipient>
       <messageIdentification>V8CC7E3P0YHXCV</messageIdentification>
       <messageType>CC055C</messageType>
       <TransitOperation>
           <MRN>23DKDHMMJ92TOM4GJ2
           <declarationAcceptanceDate>2023-03-08</declarationAcceptanceDate>
       </TransitOperation>
       <CustomsOfficeOfDeparture>
           <referenceNumber>DK005600</referenceNumber>
       </CustomsOfficeOfDeparture>
       <HolderOfTheTransitProcedure>
           <identificationNumber>DK55123456</identificationNumber>
           <name>Testvirksomhedens navn
           <Address>
              <streetAndNumber>Gade og nr</streetAndNumber>
              <postcode>Postnr</postcode>
              <city>By</city>
              <country>DK</country>
           </Address>
       </HolderOfTheTransitProcedure>
       <GuaranteeReference>
           <GuaranteeReference>
              <sequenceNumber>1</sequenceNumber>
              <GRN>23DK004700000018
              <InvalidGuaranteeReason>
                  <code>G01</code>
              </InvalidGuaranteeReason>
           </GuaranteeReference>
       </GuaranteeReference>
   </cc055c>
</Notification>
```

Figure 8.2.11.1 – Notification example

8.2.12 IE056 – **Rejection** (Office of Departure)

The declaration rejected notification informs the submitter that the declaration has been rejected. A declaration can be rejected on different basis.

If there are errors in the declaration (but the syntax is correct), the notification IE056 will appear when submitting a declaration, or after presenting the goods declared in a pre-lodged declaration. You can see in <u>Transit Notification flows</u> when IE056 will appear in the different flows.

8.2.12.1 Technical description

Below is an example of the IE056-notification:

```
<Notification>
   <CC056C>
        <messageSender>NTA.DK</messageSender>
        <messageRecipient>17059511</messageRecipient>
        arationDateAndTime>2023-03-09T11:53:34</preparationDateAndTime>
        <messageIdentification>1LOQF2OZ5KFKA8</messageIdentification>
        <messageType>CC056C</messageType>
        <correlationIdentifier>ec8108ff-88ac-41f7-9496-c09f5ef560f</correlationIdentifier</pre>
        <TransitOperation>
            <LRN>AVSE828
            <businessRejectionType>015/businessRejectionType>
            <rejectionDateAndTime>2023-03-09T11:53:34</rejectionDateAndTime>
            <rejectionCode>12</rejectionCode>
        </TransitOperation>
        <CustomsOfficeOfDeparture>
            <referenceNumber>DK005600</referenceNumber>
        </CustomsOfficeOfDeparture>
        <HolderOfTheTransitProcedure>
            <identificationNumber>DK55123456</identificationNumber>
            <name>Name Name</name>
            <Address>
                <streetAndNumber>vej 4</streetAndNumber>
                <postcode>8000</postcode>
                <city>Aarhus</city>
                <country>DK</country>
            </Address>
        </HolderOfTheTransitProcedure>
        <FunctionalError>
            <FunctionalError>
                <errorPointer>/CC015C/CustomsOfficeOfExitForTransitDeclared[1]/se-
quenceNumber</errorPointer>
                <errorCode>14
                <errorReason>R0987/errorReason>
                <originalAttributeValue>2</originalAttributeValue>
            </FunctionalError>
        </FunctionalError>
    </cc056c>
</Notification>
```

Figure 8.2.12.1 – Notification example

As stated, this notification is received when the IE015 declaration does not comply with a business rule. To get more information on which rule, the fields in "FunctionalError" are used. Below it will be explained how a user can utilize these points to debug the declaration.

ErrorPointer

The errorPointer contains the destination which breaks a rule of the declaration. In the example given, it is the field "TIRCarnetNumber" which causes the error.

Only looking at this point can sometimes be enough to identify the mistake, for example in the case that the field it points to is missing. If this field alone is not enough to identify why the declaration returns the IE056 error message, the next field "errorCode" can be used.

ErrorCode

For the error code, search in the file found <u>here</u> under domanin = NCPTS-P5 and Code List = XmlErrorCodes. Search in the file for the value seen in the errorCode field.

ErrorReason

For the Error reason, there are multiple places to search depending on the starting letter. If it start with DK, search in the excel sheet "Validation rules and Error codes" as this describes the danish rules. If the ErrorReason does not start with "DK" then use the Appendix Q2.

For more information on the fields in the message, please refer to the DDNTA appendix Q2.

8.2.13 IE057 – Rejection (Office of Destination)

The Rejection from Office of Destination is sent to the Trader at Destination in the case that the trader sends a IE007 Arrival Notification for a movement with the state Invalidated. The notification informs the trader that the movement is declared invalid by the Office of Departure.

8.2.13.1 Technical description

Below is an example of the IE057-notification:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<ns2:CC057C xmlns:ns2="http://ncts.dgtaxud.ec">
 <messageSender>NTA.DK</messageSender>
 <messageRecipient>NTA.DK</messageRecipient>
 <messageIdentification>ZG7IAHPGIZSGOS</messageIdentification>
 <messageType>CC057C</messageType>
 <correlationIdentifier>3c6edb5b-a382-4ad4-8cfc-c4f1f5ee645/correlationIdentifier>
 <TransitOperation>
   <MRN>22DKBFUXZSKKCS9BK2
   <businessRejectionType>007</businessRejectionType>
   <rejectionDateAndTime>2023-02-21T08:25:38</rejectionDateAndTime>
   <rejectionCode>12</rejectionCode>
 </TransitOperation>
 <CustomsOfficeOfDestinationActual>
   <referenceNumber>DK003862</referenceNumber>
 </CustomsOfficeOfDestinationActual>
 <TraderAtDestination>
   <identificationNumber>DK42573733</identificationNumber>
 </TraderAtDestination>
 <FunctionalError>
   <errorPointer>/CC007C/Consignment/LocationOfGoods/PostcodeAddress/country/errorPointers/
   <errorCode>12</errorCode>
   <errorReason>CL190</errorReason>
   <originalAttributeValue>DK</originalAttributeValue>
 </FunctionalError>
</ns2:CC057C>
```

Figure 8.2.13.1 – Notification example

The same rules for debugging a IE056 also applies to the error message. In this case, the country of destination is at fault.

8.2.14 IE060 - Control decision notification

The control decision notification (IE060) is sent from the Office of Departure to the holder of the transit procedure if the Office decides to control the movement after the risk analysis at the Office of Departure. The notification informs the holder that a customs officer will control the goods.

8.2.14.1 Technical description

Below is an example of the IE060-notification:

```
<Notification>
   <CC060C>
       <messageSender>NTA.DK</messageSender>
       <messageRecipient>swp.transit.agent</messageRecipient>
       <messageIdentification>UWVNWAJ3BC1R4U</messageIdentification>
       <messageType>CC060C</messageType>
      fier>
      <TransitOperation>
          <LRN>MIKSTB2B558
          <MRN>23DKCAGWDZEYIDXVK5
          <controlNotificationDateAndTime>2023-03-16T14:31:22/controlNotifica-
tionDateAndTime>
          <notificationType>Intention to Control</notificationType>
      </TransitOperation>
       <CustomsOfficeOfDeparture>
          <referenceNumber>DK005600</referenceNumber>
       </CustomsOfficeOfDeparture>
       <HolderOfTheTransitProcedure>
          <identificationNumber>DK55123456</identificationNumber>
          <name>Name Name</name>
          <Address>
             <streetAndNumber>Vej 4</streetAndNumber>
              <postcode>8000</postcode>
              <city>Aarhus</city>
              <country>DK</country>
          </Address>
          <ContactPerson>
              <name>Name Name</name>
              <phoneNumber>12345678</phoneNumber>
              <eMailAddress>mail@email.gr</eMailAddress>
          </ContactPerson>
      </HolderOfTheTransitProcedure>
   </cc060c>
</Notification>
```

Figure 8.2.14.1 – Notification example

8.2.15 IE928 - Validation (transit declaration positive ACK)

The Positive acknowledgement message (IE928) is sent from the Office of Departure to the Holder of the Transit procedure if the declaration submitted is both syntactically and semantically valid. IE928 notifies the trader that the declaration will be assigned an MRN.

8.2.15.1 Technical description

Below is an example of the IE928-notification:

```
<Notification>
   <CC928C>
        <messageSender>NTA.DK</messageSender>
        <messageRecipient>17059511</messageRecipient>
        <preparationDateAndTime>2023-03-09T11:53:17</preparationDateAndTime>
        <messageIdentification>ZCBEO91WUX9QO4</messageIdentification>
        <messageType>CC928C</messageType>
        <correlationIdentifier>80901346-7540-4c44-aed6-f1cc21d9c62/correlationIdentifier
        <TransitOperation>
            <LRN>AVSE827
        </TransitOperation>
        <CustomsOfficeOfDeparture>
            <referenceNumber>DK005600</referenceNumber>
        </CustomsOfficeOfDeparture>
        <HolderOfTheTransitProcedure>
            <identificationNumber>DK55123456</identificationNumber>
            <name>Name Name</name>
            <Address>
                <streetAndNumber>Vej 4</streetAndNumber>
                <postcode>8000</postcode>
                <city>Aarhus</city>
                <country>DK</country>
            </Address>
        </HolderOfTheTransitProcedure>
    </cc928c>
</Notification>
```

Figure 8.2.15.1 – Notification example

Error handling



9.1 Rejected declaration

How to handle a rejected declaration depends on the reason it was rejected. The error is described in the CWMREJ notification (see section <u>7.2.6</u>), indicating which rule was broken, or which invalid data was entered in the declaration. **Standard declarations will always be instantly rejected** whereas sometimes, pre-lodged declarations will receive warnings through CWMRCV notifications (see section <u>7.2.5</u>).

If the error(s) occurred from the submitter's end, the declaration can be resubmitted when the invalid data has been corrected. The LRN can be reused until the declaration is rightfully accepted (has received the CWMACC notification, see section 7.2.1).

If the error(s) occur due to system downtime or issues, the declarations can end up being rejected as well. If system downtime or service windows are not announced on <u>'Driftsmeddelelser'</u>, the main system or one of the external systems might be down, and the declaration data cannot be properly validated, resulting in rejected declarations. In this case you can contact <u>Toldstyrelsens Servicedesk</u> with information on the rejected declaration(s).

When the system is up and running again, the declarations should be resubmitted. The LRN(s) can be reused until the declaration(s) are accepted (has received the CWMACC-notification, see section 7.2.1).

9.2 Missing notifications

Sometimes the user does not receive the expected notifications. Below sections describes some common scenarios to be aware of, and how to handle them.

9.2.1 No CWMCLE notification

9.2.1.1 Specific for Import

Sometimes it happens that certain declarations do not go through to clearance (no CWMCLE notification is received) and are "stuck" in the flow after the CWMTAX notification.

The reason for that is usually that there is a manual work task for 'manual cash payment' pending for a customs officer to handle. This will occur in the following scenarios:

- The declarant is a private person: the EORI number in 13 05 017 000 Declarant ID is 'DK09999981' and 11 10 000 000 Additional Procedure is 'C07'.
- The declarant is not registered for import with deferred payment: the EORI number in 13 05 017 000 Declarant ID is not registered for deferred payment.

In these cases, the declaration must be handled manually by a customs officer and can get clearance only when the manual cash payment task has been paid.

Unfortunately, there is currently no notification stating that the declaration has a manual cash payment pending, but there is a way to see it in the CWMTAX notification (see below).

For a **non-manual cash payment** declaration, the CWMTAX notification will look as follows:

```
<Notification>
       <NotificationEventType>CWMTAX</NotificationEventType>
       <NotificationSID>685eefec-f413-425d-a055-927856d36993</NotificationSID>
       <Declaration>
           <MRN>21DKRSYEMQS500TGR1
           <LRN>CWMTAXNOTIFICATION
           <VersionID>1</VersionID>
           <SubmitterReferenceNumber>CWMTAXNOTIFICATION</SubmitterReferenceNumber>
           <DutyTaxFee>
               <Payment>
                   <ReferenceID>DK19552101:1</ReferenceID>
                   <PaymentAmount currencyID="DKK">75.1
                   <TaxAssessedAmount>0</TaxAssessedAmount>
               </Payment>
           </DutyTaxFee>
           <GoodsShipment>
               <GovernmentAgencyGoodsItem>
                   <SequenceNumeric>1</SequenceNumeric>
                   <Commodity>
                       <DutyTaxFee>
                           <Payment>
                               <PaymentAmount currencyID="DKK">75.1
                               <TaxAssessedAmount currencyID="DKK">75.1</TaxAssessedAmount>
                           </Payment>
                           <SpecificTaxBaseQuantity unitCode="DKK">301/SpecificTaxBaseQuantity>
                           <DeductAmount currencyID="DKK">0</DeductAmount>
                           <TaxRateNumeric>25.0</TaxRateNumeric>
                           <TypeCode>B00</TypeCode>
                       </DutyTaxFee>
                   </Commodity>
               </GovernmentAgencyGoodsItem>
           </GoodsShipment>
       </Declaration>
       <IssueDateTime>
           <DateTimeString formatCode="304">20210915172600Z</DateTimeString>
       </IssueDateTime>
   </Notification>
```

Table 9.2.1.1 – Notification example

And for a **manual cash payment** declaration, the CWMTAX notification will look as follows:

```
<Declaration>
       <MRN>21DKRSYEMOS500TGR1
       <LRN>CWMTAXNOTIFICATION</LRN>
       <VersionID>1</VersionID>
       <SubmitterReferenceNumber>CWMTAXNOTIFICATION/SubmitterReferenceNumber>
       <DutyTaxFee>
           <Payment>
               <ReferenceID>af2c8a94-e617-11eb-a177-1eb09731c923/ReferenceID>
               <PaymentAmount currencyID="DKK">75.1
               <TaxAssessedAmount>0</TaxAssessedAmount>
           </Payment>
       </DutyTaxFee>
       <GoodsShipment>
           <GovernmentAgencyGoodsItem>
               <SequenceNumeric>1</SequenceNumeric>
               <Commodity>
                   <DutyTaxFee>
                       <Payment>
                           <PaymentAmount currencyID="DKK">75.1
                           <TaxAssessedAmount currencyID="DKK">75.1</TaxAssessedAmount>
                       <SpecificTaxBaseQuantity unitCode="DKK">301/SpecificTaxBaseQuantity>
                       <DeductAmount currencyID="DKK">0</DeductAmount>
                       <TaxRateNumeric>25.0</TaxRateNumeric>
                       <TypeCode>B00</TypeCode>
                   </DutyTaxFee>
               </Commodity>
           </GovernmentAgencyGoodsItem>
       </GoodsShipment>
   </Declaration>
       <DateTimeString formatCode="304">20210915172600Z</DateTimeString>
   </IssueDateTime>
</Notification>
```

Table 9.2.1.2 – Notification example

The main difference between these two notifications can be found in the **Payment** segment on the declaration level:

Non-manual cash payment:

Table 9.2.1.3 – Notification example

Manual cash payment:

Table 9.2.1.4 – Notification example

Notice that when there is a manual cash payment pending on the declaration, an UUID will be shown in the <ReferenceID>-element instead of the Declarant ID.

This is how one can ascertain if the reason that a declaration does not automatically go through to clearance and receives a CWMCLE notification is that it has a pending manual cash payment for a customs officer to handle.

9.2.2 No CWMTAX notification

There are certain scenarios in which a declaration does not trigger a CWMTAX notification. This can be the case when:

- The submitted declaration contains an IOSS number
- The data element 11 10 000 000 Additional procedure is C08 (except for to-bacco, alcohol, perfume and toilet water)

9.2.3 No CWMRCV notification/No notifications

The user should always be able to pull notifications from a given time interval. If the user keeps getting empty notifications for a correct time interval, it might be due to system downtime. If system downtime is not announced on <u>'Driftsmeddelelser'</u>, the main system or one of the external systems might be down, and the declaration data cannot properly be received by the system. In this case contact <u>Toldstyrelsens Servicedesk</u> with information on the declaration(s) with missing notifications.

When the system is up and running again, the declarations should be resubmitted. The LRN(s) can be reused until the declaration(s) are accepted (has received the CWMACC notification, see section 7.2.1).

Getting access



DMS can be accessed either via a system-to-system integration (DMS System-to-System) or by using the system's UI (called DMS Online). Regardless of which access is required, a prerequisite is that an agreement of access has been granted by Toldstyrelsen.

For both DMS System-to-System and DMS Online you will initially get access to the test environment called TFE – Test for Erhverv. TFE can be used to prepare for production before going live on the production environment.

If you are onboarding for a system-to-system integration you will also get access to a second test environment called UFE – Udvikling for Erhverv. This environment only has system-to-system access and no access to DMS Online.

10.1 DMS Online

Login to DMS Online requires that the employee(s) who needs access has a personal employee certificate (Medarbejdercertifikat – MOCES), as login is handled through NemID. It is the LRA (Local Rights Administrator) of your company that can grant roles to the employees who need access. Roles are managed on TastSelv Erhverv here: skat.dk/tastselv

On the The Tax Administration's GitHub we have a guide that explains how roles are assigned to the employees. The guide is in Danish and named Vejledning i brugeoprettelse til DMS.

10.2 DMS System-to-System

A system certificate (VOCES) is required to access the AS4-gateway. Our <u>DMS Connectivity Guide</u> found on The Tax Administration's GitHub explains in detail how the connectivity to the AS4-gateway is enabled.

The system certificate needs to be granted the right roles as well. It is the LRA (Local Rights Administrator) of the economic operator that can grant roles to the employees who need access. Roles are managed on TastSelv Erhverv here: skat.dk/tastselverhverv

On the The Tax Administration's GitHub we have a guide that explains how roles are assigned to the employees. The guide is in Danish and named Vejledning i brugeoprettelse til DMS

10.3 User roles

When you apply for access to DMS you need to define, what type of user roles your company will need.

Overall these types of roles exist:

Role	Danish Name	Apply for	Description
Import Broker	DMS Import: Online Udvidet	DMS Import Online	Can lodge import declarations on own behalf and on behalf of others. The role is aimed at Shipping agents (Speditør).

Importer	DMS Import: Online Standard	DMS Import Online	Can lodge import declarations only on own behalf
Importer System User	DMS Import: System-til-system	DMS Import System-to-system	With this role you can lodge import declaration via DMS System-to-system on own behalf and on behalf of others.
Export Bro- ker	DMS Eksport: On- line Udvidet	DMS Export Online	Can lodge export declarations on own behalf and on behalf of others. The role is aimed at Shipping agents (Speditør).
Exporter	DMS Eksport: On- line Standard	DMS Export Online	Can lodge export declarations only on own behalf
Exporter System User	DMS Eksport: System-til-System	DMS Export System-to-system	With this role you can lodge Export declaration via DMS System-to-system on own behalf and on behalf of others.
Transit Bro- ker	DMS Forsendelse (NCTS): Online Udvidet	DMS Transit Online	Can lodge transit declarations on own behalf and on behalf of others. The role is aimed at Shipping agents (Speditør).
Transit user	DMS Forsendelse (NCTS): Online Standard	DMS Transit Online	Can lodge transit declarations only on own behalf
Transit System User	DMS Forsendelse (NCTS): System- til-System	DMS Transit System-to-system	With this role you can lodge Transit declaration via DMS System-to-system on own behalf and on behalf of others.
Viewer access	DMS Online: Læseadgang	DMS Online (Import, Export and Transit)	Users with this role can view any declarations that the company is a part of. Many companies that use a Shipping agent to handle their declarations has only this role.

A company can in principle possess all roles and distribute the roles individually to the employees of the company. E.g., a company has the roles "Importer", "Exporter" and "Viewer access". Employee "A" can then have both the "Importer" and the "Exporter roles, employee "B" may only have the "Exporter" role and employee "C" can have the "Viewer access" role.

10.3.1 Representation

If your company has one or more of the Broker roles and need to represent another company you should take special care to observe the rules laid out in the XML Guides for <u>Import</u> or <u>Export.</u> See Group 13 – Parties in the respective guide.

Verifying functionality



To verify the functionality of the declaration types and additional messages, as well as the ability to requests and receive notifications, we recommend that you follow the Basic Test cases for <u>import</u> and <u>export</u> found on The Tax Administration's <u>GitHub</u>.

11.1 XSDs and test cases

In this section you can find links to all the XSD's used for submission of declarations and for the additional messages mentioned earlier. All XSD's can be found on The Tax Administration's <u>GitHub</u>.

11.1.1 DMS Import

	H7			
Type	XSD	Test cases	XML Guide	
Submission	H7 Submission XSD	H7 Submission test cases	H7 XML Guide	
Correction	H7 Correction XSD	H7 Correction test cases	H7 XML Guide	
Amendment	H7 Amendment XSD	H7 Amendment test cases	H7 XML Guide	
Invalidation	H7 Invalidation XSD	H7 Invalidation test cases	H7 XML Guide	
Invalidation and repayment	H7 Invalidation and Repayment XSD	H7 Invalidation and Repayment test cases	Not available	
Repayment and remission	Not available	Not available	Not available	

Table 10.1.1 – H7 XSDs and test cases

		I2	
Type	XSD	Test cases	XML Guide
I2 – Goods presentation	I2 - Goods Presenta- tion XSD	I2 - Goods Presentation test cases	I2 XML Guide (for H7)

Table 10.1.2 – I2 XSDs and test cases

11.1.2 DMS Export

XML Guide for export can be found here XML guide.

In Table 10.1.3 you can find links to The Tax Administration's GitHub-folders containing: Test cases, Submission XSD, Correction XSD, Amendment XSD and Invalidation XSD

Export XSDs and testcases			
Type	XSD	Test cases	
B1	B1 XSD	B1 Test Case	
B2	B2 XSD	B2 Test Case	
В3	B3 XSD	B3 Test Case	
B4	B4 XSD	B4 Test Case	
C1	<u>C1 XSD</u>	C1 Test Case	
C2	C2 XSD	C2 Test Case	

Table 10.1.3 - Export XSDs and test cases

For Exit the XSDs and test cases can be found in Table 10.1.4:

Exit XSDs			
Type	XSD	Test cases	
A1	A1 XSD	A1 Test Case	
A2	A2 XSD	A2 Test Case	
A3	A3 XSD	A3 Test Case	

Table 10.1.4 - Exit XSDs

11.1.3 DMS Transit

XML Guide for transit can be found here **Transit XML guide**.

In Table 10.1.3 you can find links to The Tax Administration's GitHub-folders containing: Test cases, Submission XSD, Correction XSD, Amendment XSD and Invalidation XSD

Transit XSDs and testcases		
Type	XSD	Test cases
D1	D1 XSD	D1 Test Case
D2	D2 XSD	D2 Test Case
D4	D4 XSD	D4 Test Case
Scenarios	N/A	Transit Test Scenarios

Table 10.1.5 - Transit XSDs and test cases

Appendix

12.1 Flow of declarations, and related notifications

This section describes which notifications the system produces, and when in the flow the notification is produced.

The diagrams in the coming sections follow the annotation shown in Figure 11.1.1 below.




Figure 12.1.1 – Overview of diagram notation.

The End State represents a state where the flow is terminated in some respect and will not continue. An End State can trigger a notification in some cases. In most cases an End State signifies that the declaration was rejected, accepted, or converted to another flow.

The Start State signifies the starting point of a flow. There are therefore only transitions out of a Start State, and it is not possible to return, in technical terms. The start state is the first state from which it is possible for the system to issue notifications that the notification service can retrieve, meaning that it is past the semantic validation in the AS4 gateway.

A Decision State is a state from which it is possible to take one of many transitions. Only one transition will be used, and each transition out of the Decision State will be clearly labelled with the conditions necessary to take that transition. Most Decision States relate to a significant analysis performed in the flow, such as validation.

A State is the simplest construct in that it only offers one transition out, which means that this transition will always be taken.

A Notification, signified by the paper symbol, is not a state. It is therefore not possible to transition into a Notification. An arrow from any of the other symbols in the diagram to a Notification signifies that that symbol will issue a Notification which can be retrieved by the Notification service.

12.2 Import notification flows

12.2.1 H7 Notification flows

12.2.1.1 Submission

There are two kinds of declarations to submit: a standard declaration and a pre-lodged declaration. When the goods are presented to an IMD declaration, it will turn into an IMA declaration and go through the IMA notification flow

12.2.1.1.1 Pre-lodged IMD

The flow for IMD (pre-lodged declarations) is shown in Figure 12.2.1.1 below.




Figure 12.2.1.1 – The flow for an IMD declaration.

As shown in the diagram, an IMD declaration can generate the following notifications:

Title	Code	Description
Declaration Accepted Notification	CWMRCV	The submitted declaration is received.
Customs Debt Trader Notification	CWMTAX	Notification of customs debt.
Declaration Rejection Notification	CWMREJ	Declaration has been rejected.

An IMD declaration is pre-lodged which means that information about the declaration is sent to the system before the declaration has arrived in the country. An IMD therefore also has preliminary validations, risk assessment and calculations of VAT. The IMD declaration is converted to an IMA when a goods presentation declaration has been declared. From this point the declaration therefore follows the I2 declaration flow and will therefore also produce the same notifications. To sum up, an IMD declaration will have both preliminary validation, risk assessment and calculation of VAT, and a final validation, risk assessment calculation of VAT.

12.2.1.1.2 Standard IMA

The flow for IMA (standard declarations) is shown in Figure 2 below.




Figure 12.2.1.2 – The flow for an IMA declaration.

As shown in the diagram, an IMA declaration can generate the following notifications:

Title	Code	Description
Declaration Accepted Notifica-	CWMACC	The submitted declaration is accepted.
tion		
Customs Debt Trader Notifica-	CWMTAX	Notification of customs debt.
tion		
Declaration Clearance Notifica-		
tion	CWMCLE	Procedure is accepted and goods can be released.
Declaration Rejection Notifica-	CWMREJ	Declaration has been rejected.
tion		
Declaration Control Notifica-	CWMCTL	Declaration has been selected for control.
tion		
Declaration Invalidation Notifi-	CWMINV	Declaration has been invalidated.
cation		

An IMA declaration is submitted directly as the goods are presented or following an IMD after goods are presented. The IMA has final validations, risk assessment and calculations of VAT. The declaration can be selected for control based on preliminary or final risk assessment.

12.2.1.2 Correction

Flow for Correction of a declaration is shown in Figure 12.2.1.3.




Figure 12.2.1.3 – the flow for a Correction

As shown in the diagram, a correction can generate the following notifications:

Title	Code	Description
Declaration Accepted Notification	CWMRCV	The submitted correction application is received.
Declaration Rejection Notification	CWMREJ	Correction application has been rejected.
Customs Position on Message Notification	CWMREQ	Decision on correction application.
Customs Debt Trader Notification	CWMTAX	Notification of customs debt.

A correction can be submitted to an IMD before goods are presented. After submission of a correction the declaration will go through preliminary validations, risk assessment and, depending on if the correction was for change of item value or freight, a recalculation of VAT. If so, there will be sent a new CWMTAX notification with the preliminary VAT.

12.2.1.3 Amendment

Flow for Amendment of a declaration is shown in Figure 12.2.1.4.




Figure 12.2.1.4 – the flow for an Amendment

As shown in the diagram, an amendment can generate the following notifications:

Title	Code	Description
Declaration Accepted Notifica-	CWMRCV	The submitted amendment application is re-
tion		ceived.
Declaration Rejection Notifica-	CWMREJ	Amendment application has been rejected.
tion		
Customs Position on Message	CWMREQ	Decision on amendment application.
Notification		
Customs Debt Trader Notifica-	CWMTAX	Notification of customs debt.
tion		
Corrected Declaration Notifica-	CWMRES	The result of the amendment to the declara-
tion		tion.

A correction can be submitted to an IMA after goods are presented. After submission of an amendment the declaration will go through validations, risk assessment and, depending on if the amendment was for change of item value or freight, a recalculation of VAT. If so, there will be sent a new CWMTAX notification with the preliminary VAT. There will be sent a notification, CWMRES, with the results of the amendment.

12.2.1.4 Invalidation

The flow for Invalidation of a declaration is shown below in Figure 12.2.1.5.




Figure 12.2.1.5 – the flow for an Invalidation

As shown in the diagram, an invalidation can generate the following notifications:

Title	Code	Description
Declaration Accepted Notification	CWMRCV	The submitted invalidation application is received.
Declaration Rejection Notification	CWMREJ	The declaration/invalidation application has been rejected.
Customs Position on Message Notification	CWMREQ	Decision on invalidation application.
Declaration Invalidation Notification	CWMINV	Declaration has been invalidated.

The invalidation request can be sent before the release of goods. If the declaration is an IMD, the declaration will be rejected, and a new one with the same LRN can be submitted. If the declaration is an IMA the declaration will be invalidated, and a new one with the same LRN cannot be submitted, the LRN has to change.

12.2.1.5 Invalidation and Repayment

The flow for in Invalidation and Repayment of a declaration is shown below in Figure 11.2.1.6




Figure 12.2.1.6 - the flow for Invalidation and Repayment

As shown in the diagram, an invalidation and repayment can generate the following notifications:

Title	Code	Description
Declaration Accepted Notification	CWMRCV	The submitted invalidation application is received.
Declaration Rejection Notification	CWMREJ	The declaration/invalidation application has been rejected.
Customs Position on Message Notification	CWMREQ	Decision on invalidation application.
Declaration Invalidation Notification	CWMINV	Declaration has been invalidated.

The Invalidation and Repayment request can be sent after payment of VAT. If the declaration is an IMD, the declaration will be rejected, and a new one with the same LRN can be submitted. If the declaration is an IMA the declaration will be invalidated, and a new one with the same LRN cannot be submitted, the LRN has to change.

12.2.1.6 I2 – Goods presentation

The flow for an I2 Presentation Notification flow is shown below in Figure 12.2.1.7.




Figure 12.2.1.7 – Flow for an I2 Presentation Notification

As shown in the diagram, an I2 declaration can generate the following notifications:

Title	Code	Description
Declaration Accepted Notification	CWMACC	The declaration is accepted.
Customs Debt Trader Notification	CWMTAX	Notification of customs debt.
Declaration Clearance Notifica-		
tion	CWMCLE	Procedure is accepted and goods can be released.
Declaration Rejection Notification	CWMREJ	Declaration has been rejected.
Declaration Accepted Notification	CWMRCV	The submitted I2 declaration is received.

Corrected Declaration Notification	CWMRES	The results of the I2 goods presentation to the declaration.
Declaration Control Notification	CWMCTL	Declaration has been selected for control.
Declaration Invalidation Notification	CWMINV	Declaration has been invalidated.

An I2 can be submitted to present goods for an IMD declaration. If the I2 declaration fails validation, only the I2 declaration is rejected, and a new I2 declaration can be submitted. If the I2 declaration passes validation, but the IMD declaration fails the final validation (i.e., as a result of not correcting non-valid data as given by warnings), the whole declaration is rejected. A new IMD/IMA declaration should be submitted if needed.

If all validations pass, the now merged declaration will go through final risk assessment and VAT calculation.

A notification with the results of the I2 goods presentation for the IMD declaration will be generated.

12.3 Export and Exit notification flows

12.3.1 Notification flows

12.3.1.1 Submission

There are two kinds of declarations to submit: a standard declaration and a pre-lodged declaration. When the goods are presented to a pre-lodged declaration, it will turn into a standard declaration and go through the standard notification flow. Note that the standard submission for export declarations and exit declarations/notifications have two different flows.

12.3.1.1.1 **Pre-lodged**

The flow for a pre-lodged declaration is shown in Figure 12.3.1.1 below.




Figure 12.3.1.1.1 – The flow for a pre-lodged declaration

As shown in the diagram, a pre-lodged declaration can generate the following notifications:

Title	Code	Description
Declaration Accepted Notification	CWMRCV	The submitted declaration is received.
Declaration Rejection Notification	CWMREJ	Declaration has been rejected.

A pre-lodged declaration means that information about the declaration is sent to the system before the declaration has left the country. The Pre-lodged declaration is converted to a standard declaration when a goods presentation declaration has been declared. If the submission is passed the request will be registered and notification CWMRCV will be sent.

12.3.1.1.2 Standard submission for export declarations

The flow for a standard declaration is shown in Figure 11.3.1.2 below.




Figure 12.3.1.1.2 – The flow for a standard declaration


NB: the diagram is meant as a general expression of the standard flow and does not precisely represent all specific customs scenarios. For instance, the submission of an arrival notification (IE507) is not necessary in all cases. If in doubt, consult the DDNXA for documentation of specific customs processes and diagrams of the relevant flows.

As shown in the diagram, a standard declaration can generate the following notifications:

Title	Code	Description
Message received Notification	CWMRCV	The declaration or additional message has been received
Declaration Accepted Notification	CWMACC	The declaration is accepted.
Declaration Clear- ance Notification	CWMCLE	Procedure is accepted and goods are cleared for release.
Declaration Release Notification	CWMROG	Notification informing the submitter that the goods are ready for released
Declaration Exit of Goods Notification	CWMEOG	The goods have exited the Union

Declaration Rejec-	CWMREJ	Declaration has been rejected.
tion Notification		

A standard declaration is submitted directly as the goods are presented or following a pre-lodged declaration after goods are presented. If the submission is passed the notifications CWMACC, CWMCLE and CWMROG will be sent.






Figure 12.3.1.1.3 – Flow for an A1/A2 declaration and A3 Re-Export Notification.

NB: Please note that the submission of an arrival notification (IE507) may be required in lodgement specific scenarios – consult the DDNXA for further information.

As shown in the diagram, a standard declaration can generate the following notifications:

Title	Code	Description
Declaration Release Notification	CWMROG	Notification informing the submitter that the goods are ready for released
Declaration Exit of Goods Notification	CWMEOG	The goods have exited the Union

12.3.1.2 Correction

Flow for Correction of a declaration is shown in Figure 11.2.1.3.




Figure 12.3.1.2 – The flow for a Correction

As shown in the diagram, a correction can generate the following notifications:

Title	Code	Description
Declaration Accepted	CWMRCV	The submitted correction application is received.
Notification Customs Position on	CWMDEO	Desision on competion application
Message Notification	CWMREQ	Decision on correction application.
Corrected Declaration	CWMRES	The results of the correction to the declaration.
Notification		
Declaration Rejection	CWMREJ	Correction application has been rejected.
Notification		

A correction can be submitted to a pre-lodged before goods are presented. After submission of a correction the declaration will go through validation. If the validation is passed the correction will be registered and the notifications CWMRCV, CWMREQ and CWMRES will be sent.

12.3.1.3 Amendment

Flow for Amendment of a declaration is shown in Figure 12.3.1.4.




Figure 12.3.1.3 – the flow for an Amendment

As shown in the diagram, an amendment can generate the following notifications:

Title	Code	Description
Declaration Accepted Notifica-	CWMRCV	The submitted amendment application is re-
tion		ceived.
Customs Position on Message	CWMREQ	Decision on amendment application.
Notification		

Declaration Rejection Notifica-	CWMREJ	Amendment application has been rejected.
tion		
Customs Position on Message	CWMREQ	Decision on amendment application.
Notification		
Manual Handling State Notifi-	CWMCAS	Notification informing the submitter about the
cation		state of a manual work task.
Corrected Declaration Notifica-	CWMRES	The result of the amendment to the declaration.
tion		

An Amendment can be submitted to a standard after goods are presented. After submission of an amendment the declaration will go through a validation, if the validation is passed the Amendment will be registered and the notification CWMCAS will be sent, informing about a manual work task. If the work task is granted there will be sent a CWMRES notification, meaning the declaration is amended.

12.3.1.4 Invalidation

The flow for Invalidation of a declaration is shown below in Figure 12.3.1.5.




Figure 12.3.1.4 – the flow for an Invalidation

As shown in the diagram, an invalidation can generate the following notifications:

Title	Code	Description
Declaration Accepted Not	CWMRCV	The submitted invalidation application is received.

Declaration Rejection No CWMREJ	The declaration/invalidation application has been rejected.
Manual Handling State N CWMCAS	Notification informing the submitter about the state of a manual work task.
Customs Position on Mes : CWMREQ	Decision on invalidation application.
Declaration Invalidation CWMINV	Declaration has been invalidated.

The invalidation request can be sent before the release of goods. If the declaration is a prelodged, the declaration will be rejected, and a new one with the same LRN can be submitted. If the declaration is a standard, it will be invalidated, and a new one with the same LRN cannot be submitted, the LRN has to change.

If the validation is passed the invalidation will be registered and the notification CWMCAS will be sent, informing about a manual work task. If the work task is granted there will be sent a CWMINV notification, meaning the declaration is invalidated.

12.3.1.5 C2 Presentation Notification

The flow for an C2 Presentation Notification flow is shown below in Figure 12.2.1.7.




Figure 12.3.1.5 – Flow for an C2 Presentation Notification

As shown in the diagram, an C2 declaration can generate the following notifications:

Title	Code	Description
Declaration Accepted Notification	CWMACC	The declaration is accepted.
Declaration Rejection Notification	CWMREJ	Declaration has been rejected.
Declaration Accepted Notification	CWMRCV	The submitted C2 declaration is received.
Corrected Declaration Notification	CWMRES	The results of the C2 goods presentation to the declaration.

An C2 can be submitted to present goods for a pre-lodged export declaration. If the C2 declaration fails validation, only the C2 declaration is rejected, and a new C2 declaration can be submitted. If the C2 declaration passes validation, but the pre-lodged declaration fails the final validation (i.e., as a result of not correcting non-valid data as given by warnings), the whole declaration is rejected. A new declaration should be submitted if needed.

12.3.1.6 Supplementary declaration

The supplementary declaration is a part of the C1 flow. It's role it to transform the C1 (a simplified declaration) to a standard declaration. See more in <u>chapter 5.7</u>

The flow for a supplementary declaration flow is shown below in Figure 12.3.1.7.




Figure 12.3.1.6 – Flow for an C2 Presentation Notification

Title	Code	Description
Declaration Accepted Notification	CWMACC	The declaration is accepted.
Declaration Rejection Notification	CWMREJ	Declaration has been rejected.
Declaration Accepted Notification	CWMRCV	The submitted C2 declaration is received.
Corrected Declaration Notification	CWMRES	The results of the C2 goods presentation to the declaration.
Declaration Release Notification	CWMROG	Notification informing the submitter that the goods are ready for released.
Declaration clearance notification	CWMCLE	Procedure is accepted and goods are cleared for release.

12.4 Transit Notification flows

12.4.1 Notification flows

12.4.1.1 Submission

There are two kinds of declarations to submit: a standard declaration (D1), a and a simplified declaration (D2). Both these declarations can be submitted as pre-lodged. When the goods are presented to a pre-lodged declaration, it will turn into a standard declaration and go through the standard notification flow as soon as the presentation notification (D4) is accepted.

12.4.1.2 Pre-lodged




Figure 12.4.1.2 – The flow for a pre-lodged declaration

As shown in the diagram, a pre-lodged declaration can generate the following notifications:

Title	Code	Description
Declaration Accepted Notification	IE928	The submitted declaration is received.
Declaration Rejection Notification	IE056	Declaration has been rejected.

12.4.1.2.1 Standard submission for transit declarations

The flow for a standard declaration is shown in Figure 12.4.1.2 below.




Figure 12.4.1.2 – The flow for a standard declaration

NB: the diagram is meant as a general expression of the standard flow and does not precisely represent all specific customs scenarios. The flow is also relevant for the simplified procedure, as the main difference between standard and simplified procedure is the main difference between those are where the goods are located before and after transit. If in doubt, consult the DDNTA for documentation of specific customs processes and diagrams of the relevant flows.

As shown in the diagram, a standard declaration can generate the following notifications:

Title	Code	Description
MRN ALLOCATED	IE028	An MRN has been allocated for the declaration
RELEASE FOR TRANSIT	IE029	Procedure is accepted and goods are cleared for release.
WRITE OFF NOTIFICA- TION	IE045	The procedure has been written off.
REJECTION FROM OF- FICE OF DEPARTURE	IE056	Declaration has been rejected.
REJECTION FROM OF- FICE OF DESTINATION	IE057	The arrival notification is rejected

A standard declaration is submitted directly as the goods are presented or following a prelodged declaration after goods are presented. If the submission is passed all validations the notifications IE928, IE028 and IE029 will be sent.

Correction

The declaration can be corrected if the goods has not been presented at the Office of Departure. This is done by sending in an IE013 (amendment declaration). The flow for the correction is then the same as for an amendment.




Figure 12.4.1.3 – The flow for a correction to a standard declaration

Amendment

The declaration can be amended until it has been released for transit (and have the declaration status of "Movement Released"), authorities have indicated they will control the procedure or data is established to be incorrect. The amendment is made by sending in an IE013 message in the system.




Figure 12.4.1.3 – The flow for an amendment to a standard declaration

If the amendment gets rejected, the core flow will continue as before as if the amendment was never sent in.

If the amendment gets accepted, the holder receives the confirmation notification, and the declaration gets updated. It is then the updated declaration that is used further in the flow. As shown in the diagram, an invalidation can generate the following notifications:

Title	Code	Description
MRN Allocated Notification	IE004	The submitted declaration is received.
Declaration Rejection Notification	IE056	The declaration application has been rejected.

Invalidation

The declaration can be invalidated by the holder of the transit procedure until it has been released. This is done by sending in an invalidation request (IE014). A customs officer will then review the justification for the invalidation and determine whether the declaration will be invalidated or not. This will be in the form of a IE009 message, which can be either positive or negative.




Figure 12.4.1.4 – The flow for an amendment to a standard declaration As shown in the diagram, an invalidation can generate the following notifications:

Title	Code	Description
MRN Allocated Notification	IE028	The submitted declaration is received.
Declaration Rejection Notification	IE056	The declaration application has been rejected.
Invalidation Decision	IE009	Notification informing the submitter about the decision on tion request

The invalidation request can be sent before the release of goods. If the declaration is a prelodged, the declaration will be rejected, and a new one with the same LRN can be submitted. If the declaration is a standard, it will be invalidated, and a new one with the same LRN cannot be submitted, the LRN has to change.

12.5 AS4 Services

The following section describes the available services provided by the AS4-gateway. Each section describes the services to be used for the various system environments we use.

- Production environment
- TFE (Test For Erhvery) test environment
- UFE (Udvikling For Erhvery) test environment

12.5.1 Services for production environment

12.5.1.1 Export services and actions

Function	Service	Action	Types of declaration
Submit export declaration	DMS.Export	Declaration.Submit	B1, B2, B3, B4, C1
Amend/Correct export declaration	DMS.Export	Declaration.Amend	B1, B2, B3, B4, C1 ¹
Invalidate export declaration	DMS.Export	Declaration.Invalidate	B1, B2, B3, B4, C1 ¹
Goods Presentation notification for ex- port declaration	DMS.Export	Declaration.Amend.Goodspresented	B1, B2, B3, B4, C1 ¹
Supplement declaration for export declaration	DMS.Export	Declaration.Amend.Supplement	C1
Retrieve notifications	DMS.Export	Notification	All
Submit exit decla- ration	DMS.Export	Exit.Declaration.Submit	A1, A2, A3 ^{Error!} Bookmark
Amend/Correct exit declaration	DMS.Export	Exit.Declaration.Amend	A1, A2, A3 ^{Error! Bookmark}
Invalidate exit declaration	DMS.Export	Exit.Declaration.Invalidate	A1, A2, A3 ^{Error! Bookmark}
Arrival Notification for exit declaration	DMS.Export	Declaration.ArrivalNotification	IE507
Manifest presentation notification	DMS.Export	Declaration.ManifestPresentation	IE547
Information on Non-Exited Export	DMS.Export	Declaration.NonExitedExport	IE583
Exit Notification	DMS.Export	Declaration.ExitNotification	IE590

¹ For the additional messages (.Amend, .Invalidate), several declaration types are written. This is because the endpoints in question apply to all these declaration types. For example, the .Invalidate endpoint can be used to invalidate B1, B2, B3, B4, and C1 declarations.

12.5.1.2 Transit services and actions

Function	service	Action	Types of declaration
Submit transit declaration	DMS.Transit	Declaration.Submit	D1, D2
Amend/Correct transit declaration	DMS.Transit	Declaration.Amend	D1, D2
Invalidate transit declaration	DMS.Transit	Declaration.Invalidate	D1, D2

Goods Presentation	DMS.Transit	Declaration.Amend.Goodspresented	D4
notification for transit	•		
declaration			
Retrieve notifications	DMS.Transit	Notification	All

12.5.1.3 Import services and actions

Function	service	Action	Types of declaration
A create declaration	DMS.Import2	Declaration.Submit	H7
An amendment for a declaration	DMS.Import2	Declaration.Amend	H7
Goods Presentation notification for import declaration	DMS.Import2	Declaration.Amend.Goodspresented	I2
Invalidation message	DMS.Import2	Declaration.Invalidate	H7
Invalidation and repayment message	DMS.Import2	Declaration. InvalidateRemissionRepayment	H7
Retrieve the latest notifications.	DMS.Import2	Notification	All

12.5.2 Services for TFE environment

12.5.2.1 Export services and actions

Function	Service	Action	Types of declaration
Submit export declaration	DMS.Export	Declaration.Submit	B1, B2, B3, B4, C1
Amend/Correct export declaration	DMS.Export	Declaration.Amend	B1, B2, B3, B4, C1*
Invalidate export declaration	DMS.Export	Declaration.Invalidate	B1, B2, B3, B4, C1*
Goods Presentation noti- fication for export decla- ration	DMS.Export	Declaration.Amend.Goodspresented	B1, B2, B3, B4, C1*
Supplement declaration for export declaration	DMS.Export	Declaration.Amend.Supplement	C1*
Retrieve notifications	DMS.Export	Notification	All
Submit exit declaration	DMS.Export	Exit.Declaration.Submit	A1, A2, A3
Amend/Correct exit declaration	DMS.Export	Exit.Declaration.Amend	A1, A2, A3*

Invalidate exit declaration	DMS.Export	Exit.Declaration.Invalidate	A1, A2, A3*
Arrival Notification for exit declaration	DMS.Export	Declaration.ArrivalNotification	IE507
Manifest presentation notification	DMS.Export	Declaration.ManifestPresentation	IE547
Information on Non-Ex- ited Export	DMS.Export	Declaration.NonExitedExport	IE583
Exit Notification	DMS.Export	Declaration.ExitNotification	IE590

^{*} For the additional messages (.Amend, .Invalidate, .Amend.Goodspresented, and .Amend.Supplement), several declaration types are written. This is because the endpoints in question apply to all these declaration types. For example, the .Invalidate endpoint can be used to invalidate B1, B2, B3, B4, and C1 declarations.

12.5.2.2 Transit services and actions

Function	service	Action	Types of declaration
Submit transit declaration	DMS.Transit	Declaration.Submit	D1, D2
Amend/Correct transit declaration	DMS.Transit	Declaration.Amend	D1, D2
Invalidate transit declaration	DMS.Transit	Declaration.Invalidate	D1, D2
Goods Presentation notification for transit declaration	DMS.Transit	Declaration.Amend.Goodspresented	D4
Retrieve the latest notifications	DMS.Transit	notification	All

12.5.2.3 Import services and actions

Function	service	Action	Types of declaration
Submit import declaration	DMS.Import2	Declaration.Submit	H7
Amend/Correct import declaration	DMS.Import2	Declaration.Amend	H7
Goods Presentation notification for import declaration	DMS.Import2	Declaration.Amend.Goodspresented	I2
Invalidate import declaration	DMS.Import2	Declaration.Invalidate	Н7
Invalidation and repayment for import declaration	DMS.Import2	Declaration. InvalidateRemissionRepayment	Н7

Retrieve notifications	DMS.Import2	Notification	All

12.5.3 Services for UFE environment

12.5.3.1 Export services and actions

Function	Service	Action	Types of declaration
Submit export declaration	DMS.Export2	Declaration.Submit	B1, B2, B3, B4, C1
Amend/Correct export declaration	DMS.Export2	Declaration.Amend	B1, B2, B3, B4, C1*
Invalidate export declaration	DMS.Export2	Declaration.Invalidate	B1, B2, B3, B4, C1*
Goods Presenta- tion notification for export decla- ration	DMS.Export2	Declaration.Amend.Goodspresented	B1, B2, B3, B4, C1*
Supplement declaration for export declaration	DMS.Export2	Declaration.Amend.Supplement	$\mathrm{C1}^{*\mathrm{Error!}}$ Bookmark not defined.
Retrieve notifications	DMS.Export2	Notification	All
Submit exit decla- ration	DMS.Export2	Exit.Declaration.Submit	A1, A2, A3
Amend/Correct exit declaration	DMS.Export2	Exit.Declaration.Amend	A1, A2, A3*
Invalidate exit declaration	DMS.Export2	Exit.Declaration.Invalidate	A1, A2, A3*
Arrival Notifica- tion for exit decla- ration	DMS.Export2	Declaration.ArrivalNotification	IE507
Manifest presentation notification	DMS.Export2	Declaration.ManifestPresentation	IE547
Information on Non-Exited Ex- port	DMS.Export2	Declaration.NonExitedExport	IE583
Exit Notification	DMS.Export2	Declaration.ExitNotification	IE590

^{*} For the additional messages (.Amend, .Invalidate, .Amend.Goodspresented, and .Amend.Supplement), several declaration types are written. This is because the endpoints in question apply to all of these declaration types. For example, the .Invalidate endpoint can be used to invalidate B1, B2, B3, B4, and C1 declarations.

12.5.3.2 Transit services and actions

Function	service	Action	Types of declaration
Submit transit declaration	DMS.Transit2	Declaration.Submit	D1, D2
Amend/Correct transit declaration	DMS.Transit2	Declaration.Amend	D1, D2
Invalidate transit declaration	DMS.Transit2	Declaration.Invalidate	D1, D2
Goods Presentation notification for transit declaration		Declaration.Amend.Goodspresented	D4
Retrieve notifications	DMS.Transit2	Notification	All

12.5.3.3 Import services and actions

Import services and actions not available for UFE.

12.6 Codelists used in notifications

$12.6.1 \quad 10182-Statement Type Code$

List of objects representing the type of additional information as specified in SAD box 44 or linked to other List of objects in the BOM such as Validation Results.

Item Value	Item Description	
ABC	Conditions of sale or purchase	
ACA	Documentary requirements	
ACB	Additional Information	
ACD	Amendment Text	
AFB	Customs Position Motivation	
BLF	Control Explanation	
CEX	Customs clearance instructions export	
CUS	Special Mentions	
OVR01	Additional Information for Alternative Duties Calculation	
TRR	Tariff Quota Order Number	
ZZZ	Mutually Defined	

12.6.2 10177 – StatementCode

Codelist of export and exit control result types as defined by the EU.

Item Value	Item Description	
A0	Release With No Controls	
A1	Satisfactory	
A2	Considered Satisfactory	
A3	Simplified procedure	
A4	Minor Discrepancies	
В0	Declaration Invalidated	
B1	Not Satisfactory	

12.6.3 10211 - StatementCode

List of objects capturing the reason given in the context of taking a customs position:

Item Description		
Simplified declaration not supplemented		
Release was provided, no coverage for final customs debt surplus		
Invalidation at trader's request		
Invalidation by customs due to major discrepancies		
No exit results received		
Exit result indicating Goods Stopped		
Invalidation due to lacking coverage		
Exit cancelled		
Release for unsupplemented simplified declaration		
Release during control		
Declaration being cancelled, however exit result indicates goods exited or stopped		

Validation errors after finalized duties
Release reconfirmed after amendment

12.6.4 131 - Validation rules and error codes

This table also exists as a separate document on Skatteforvaltningens GitHub in the Onboarding Documents folder.

Item Value	Item Description
AMSV0001	Authorization has insufficient balance
AMSV0002	Authorization cannot be used
AMSV0003	Authorization does not exist
CWM00001	Customs value of the goods item is not within allowed range
CWM00010	Postal Charges relation of Consignment Shipment(s) and associated Goods Item(s) not valid
CWM10002	The number of simplified Declarations submitted exceed the allowed range
CWM10003	Data element missing value
CWM10019	Request for Correction in Post Clearance Amendment contains invalid field changes
CWM10022	Prelodged declaration already processed
CWM10023	Wrong procedure category
CWM10024	No matching procedure category between header parameter and declaration
CWM10025	Export: Goods Export Status of related Exit Declaration Message cannot be null
CWM10026	Export: Goods Export Status Type of related Exit Declaration Message is invalid
CWM10027	Export: Domain Values of Exit Result Message are invalid
CWM10028	Export: Goods Exit Status Date is invalid
CWM10029	Export: Indicator or Description of Exit Control Result is invalid
CWM10030	Export: Actual Office of Exit ID of Goods Export Status in Exit Declaration Message does not match the Customs Office ID in Exit Result Message
CWM10031	Export: The relation between Overall Control Result and Goods Exit Status Type in Exit Result Message is not valid

CWM20002	Declaration Office ID is mandatory
CWM20001	Please fill in headers (changeReasonCode and changeReasonText)
CWM12068	Referenced Manifest Number does not exist
CWM12067	Referenced Declaration is in incorrect processing state
CWM12066	Invalid time period to receive Alternative Proof Message
CWM12065	Invalid Enquiry Information Code for Alternative Proof
CWM12006	Authorization warning: invalid import/export license number
CWM11007	Relation error: differing submitters
CWM10050	DDNXA Business Rule for Transition (BRT) violation
CWM10049	DDNXA Condition violation
CWM10048	DDNXA Technical Rule for Transition (TRT) violation
CWM10047	Prerequisite error: invalid date
CWM10046	Relation error: The combination of Authorization Document and Application by means of Declaration is not allowed.
CWM10045	Declared goods for the reference Declaration have been discharged
CWM10044	Missing 337 or MRN type document from declaration
CWM10043	Container identification number is not compliant to ISO6346 International Standard
CWM10042	Consignment item is in incorrect processing state for requested operation.
CWM10041	Customs warehouse type is not accepted
CWM10040	Referenced declaration does not exist
CWM10039	The Functional Reference ID maximum allowed length is 22 characters
CWM10038	Authorization warning: Invalid Customs Office capability
CWM10037	Relation error: The functionCode you have submitted does not correspond to your requests appropriate functionCode
CWM10036	Procedure Category is not equivalent to the appropriate regime
CWM10035	Related goods or quantities are not available in Goods Accounting
CWM10034	Relation error: Inconsistency between gross mass in Declaration and GoodItem level
CWM10033	Procedure Category can not be derived due to invalid combination of procedures
CWM10032	The Related Declaration provided is not in Registered State

CWM20003	LRN is empty. Please fill in all the required fields.
CWM20004	Exit Office ID is mandatory
CWM20005	LRN is being used. Please change the value.
DK0000	Only H7 declarations are allowed to be submitted.
DK1001	Error in "Additional procedure" (1/11), the procedure code is not correct.
DK1002	Error in "Previous documents type" (12 01 002 000), not relevant to the type of declaration or does not exist.
DK1003	Error in "Supporting document type" (12 03 002 000) document type does not exist.
DK1004	Error in "Representative status code", the code does not exist.
DK1005	Error in "Additional declaration type" (1/2), the type is incorrect or does not exist.
DK10050	Requested Procedure not Possible
DK1006	Error in "Supplementary units" (6/2), when supplementary units is filled, then "Additional procedure" (1/11) must be C08.
DK1007	Error in "Value" (4/18), when "Additional procedure" (1/11) is C08, then the amount must not exceed 360 DKK.
DK1008	Error: An additional fiscal reference has been specified for a procedure combination which is not C07 or F48.
DK1009	Information on Representative is filled in and the identification numbers for the representative and declarant are the same.
DK1010	When additional fiscal reference has been specified, then 'Harmonized System subheading code' (18 09 056 000) must not have the format 99xxxx.
DK10106	Missing Document Identifier 12 03 001 000
DK10107	Missing Document TYPE 12 03 002 000
DK1011	Error in commodity code (6/14), the commodity code can not be used in connection with "additional procedure" (1/11) "C07".
DK1012	Error in commodity code (6/14), the commodity code can not be used in connection with "additional procedure" (1/11) "C08".
DK1013	Error in "Previous documents" (2/1), the reference is made to an MRN that does not exist.
DK1014	Error in "Gross mass" 6/5, the value must be numbers and must be the same gross weight as the prelodged declaration MRN.
DK1015	Error in "number of packages" 6/10, the value must be the same number of packages as the prelodged declaration MRN.

DK10494	Declaration of subheading submitted to legal restrictions (declared statistical value)
DK10493	Declaration of subheading submitted to physical restrictions (declared supplementary unit)
DK10492	Declaration of subheading submitted to physical restrictions (declared net mass)
DK10491	Declaration of subheading submitted to physical restrictions (declared statistical value)
DK1049	Error in "Value" (4/18), the converted total customs value may not exceed DKK 1.150 kr. when "Additional procedure" (1/11) is C07.
DK10484	Declaration of subheading submitted to physical restrictions (net weight/supplementary unit)
DK10483	Declaration of subheading submitted to legal restrictions (unit price)
DK10482	Declaration of subheading submitted to legal restrictions (net weight/supplementary unit)
DK1048	The total value of the declaration must be above 0
DK1047	Error in "commodity code" (6/14) the commodity code does not exist.
DK1046	Error in "Currency" (4/19) the currency code does not exist.
DK1045	Error in "Importer Identification no." (3/16), when "Additional procedure" (1/11) is F49, the "Importer Identification no" (3/16) must be DK09999981.
DK1044	Error in "Declarant" (3/17), name and adress must be populated in 3/17, when "Importer Identification Number" (3/18) is DK09999981.
DK1043	Error: The "commodity code" (6/14) must not start with 99, for this declaration type.
DK1042	Error in "Supplementry units" (6/2), for the specified "commodity code" (6/14) "supplementry units" (6/2) must be filled in.
DK1041	Fejl i "Importer" (3/15), name and adress must be populated in 3/15, when "Importer Identification Number" (3/16) is DK09999981.
DK1040	Error in country code of the importer (3/15), it must be "DK".
DK1023	When data element "Additional procedure" (1/11) is F48, then data element "Additional fiscal reference" (3/40) must have role FR5 and have a IOSS identification number.
DK1021	Error in field 6/10 - number of packages must be less than 50.
DK1020	Error in field 6/5 - gross mass must be less than 100 kg.
DK1019	Error in field 6/2 - supplementary units must be less than 50.
DK1018	Error in "Value" (4/18), the total customs value may not exceed DKK 1.150 kr. when "Additional procedure" (1/11) is C07.

DK10495	Declaration of subheading submitted to legal restrictions (declared net mass)
DK10496	Declaration of subheading submitted to legal restrictions (declared supplementary unit)
DK1050	Error in "Value" (4/18), the converted total customs value may not exceed DKK 360 kr. when "Additional procedure" (1/11) is C08.
DK1051	Error in "Exporter country" (3/1) the country code does not exist.
DK1052	Error, when "Additional Reference Code" (2/2) is 00500, then the "importers identifications number" (3/16) and the "declarant identifications number" (3/18) must be the same.
DK1053	Error in "Location of goods" (5/23), the location is incorrect or does not exist.
DK1053	Error in "Location of goods" (5/23), the location is incorrect or does not exist.
DK1054	Error in "Document type" (2/3), document type does not exist.
DK1055	Error in "Declarant Identification no" (3/18), when "Additional procedure" (1/11) is F49 then the "Declarant identification no" (3/18) must be DK09999981 (private)
DK1056	Error in "Additional fiscal references" (3/40), when "Additional procedure" (1/11) = F49, then "Role code" must be "FR4".
DK1057	Error in "Location of goods type" (16 15 045 000), when type = "A", then 'Qualifier of identification' (16 15 046 000) must be "U" or "V".
DK1058	Error in 'Location of goods' (16 15 000 000), when type = 'B', then 'Qualifier of identification' (16 15 046 000) must be 'Y'.
DK1059	Error in "Location of goods" (16 15 000 000), when type = "C" or "D", then Qualifier of identification must be "Z".
DK1060	Error in 'Qualifier of identification' (16 15 046 000), when Qualifier of identification = "Z", then address must be provided.
DK1061	Error: If "Importer Identification number" (3/16) and "Declarant Identification number" (3/18) both are DK09999981, then "Representative Identifikation number" (3/20) must be populated with a EORI number.
DK1062	Error in "Location of goods" (16 15 000 000), the 'customs office' (16 15 047 000) must be provided or the referencenumber does not exist.
DK1063	The commodity is not permitted
DK1064	The commodity is not permitted for the supplied additional procedure
DK1065	Data element 5/23 Location of Goods - Additional identifier must be max (incl.) 4 alphanumeric characters.
DK1066	Data element 5/23: "Location of Goods - Type of Location" must be filled out and must be max. (incl.) 1 letter
	1

DK1067	Data element 5/23: "Location of Goods - Qualifier of Identification" must be filled out and must be max. (incl.) 1 letter
DK1068	If data element 2/1 is filled out, it must be max. (incl.) 35 characters
DK1069	Data element 5/23 Location of Goods - Authorisation number must be max (incl.) 35 alphanumeric characters.
DK1070	If data element 2/1 - Previous Document type is filled out, it must be max. (incl.) 4 characters
DK1071	Data element 5/23 Location of Goods - Post code number must be max (incl.) 17 alphanumeric characters.
DK1072	Data element 5/23: "Address: CountryCode" must be 2 letters if Address is filled out
DK1073	Error: If data element (5/23) "Qualifier identification" = "Y", then data element (5/23) "Autorisation number" must be provided in Identification of location
DK1074	Error: If data element (5/23) "Qualifier identification" = "Y", then data element (5/23) "Additional Identifier" must be provided
DK1075	Error: Data element (5/23) "Authorisation number" must be "DK_n9 (journalnr)_Bev_kod" (must be "402" or "406" or "408" or "409")
DK1076	The specified country code does not exist in the reference list of possible country codes.
DK1077	Format error in field 5/23 'Location of goods-Identification of location UN/LO-CODE': The specified value must be max. (incl.) 17 alphanumeric characters
DK1078	Format error in field 5/23 'Location of goods-Identification of location Customs of-fice': The specified value must be max. (incl.) 8 alphanumeric characters
DK1079	Format error in field 5/23 Address - Street and number': The specified value must be max. (incl.) 70 alphanumeric characters
DK1080	Format error in field 5/23 Address - City name': The specified value must be max. (incl.) 35 alphanumeric characters
DK1081	Error in field 14 10 001 000, Valuation method does not exist, see codelist.
DK1082	Error in field 99 05 001 000, Nature of transction does not exist, see codelist.
DK1083	Error in data element 11 02 001 "Additional declaration type and label" does not exist or is not valid, see codelist.
DK1084	Error in data element 12 11 002 "Warehouse type and label" does not exist in or is not valid, see codelist.
DK1085	Error: it is only when a valid EORI number is in data element 13 04 017 000 identification number of the importer that data element 13 04 018 020 country code of the importer must be filled in.

DK1086	Error in data element 13 16 031 000, additional fiscal reference Role and label does not exist, see codelist.
DK1087	Error in data element 13 14 031, additional Supply chain actor Role and label does not exist, see codelist.
DK1088	Error in data element 14 01 035, delivery terms INOCTERM code and label does not exist, see codelist.
DK1089	Error: the combination of data element 11 09 001 000 requested procedure and data element 11 09 002 000 previous procedure is not allowed for H1.
DK1090	Error in data element 16 15 046 000 qualifier of identification, the code does not exist, see codelist.
DK1091	Error in data element 19 03 000 000 mode of transport at the border, the code does not exist or is not valid, see codelist.
DK1092	Error in data element 19 06 061 000 type of identification under arrival transport means, the code does not exist, see codelist.
DK1093	Error in data element 99 02 000 000 Guarantee type, the code does not exist or is not valid, see codelist.
DK1094	Error in CUS code (18 08), the code does not exist, see codelist.
DK1095	Error: the combination of data element 11 09 001 000 requested procedure and data element 11 09 002 000 previous procedure is not allowed for H2.
DK1096	Error: the applicant must submit an invalidation and repayment application instead of a invalidation application.
DK1097	As the goods have already been released, you must submit an invalidation 4c request
DK1098	Error, when previous procedure (11 09 002 000)= 71, then Identification of warehouse Type (12 11 002 000) and Identifier (12 11 015 000) are mandatory
DK1099	Error: when requested procedure (11 09 001 000) = 42, then Additional fiscal reference (13 16 000 000) must be filled in and Role (13 16 031 000) must be FR2.
DK1100	Error: when requested procedure (11 09 001 000) = 63, then additional fiscal reference (13 16 000 000) must be filled in, and Role (13 16 031 000) must be = FR2
DK11001	Preference Code Not Applicable
DK11006	Quota Exhausted
DK11007	Not Valid Quota ID
DK11008	Missing Additional Code for Antidumping
DK11009	Missing Additional Code for Agriculatural Component in sequrity Calculation
DK1101	Error: country of dispatch/export (16 06) and country of origin (16 08) must be DK or EU for the combination of procedure code.

DK11010	Additional Code Not Valid For Commodity Code
DK11012	Prohibition
DK11020	Missing Country Code
DK11022	Quota Id Not Applicable For Preference Code
DK11024	Missing Net Weight
DK11026	Missing Additional Code
DK11027	Missing Additional Code for Agricultural Component
DK11028	Missing or Invalid Procedure code
DK1103	Error in 'Transport document type' (12 05 002 000), document type does not exist.
DK11030	Error in "Item amount Invoiced" (14 08 001 000), when item amount invoiced is filled out, then "Valuation method" (14 10 001 000) must be 1
DK11031	Error in "Item amount Invoiced" (14 08 001 000), when item amount invoiced is not filled out, then "Valuation method" (14 10 001 000) must not be 1
DK11047	Error in commodity code (18 09 056 000) the commodity code does not exist.
DK11048	The total value of the declaration must be above 0
DK11051	Error in ""Exporter country"" (13 01 018 020) the country code does not exist.
DK11054	Error in "Additional reference type" (12 04 002 000), document type does not exist.
DK11063	The commodity is not permitted
DK11064	Missing Preference Code
DK11067	Missing Quota ID
DK11068	Missing or Invalid Monetary Unit
DK11069	Not Valid or Incompatible Supplementary Unit
DK11070	Country of Preferential Origin not Valid
DK11071	Country of Dispatch Missing
DK11072	Classification Changes for Definitive Measures
DK1108	Declarant EORI (13 05 017 000) on the I2 presentation notification must coincide with the Declarant EORI (13 05 017 000) on the pre-lodged H1 declaration
DK1109	Name (13 05 016 000), Street and Number (13 05 018 019), Country (13 05 018 020), Postcode (13 05 018 021) and City (13 05 018 022) must be provided on the I2 if Declarant EORI (13 05 017 000) is DK09999981

DK1110	If Representative EORI (13 06 017 000) is provided on the I2 presentation notification, then Status (13 06 030 000) must also be provided on the I2 presentation notification
DK11103	Missing Supplementary Unit
DK11104	Conflicting Documents Prevent Calculation
DK11105	Condition Not Fulfilled
DK11107	Conflicting Document
DK11111	Quota Suspended
DK1200	When additional procedure = F16, then Country of dispatch on goods item and Country of origin must be AD, SM or TR.
DK1210	When requested procedure (11 09 001 000) = 44, then either authorisation referencenumber must be = DKEUS <nr> or additional information code must be = 00100</nr>
DK1220	When requested procedure (11 09 001 000) = 48 or 61, then either authorisation referencenumber must be = DKOPO <nr> or additional information code must be = 00100</nr>
DK1230	When requested procedure (11 09 001 000) = 46, then authorisation referencenumber must be = DKOPO <nr></nr>
DK2000	Error in "Documents produced, certificates and authorisations additional refereces" (12 03 002 000), the AEO certificate number does not exist or is not valid.
DK2001	Error in "Importer identification no" (3/16), the number does not exist or is not valid.
DK2002	Error, VAT identifikations number in "3/40" is not valid to use in "Additional procedure" (1/11) F49.
DK2003	Error, in "Representative status"(3/21), if the code is "3", then the representative must be registered as an importer in DK.
DK2004	Error in "Additional fiscal references identification no IOSS" 3/40, the number does not exist or is not valid.
DK2005	Error in "Declarant identification No." 3/18, the number does not exist or is not valid.
DK2006	Error in "Representative identification no", the number does not exist or is not valid.
DK2007	Error in "Location of goods" (16 15 000 000), when Qualifier of identification is "Y" then 'authorisation number' (16 15 052 000).must be provided.
DK2008	Error in 'Authorisationnumber' (16 15 052 000), number is not entered correctly, authorisation code must be DKTST_n9.
DK2009	Error in "Location of goods" (16 15 000 000), when "Qualifier of identification" is "Y" then "Additional identifier" (16 15 053 000) must be provided.
DK2010	Error in "Location of goods" (16 15 052 000), "Authorisation number" does not exist or is not valid.

DK2011	Error, in "Declarant identification No." (3/18), the declarant must be registered as an importer in DK.
DK2012	Error, in "Importer identification No." (3/16), the declarant must be registered as an importer in DK.
DK2013	Error: The IOSS VAT ID number must be 12 characters long
DK2014	Error: The IOSS VAT ID number has an invalid format
DK2015	Error: The IOSS VAT ID consultation date has an invalid format
DK2016	Error: The IOSS service request has an invalid format
DK2017	Error: The IOSS service was unable to connect to the database
DK2018	Error: The IOSS database table iossvatno illegally contains multiple instances of the same VAT ID number
DK2019	Error in ""Location of goods"" (5/23)"", ""Aditional identifier"" does not exist.
DK2020	The VAT number specified in data element 13 16 034 000 'VAT ID' is not valid.
DK2021	Invalid combination of duty type codes.
DK2022	Field 1/1 in the application must be REP.
DK2027	The value in field 5/3 must be the same as the value in field 18 02 000 000 on the declaration.
DK2028	Field VIII/7 must not be greater than the total amount on the declaration.
DK2029	The value in field VIII/8 is invalid.
DK2030	Error: "Additional supply chain actor" (13 14 031 000), the corresponding identifications number (13 14 017 000) does not exist or is not valid.
DK2031	Error in "Authorisation refence number" (12 12 001 000) the authorisation does not exist or is not valid.
DK2032	Error in "Supporting document type" (12 03 002 000), the REX number does not exist or is not valid.
DK2033	If Qualifier of identification (16 15 046 000) is Y and Previous procedure (11 09 002 000) is not 71, then Authorisation number (16 15 052 000) must be provided.
DK2034	If Qualifier of identification (16 15 046 000) is U, then a valid UN/LOCODE (16 15 036 000) must be provided.
DK2035	If Qualifier of identification (16 15 046 000) is V, then a valid Customs Office (16 15 047 001) must be provided.
DK2036	If Country code (16 15 018 020) is provided, it must be a valid country code.

DK2037	If Qualifier of identification (16 15 046 000) is Y and Previous procedure (11 09 002 000) is 71, then Authorisation number (16 15 052 000) must be DKCW1 + 9 digits, DKCW2 + 9 digits or DKCWP + 9 digits
DK2151	ApplicationHolder 3/2 is specified as private person, but no valid address was found in 3/1
DK2152	EORI from invalidation application field 3/2 must match 3/18 from the declaration
DK2153	Field VIII/8 on the invalidation application must be B00
DK2154	Field VIII/9 on the invalidation application must be E
DK2155	The VAT amount on the invalidation application must correspond with the calculated VAT amount from the H7 declaration
DK2156	The comment field is mandatory and must be at least 10 alphanumeric characters for the chosen reason for invalidation.
DK2157	The MRN on the invalidation application must refer to a standard declaration which has been accepted or released.
DK2158	Invalidation reason must be chosen and have value 22, 23, 24, 25, 26, 27, 28, 29, 30 or 31
DK2159	Det angivne EORI nummer for representanten (data element 3/4) er ikke gyldigt.
DK2160	Only data element 1/1, 2/4, 3/1, 3/2, 3/3, 3/4, 3/6, 4/8, 5/1, 5/2, 5/3, 8/5, VIII/5, VIII/7, VIII/8, VIII/9 and VIII/13 are allowed.
DK2162	Representative Identification number (13 06 017 000) contains an EORI number that is not valid or is expired.
DK3001	Format error in field "Exporter name" (3/1). The field must contain a minimum of 1 and a maximum of 70 characters.
DK3002	Format error in field "Exporter City" (3/1). The field must contain a minimum of 1 and a maximum of 35 characters.
DK3003	Format error in field "Exporter street and number" (3/1). The field must contain a minimum of 1 and a maximum of 70 characters.
DK3004	Format error in field "Exporter postcode" (3/1). The field must contain a minimum of 2 and a maximum of 9 characters.
DK3005	Format error in field "Importer name" (3/15). The field must contain a minimum of 1 and a maximum of 70 characters.
DK3006	Format error in field "Importer city" (3/15). The field must contain a minimum of 1 and a maximum of 35 characters.
DK3007	Format error in field "Importer street and number" (3/15). The field must contain a minimum of 1 and a maximum of 70 characters.

DK3008	Format error in field "Importer postcode" (3/15). The field must contain a minimum of 2 and a maximum of 9 characters.
DK3009	Format error in field "Declarant name" (3/17). The field must contain a minimum of 1 and a maximum of 70 characters.
DK3010	Format error in field "Declarant city" (3/17). The field must contain a minimum of 1 and a maximum of 35 characters.
DK3011	Format error in field "Declarant street and number" (3/17). The field must contain a minimum of 1 and a maximum of 70 characters.
DK3012	Format error in field "Declarant postcode" (3/17). The field must contain a minimum of 2 and a maximum of 9 characters.
DK3013	Format error in field "Representative name" (3/19). The field must contain a minimum of 1 and a maximum of 70 characters.
DK3014	Format error in field "Representative city" (3/19). The field must contain a minimum of 1 and a maximum of 35 characters.
DK3015	Format error in field "Representative street and number" (3/19). The field must contain a minimum of 1 and a maximum of 70 characters.
DK3016	Format error in field "representative postcode" (3/19). The field must contain a minimum of 2 and a maximum of 9 characters.
DK3017	Format error in field "Additional declaration type" (1/2). The field must consist of one letter.
DK3018	Format error in field "Goods item number" (1/6). The field must contain of a maximum of 5 digits.
DK3019	Format error in field "Declarant identification no" (3/18). The field must contain a maximum of 17 characters.
DK3020	Format error in field "Value" (4/18). The field must contain a maximum of 16 digits, of which 2 can be decimals.
DK3021	Format error in field "Value currency code" (4/18). The field must contain 3 letters.
DK3022	Format error in field "number of packages" (6/10). The field must contain a maxium of 8 digits.
DK3023	Format Error in field "Commodity code" (6/14), the field must contain of 6 digits.
DK3024	Format error in field "Description of goods" (6/8), the field must contain a maximum of 512 characters.
DK4001	Format error in field "location of goods" (5/23), the field must not be corrected.
DK4002	The amendment application contains changes to data elements in 5/23 // 16 15 which can not be changed in relation to a conversion of the declaration.

DK4003	The conversion of customs office id of data element 5/23 // 16 15 is not valid. Either the previous fields have not been deleted or the information has not been correctly specified in the customs office id field.
DK4004	The conversion of UN/LOCODE of data element 5/23 // 16 15 is not valid. Either the previous fields have not been deleted or the information has not been correctly specified in the location id field.
DK4005	The conversion of authorisation number of data element 5/23 // 16 15 is not valid. Either the previous fields have not been deleted or the information has not been correctly specified in the authorisation reference number field.
DK6000	Error, 'Exporter idetification No' (13 01 017 000), the number does not exist or is not valid
DK6001	Error in 'Exporter identification No.' (13 01 017 000), the Exporter must be registered as an exporter in DK.
DK6002	Error in 'Declarant identification No.' (13 05 017 000), the Declarant must be registered as an exporter in DK.
DK6003	Error in 'Representative identification No.' (13 06 017 000), the Representative must be registered as an exporter in DK.
DKW1083	Error in data element 11 02 001 "Additional declaration type and label" does not exist or is not valid, see codelist.
DKW1084	Error in data element 12 11 002 "Warehouse type and label" does not exist in or is not valid, see codelist.
DMS10001	Obligation error: obligation rule not met
DMS10010	Format error: invalid format
DMS10020	Domain error: invalid value
DMS10021	Domain error: value can not be lower than 0.
DMS10044	Document not allowed
DMS10045	Calculated customs value is not allowed to be below zero
DMS11003	Relation error: invalid Item total value
DMS11004	Relation error: invalid combination of procedures
DMS11005	Relation error: differing requested procedure
DMS11006	Relation error: NetMass greater than gross mass.
DMS11007	Relation error: differing submitters
DMS11011	Relation error: differing communication address

DMS12034	Relation error: inconsistent mode of entry
DMS12033	Sequence error: data element under control
DMS12032	Sequence error: customs position already taken
DMS12031	Sequence error: declaration already cleared
DMS12030	Authorization error: non-conforming declarant ID with warehouse license
DMS12029	Authorization error: differing warehouse types
DMS12028	Authorization error: disallowed party status
DMS12027	Uniqueness error: non-unique sequenceNumber
DMS12026	Uniqueness error: non-unique amendment element
DMS12024	Uniqueness error: non-unique item number
DMS12022	Relation error: inconsistent sequence number
DMS12018	Date error: disallowed signature timestamp
DMS12016	Date error: disallowed acceptance date
DMS12015	Sequence error: invalid additional message reference
DMS12014	Sequence error: invalid supplement sequence
DMS12013	Authorization error: invalid VAT number
DMS12012	Authorization error: missing license
DMS12010	Authorization error: one-time authorization cannot be used anymore
DMS12009	Authorization error: invalid warehouse license
DMS12008	Authorization error: requested amount or quantity is not available for authorization reservation
DMS12007	Authorization error: authorization not valid for declaration
DMS12005	Authorization error: invalid Party ID
DMS12004	Uniqueness error: non-unique submitter reference
DMS12003	Uniqueness error: non-unique submitter reference
DMS12001	Uniqueness error: non-unique combination of document type and reference
DMS11013	Relation error: AdditionalMesage refers to declaration in invalid state.
DMS11012	Relation error: element is not allowed to be amended through this additional message type

DMS12035	Authorization error: undetermined
DMS12036	Sequence error: already existing request
DMS12037	Relation error: incorrect packaging content
DMS12041	Relation error: usage of preference is not allowed
DMS12042	Relation error: elements must be identical within the GoodsItem
DMS12044	External Validation result not OK
DMS12046	Process error: goods presentation notification deadline passed.
DMS12047	Relation error:combination of DutyTaxFee rate and base is not allowed
DMS12048	Relation error:Element is not allowed when office of entry/exit is equal to the office of declaration
DMS12050	Prerequisite error: invalid requested procedure
DMS12051	Relation error: The combination of GoodsItem.additionalInformation code is not allowed
DMS12052	Prerequisite error: invalid declaration.type
DMS12053	Relation error: the number of items from a single group is not allowed
DMS12054	Relation error: the following parties must be identical
DMS12055	Relation error: the following parties can not be identical
DMS12056	Relation error: the combination of elements is not allowed
DMS12057	Relation error: elements must be identical within the Declaration
DMS12058	Relation error: at least one packaging quantity must be greater than zero
DMS12059	Authorization error: invalid additionalInformation type and code
DMS12060	Relation error: Invalid combination of Declarant and the AdditionalInformation type and code
DMS12061	Guarantee error: guarantee not valid for declaration
DMS19999	Additional errors found
EMSV0002	Related movement does not match declaration
EMSV0003	Related movement not found
INFE03	Error: the inf is annulled
INFE03	Error: the inf is annulled

INFE04	Error: the inf is not available
INFE04	Error: the inf is not available
INFE06	Error: service fault
PoUSE02	Error: the proof has expired
PoUSE02	Error: the proof has expired
PoUSE03	Error: the proof was not found
PoUSE03	Error: the proof was not found
PoUSE05	Error: the proof is used
PoUSE05	Error: the proof is used
PoUSE06	Error: service fault
TMSV0001	Missing reference date
TMSV0002	Invalid because of future reference date
TMSV0003	Commodity code can not be declared
TMSV0004	Subheading can not be declared
TMSV0005	Additional antidumping code missing
TMSV0006	Multiple meursing additional codes
TMSV0007	Duplicate value
TMSV0008	Additional agricultural code missing
TMSV0010	Data element value does not apply
TMSV0011	Missing data element value
TMSV0012	Data element has invalid format
TMSV0013	Data element contains invalid value
TMSV0040	Non existing value
TMSV0046	Condition not fulfilled
TMSV0047	Prohibition
TMSV0049	Quota exhausted
TMSV0053	Quota suspended
TMSV0056	Parent to commodity code not found.

TMSV0058	Incompatible preference code and country code of despatch
TMSV0067	Conflicting documents
TMSV9999	Unknown error result