Caster Quick Reference

1. Numbers

$numb < 01m > \ \dots \dots \dots$	print digits
word number $<09>$	print as words

2. Alphabeta

arch	goof	$_{ m mike}$	$_{ m sierra}$	yankee
brov	hotel	novakeen	tango	zulu
char	india	oscar	uniform	
delta	julia	prime	victor	
echo	kilo	quebec	whiskey	
foxy	lima	romeo	x-rav	

3 Punctuation^d

Ji i diletadtion	
tabby TAB	period dot
shin tabby . SHIFT-TAB	bam ^c
ace SPACE	slash/
clamor!	deckle:
chocky "	semper;
quotes b	angle ^{bf}
hashtag #	^e equals =
dolly \$	questo?
modulo %	atty @
ampersand &	brax ^{bf} []
chicky apostrophe '	backslash\
thin quotes b ''	carrot ^
prekris ^{bf} ()	underscore
starling *	ticky
^e plus +	tickris ^b
comma,	curly ^{bf} {}
boom ^c ,	tilde~~
^e minus	pipe (sim symbol)

4.	Comparisons	
[is]	greater than	>
[is]	less than	. <
[is]	greater [than] [or] equal [to]	>=
[is]	less [than] [or] equal [to]	<=
[is]	equal to	==

^aPrefix with "big" for capitals

5. Directions

auce a up
unce $^{\mathrm{d}}$ \mathbf{down}
ease ^d left
oss ^d right

6. Editing

clear d bkspc
deli ^d del
shock ^d enter
${\rm cancel} \ \dots \dots \ {\bf escape}$
save $\operatorname{\mathbf{ctrl}}$ - $\operatorname{\mathbf{s}}$

7. Selection, movement

shackle select line
\sinh^{ab} \sinh^{c} shift - \dim
queue a b $ctrl$ - $shift$ - $<$ dir $>$
fly $^{\mathrm{a}}$ $^{\mathrm{b}}$ ctrl - $<\!\mathrm{dir}>$
$\operatorname{splat} {}^{\operatorname{a} \operatorname{b}} \ldots \operatorname{ctrl} - \operatorname{del/bkspc}$
$^{\rm a} \ {\rm wally} \ \dots \dots \ {\bf home/end}$
${\rm tell\ sink\ } \dots $
${\rm tell} \ {\rm dock} \ \dots \dots \ {\bf end} \ + {\bf semicolon} \ + \ {\bf enter}$
kraken $ctrl + space$
$\ \ hug < enclose> \ ^e \ \ \ldots \ldots \ \ \ \ \ encloses \ target$

8. Copy and paste

stoosh ^c copy
cut ^c cut
spark ^{c f} paste
$\operatorname{garb}^{\operatorname{c}}$ $\operatorname{\mathbf{double\text{-}click}}$ + $\operatorname{\mathbf{copy}}$
$drop ^{c}$ $double$ -click + paste
duple b duplicate line

^dRepeatable by saying number after

9. Programming core^a

enable < language>		activate	module
--------------------	--	----------	--------

iffae	lodge and
shells	lodge or
shell iffae	lodge not
switch	print to console
breaker	function
default	class
for each	add comment
for loop	long comment
do loop	value not
while loop	return
convert to integer	value true
convert to floating-point	value false
convert to string	

10. Text formatting Capitalisation

yell SOME WORDS
tie Some Words
gerrish b someWords
$sing \ \dots \dots \ Some \ words$
$laws \ \dots \dots \ some \ words$

Spacing

gum gun somewords
spine some-words
snake b some_words
pebble some.words
incline $some/words$
dissent descent some\words

Capitalisation and spacing can be combined into a single command. They may be suffixed by "bow" and then dictation to format (ex: "tie snake bow some words") to aid recognition.

^bLeft key is pressed after

^cSpace bar is pressed after

^dRepeatable by saying number after

^ePrefix with "long" to get spaces either side

^fLeft or right available by prefixing with "left" or "right"

^aTakes optional direction parameter, one of the direction keys from table (5)

^bTakes optional number parameter for repetition

^eTakes prekris, brax, curly, angle, [thin] quotes, tickris

^cTakes optional number parameter, which is used to determine a persistent clipboard slot

^fTakes optional formatting parameters, e.g. "spark tie"

^aSee the CCR languages quick reference in the docs for details of the language specific commands.

^bgerrish defaults to gum, snake to laws

11. Format setting

set	[big]	format	< capitalisati	on>	<spacing	g> [bow]	
		\mathbf{Set}	a standard,	/[sec	ondary]	forma	.1

[big]	format	<dict< th=""><th>tation></th><th></th><th></th><th></th><th></th><th></th><th></th></dict<>	tation>						
	Apply	\mathbf{the}	standa	rd/	$[{f seco}$	ndar	$\mathbf{y}]$	fori	mat
						to	die	ctat	tion

12. Mouse replacement

:
kick left click
kick mid middle click
psychic right click
shift right click shift right click
shift click shift click
squat left button down
bench left button up
lean right button down
hoist right button up
colic control left click
$scree\ ^a\ \dots \dots \ scroll\ wheel$
curse move cursor by pixels
douglas move cursor on grid
rainbow alternate grid
legion smart text selection
left point mouse to screen left
center point mouse to screen center
right point mouse to screen right
5 1

13. Template-based navigation

jump in b move cursor inside next ([{< jump out b move cursor past next)]}> jump back b move cursor inside prev)]}> fill <target> b highlight <target> in line

14. Window management

minimise minimise windov
maximise maximise windov
remax force maximise
$dredge^{a}$ $alt + tal$
switch window display all window
move window move with arrow key
window left snap window to lef
window right snap window to righ
show work show active workspace
new work create a new workspace
close work close the current workspace
close all work close all workspace
previous work a go to the previous workspace
next work a go to the next workspace
go work <n> go to workspace number i</n>
send work $<$ n $>$. send the current window to
workspace n
move work <n> move the current window to</n>
workspace n

again do repeat last dictation
again <n> times repeat last dictation*n</n>
record from history open macro recorder
complete save macro
delete recorded macros delete recorded macros

16. Aliasing

15. Repetition

$alias < dict > \ \dots \dots \dots$	alias	highlighted	\mathbf{text}
chain alias <dict></dict>		alias as C	CCR

17 Bring me

program/website/folder/file	to	bring	me	as
$<\!\!\mathrm{key}\!\!>$ create a new	br	ing me	bind	ing
bring me <key> open</key>	br	ing me	bind	ing
remove <key> from bring me</key>				
restore bring me defaults				

18. Dragon

n	.umbe	r/sp	$\mathrm{ell}/\mathrm{dic}$ 1	$\mathrm{tation}_{/}$	/norma	$1/c\alpha$	ommand	
n	node				swi	ch	dragon	modes

19. Update and Caster Management

clear caster log Clears Log Window
update caster Updates Caster
update dragonfly Updates Dragonfly
reboot dragon Restarts Caster
reboot windows speech recognition Restarts
Caster

 $[^]a$ Takes optional direction parameter, one of the direction keys from table (5)

^bAll of these are asynchronous, and can be cancelled with the word "cancel" if the search is taking too long. See *navigation.py* for a full list of targets.

 $[^]a\mathrm{Takes}$ an optional number parameter for repetition

20. Example command chains
shackle clear Select and delete the current line
queue lease stoosh three
Store the previous word/variable name in position three
queue lease three hug brax Enclose the previous three elements in square brackets
shackle cut dunce four spark Cut the current line, move down four, paste
shin ross wally clear
ross wally clear four
snake variable namevariable_name
curly quotes arch ross deckle quotes brov $ \{"a":"b"\} $
backslash format command curly \setminus command{}
(python) tell sink print to console spark three new line, print(<third clipboard="" position="">)</third>