ControlLogix SERCOS Interface Module, Firmware Revision 17

Catalog Numbers 1756-M03SE, 1756-M08SE, 1756-M16SE

When to Use These Release Notes

Use these release notes for firmware revision 17.10

Description	Cat. Nos.
ControlLogix 3 Axis SERCOS interface module	1756-M03SE
ControlLogix 8 Axis SERCOS interface module	1756-M08SE
ControlLogix 16 Axis SERCOS interface module	1756-M16SE

IMPORTANT   Before updating your ControlLogix SERCOS Interface Module, we strongly recommend that you review information pertinent to previous major firmware revisions. For example, when updating from revision 16.x to 17.x, view information for revision 16 in the ControlLogix SERCOS Interface Module, Revision 16 Release Notes, publication 1756-RN640, in addition to the content of these release notes.

Firmware release notes contain material for all minor revisions subsequent to each major revision. If your controller, for example, is at revision 16.3, and not the last minor revision, 16.5, you should view all of the information for revision 16.3...16.5 before updating to revision 17.10.

ControlLogix SERCOS Interface Module, Revision 16 Release Notes, publication 1756-RN640, are available at http://literature.rockwellautomation.com.

Compatible Revisions

To use firmware revision 17.10, update your system as follows.

Update	To Revision
RSLinx Classic software	2.54 or later
RSLinx Enterprise software	5.17 or later
RSNetWorx	9.00 or later
RSLogix 5000 software	17
ControlLogix controller	17.02

Rockwell Automation Support

Rockwell Automation provides technical information on the Web to assist you in using its products. At http://support.rockwellautomation.com, you can find technical manuals, a knowledge base of FAQs, technical and application notes, sample code and links to software service packs, and a MySupport feature that you can customize to make the best use of these tools.

For an additional level of technical phone support for installation, configuration, and troubleshooting, we offer TechConnect support programs. For more information, contact your local distributor or Rockwell Automation representative, or visit http://support.rockwellautomation.com.

Installation Assistance

If you experience a problem within the first 24 hours of installation, please review the information that's contained in this manual. You can also contact a special Customer Support number for initial help in getting your product up and running.

United States	1.440.646.3434 Monday – Friday, 8 a.m. – 5 p.m. EST
Outside United States	Please contact your local Rockwell Automation representative for any technical support issues.

New Product Satisfaction Return

Rockwell Automation tests all of its products to ensure that they are fully operational when shipped from the manufacturing facility. However, if your product is not functioning and needs to be returned, follow these procedures.

United States	Contact your distributor. You must provide a Customer Support case number (call the phone number above to obtain one) to your distributor in order to complete the return process.
Outside United States	Please contact your local Rockwell Automation representative for the return procedure.

Allen-Bradley, Rockwell Automation, and TechConnect are trademarks of Rockwell Automation, Inc.

Trademarks not belonging to Rockwell Automation are property of their respective companies.

www.rockwellautomation.com

Power, Control and Information Solutions Headquarters

Americas: Rockwell Automation, 1201 South Second Street, Milwaukee, WI 53204-2496 USA, Tel: (1) 414.382.2000, Fax: (1) 414.382.4444
Europe/Middle East/Africa: Rockwell Automation, Vorstlaan/Boulevard du Souverain 36, 1170 Brussels, Belgium, Tel: (32) 2 663 0600, Fax: (32) 2 663 0640
Asia Pacific: Rockwell Automation, Level 14, Core F, Cyberport 3, 100 Cyberport Road, Hong Kong, Tel: (852) 2887 4788, Fax: (852) 2508 1846