

Student Number: XXXXXXXXXXName: Bryan Hoang

4. (5 points)

(a) **Answer:***Proof.***Part 1.** (\Rightarrow)Suppose T is a stopping time. Then $\forall n \geq 0, \exists A_n \subset S^{n+1}$ such that

$$\{T = n\} = \{(X_0, X_1, \dots, X_n) \in A_n\}$$

and A_n is deterministic. Then let $C_n = \bigcup_{i=0}^n A_i$. It follows that

$$\begin{aligned} \{T \leq n\} &= \bigcup_{i=0}^n \{T = i\} \\ &= \bigcup_{i=0}^n \{(X_0, X_1, \dots, X_n) \in A_i\} \\ &= \{(X_0, X_1, \dots, X_n) \in C_n\} \end{aligned}$$

Let $B_n = C_n^c$. Then we have

$$\begin{aligned} \{(X_0, X_1, \dots, X_n) \in B_n\} &= \{T \leq n\}^c \\ &= \{T > n\} \end{aligned}$$

Part 2. (\Leftarrow) $\forall n \geq 0, \exists B_n \subset S^{n+1}$ such that

$$\{T > n\} = \{(X_0, X_1, \dots, X_n) \in B_n\}$$

and B_n is deterministic. Then let $C_n = B_n^c$. It follows that

$$\begin{aligned} \{T > n\}^c &= \{(X_0, X_1, \dots, X_n) \in C_n\} \\ &= \{T \leq n\}. \end{aligned}$$

Since B_n is deterministic, C_n is deterministic. Therefore, we can deterministically select subsets $A_i \in C_n, \forall i \in \{0, \dots, n\}$ such that $C_n = \bigcup_{i=0}^n A_i$ and that

$$\begin{aligned} \{T \leq n\} &= \bigcup_{i=0}^n \{(X_0, X_1, \dots, X_n) \in A_i\} \\ &= \bigcup_{i=0}^n \{T = i\} \\ \Rightarrow \{T = n\} &= \{(X_0, X_1, \dots, X_n) \in A_n\} \end{aligned}$$

Therefore, T is a stopping time.

□

Student Number: XXXXXXXXXXName: Bryan Hoang(b) **Answer:**

Proof. Suppose that T and S are two stopping times. Then $\forall n \geq 0, \exists A_n, B_n \subset S^{n+1}$ such that

$$\{T = n\} = \{(X_0, X_1, \dots, X_n) \in A_n\}$$

and

$$\{S = n\} = \{(X_0, X_1, \dots, X_n) \in B_n\}$$

and that A_n and B_n are deterministic. Then

$$\begin{aligned} & \{W = n\} \\ &= \{\min\{T, S\} = n\} \\ &= (\{T = n\} \cap \{S = n\}) \cup (\{T = n\} \cap \{S > n\}) \cup (\{T < n\} \cap \{S = n\}) \\ &= \{(X_0, \dots, X_n) \in A_n \cap B_n\} \cup \{(X_0, \dots, X_n) \in A_n \cap B_n^c\} \cup \{(X_0, \dots, X_n) \in A_n^c \cap B_n\} \\ &= \{(X_0, \dots, X_n) \in (A_n \cap B_n) \cup (A_n \cap B_n^c) \cup (A_n^c \cap B_n)\} \\ &= \{(X_0, \dots, X_n) \in C_n\} \end{aligned}$$

where $C_n := (A_n \cap B_n) \cup (A_n \cap B_n^c) \cup (A_n^c \cap B_n) \in S^{n+1}$ is deterministic. Therefore, W is a stopping time. □