

Table Structures and Relationship in Model

The main transactional table contains all order-level data. Each row represents a single transaction.

Column Name Description

- id = Unique identifier for each transaction
- order_id = Order reference number
- user_id = Unique identifier for the customer
- product_id = Unique identifier for the product
- category = Product category
- inventory = Inventory count at time of order
- status = Order status (e.g., Completed, Cancelled, returned, shipped,)
- date Transaction date
- total_sales = Total revenue generated
- cost = Cost of goods sold
- profit Profit = Total Sales - Cost
- profit_margin = Profit as a percentage of sales
- average_margin = Average margin across transactions
- city = Customer city
- state = Customer state
- country = Customer country
- continent = Customer continent
- department = Business department

Dimension Table:

This table contains descriptive attributes related to products, users, and web activity. It is used to enrich the fact table for deeper analysis.

Column Name Description

- id Unique = identifier

- product_name = Name of the product
- brand = Product brand
- date Activity or record date
- product_distribution_center = Distribution center handling the product
- city User = location (city)
- state User = location (state)
- browser User = browser (e.g., Chrome, Safari)
- traffic_source = Source of website traffic (e.g., Organic, Paid Ads)
- event_type = Type of event (e.g., Click, Purchase)
- num_of_items = Number of items involved in the event
- discount = Discount applied (renamed from unclear "coconut")
- continent = User continent
- user_id = Unique identifier for the user