

ClinicWorks POS Briefing Pack

ทุกอย่างที่ต้องรู้ก่อนพัฒนาต่อ รวมไว้ในไฟล์เดียว

Everything needed to pick this codebase up, in one file.

เนื้อหา / CONTENTS

1. AGENTS.md

กฎที่ agent ต้องรู้ก่อนแตะโค้ด · the rules an agent must know before touching code

2. CLAUDE.md

สมองของโปรเจกต์ — สถาปัตยกรรม, งานที่เหลือ · the project brain: architecture and what is still open

3. Artwork brief

งานทำรูปสินค้า 41 รายการ · the 41-item product artwork job

4. Appendix — artwork jobs

41 รายการ พร้อมชื่อไฟล์ที่ต้องใช้ · the 41 items and their required filenames

Repo: github.com/bryank31172-web/dank-medical-pos-app (public) · Live: dank-medical-pos-app.vercel.app

ถ้าเครื่องมือต่อ GitHub ได้ ให้ต่อ repo ตรงดีกว่าอ่าน PDF — โค้ดจริงและ prompt ทั้งหมดอยู่ในนั้น ไฟล์นี้ไว้อ่านตอนต่อ repo ไม่ได้

AGENTS.md

กฎที่ agent ต้องรู้ก่อนแตะโค้ด · the rules an agent must know before touching code

ในรีโป: AGENTS.md

Point-of-sale for Dank Cannabis Clinic Bangkok (Pattanakarn, Sathorn, Petchaboon, Phuket, Bars). Live at <https://dank-medical-pos-app.vercel.app> — Vercel deploys the default branch automatically.

CLAUDE.md in this repo is the long-form project brain: architecture, what is already done, what is still pending. **Read it before making non-trivial changes.** This file is the short version plus the rules that break the build if you get them wrong.

docs/NEXT-FOR-CODEX.md is the work queue — what to pick up next, in order, each with a measurable pass mark and a note on what is the owner's job rather than a coding one.

The one rule that matters most

index.html at the repo root is a build artifact. **Never edit it by hand.**

The source is pos/app.fixed.jsx — a single ~1.4MB ES5-style React file with one component, GreenPOS. Edit the JSX, then rebuild:

```
bash pos/build.sh      # needs esbuild: npm i -g esbuild
npm run pos:build      # the same thing
```

The script is deliberately not called build. Vercel runs an npm build script automatically if one exists, and esbuild is not installed on the build image, so naming it that fails the deploy with exit 127. There is nothing to build at deploy time — index.html is committed already compiled — and vercel.json pins buildCommand: "" to say so.

That compiles the JSX and concatenates it into index.html (the deployed app) and pos/testrun/test2.html (the offline test harness). A hand-edit to index.html is silently destroyed by the next build.

pos/app.compiled.js and pos/testrun/test2.html are generated and gitignored. Do not commit them. **Do commit index.html** — that is the deploy.

Working in app.fixed.jsx

The file has extremely long lines; whole-file reads and naive editors choke on it. Work with grep -n, sed -n 'X,Yp', and exact-string replacement that asserts it matched exactly once:

```
c = src.count(old); assert c == 1, f"anchor matched {c} times"
src = src.replace(old, new)
```

A replacement that silently matches twice corrupts the app in a way the build will not catch.

Tests

```
node api/__tests__/<name>.test.mjs      # all upstream calls are mocked, costs nothing
node pos/__tests__/<name>.test.cjs      # static analysis of the JSX
```

Browser tests (`bar-recipes` , `claim-pin` , `shift-checklist`) drive the harness with Playwright and **need the app served over HTTP** — under `file://` the app's `fetch("/api/...")` cannot resolve and every test fails for the wrong reason:

```
bash pos/build.sh
python3 -m http.server 8799 &          # must serve the REPO ROOT
node pos/__tests__/shift-checklist.test.mjs
```

The harness login PIN is seeded by `pos/testrun/head17.txt` for the harness only; it is not in the shipped bundle.

Shipping a change to the POS means: rebuild → Playwright sweep with zero pageerror → commit `index.html` .

Layout

Path	What
<code>pos/app.fixed.jsx</code>	the POS, source of truth
<code>index.html</code>	compiled POS, deployed
<code>api/**</code>	serverless functions — only this folder deploys
<code>products.json</code>	53-item curated catalogue, read by the POS <i>and</i> the customer site
<code>assets/products/</code>	product artwork; filename is the product <code>id</code>
<code>handoff/</code>	artwork brief + scripts for generating the remaining images
<code>docs/</code>	SOP deck, setup guide, image prompts
<code>clinicworks/</code> , <code>landing/</code>	separate static pages served at <code>/clinicworks</code> , <code>/landing</code>

Data and state

- Products and transactions come live from StoreHub through the `/api/storehub/*` proxy. Everything else lives in `localStorage` under keys prefixed `dank_` (staff, backstock, expenses, audit, customer extras).
- StoreHub stores `unitPrice` **ex-VAT**. `withVat()` in `api/_storehub.js` adds the 7% back. Skipping it quotes every price under the counter — that was a real bug, do not reintroduce it.
- `/api/grok` is the AI behind every 🤖 button. It accepts the Anthropic Messages shape the POS speaks and calls xAI underneath.
- Every mutation calls `addAudit(action, detail, user)` .
- `p.stock` is Active (sellable) stock; `backstock` in `localStorage` is Inactive. Received goods land in Inactive first.

Non-negotiables

- **Never commit secrets**. StoreHub credentials, `STAFF_KEY` , `XAI_API_KEY` , `MASTER_PIN` and all staff PINs live only in Vercel environment variables. `.env.example` lists the full set of names. This repository is **public**.

- Do not weaken the auth on `/api/storehub/*`, `/api/staff-auth` or `/api/pos-feed`. Each rejects unauthenticated callers on purpose, and `pos-feed` in particular guards the ability to replace the entire shop catalogue including prices.
 - Keep light text off light fills. `ink0n(bg, fg)` in the token layer exists because measuring the tabs turned up product names rendering at 1.05:1.
 - An over-count in a stock check is a **mismatch**, not OK. Only an exact match is OK.
 - The scale prints the exact weight. `0.039` stays `0.039` — do not round.
-

Conventions

- The owner writes Thai mixed with English; reply in Thai and keep technical terms in English. UI strings are bilingual, Thai first.
- Commit messages explain *why*, in prose. The diff already shows what.

CLAUDE.md

สมองของโปรเจกต์ — สถาปัตยกรรม, งานที่เหลือ · the project brain: architecture and what is still open

ในรีโป: `CLAUDE.md`

Owner: Bryan · Dank Cannabis Clinic Bangkok (Pattanakarn, Sathorn, Petchaboon, Phuket, Bars)

The two products (NEVER mix them up)

1. **BRYAN POS** — THIS repo (github.com/bryank31172-web/dank-medical-pos-app, public). Live: <https://dank-medical-pos-app.vercel.app> · deploy = commit `index.html` to repo root, Vercel auto-deploys.
2. **Customer website** — dankbkk-site repo (PRIVATE, separate; owner uploads via GitHub web UI). Live: www.dankbangkok.com (Vercel project `dankbkk-site`, also at `dankbkk-site.vercel.app`) · static html + /api serverless functions.

POS build pipeline (pos/)

- **Source of truth:** `pos/app.fixed.jsx` (~1.4MB, ES5-style React, one component `GreenPOS`). The deployed `index.html` at repo root is COMPILED — always edit the JSX, then rebuild: `bash pos/build.sh` (needs `esbuild`; `npm i -g esbuild` or `npm i esbuild`).
- ⚠ `app.fixed.jsx` has extremely long lines — the Read tool chokes on it. Use `grep -n`, `sed -n 'X,Yp'`, and python find-replace for edits (exact-string replace with `assert count==1`, like a surgeon).
- Offline test harness: after build, `pos/testrun/test2.html` runs the app with stubbed StoreHub APIs (`stub.js` provides 4 fake products + transactions). Login PIN **110114** — seeded by `testrun/head17.txt` for the harness only; it is NOT in the shipped bundle. Test with Playwright/chromium, crawl all tabs and assert zero pageerror.

POS architecture notes

- Data: products/transactions pulled live from StoreHub via `/api/storehub/*` proxy (`api/storehub/[...path].mjs`; env vars `STOREHUB_USER` + `STOREHUB_KEY` set in Vercel). All other state in `localStorage` (keys prefixed `dank_`: `staff`, `backstock=inactive stock`, `expenses`, `expense_targets`, `audit`, `customers extras...`).
- `/api/storehub/*` requires same-origin or `STAFF_KEY` + rate limit. `/sold` = per-SKU sales counter: `?q=name&from=&to=`, default 90d, voids excluded.
- `/api/grok` = AI for every 🤖 button: takes the Anthropic Messages shape the POS speaks, calls xAI underneath (`XAI_API_KEY`, `GROK_MODEL`). Actions: chat, vision; video is env-gated on `XAI_VIDEO_URL`.
- `/api/staff-auth` = server-side PIN check, used when a device has no local match.
- Dashboard KPIs are period-scoped via `_inDashPeriod` (day/month/quarter/year/all/custom). Net Profit = ①gross (rev – COGS via `_cogsMap`, estimates for missing costs) ②after fixed cost (`expenseTargets`, editable in-app by master, +30/day, day-count clamped to elapsed days) ③by branch ④daily table.
- Legacy pre-StoreHub sales (FoodStory 1–11 Jul 2026) in `LEGACY_SALES` const, margin-estimated.
- Stock: `p.stock` =Active (sellable), `backstock` `localStorage=Inactive`; receive → Inactive first; "▶ ย้ายเข้าขาย" button moves to Active. Member cards: `memberCodeOf(c)="DK-"+hash6`; QR deep-link `?member=<id>` auto-selects customer after login; manual entry box in POS cart panel.
- Every mutation calls `addAudit(action, detail, user)` → Audit Log (📄 button).
- `clinicworks/` = separate ClinicWorks Cannabis landing page served at `/clinicworks`.

Customer website notes (dankbkk-site — NOT this repo)

- Fixed index.html (cart NaN + Add-button crash for 6 tier-only/no-tier products; hardening in addToCart/quickAdd/addFromPD/repriceCart) may not be live yet — verify by: open site → Edibles → "Sour Belts 3000mg" → Add+ → cart must show ฿300, not ฿NaN.
- Menu source chain (api/_menu.js): MENU_FEED_URL → BRYAN POS feed → StoreHub → bundled products.json. Known pending: add Vercel env `POS_FEED_PATHS=/__no_pos_feed__` on dankbkk-site to prefer StoreHub (health endpoint currently reports source:"pos").

Website order → stock (dankbangkok.com → POS)

- `/api/order` stores the order, books it in StoreHub (that is what cuts stock), alerts LINE, forwards to `ORDER_FORWARD_URL`, emails. The order record now carries `stock:{status:"cut"|"skipped"|"failed", reason, needsManualCount[]}` and the LINE alert says which — a skip used to be silent, so the site kept selling stock the shop had sold.
- The cut needs `STOREHUB_PUSH_ORDERS=1` in Vercel. Without it every order is `skipped: "STOREHUB_PUSH_ORDERS is not 1"` and no stock moves. This is an env setting, not code.
- Stock is booked per line against `item.shId`. The feed normalisers in `pos-feed.js` and `_menu.js` were dropping it, so every online order arrived with nothing to book against. A line with no `shId` still lands in `needsManualCount` for staff to deduct by hand.

Pending — in the order they should be done

- Set `MASTER_PIN` in Vercel (new number — 110114 is public and burned), then Redeploy. Still the one blocker: nobody can log in without it, and until it is set the claim-PIN break-glass stays open by design. `XAI_API_KEY` in the same visit makes the 🤖 free-text answers work (the built-in manual already works without it). `STAFF_PINS` optional.
- Connect the Upstash Redis to `dank-medical-pos-app` too. It is attached to `dankbkk-site` only. `/api/staff-auth`, `/api/grok` and `/api/storehub/*` all rate-limit through it; without it the counters live in per-instance memory, so PIN guessing can be spread across instances. The code accepts either `UPSTASH_REDIS_REST_*` or Vercel's `KV_REST_API_*`.
- `dankbkk-site` needs the two `UPSTASH_REDIS_REST_*` names added by hand (copy the values from its `KV_REST_API_*`). That repo is private and separate, so the name fix in `api/_store.js` here does not reach it.
- Generate the product images — `docs/botanical-legends-prompts.pdf` / `.txt` (41 items, the shop's own BOTANICAL LEGENDS card style; the older photographic set is still in `docs/product-image-prompts.*`). Use variant B (1:1, no lettering) for the app and the website — the POS draws the name and price over the tile, so a card with baked-in text double-prints. Variant A (3:2, with text) is for IG and menu boards. The till pulls photos from `products.json` by name, so adding them there lights up POS and website at once.
- Set `STOREHUB_PUSH_ORDERS=1` on `dankbkk-site`. The order code is done and tested; without the variable every website order records `stock:{status:"skipped"}` and the shop keeps selling what the site already sold. One setting, not a code change.
- Enter the real costs in StoreHub, best sellers first. The app now reports what share of revenue rests on real costs rather than estimates — every margin, the net profit and any pricing decision is only as good as that number. `docs/sku-summary.pdf` is the worksheet; the in-app export's `no-cost` flag names the rows still missing one. This is the highest-value item on the list and it is data entry, not development.
- Petchaboon/Phuket fixed-cost budgets are 0 — owner sets them in-app (Finance → 📊 → 🗨️ แก้งบ).
- Delete the duplicate Vercel project `dankbkk-site-4jrn` once the live domain is confirmed to point at `dankbkk-site` — otherwise every env var has to be set twice, forever.

9. Root HTML pages that belong to the customer site — `staff.html` , `build-your-joint.html` , `labels.html` , `status.html` , `SUMMARY.html` , plus the `i18n.js` all four load. Awaiting the owner's word on which are still in daily use before removing.
10. Decide the customer site's menu source: the curated 53-item `products.json` (clean names + photos) vs the raw 395-item POS feed it serves today (`( Bar ) Tequila shot`).

Done and verified — do not re-litigate

- **Customers who owe the shop is a finished feature, not a missing one:** on-account sales with a per-customer credit limit that blocks the sale, balance netted against recorded payments, days outstanding, over-limit badge and LINE alert. It lives in the Finance tab and a Dashboard card now points at it — it was asked for twice because nobody could find it.
- SKU margin: `skuMarginRows()` feeds both the on-screen table and the CSV, covers every SKU rather than only what sold, and never reports 100% margin for a product with no cost.
- Dashboard periods step backwards with ◀▶; the KPI subtitles print the date being viewed.
- The assistant answers a named product or cocktail from app state without needing an AI key.
- Work board has a manager view: who is overloaded, who delivers on time (`teamWorkload()`).
- **StoreHub is connected** (396 products, Pattanakarn 373 / Sathorn 373 / Bars 23).
- Claim-PIN hole closed: a claim now needs a manager or owner PIN checked by `/api/staff-auth` , fails closed offline, and the break-glass shuts itself the moment `MASTER_PIN` exists.
- Menu feed was quoting every price 7% under the counter — StoreHub stores `unitPrice` ex-VAT; `withVat()` adds it back and rounds, matching what the POS has always done.
- `_store.js` accepts Vercel's `KV_*` env names, so an attached Redis is actually used.
- Bill list: real customer name resolved across every id shape (StoreHub id, refId, `sh-` prefix, phone, email); no customer now reads `none` . A comped bill totals 0, not -748.
- CRM spend/visits counted from synced sales (points/balance deliberately left alone — StoreHub does not expose loyalty balances, so they are entered once via Edit).
- Shift open/close each start on a 7-step checklist with how-to text; every item must be ticked and completion writes `SHIFT_TASKS_IN / _OUT` to the audit log.
- Bar tab: 14 recipes as pour-along checklists, per-drink cost, bottle B/ml. The paper sheet totals Manhattan at 178; its ingredients are 163 (two Matcha Forest rows bled in) — the app uses 163 and says so.
- Till shows the website's product photos, matched by a normalised name; a failed photo falls back to the item's category emoji. `api/_photos.js` applies the same map to every menu read in `_menu.js` , so the picture no longer depends on which upstream answered — its normalisation is a deliberate copy of `webKey()` / `webImgFor()` in the JSX — exact key first, then the longest catalogue name contained in the till name. Leaving that second step off the server was itself the mismatch. `photo-match.test.mjs` runs both implementations over 430 real name shapes and fails if they ever disagree.
- Over-count is a mismatch, not OK. Scale prints exactly (0.039 stays 0.039).
- `inkOn()` in the token layer keeps light text off light fills — found two real contrast bugs by measuring every tab, including product names at 1.05:1.
- 38 duplicated serverless handlers deleted from the repo root; only `api/**` deploys.
- `landing/index.html` at `/landing` ; CDS at `?cds=1` ; SOP deck at `docs/` .

Conventions

- Reply to owner in Thai (he writes Thai/English mix), keep technical terms in English.

- Ship = rebuild (`bash pos/build.sh`) + Playwright zero-error sweep on `pos/testrun/test2.html` + commit `index.html` .
- Built artifacts `pos/app.compiled.js` and `pos/testrun/test2.html` are generated — don't commit them.
- Never commit secrets. StoreHub token, STAFF_KEY, XAI_API_KEY and all staff PINs live only in Vercel env vars — see `.env.example` for the full list. API tests live in `api/__tests__/*.test.mjs` (`node api/__tests__/<name>.test.mjs`); they mock upstream so they cost nothing to run.

Artwork brief

งานทำรูปสินค้า 41 รายการ · the 41-item product artwork job

ในรีโป: `handoff/README-CHATGPT.md`

Handoff brief: generate the shop's product artwork

วิธีใช้: อัปโหลดไฟล์ในโฟลเดอร์นี้เข้า ChatGPT แล้ววางข้อความในหัวข้อ "คำสั่งที่ต้องวาง" ด้านล่างทั้งบล็อก *How to use: upload the files in this folder to ChatGPT, then paste the whole block under "THE PROMPT TO PASTE".*

ไฟล์ที่ต้องอัปโหลด / Files to upload

ไฟล์	คืออะไร
<code>handoff/image-jobs.json</code>	ไฟล์หลัก — 41 รายการ พร้อม prompt สำเร็จรูปและชื่อไฟล์ที่ต้องใช้
<code>products.json</code>	แคตตาล็อก 53 รายการ (id, ชื่อ, ราคา, รูปปัจจุบัน)
<code>docs/botanical-legends-prompts.pdf</code>	ฉบับอ่านสำหรับคน — เนื้อหาเดียวกับ image-jobs.json
รูปการ์ดจริงของร้าน 3 ใบ	Gelato 41 · Thai Orange Tea · Lime Hooties — สำคัญที่สุด อัปโหลดด้วย ให้ AI เห็นสไตลจริง ไม่ใช่เดาจากตัวหนังสือ

รูป 3 ใบนั้นอยู่ในมือถือพี ผมไม่มีไฟล์ — พ้ออัปโหลดเองตอนคุยกับ ChatGPT

กติกาที่ห้ามพลาด / The rules that matter

1. ใช้ prompt แบบ B เท่านั้นสำหรับรูปในแอป `promptB_artOnly` = จัดรูป 1:1 ไม่มีตัวหนังสือในรูป POS พิมพ์ชื่อกับราคาทับรูปอยู่แล้ว ถ้าใช้แบบ A ชื่อจะขึ้นสองรอบซ้อนกัน อ่านไม่ออก `promptA_fullCard` (3:2 มีตัวหนังสือ) เก็บไว้ทำ IG / ป้ายเมนู / โปสเตอร์ — คนละงาน
2. ชื่อไฟล์ต้องตรงกับช่อง `file` เป๊ะ ๆ `crunch-berrie.jpg`, `mac1.jpg`, `thai-orange-tea.jpg` ... ผิดตัวเดียวรูปจะไม่ขึ้น — สดริบต์จับคู่ด้วยชื่อไฟล์ ไม่ได้ดูจากเนื้อรูป
3. ท่อน Style ห้ามแก้ ทุก prompt มีท่อนเดียวกัน (ขอบน็อนม่วงหยดย้อย พื้นดำ คว้นเรืองแสง เส้นขอบดำหนา) นี่เป็นสิ่งเดียวที่ทำให้ 41 ใบเป็นชุดเดียวกัน ถ้าปล่อยให้ AI "ปรับให้สวยขึ้น" ทีละใบ จะได้รูปสวย 41 ใบที่ไม่เข้ากันเลยสักคู่
4. ห้ามวาดตัวการ์ตูนหรือโลโก้ของจริง Cookie Monster / Coco Chanel / KAWS — prompt เขียนไว้แล้วว่าเป็นตัวละครออกแบบใหม่ อย่าปล่อยให้ AI วาดของจริง ผิดลิขสิทธิ์ ใช้กับร้านไม่ได้

คำสั่งที่ต้องวาง / THE PROMPT TO PASTE

วางทั้งบล็อกนี้ใน ChatGPT พร้อมกับไฟล์ที่อัปโหลด

คุณกำลังช่วยร้าน Dank Cannabis Clinic (กรุงเทพ) ทำรูปสินค้าชุดใหม่ ให้เป็นสไตล์เดียวกับการ์ด "BOTANICAL LEGENDS" ของร้าน (ดูรูปตัวอย่าง 3 ใบที่แนบมา)

ไฟล์ที่แนบ:

- image-jobs.json = 41 รายการ แต่ละรายการมี prompt สำเร็จรูปแล้ว
- products.json = แคตตาล็อกจริงของร้าน
- รูปการ์ดจริง 3 ใบ = สไตล์อ้างอิง ยึดตามนี้

งานที่ต้องทำ:

ขั้นที่ 1 – สร้างรูปทีละรายการจาก image-jobs.json

- ใช้ค่าในช่อง "promptB_artOnly" เป็น prompt ห้ามเขียนใหม่ ห้ามย่อ
- สัดส่วน 1:1 ขนาดอย่างน้อย 1024x1024 ส่งออกเป็น JPG
- ในรูปต้อง "ไม่มีตัวอักษรใด ๆ" เลย ไม่มีชื่อ ไม่มีโลโก้ ไม่มีลายน้ำ
- ตั้งชื่อไฟล์ตามช่อง "file" ของรายการนั้นเป๊ะ ๆ (เช่น crunch-berrie.jpg)
- ทำทีละ 5 รายการแล้วหยุดให้ผมดูก่อน ถ้าผมบอก "ต่อ" ค่อยทำ 5 ถัดไป

ขั้นที่ 2 – ตรวจสอบความเป็นชุดเดียวกัน

หลังครบทุกใบ เอามาเรียงดูพร้อมกัน ใบไหนที่กรอบเนียน สีพื้น หรือน้ำหนักเส้น หลุดจากกลุ่ม ให้เจนใหม่เฉพาะใบนั้น อย่าปรับ prompt ของทั้งชุด

ขั้นที่ 3 – สินค้าที่ยังไม่มีในลิสต์

เปิด <https://dank-medical-pos-app.vercel.app/api/products>

หารายการที่ช่อง img ว่างหรือไม่มี แล้วสำหรับแต่ละตัว:

- ก. สร้าง prompt ใหม่ด้วยสูตรนี้ (เอาท่อน Style มาจาก promptB_artOnly ของรายการไหนก็ได้ แบบก๊อปทั้งท่อน ห้ามพิมพ์เอง):

Character artwork for the cannabis strain "<ชื่อสินค้า>". <ตัวละครที่คุณคิดขึ้น ให้เข้ากับชื่อและรสชาติ 1 ประโยค ระบุนิสัยด้วย>. <ท่อน Style ที่ก๊อปมา>
NO text, NO letters, NO logo, NO watermark anywhere in the image – artwork only. Square 1:1 crop with the character centred.

- * ถ้าเป็นเบียร์หรือเครื่องดื่ม เปลี่ยน "cannabis strain" เป็น "the drink"
- * ถ้าเป็นขนม/vape เปลี่ยนเป็น "the cannabis product"
- ข. ตั้งชื่อไฟล์ = ชื่อสินค้าเป็นตัวพิมพ์เล็ก เว้นวรรคเป็นขีด ตัดอักขระพิเศษออก เช่น "Sour Belts 3000mg" -> sour-belts-3000mg.jpg
- ค. สรุปเป็นตารางให้ผม: ชื่อสินค้า | ชื่อไฟล์ | prompt ที่ใช้

ขั้นที่ 4 – ส่งกลับ

- ไฟล์ JPG ทั้งหมด รวมเป็น zip ไฟล์เดียว
- ตารางสรุป: ชื่อสินค้า | ชื่อไฟล์ | ทำแล้ว/ยังไม่ได้ทำ

ข้อห้าม:

- ห้ามวาดตัวการ์ตูนหรือโลโก้ที่มีลิขสิทธิ์จริง – Cookie Monster, Coco Chanel, KAWS ใน prompt ระบุนิสัยแล้วว่าเป็นตัวละครออกแบบใหม่ ให้ยึดตามนั้น
- ห้ามใส่ตัวหนังสือลงในรูป แม้แต่ชื่อสายพันธุ์
- ห้ามแก้ท่อน Style ให้ "ดูดีขึ้น" เป็นรายใบ
- ห้ามใส่รูปคนจริง โลโก้ร้านจริง หรือข้อความอวดสรรพคุณทางการแพทย์

ถ้ามีอะไรไม่ชัด ถามผมก่อน อย่าเดา

ได้รูปมาแล้วทำยังไงต่อ / When the images come back

1. แยก zip → เอาไฟล์ทั้งหมดใส่โฟลเดอร์ `assets/products/`

2. รันคำสั่งนี้ (ดูก่อนว่าจะเปลี่ยนอะไรบ้าง ยังไม่เขียนจริง):

```
node handoff/apply-images.mjs --dry
```

3. ถ้าถูกต้อง เขียนจริง:

```
node handoff/apply-images.mjs
```

4. commit `products.json` + `assets/products/` → Vercel deploy เอง → ติดทั้ง POS และเว็บลูกค้าพร้อมกัน เพราะทั้งสองอ่านไฟล์เดียวกัน

สคริปต์แต่ละเฉพาะรายการที่หาไฟล์เจอจริงบนดิสก์ ดังนั้นทำครั้งเดียวก็ปลอดภัย — ตัวที่ยังไม่ได้วาดจะใช้รูปเดิมต่อไป ไม่กลายเป็นรูปแตก และถ้าตั้งชื่อไฟล์ผิด สคริปต์จะเตือนว่า *"match no product id"* พร้อมบอกชื่อที่ผิด

ชื่อไฟล์ = ช่อง `id` ใน `products.json` ไม่ใช่ชื่อสินค้า (`Zkittles` → `zkittles-top.jpg` , `Crispy Boy Lager Can` → `crispyboy.jpg`) ในนี้เคยมี 2 ไฟล์ที่ตั้งชื่อไม่ตรง `id` — เปลี่ยนให้ตรงแล้ว อย่าตั้งผิดซ้ำ

เพื่ออยากเอาไปพัฒนาต่อทั้งระบบ / If you want ChatGPT on the whole app

ตัวแอปจริงคือไฟล์เดียว `pos/app.fixed.jsx` (~1.4MB) — ใหญ่เกินกว่าจะอัปโหลดตรง ๆ ถ้าจะให้ ChatGPT แก่โค้ด บอกให้มันขอเฉพาะส่วนที่เกี่ยวข้อง แล้วค่อยตัดส่งไปที่ละท่อน รายละเอียดสถาปัตยกรรมทั้งหมดอยู่ใน `CLAUDE.md` — อัปโหลดไฟล์นั้นไฟล์เดียว ChatGPT จะเข้าใจโครงสร้างทั้งระบบโดยไม่ต้องอ่านโค้ด 1.4MB

Appendix · Artwork jobs

41 รายการ · ชื่อไฟล์ต้องตรงเป๊ะ สคริปต์ handoff/apply-images.mjs จับคู่ด้วยชื่อไฟล์ ไม่ได้ดูเนื้อหา · prompt เต็มของแต่ละตัวอยู่ใน handoff/image-jobs.json และ docs/botanical-legends-prompts.pdf

สินค้า / Product	ชื่อไฟล์ / Filename	หมวด	รสชาติ / Taste	รูป
Crunch Berrie	crunch-berrie.jpg	Exotics	Berry · Sweet · Cream	ยังไม่มี
Alien Mint	alien-mint.jpg	Exotics	Mint · Gas · Cookies	ยังไม่มี
Cookie Monster	cookie-monster.jpg	Exotics	Cookies · Sweet · Earthy	ยังไม่มี
D-Lish	d-lish.jpg	Exotics	Fruity · Candy	ยังไม่มี
Black Cherry	black-cherry.jpg	Exotics	Cherry · Sweet · Earthy	ยังไม่มี
Orange Z	orange-z.jpg	Exotics	Orange · Citrus · Zkittlez	ยังไม่มี
Giraffe Puzzy	giraffe-puzzy.jpg	Exotics	Exotic · Funky · Sweet	ยังไม่มี
Blue Nerdz	blue-nerdz.jpg	Exotics	Blueberry · Candy	ยังไม่มี
Thai Orange Tea	thai-orange-tea.jpg	Exotics	Thai Tea · Orange · Sweet	ยังไม่มี
Red Hot	red-hot.jpg	Exotics	Spice · Sweet · Gas	ยังไม่มี
Coco Chanel	coco-chanel.jpg	Exotics	Cocoa · Floral · Gas	ยังไม่มี
Pink Zugar	pink-zugar.jpg	Exotics	Sugar · Berry · Floral	ยังไม่มี
LCG RX11	lcg-rx11.jpg	Exotics	Gelato · Cherry · Gas	ยังไม่มี
Toad Venom	toad-venom.jpg	Exotics	Gas · Earthy · Pungent	ยังไม่มี
Lemon Cherry Gelato	lemon-cherry-gelato.jpg	Exotics	Lemon · Cherry · Gelato	ยังไม่มี
Gelato X	gelato-x.jpg	Exotics	Gelato · Cream · Sweet	ยังไม่มี
OG Kush × Zkittlez	og-zkittlez.jpg	Topshelf	OG · Zkittlez · Fruit	ยังไม่มี
Ztupid	ztupid.jpg	Topshelf	Z · Fruity · Sweet	มีแล้ว
Sherb Tank	sherb-tank.jpg	Topshelf	Sherbet · Cream · Gas	มีแล้ว
King Cherry	king-cherry.jpg	Topshelf	Cherry · Sweet	ยังไม่มี
Baby Cake	baby-cake.jpg	Topshelf	Cake · Vanilla · Sweet	มีแล้ว
Zkittles	zkittles-top.jpg	Topshelf	Tropical · Berry · Candy	มีแล้ว
Mac1	mac1.jpg	Midgrade	Cream · Citrus · Diesel	ยังไม่มี
Superboof	superboof.jpg	Midgrade	Citrus · Funk · Sweet	ยังไม่มี
Thailand Durian	thai-durian.jpg	Midgrade	Durian · Tropical · Funky	ยังไม่มี
Snow Brands Pineapple Express	pineapple-express.jpg	Premium	Pineapple · Tropical	ยังไม่มี
KAWS Moon Rocks	kaws-rocks.jpg	Premium	Hash · Earthy	ยังไม่มี
Zooties Premium Joint	zooties.jpg	Joints	Exotic	ยังไม่มี
Backwoods (Single)	backwoods.jpg	Joints	Original · Russian Cream · Berry	ยังไม่มี
Sour Belts 3000mg	sour-belts.jpg	Edibles	Strawberry · Rainbow · Watermelon · Blueberry	ยังไม่มี
Gummies 500mg	gummies-500.jpg	Edibles	Mixed Fruit	ยังไม่มี
Wacky Worms Gummies	wacky-worms.jpg	Edibles	Sour · Fruity	ยังไม่มี
Dank Cookie 50mg	dank-cookie.jpg	Edibles	Cookie · Chocolate	ยังไม่มี

Cannabis Brownies 50mg	brownies.jpg	Edibles	Chocolate · Fudge	ยังไม่มี
Muhameds Edible	muhameds-ed.jpg	Edibles	Candy	ยังไม่มี
Hidden Hills Resin Jelly 1000mg	hidden-hills.jpg	Edibles	Bombsicle · Watermelon · ZAZA Blast · White Gummy	ยังไม่มี
Muhameds Live Resin Disposable 2g	muhameds-vape.jpg	Vapes	11 strains	ยังไม่มี
TRE Live Rosin Disposable 3.5g	tre-rosin.jpg	Vapes	Blueberry Slushie · Frosted Guava · Peach Cobbler · Watermelon Gushers · Grape Guava · Blue Cereal	ยังไม่มี
Live Resin / Rosin 1g	live-resin.jpg	Vapes	Watermelon · Candy Apple · Peach Ring	ยังไม่มี
Diamond Wax 98%	diamond-wax.jpg	Vapes	Pure	ยังไม่มี
Crispy Boy Lager Can	crispyboy.jpg	Beer	Crisp · Malt · Hoppy	มีแล้ว