

ClinicWorks POS Briefing Pack

ทุกอย่างที่ต้องรู้ก่อนพัฒนาต่อ รวมไว้ในไฟล์เดียว

Everything needed to pick this codebase up, in one file.

เนื้อหา / CONTENTS

1. AGENTS.md

กฎที่ agent ต้องรู้ก่อนแตะโค้ด · the rules an agent must know before touching code

2. CLAUDE.md

สมองของโปรเจกต์ — สถาปัตยกรรม, งานที่เหลือ · the project brain: architecture and what is still open

3. Artwork brief

งานทำรูปสินค้า 41 รายการ · the 41-item product artwork job

4. Appendix — artwork jobs

41 รายการ พร้อมชื่อไฟล์ที่ต้องใช้ · the 41 items and their required filenames

Repo: github.com/bryank31172-web/dank-medical-pos-app (public) · Live: dank-medical-pos-app.vercel.app

ถ้าเครื่องมือต่อ GitHub ได้ ให้ต่อ repo ตรงดีกว่าอ่าน PDF — โค้ดจริงและ prompt ทั้งหมดอยู่ในนั้น ไฟล์นี้ไว้อ่านตอนต่อ repo ไม่ได้

AGENTS.md

กฎที่ agent ต้องรู้ก่อนแตะโค้ด · the rules an agent must know before touching code

ในรีโป: AGENTS.md

Point-of-sale for Dank Cannabis Clinic Bangkok (Pattanakarn, Sathorn, Petchaboon, Phuket, Bars). Live at <https://dank-medical-pos-app.vercel.app> — Vercel deploys the default branch automatically.

CLAUDE.md in this repo is the long-form project brain: architecture, what is already done, what is still pending. **Read it before making non-trivial changes.** This file is the short version plus the rules that break the build if you get them wrong.

The one rule that matters most

`index.html` at the repo root is a build artifact. **Never edit it by hand.**

The source is `pos/app.fixed.jsx` — a single ~1.4MB ES5-style React file with one component, `GreenPOS`. Edit the JSX, then rebuild:

```
bash pos/build.sh          # needs esbuild: npm i -g esbuild
```

That compiles the JSX and concatenates it into `index.html` (the deployed app) and `pos/testrun/test2.html` (the offline test harness). A hand-edit to `index.html` is silently destroyed by the next build.

`pos/app.compiled.js` and `pos/testrun/test2.html` are generated and gitignored. Do not commit them. **Do commit `index.html`** — that is the deploy.

Working in app.fixed.jsx

The file has extremely long lines; whole-file reads and naive editors choke on it. Work with `grep -n`, `sed -n 'X,Yp'`, and exact-string replacement that asserts it matched exactly once:

```
c = src.count(old); assert c == 1, f"anchor matched {c} times"
src = src.replace(old, new)
```

A replacement that silently matches twice corrupts the app in a way the build will not catch.

Tests

```
node api/__tests__/<name>.test.mjs    # all upstream calls are mocked, costs nothing
node pos/__tests__/<name>.test.cjs     # static analysis of the JSX
```

Browser tests (`bar-recipes`, `claim-pin`, `shift-checklist`) drive the harness with Playwright and **need the app served over HTTP** — under `file://` the app's `fetch("/api/...")` cannot resolve and every test fails for the wrong reason:

```
bash pos/build.sh
python3 -m http.server 8799 & # must serve the REPO ROOT
node pos/__tests__/shift-checklist.test.mjs
```

The harness login PIN is seeded by `pos/testrun/head17.txt` for the harness only; it is not in the shipped bundle.

Shipping a change to the POS means: rebuild → Playwright sweep with zero pageerror → commit `index.html`.

Layout

Path	What
<code>pos/app.fixed.jsx</code>	the POS, source of truth
<code>index.html</code>	compiled POS, deployed
<code>api/**</code>	serverless functions — only this folder deploys
<code>products.json</code>	53-item curated catalogue, read by the POS <i>and</i> the customer site
<code>assets/products/</code>	product artwork; filename is the product <code>id</code>
<code>handoff/</code>	artwork brief + scripts for generating the remaining images
<code>docs/</code>	SOP deck, setup guide, image prompts
<code>clinicworks/</code> , <code>landing/</code>	separate static pages served at <code>/clinicworks</code> , <code>/landing</code>

Data and state

- Products and transactions come live from StoreHub through the `/api/storehub/*` proxy. Everything else lives in `localStorage` under keys prefixed `dank_` (staff, backstock, expenses, audit, customer extras).
- StoreHub stores `unitPrice` **ex-VAT**. `withVat()` in `api/_storehub.js` adds the 7% back. Skipping it quotes every price under the counter — that was a real bug, do not reintroduce it.
- `/api/grok` is the AI behind every 🤖 button. It accepts the Anthropic Messages shape the POS speaks and calls xAI underneath.
- Every mutation calls `addAudit(action, detail, user)`.
- `p.stock` is Active (sellable) stock; `backstock` in `localStorage` is Inactive. Received goods land in Inactive first.

Non-negotiables

- **Never commit secrets.** StoreHub credentials, `STAFF_KEY`, `XAI_API_KEY`, `MASTER_PIN` and all staff PINs live only in Vercel environment variables. `.env.example` lists the full set of names. This repository is **public**.
- Do not weaken the auth on `/api/storehub/*`, `/api/staff-auth` or `/api/pos-feed`. Each rejects unauthenticated callers on purpose, and `pos-feed` in particular guards the ability to replace the entire shop catalogue including prices.
- Keep light text off light fills. `inkOn(bg, fg)` in the token layer exists because measuring the tabs turned up product names rendering at 1.05:1.
- An over-count in a stock check is a **mismatch**, not OK. Only an exact match is OK.
- The scale prints the exact weight. `0.039` stays `0.039` — do not round.

Conventions

- The owner writes Thai mixed with English; reply in Thai and keep technical terms in English. UI strings are bilingual, Thai first.
- Commit messages explain *why*, in prose. The diff already shows what.

CLAUDE.md

สมองของโปรเจกต์ — สถาปัตยกรรม, งานที่เหลือ · the project brain: architecture and what is still open

ในรีโป: `CLAUDE.md`

Owner: Bryan · Dank Cannabis Clinic Bangkok (Pattanakarn, Sathorn, Petchaboon, Phuket, Bars)

The two products (NEVER mix them up)

1. **BRYAN POS** — THIS repo (github.com/bryank31172-web/dank-medical-pos-app, public). Live: <https://dank-medical-pos-app.vercel.app> · deploy = commit `index.html` to repo root, Vercel auto-deploys.
2. **Customer website** — dankbkk-site repo (PRIVATE, separate; owner uploads via GitHub web UI). Live: <https://dankbkk-site.vercel.app> · static html + /api serverless functions.

POS build pipeline (pos/)

- **Source of truth:** `pos/app.fixed.jsx` (~1.4MB, ES5-style React, one component `GreenPOS`). The deployed `index.html` at repo root is COMPILED — always edit the JSX, then rebuild: `bash pos/build.sh` (needs esbuild; `npm i -g esbuild` or `npm i esbuild`).
- ⚠ `app.fixed.jsx` has extremely long lines — the Read tool chokes on it. Use `grep -n`, `sed -n 'X,Yp'`, and python find-replace for edits (exact-string replace with assert count==1, like a surgeon).
- Offline test harness: after build, `pos/testrun/test2.html` runs the app with stubbed StoreHub APIs (stub.js provides 4 fake products + transactions). Login PIN **110114** — seeded by `testrun/head17.txt` for the harness only; it is NOT in the shipped bundle. Test with Playwright/chromium, crawl all tabs and assert zero pageerror.

POS architecture notes

- Data: products/transactions pulled live from StoreHub via `/api/storehub/*` proxy (`api/storehub/[...path].mjs`; env vars `STOREHUB_USER` + `STOREHUB_KEY` set in Vercel). All other state in localStorage (keys prefixed `dank_`: staff, backstock=inactive stock, expenses, expense_targets, audit, customers extras...).
- `/api/storehub/*` requires same-origin or `STAFF_KEY` + rate limit. `/sold` = per-SKU sales counter: `?q=name&from=&to=`, default 90d, voids excluded.
- `/api/grok` = AI for every 🤖 button: takes the Anthropic Messages shape the POS speaks, calls xAI underneath (`XAI_API_KEY`, `GROK_MODEL`). Actions: chat, vision; video is env-gated on `XAI_VIDEO_URL`.
- `/api/staff-auth` = server-side PIN check, used when a device has no local match.
- Dashboard KPIs are period-scoped via `_inDashPeriod` (day/month/quarter/year/all/custom). Net Profit = ①gross (rev – COGS via `_cogsMap`, estimates for missing costs) ②after fixed cost (`expenseTargets`, editable in-app by master, +30/day, day-count clamped to elapsed days) ③by branch ④daily table.
- Legacy pre-StoreHub sales (FoodStory 1–11 Jul 2026) in `LEGACY_SALES` const, margin-estimated.
- Stock: `p.stock` =Active (sellable), `backstock` localStorage=Inactive; receive → Inactive first; "▶ ย้ายเข้าขาย" button moves to Active. Member cards: `memberCodeOf(c)="DK-"+hash6`; QR deep-link `?member=<id>` auto-selects customer after login; manual entry box in POS cart panel.
- Every mutation calls `addAudit(action, detail, user)` → Audit Log (📄 button).
- `clinicworks/` = separate ClinicWorks Cannabis landing page served at `/clinicworks`.

Customer website notes (dankbkk-site — NOT this repo)

- Fixed index.html (cart NaN + Add-button crash for 6 tier-only/no-tier products; hardening in addToCart/quickAdd/addFromPD/repriceCart) may not be live yet — verify by: open site → Edibles → "Sour Belts 3000mg" → Add+ → cart must show ฿300, not ฿NaN.
- Menu source chain (api/_menu.js): MENU_FEED_URL → BRYAN POS feed → StoreHub → bundled products.json. Known pending: add Vercel env POS_FEED_PATHS=/__no_pos_feed__ on dankbkk-site to prefer StoreHub (health endpoint currently reports source:"pos").

Pending — in the order they should be done

- Set **MASTER_PIN** in Vercel (new number — 110114 is public and burned), then Redeploy. Still the one blocker: nobody can log in without it, and until it is set the claim-PIN break-glass stays open by design. **XAI_API_KEY** in the same visit makes the 🛑 free-text answers work (the built-in manual already works without it). **STAFF_PINS** optional.
- Connect the Upstash Redis to **dank-medical-pos-app** too. It is attached to **dankbkk-site** only. `/api/staff-auth`, `/api/grok` and `/api/storehub/*` all rate-limit through it; without it the counters live in per-instance memory, so PIN guessing can be spread across instances. The code accepts either **UPSTASH_REDIS_REST_*** or Vercel's **KV_REST_API_***.
- dankbkk-site** needs the two **UPSTASH_REDIS_REST_*** names added by hand (copy the values from its **KV_REST_API_***). That repo is private and separate, so the name fix in `api/_store.js` here does not reach it.
- Generate the product images — `docs/botanical-legends-prompts.pdf` / `.txt` (41 items, the shop's own BOTANICAL LEGENDS card style; the older photographic set is still in `docs/product-image-prompts.*`). Use **variant B** (1:1, no lettering) for the app and the website — the POS draws the name and price over the tile, so a card with baked-in text double-prints. Variant A (3:2, with text) is for IG and menu boards. The till pulls photos from `products.json` by name, so adding them there lights up POS and website at once.
- Petchaboon/Phuket fixed-cost budgets are 0 — owner sets them in-app (Finance → 📊 → 📄 แก้งบ).
- Delete the duplicate Vercel project **dankbkk-site-4jrn** once the live domain is confirmed to point at **dankbkk-site** — otherwise every env var has to be set twice, forever.
- Root HTML pages that belong to the customer site — `staff.html`, `build-your-joint.html`, `labels.html`, `status.html`, `SUMMARY.html`, plus the `i18n.js` all four load. Awaiting the owner's word on which are still in daily use before removing.
- Decide the customer site's menu source: the curated 53-item `products.json` (clean names + photos) vs the raw 395-item POS feed it serves today ((Bar) Tequila shot).

Done and verified — do not re-litigate

- StoreHub is connected** (396 products, Pattanakarn 373 / Sathorn 373 / Bars 23).
- Claim-PIN hole closed: a claim now needs a manager or owner PIN checked by `/api/staff-auth`, fails closed offline, and the break-glass shuts itself the moment **MASTER_PIN** exists.
- Menu feed was quoting every price 7% under the counter — StoreHub stores `unitPrice` ex-VAT; `withVat()` adds it back and rounds, matching what the POS has always done.
- `_store.js` accepts Vercel's **KV_*** env names, so an attached Redis is actually used.
- Bill list: real customer name resolved across every id shape (StoreHub id, refId, `sh-` prefix, phone, email); no customer now reads `none`. A comped bill totals 0, not -748.
- CRM spend/visits counted from synced sales (points/balance deliberately left alone — StoreHub does not expose loyalty balances, so they are entered once via Edit).

- Shift open/close each start on a 7-step checklist with how-to text; every item must be ticked and completion writes `SHIFT_TASKS_IN / _OUT` to the audit log.
- Bar tab: 14 recipes as pour-along checklists, per-drink cost, bottle B/ml . The paper sheet totals Manhattan at 178; its ingredients are 163 (two Matcha Forest rows bled in) — the app uses 163 and says so.
- Till shows the website's product photos, matched by a normalised name; a failed photo falls back to the item's category emoji.
- Over-count is a mismatch, not OK. Scale prints exactly (0.039 stays 0.039).
- `inkOn()` in the token layer keeps light text off light fills — found two real contrast bugs by measuring every tab, including product names at 1.05:1.
- 38 duplicated serverless handlers deleted from the repo root; only `api/**` deploys.
- `landing/index.html` at `/landing`; CDS at `?cds=1`; SOP deck at `docs/`.

Conventions

- Reply to owner in Thai (he writes Thai/English mix), keep technical terms in English.
- Ship = rebuild (`bash pos/build.sh`) + Playwright zero-error sweep on `pos/testrun/test2.html` + commit `index.html`.
- Built artifacts `pos/app.compiled.js` and `pos/testrun/test2.html` are generated — don't commit them.
- Never commit secrets. StoreHub token, STAFF_KEY, XAI_API_KEY and all staff PINs live only in Vercel env vars — see `.env.example` for the full list. API tests live in `api/__tests__/*.test.mjs` (`node api/__tests__/<name>.test.mjs`); they mock upstream so they cost nothing to run.

Artwork brief

งานทำรูปสินค้า 41 รายการ · the 41-item product artwork job

ในรีโป: `handoff/README-CHATGPT.md`

Handoff brief: generate the shop's product artwork

วิธีใช้: อัปโหลดไฟล์ในโฟลเดอร์นี้เข้า ChatGPT แล้ววางข้อความในหัวข้อ "คำสั่งที่ต้องวาง" ด้านล่างทั้งบล็อก *How to use: upload the files in this folder to ChatGPT, then paste the whole block under "THE PROMPT TO PASTE".*

ไฟล์ที่ต้องอัปโหลด / Files to upload

ไฟล์	คืออะไร
<code>handoff/image-jobs.json</code>	ไฟล์หลัก — 41 รายการ พร้อม prompt สำเร็จรูปและชื่อไฟล์ที่ต้องใช้
<code>products.json</code>	แคตตาล็อก 53 รายการ (id, ชื่อ, ราคา, รูปปัจจุบัน)
<code>docs/botanical-legends-prompts.pdf</code>	ฉบับอ่านสำหรับคน — เนื้อหาเดียวกับ image-jobs.json
รูปการ์ดจริงของร้าน 3 ใบ	Gelato 41 · Thai Orange Tea · Lime Hooties — สำคัญที่สุด อัปโหลดด้วย ให้ AI เห็นสไตลจริง ไม่ใช่เดาจากตัวหนังสือ

รูป 3 ใบนั้นอยู่ในมือถือพี ผมไม่มีไฟล์ — พ้อัปโหลดเองตอนคุยกับ ChatGPT

กติกาที่ห้ามพลาด / The rules that matter

- ใช้ prompt แบบ B เท่านั้นสำหรับรูปในแอป `promptB_artOnly` = จัดรูป 1:1 ไม่มีตัวหนังสือในรูป POS พิมพ์ชื่อกับราคาทับรูปอยู่แล้ว ถ้าใช้แบบ A ชื่อจะขึ้นสองรอบซ้อนกัน อ่านไม่ออก `promptA_fullCard` (3:2 มีตัวหนังสือ) เก็บไว้ทำ IG / ป้ายเมนู / โปสเตอร์ — คนละงาน
- ชื่อไฟล์ต้องตรงกับช่อง `file` เป๊ะ ๆ `crunch-berrie.jpg` , `mac1.jpg` , `thai-orange-tea.jpg` ... ผิดตัวเดียวรูปจะไม่ขึ้น — สดริบต์จับคู่ด้วยชื่อไฟล์ ไม่ได้ดูจากเนื้อรูป
- ท่อน Style ห้ามแก้ ทุก prompt มีท่อนเดียวกัน (ขอบน็อนม่วงหยดย้อย พื้นดำ คว้นเรืองแสง เส้นขอบดำหนา) นี่เป็นสิ่งเดียวที่ทำให้ 41 ใบเป็นชุดเดียวกัน ถ้าปล่อยให้ AI "ปรับให้สวยขึ้น" ทีละใบ จะได้รูปสวย 41 ใบที่ไม่เข้ากันเลยสักคู่
- ห้ามวาดตัวการ์ตูนหรือโลโก้ของจริง Cookie Monster / Coco Chanel / KAWS — prompt เขียนไว้แล้วว่าเป็นตัวละครออกแบบใหม่ อย่าปล่อยให้ AI วาดของจริง ผิดลิขสิทธิ์ ใช้กับร้านไม่ได้

คำสั่งที่ต้องวาง / THE PROMPT TO PASTE

วางทั้งบล็อกนี้ใน ChatGPT พร้อมกับไฟล์ที่อัปโหลด

คุณกำลังช่วยร้าน Dank Cannabis Clinic (กรุงเทพ) ทำรูปสินค้าชุดใหม่ ให้เป็นสไตล์เดียวกับการ์ด "BOTANICAL LEGENDS" ของร้าน (ดูรูปตัวอย่าง 3 ใบที่แนบมา)

ไฟล์ที่แนบ:

- image-jobs.json = 41 รายการ แต่ละรายการมี prompt สำเร็จรูปแล้ว
- products.json = แคตตาล็อกจริงของร้าน
- รูปการ์ดจริง 3 ใบ = สไตล์อ้างอิง ยึดตามนี้

งานที่ต้องทำ:

ขั้นที่ 1 – สร้างรูปทีละรายการจาก image-jobs.json

- ใช้ค่าในช่อง "promptB_artOnly" เป็น prompt ห้ามเขียนใหม่ ห้ามย่อ
- สัดส่วน 1:1 ขนาดอย่างน้อย 1024x1024 ส่งออกเป็น JPG
- ในรูปต้อง "ไม่มีตัวอักษรใด ๆ" เลย ไม่มีชื่อ ไม่มีโลโก้ ไม่มีลายน้ำ
- ตั้งชื่อไฟล์ตามช่อง "file" ของรายการนั้นเป๊ะ ๆ (เช่น crunch-berrie.jpg)
- ทำทีละ 5 รายการแล้วหยุดให้ผมดูก่อน ถ้าผมบอก "ต่อ" ค่อยทำ 5 ถัดไป

ขั้นที่ 2 – ตรวจสอบความเป็นชุดเดียวกัน

หลังครบทุกใบ เอามาเรียงดูพร้อมกัน ใบไหนที่กรอบเนียน สีพื้น หรือน้ำหนักเส้น หลุดจากกลุ่ม ให้เจนใหม่เฉพาะใบนั้น อย่าปรับ prompt ของทั้งชุด

ขั้นที่ 3 – สินค้าที่ยังไม่มีในลิสต์

เปิด <https://dank-medical-pos-app.vercel.app/api/products>

หารายการที่ช่อง img ว่างหรือไม่มี แล้วสำหรับแต่ละตัว:

- ก. สร้าง prompt ใหม่ด้วยสูตรนี้ (เอาท่อน Style มาจาก promptB_artOnly ของรายการไหนก็ได้ แบบก๊อปทั้งท่อน ห้ามพิมพ์เอง):

Character artwork for the cannabis strain "<ชื่อสินค้า>". <ตัวละครที่คุณคิดขึ้น ให้เข้ากับชื่อและรสชาติ 1 ประโยค ระบุนิสัยด้วย>. <ท่อน Style ที่ก๊อปมา>
NO text, NO letters, NO logo, NO watermark anywhere in the image – artwork only. Square 1:1 crop with the character centred.

- * ถ้าเป็นเบียร์หรือเครื่องดื่ม เปลี่ยน "cannabis strain" เป็น "the drink"
- * ถ้าเป็นขนม/vape เปลี่ยนเป็น "the cannabis product"
- ข. ตั้งชื่อไฟล์ = ชื่อสินค้าเป็นตัวพิมพ์เล็ก เว้นวรรคเป็นขีด ตัดอักขระพิเศษออก เช่น "Sour Belts 3000mg" -> sour-belts-3000mg.jpg
- ค. สรุปเป็นตารางให้ผม: ชื่อสินค้า | ชื่อไฟล์ | prompt ที่ใช้

ขั้นที่ 4 – ส่งกลับ

- ไฟล์ JPG ทั้งหมด รวมเป็น zip ไฟล์เดียว
- ตารางสรุป: ชื่อสินค้า | ชื่อไฟล์ | ทำแล้ว/ยังไม่ได้ทำ

ข้อห้าม:

- ห้ามวาดตัวการ์ตูนหรือโลโก้ที่มีลิขสิทธิ์จริง – Cookie Monster, Coco Chanel, KAWS ใน prompt ระบุนิสัยแล้วว่าเป็นตัวละครออกแบบใหม่ ให้ยึดตามนั้น
- ห้ามใส่ตัวหนังสือลงในรูป แม้แต่ชื่อสายพันธุ์
- ห้ามแก้ท่อน Style ให้ "ดูดีขึ้น" เป็นรายใบ
- ห้ามใส่รูปคนจริง โลโก้ร้านจริง หรือข้อความอวดสรรพคุณทางการแพทย์

ถ้ามีอะไรไม่ชัด ถามผมก่อน อย่าเดา

ได้รูปมาแล้วทำยังไงต่อ / When the images come back

1. แยก zip → เอาไฟล์ทั้งหมดใส่โฟลเดอร์ `assets/products/`
2. รันคำสั่งนี้ (ดูก่อนว่าจะเปลี่ยนอะไรบ้าง ยังไม่เขียนจริง):

```
node handoff/apply-images.mjs --dry
```

3. ถ้าถูกต้อง เขียนจริง:

```
node handoff/apply-images.mjs
```

4. commit `products.json` + `assets/products/` → Vercel deploy เอง → ติดทั้ง POS และเว็บลูกค้าพร้อมกัน เพราะทั้งสองอ่านไฟล์เดียวกัน

สคริปต์แต่ละเฉพาะรายการที่หาไฟล์เจอจริงบนดิสก์ ดังนั้นทำครั้งเดียวก็ปลอดภัย — ตัวที่ยังไม่ได้วาดจะใช้รูปเดิมต่อไป ไม่กลายเป็นรูปแตก และถ้าตั้งชื่อไฟล์ผิด สคริปต์จะเตือนว่า *"match no product id"* พร้อมบอกชื่อที่ผิด

ชื่อไฟล์ = ช่อง `id` ใน `products.json` ไม่ใช่ชื่อสินค้า (`Zkittles` → `zkittles-top.jpg` , `Crispy Boy Lager Can` → `crispyboy.jpg`) ในนี้เคยมี 2 ไฟล์ที่ตั้งชื่อไม่ตรง `id` — เปลี่ยนให้ตรงแล้ว อย่าตั้งผิดซ้ำ

เพื่ออยากเอาไปพัฒนาต่อทั้งระบบ / If you want ChatGPT on the whole app

ตัวแอปจริงคือไฟล์เดียว `pos/app.fixed.jsx` (~1.4MB) — ใหญ่เกินกว่าจะอัปโหลดตรง ๆ ถ้าจะให้ ChatGPT แก่โค้ด บอกให้มันขอเฉพาะส่วนที่เกี่ยวข้อง แล้วค่อยตัดส่งไปที่ละท่อน รายละเอียดสถาปัตยกรรมทั้งหมดอยู่ใน `CLAUDE.md` — อัปโหลดไฟล์นั้นไฟล์เดียว ChatGPT จะเข้าใจโครงสร้างทั้งระบบโดยไม่ต้องอ่านโค้ด 1.4MB

Appendix · Artwork jobs

41 รายการ · ชื่อไฟล์ต้องตรงเป๊ะ สคริปต์ handoff/apply-images.mjs จับคู่ด้วยชื่อไฟล์ ไม่ได้ดูเนื้อรูป · prompt เต็มของแต่ละตัวอยู่ใน handoff/image-jobs.json และ docs/botanical-legends-prompts.pdf

สินค้า / Product	ชื่อไฟล์ / Filename	หมวด	รสชาติ / Taste	รูป
Crunch Berrie	crunch-berrie.jpg	Exotics	Berry · Sweet · Cream	ยังไม่มี
Alien Mint	alien-mint.jpg	Exotics	Mint · Gas · Cookies	ยังไม่มี
Cookie Monster	cookie-monster.jpg	Exotics	Cookies · Sweet · Earthy	ยังไม่มี
D-Lish	d-lish.jpg	Exotics	Fruity · Candy	ยังไม่มี
Black Cherry	black-cherry.jpg	Exotics	Cherry · Sweet · Earthy	ยังไม่มี
Orange Z	orange-z.jpg	Exotics	Orange · Citrus · Zkittlez	ยังไม่มี
Giraffe Puzzy	giraffe-puzzy.jpg	Exotics	Exotic · Funky · Sweet	ยังไม่มี
Blue Nerdz	blue-nerdz.jpg	Exotics	Blueberry · Candy	ยังไม่มี
Thai Orange Tea	thai-orange-tea.jpg	Exotics	Thai Tea · Orange · Sweet	ยังไม่มี
Red Hot	red-hot.jpg	Exotics	Spice · Sweet · Gas	ยังไม่มี
Coco Chanel	coco-chanel.jpg	Exotics	Cocoa · Floral · Gas	ยังไม่มี
Pink Zugar	pink-zugar.jpg	Exotics	Sugar · Berry · Floral	ยังไม่มี
LCG RX11	lcg-rx11.jpg	Exotics	Gelato · Cherry · Gas	ยังไม่มี
Toad Venom	toad-venom.jpg	Exotics	Gas · Earthy · Pungent	ยังไม่มี
Lemon Cherry Gelato	lemon-cherry-gelato.jpg	Exotics	Lemon · Cherry · Gelato	ยังไม่มี
Gelato X	gelato-x.jpg	Exotics	Gelato · Cream · Sweet	ยังไม่มี
OG Kush × Zkittlez	og-zkittlez.jpg	Topshelf	OG · Zkittlez · Fruit	ยังไม่มี
Ztupid	ztupid.jpg	Topshelf	Z · Fruity · Sweet	มีแล้ว
Sherb Tank	sherb-tank.jpg	Topshelf	Sherbet · Cream · Gas	มีแล้ว
King Cherry	king-cherry.jpg	Topshelf	Cherry · Sweet	ยังไม่มี
Baby Cake	baby-cake.jpg	Topshelf	Cake · Vanilla · Sweet	มีแล้ว
Zkittles	zkittles-top.jpg	Topshelf	Tropical · Berry · Candy	มีแล้ว
Mac1	mac1.jpg	Midgrade	Cream · Citrus · Diesel	ยังไม่มี
Superboof	superboof.jpg	Midgrade	Citrus · Funk · Sweet	ยังไม่มี
Thailand Durian	thai-durian.jpg	Midgrade	Durian · Tropical · Funky	ยังไม่มี
Snow Brands Pineapple Express	pineapple-express.jpg	Premium	Pineapple · Tropical	ยังไม่มี
KAWS Moon Rocks	kaws-rocks.jpg	Premium	Hash · Earthy	ยังไม่มี
Zooties Premium Joint	zooties.jpg	Joints	Exotic	ยังไม่มี
Backwoods (Single)	backwoods.jpg	Joints	Original · Russian Cream · Berry	ยังไม่มี
Sour Belts 3000mg	sour-belts.jpg	Edibles	Strawberry · Rainbow · Watermelon · Blueberry	ยังไม่มี
Gummies 500mg	gummies-500.jpg	Edibles	Mixed Fruit	ยังไม่มี
Wacky Worms Gummies	wacky-worms.jpg	Edibles	Sour · Fruity	ยังไม่มี
Dank Cookie 50mg	dank-cookie.jpg	Edibles	Cookie · Chocolate	ยังไม่มี

Cannabis Brownies 50mg	brownies.jpg	Edibles	Chocolate · Fudge	ยังไม่มี
Muhameds Edible	muhameds-ed.jpg	Edibles	Candy	ยังไม่มี
Hidden Hills Resin Jelly 1000mg	hidden-hills.jpg	Edibles	Bombsicle · Watermelon · ZAZA Blast · White Gummy	ยังไม่มี
Muhameds Live Resin Disposable 2g	muhameds-vape.jpg	Vapes	11 strains	ยังไม่มี
TRE Live Rosin Disposable 3.5g	tre-rosin.jpg	Vapes	Blueberry Slushie · Frosted Guava · Peach Cobbler · Watermelon Gushers · Grape Guava · Blue Cereal	ยังไม่มี
Live Resin / Rosin 1g	live-resin.jpg	Vapes	Watermelon · Candy Apple · Peach Ring	ยังไม่มี
Diamond Wax 98%	diamond-wax.jpg	Vapes	Pure	ยังไม่มี
Crispy Boy Lager Can	crispyboy.jpg	Beer	Crisp · Malt · Hoppy	มีแล้ว