Cullyard

Tell your agent how to sort. Watch the folders move.

A local MCP server and desk that lets Claude Code or Antigravity sort and edit photos, video, music and documents, with each run sealed on Solana devnet.

THE PROBLEM

Every shoot ends in a folder of hundreds of files and no order.

Photographers

Culling takes hours

Picking keepers from a wedding or a product shoot is slow, repetitive work done one frame at a time.

Editors

Footage piles up


Clips, music beds and client PDFs land in one Downloads folder. Finding the right take means opening each one.

AI agents

They can't see the work

An agent can move files with shell commands, but you can't watch it, undo it, or show the client what happened.

THE PRODUCT



- Drop files onto a desk in the browser at 127.0.0.1
- Your agent reads them over MCP and sorts into lanes
- Cards move live as each tool runs
- Disagree? Drag it back or press 1 to 9
- Trim and resize write copies and never touch the original

HOW IT WORKS

14 MCP tools. One folder. No upload.

STEP	TOOL	WHAT HAPPENS
Read	`scan_workspace · describe_file`	Kind, size, pixel size, duration, codec, artist, page count
Look	`contact_sheet · preview_image · assess_photos`	Sees the photos; measures focus, exposure, bursts
Sort	`create_lane · move_to_lane`	Lane folders, a reason per move, never overwrites
Edit	`resize_image · trim_media`	Resized copies; cuts without re-encoding
Prove	`log_digest · seal_run · verify_seal`	Log hash in a devnet memo, checked back

WHY A CHAIN AT ALL

A receipt that the sort happened, and when.

A photographer hands over selects. A studio hands over a cut. The client can check that the log of moves was not edited later. Only a hash goes on-chain, never file names or files.

```
devnet memo from the recorded run
cullyard:v1 log=1f3b7978f414a367fa9de4f5d709b107afac58d07b6768bb70e0c32d7fc5434c entries=12
tx 2mU9BU34xv2kxLfku9eVrT8R3bCEWgBag7Hm8cwuYvbJeMPZzDte4QG1t5fj5Qc5oGcqpx9nexFmNNk4SSK88m6p · match
```

PROOF IT RUNS

A real agent run, recorded end to end.

11

files sorted into 4 lanes, each with a reason

3/3

planted photo defects caught by measurement

3 s

clip trimmed without re-encoding

18/18

automated tests passing

`scripts/demo-agent.mjs drives the real stdio server`

WHERE IT SITS

File tools exist. A desk you can watch your agent use does not.

	LIGHTROOM / PHOTO MECHANIC	FILESYSTEM MCP	CULLYARD
Any file type	Photos only	Yes	Yes
Driven by your AI agent	No	Yes	Yes
Live visual desk	Yes	No	Yes
Trim and resize copies	Photos	No	Yes
Verifiable run log	No	No	Devnet memo

NEXT

From a desk to the hand-off.

Now

Open source MVP

Fourteen tools, the desk, photo checks, English and Indonesian, devnet seals, Windows first.

Next

Client hand-off page

A shareable page that shows the picks and checks the seal, so the client verifies without a wallet.

Later

Studio plan

Shared lanes for a team, mainnet seals on request, and paid hosting for hand-off pages.