

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <title>Sora · AI Video Generation</title>
  <meta name="viewport" content="width=device-width, initial-scale=1" />
  <style>
    :root {
      --bg: #050816;
      --bg-alt: #070b19;
      --accent: #6c5ce7;
      --accent-soft: rgba(108, 92, 231, 0.18);
      --accent-2: #00cec9;
      --text-main: #f5f7ff;
      --text-muted: #a3aed0;
      --border-subtle: rgba(255, 255, 255, 0.06);
      --radius-lg: 18px;
      --radius-xl: 24px;
      --shadow-soft: 0 24px 40px rgba(0,0,0,0.65);
    }

    * {
      box-sizing: border-box;
      margin: 0;
      padding: 0;
    }

    body {
      font-family: system-ui, -apple-system, BlinkMacSystemFont, "SF Pro Text",
        "Segoe UI", sans-serif;
      background: radial-gradient(circle at top, #111827 0, #050816 42%, #020412 100%);
      color: var(--text-main);
      line-height: 1.6;
      -webkit-font-smoothing: antialiased;
    }

    a {
      color: inherit;
      text-decoration: none;
    }

    .page {
      min-height: 100vh;
      display: flex;
```

```
    flex-direction: column;
}
```

```
.nav {
  position: sticky;
  top: 0;
  z-index: 40;
  backdrop-filter: blur(18px);
  background: linear-gradient(to bottom,
    rgba(3, 7, 18, 0.9),
    rgba(3, 7, 18, 0.4),
    transparent
  );
  border-bottom: 1px solid rgba(148, 163, 184, 0.18);
}
```

```
.nav-inner {
  max-width: 1120px;
  margin: 0 auto;
  padding: 14px 20px;
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 24px;
}
```

```
.logo {
  display: flex;
  align-items: center;
  gap: 10px;
}
```

```
.logo-badge {
  width: 32px;
  height: 32px;
  border-radius: 999px;
  background: radial-gradient(circle at 20% 20%, #ffeaa7 0, #fd79a8 32%, #6c5ce7 80%);
  box-shadow: 0 0 24px rgba(108, 92, 231, 0.8);
  display: flex;
  align-items: center;
  justify-content: center;
  font-weight: 700;
  font-size: 17px;
  color: #050816;
```

```
}
```

```
.logo-text-main {  
  font-weight: 600;  
  letter-spacing: 0.12em;  
  font-size: 13px;  
  text-transform: uppercase;  
  color: #e5e7eb;  
}
```

```
.logo-text-sub {  
  font-size: 11px;  
  color: var(--text-muted);  
}
```

```
.nav-links {  
  display: flex;  
  gap: 20px;  
  font-size: 14px;  
  color: var(--text-muted);  
}
```

```
.nav-links a {  
  padding: 6px 0;  
  position: relative;  
}
```

```
.nav-links a::after {  
  content: "";  
  position: absolute;  
  left: 0;  
  bottom: -3px;  
  width: 0;  
  height: 2px;  
  border-radius: 999px;  
  background: linear-gradient(90deg, var(--accent), var(--accent-2));  
  transition: width 0.2s ease-out;  
}
```

```
.nav-links a:hover::after {  
  width: 100%;  
}
```

```
.nav-cta {
```

```
display: flex;
gap: 10px;
align-items: center;
}
```

```
.btn {
border-radius: 999px;
padding: 8px 16px;
font-size: 13px;
border: 1px solid transparent;
cursor: pointer;
transition: transform 0.12s ease-out, box-shadow 0.12s ease-out, background 0.12s
ease-out, border-color 0.12s ease-out;
white-space: nowrap;
}
```

```
.btn-outline {
background: rgba(15, 23, 42, 0.8);
border-color: rgba(148, 163, 184, 0.35);
color: #e5e7eb;
}
```

```
.btn-outline:hover {
background: rgba(15, 23, 42, 1);
transform: translateY(-1px);
box-shadow: 0 12px 20px rgba(15, 23, 42, 0.65);
}
```

```
.btn-primary {
background: radial-gradient(circle at 10% 0, #ffeaa7 0, #fd79a8 20%, #6c5ce7 60%,
#00cec9 100%);
color: #050816;
font-weight: 600;
box-shadow: 0 14px 28px rgba(108, 92, 231, 0.65);
border-color: transparent;
}
```

```
.btn-primary:hover {
transform: translateY(-1px) scale(1.01);
box-shadow: 0 20px 32px rgba(108, 92, 231, 0.85);
}
```

```
main {
flex: 1;
```

```
}
```

```
.hero {  
  max-width: 1120px;  
  margin: 0 auto;  
  padding: 40px 20px 72px;  
  display: grid;  
  grid-template-columns: minmax(0, 1.15fr) minmax(0, 1fr);  
  gap: 40px;  
  align-items: center;  
}
```

```
@media (max-width: 900px) {  
  .hero {  
    grid-template-columns: minmax(0, 1fr);  
  }  
  .nav-inner {  
    padding-inline: 16px;  
  }  
  .nav-links {  
    display: none;  
  }  
  .nav-cta {  
    gap: 6px;  
  }  
}
```

```
@media (max-width: 640px) {  
  .hero {  
    padding-top: 28px;  
  }  
  .hero h1 {  
    font-size: 30px !important;  
  }  
}
```

```
.eyebrow {  
  display: inline-flex;  
  align-items: center;  
  gap: 8px;  
  padding: 3px 10px 3px 3px;  
  border-radius: 999px;  
  background: linear-gradient(to right,  
    rgba(108, 92, 231, 0.3),
```

```
    rgba(0, 206, 201, 0.02)
);
border: 1px solid rgba(129, 140, 248, 0.45);
font-size: 11px;
text-transform: uppercase;
letter-spacing: 0.14em;
color: #c7d2fe;
margin-bottom: 10px;
}
```

```
.eyebrow-pill {
width: 20px;
height: 20px;
border-radius: 999px;
background: radial-gradient(circle at 20% 10%, #ffeaa7 0, #fd79a8 40%, #6c5ce7 90%);
display: flex;
align-items: center;
justify-content: center;
font-size: 11px;
color: #020617;
box-shadow: 0 0 12px rgba(248, 250, 252, 0.8);
}
```

```
.hero h1 {
font-size: 36px;
line-height: 1.15;
margin-bottom: 16px;
letter-spacing: -0.03em;
}
```

```
.hero h1 span.gradient {
background: radial-gradient(circle at 10% 0, #ffeaa7 0, #fd79a8 30%, #a855f7 65%,
#22d3ee 100%);
-webkit-background-clip: text;
background-clip: text;
color: transparent;
}
```

```
.hero-sub {
color: var(--text-muted);
font-size: 14px;
max-width: 460px;
margin-bottom: 20px;
}
```

```
.hero-sub strong {  
  color: #e5e7eb;  
  font-weight: 500;  
}
```

```
.hero-quicklist {  
  display: flex;  
  flex-wrap: wrap;  
  gap: 10px;  
  margin-bottom: 20px;  
  font-size: 12px;  
}
```

```
.hero-quicklist span {  
  padding: 5px 10px;  
  border-radius: 999px;  
  border: 1px solid rgba(148, 163, 184, 0.4);  
  background: linear-gradient(to bottom right,  
    rgba(15, 23, 42, 0.95),  
    rgba(15, 23, 42, 0.8)  
  );  
  color: var(--text-muted);  
}
```

```
.hero-quicklist span b {  
  color: #e5e7eb;  
  font-weight: 600;  
}
```

```
.hero-cta-row {  
  display: flex;  
  flex-wrap: wrap;  
  gap: 10px;  
  align-items: center;  
  margin-bottom: 12px;  
}
```

```
.disclaimer {  
  font-size: 11px;  
  color: var(--text-muted);  
  max-width: 420px;  
}
```

```
.hero-right {  
  position: relative;  
}
```

```
.hero-card {  
  position: relative;  
  border-radius: var(--radius-xl);  
  padding: 18px 18px 16px;  
  background:  
    radial-gradient(circle at 0 0, rgba(248, 250, 252, 0.06), transparent 40%),  
    radial-gradient(circle at 100% 0, rgba(129, 140, 248, 0.2), transparent 45%),  
    radial-gradient(circle at 0 100%, rgba(45, 212, 191, 0.16), transparent 40%),  
    linear-gradient(135deg, #020617, #020617 40%, #020617 100%);  
  box-shadow: var(--shadow-soft);  
  border: 1px solid rgba(148, 163, 184, 0.3);  
  overflow: hidden;  
}
```

```
.hero-card-header {  
  display: flex;  
  align-items: center;  
  justify-content: space-between;  
  margin-bottom: 12px;  
}
```

```
.hero-card-header-left {  
  display: flex;  
  align-items: center;  
  gap: 10px;  
}
```

```
.hero-card-avatar {  
  width: 34px;  
  height: 34px;  
  border-radius: 999px;  
  background: radial-gradient(circle at 20% 0, #ffeaa7 0, #fd79a8 40%, #6c5ce7 90%);  
  display: flex;  
  align-items: center;  
  justify-content: center;  
  font-size: 16px;  
  color: #020617;  
  font-weight: 700;  
  box-shadow: 0 0 10px rgba(251, 113, 133, 0.8);  
}
```



```
.hero-card-title {  
  font-size: 13px;  
  font-weight: 600;  
}
```

```
.hero-card-meta {  
  font-size: 11px;  
  color: var(--text-muted);  
}
```

```
.hero-card-pill {  
  font-size: 11px;  
  padding: 5px 10px;  
  border-radius: 999px;  
  background: rgba(15, 23, 42, 0.9);  
  border: 1px solid rgba(148, 163, 184, 0.5);  
  color: #e5e7eb;  
}
```

```
.hero-fake-video {  
  position: relative;  
  border-radius: 16px;  
  padding: 12px;  
  background: radial-gradient(circle at 0 0, rgba(248, 250, 252, 0.16), transparent 40%),  
              radial-gradient(circle at 100% 100%, rgba(56, 189, 248, 0.26), transparent 40%),  
              #020617;  
  border: 1px solid rgba(148, 163, 184, 0.4);  
  overflow: hidden;  
  margin-bottom: 12px;  
}
```

```
.hero-fake-video-inner {  
  border-radius: 12px;  
  height: 180px;  
  background-image:  
    radial-gradient(circle at 10% 20%, rgba(251, 191, 36, 0.8), transparent 60%),  
    radial-gradient(circle at 80% 0%, rgba(248, 113, 113, 0.9), transparent 60%),  
    radial-gradient(circle at 0% 100%, rgba(56, 189, 248, 0.85), transparent 60%),  
    radial-gradient(circle at 100% 100%, rgba(94, 234, 212, 0.8), transparent 60%);  
  position: relative;  
  display: flex;  
  align-items: flex-end;  
  justify-content: space-between;
```

```
padding: 16px;  
color: #020617;  
}
```

```
.hero-fake-video-caption {  
  background: rgba(15, 23, 42, 0.86);  
  color: #e5e7eb;  
  padding: 8px 10px;  
  border-radius: 10px;  
  font-size: 11px;  
  max-width: 70%;  
  box-shadow: 0 8px 20px rgba(15, 23, 42, 0.7);  
}
```

```
.hero-fake-video-caption b {  
  color: #f97316;  
  font-weight: 600;  
}
```

```
.hero-fake-video-pill {  
  padding: 6px 10px;  
  border-radius: 999px;  
  background: rgba(15, 23, 42, 0.9);  
  color: #e5e7eb;  
  font-size: 11px;  
  border: 1px solid rgba(148, 163, 184, 0.4);  
}
```

```
.hero-card-footer {  
  display: flex;  
  justify-content: space-between;  
  font-size: 11px;  
  color: var(--text-muted);  
  gap: 12px;  
  flex-wrap: wrap;  
}
```

```
.hero-card-footer span {  
  display: inline-flex;  
  align-items: center;  
  gap: 6px;  
  white-space: nowrap;  
}
```

```
.hero-card-footer span::before {  
  content: "•";  
  color: rgba(148, 163, 184, 0.9);  
}
```

```
.glow-orbit {  
  position: absolute;  
  inset: -40px;  
  border-radius: 999px;  
  border: 1px solid rgba(94, 234, 212, 0.06);  
  filter: blur(5px);  
  pointer-events: none;  
}
```

```
/* Sections */
```

```
.section {  
  max-width: 1120px;  
  margin: 0 auto;  
  padding: 0 20px 70px;  
}
```

```
.section-header {  
  margin-bottom: 22px;  
  display: flex;  
  justify-content: space-between;  
  align-items: flex-end;  
  gap: 12px;  
  flex-wrap: wrap;  
}
```

```
.section-title {  
  font-size: 20px;  
  letter-spacing: -0.02em;  
}
```

```
.section-subtitle {  
  font-size: 13px;  
  color: var(--text-muted);  
  max-width: 340px;  
}
```

```
.pill-row {  
  display: flex;
```

```
flex-wrap: wrap;
gap: 8px;
}
```

```
.pill-row span {
font-size: 11px;
padding: 5px 10px;
border-radius: 999px;
border: 1px solid rgba(148, 163, 184, 0.4);
color: var(--text-muted);
background: rgba(15, 23, 42, 0.9);
}
```

```
.feature-grid {
display: grid;
grid-template-columns: repeat(3, minmax(0, 1fr));
gap: 16px;
}
```

```
@media (max-width: 900px) {
.feature-grid {
grid-template-columns: repeat(2, minmax(0, 1fr));
}
}
```

```
@media (max-width: 640px) {
.feature-grid {
grid-template-columns: minmax(0, 1fr);
}
}
```

```
.card {
border-radius: var(--radius-lg);
padding: 14px 14px 16px;
background: linear-gradient(135deg, rgba(15, 23, 42, 0.98), rgba(15, 23, 42, 0.96));
border: 1px solid var(--border-subtle);
box-shadow: 0 14px 30px rgba(15, 23, 42, 0.85);
position: relative;
overflow: hidden;
}
```

```
.card-label {
font-size: 11px;
text-transform: uppercase;
```

```
letter-spacing: 0.14em;  
color: #a5b4fc;  
margin-bottom: 6px;  
}
```

```
.card-title {  
  font-size: 14px;  
  font-weight: 600;  
  margin-bottom: 6px;  
}
```

```
.card-body {  
  font-size: 12px;  
  color: var(--text-muted);  
  margin-bottom: 8px;  
}
```

```
.card-tag-row {  
  display: flex;  
  flex-wrap: wrap;  
  gap: 6px;  
  font-size: 10px;  
}
```

```
.card-tag-row span {  
  padding: 4px 8px;  
  border-radius: 999px;  
  border: 1px solid rgba(148, 163, 184, 0.4);  
  background: rgba(15, 23, 42, 0.9);  
}
```

```
.card-accent {  
  position: absolute;  
  inset: -80px;  
  opacity: 0.06;  
  background:  
    radial-gradient(circle at 0 0, #facc15 0, transparent 50%),  
    radial-gradient(circle at 100% 30%, #ef4444 0, transparent 50%),  
    radial-gradient(circle at 0 100%, #22c55e 0, transparent 50%);  
  pointer-events: none;  
}
```

```
.two-column {  
  display: grid;
```

```
grid-template-columns: minmax(0, 1.1fr) minmax(0, 1fr);
gap: 18px;
}
```

```
@media (max-width: 900px) {
  .two-column {
    grid-template-columns: minmax(0, 1fr);
  }
}
```

```
.callout {
  font-size: 12px;
  color: var(--text-muted);
  padding: 12px 12px;
  border-radius: var(--radius-lg);
  border: 1px dashed rgba(94, 234, 212, 0.5);
  background: rgba(15, 23, 42, 0.95);
  margin-top: 12px;
}
```

```
.callout b {
  color: #e5e7eb;
}
```

```
.table {
  width: 100%;
  border-collapse: collapse;
  font-size: 12px;
  margin-top: 4px;
}
```

```
.table th,
.table td {
  padding: 6px 8px;
  border-bottom: 1px solid rgba(30, 64, 175, 0.7);
}
```

```
.table th {
  text-align: left;
  color: #c7d2fe;
  font-weight: 500;
  font-size: 11px;
  text-transform: uppercase;
  letter-spacing: 0.08em;
}
```

```
}
```

```
.table tr:nth-child(even) td {  
  background: rgba(15, 23, 42, 0.75);  
}
```

```
.faq {  
  margin-top: 14px;  
  display: grid;  
  gap: 10px;  
}
```

```
.faq-item {  
  border-radius: 12px;  
  border: 1px solid var(--border-subtle);  
  padding: 10px 12px;  
  background: rgba(15, 23, 42, 0.95);  
  font-size: 12px;  
}
```

```
.faq-q {  
  font-weight: 500;  
  margin-bottom: 4px;  
  color: #e5e7eb;  
}
```

```
.faq-a {  
  color: var(--text-muted);  
}
```

```
footer {  
  border-top: 1px solid rgba(30, 64, 175, 0.7);  
  padding: 16px 20px 24px;  
  font-size: 11px;  
  color: var(--text-muted);  
  text-align: center;  
  background: radial-gradient(circle at top, #020617 0, #000 85%);  
}
```

```
footer a {  
  color: #a5b4fc;  
  text-decoration: underline;  
  text-decoration-style: dotted;  
  text-underline-offset: 3px;  
}
```

```

    }
</style>
</head>
<body>
<div class="page">
  <header class="nav">
    <div class="nav-inner">
      <div class="logo">
        <div class="logo-badge">S</div>
        <div>
          <div class="logo-text-main">SORA</div>
          <div class="logo-text-sub">Concept AI video studio</div>
        </div>
      </div>
      <nav class="nav-links">
        <a href="#features">Features</a>
        <a href="#workflows">Workflows</a>
        <a href="#safety">Safety</a>
        <a href="#faq">FAQ</a>
      </nav>
      <div class="nav-cta">
        <button class="btn btn-outline">View docs</button>
        <button class="btn btn-primary">Try Sora demo</button>
      </div>
    </div>
  </header>

  <main>
    <!-- HERO -->
    <section class="hero" id="top">
      <div>
        <div class="eyebrow">
          <div class="eyebrow-pill">★</div>
          Text → Video in seconds
        </div>
        <h1>
          Turn <span class="gradient">ideas into cinematic video</span> with Sora.
        </h1>
        <p class="hero-sub">
          Sora is a concept <strong>AI video generation model</strong> that can turn
          everyday language into high-fidelity clips – complete with realistic
          motion, lighting and depth.
        </p>
      </div>
    </section>
  </main>
</body>
</html>

```



```
<div class="hero-quicklist">
  <span><b>Text-to-video</b> from a single prompt</span>
  <span><b>1080p</b> multi-second clips</span>
  <span><b>Consistent</b> subjects & scenes</span>
</div>
```

```
<div class="hero-cta-row">
  <button class="btn btn-primary">Generate a sample clip</button>
  <button class="btn btn-outline">Watch overview</button>
</div>
```

```
<p class="disclaimer">
  This is a <strong>fan / educational landing page</strong> for Sora-style
  models. It is not an official product website.
</p>
</div>
```

```
<div class="hero-right">
  <div class="hero-card">
    <div class="hero-card-header">
      <div class="hero-card-header-left">
        <div class="hero-card-avatar">▶</div>
        <div>
          <div class="hero-card-title">Prompt preview</div>
          <div class="hero-card-meta">“Night city timelapse, neon rain”</div>
        </div>
      </div>
      <div class="hero-card-pill">Concept demo</div>
    </div>
  </div>
```

```
<div class="hero-fake-video">
  <div class="hero-fake-video-inner">
    <div class="hero-fake-video-caption">
      Sora imagines a <b>cinematic pan</b> through neon-lit streets,
      with <b>physically-plausible reflections</b> on wet asphalt.
    </div>
    <div class="hero-fake-video-pill">
      12s · 1080p · 24 fps
    </div>
  </div>
</div>
```

```
<div class="hero-card-footer">
  <span>Generative scene layout</span>
  <span>Camera path + depth cues</span>
```

```

        <span>Motion-aware details</span>
    </div>

    <div class="glow-orbit"></div>
</div>
</div>
</section>

<!-- FEATURES -->
<section class="section" id="features">
    <div class="section-header">
        <div>
            <h2 class="section-title">What Sora is designed to do</h2>
            <p class="section-subtitle">
                From storyboards to social content, Sora-style models aim to bridge
                the gap between a text idea and a fully animated sequence.
            </p>
        </div>
        <div class="pill-row">
            <span>Text → Video</span>
            <span>Image → Video</span>
            <span>Scene understanding</span>
        </div>
    </div>

    <div class="feature-grid">
        <article class="card">
            <div class="card-accent"></div>
            <div class="card-label">Generation</div>
            <h3 class="card-title">High-fidelity clips</h3>
            <p class="card-body">
                Sora can be prompted with rich natural language to produce videos
                with <strong>consistent characters, lighting and style</strong> across
                multiple seconds of motion.
            </p>
            <div class="card-tag-row">
                <span>Resolution upscaling</span>
                <span>Camera controls</span>
            </div>
        </article>

        <article class="card">
            <div class="card-accent"></div>
            <div class="card-label">Control</div>

```

```

<h3 class="card-title">Prompt-driven direction</h3>
<p class="card-body">
  Describe the <strong>scene, camera, emotion and pacing</strong>.
  Sora uses this to sketch trajectories, object interactions and
  timing.
</p>
<div class="card-tag-row">
  <span>Camera path hints</span>
  <span>Style keywords</span>
</div>
</article>

<article class="card">
  <div class="card-accent"></div>
  <div class="card-label">Understanding</div>
  <h3 class="card-title">World & physics priors</h3>
  <p class="card-body">
    The model learns patterns of <strong>real-world motion</strong> —
    gravity, fluids, cloth, crowds — to keep generated scenes coherent
    and believable.
  </p>
  <div class="card-tag-row">
    <span>Depth-aware frames</span>
    <span>Temporal consistency</span>
  </div>
</article>
</div>
</section>

<!-- WORKFLOWS -->
<section class="section" id="workflows">
  <div class="section-header">
    <div>
      <h2 class="section-title">Example workflows</h2>
      <p class="section-subtitle">
        Combine text prompts, reference images and editing tools to build a
        complete production pipeline around Sora-like models.
      </p>
    </div>
    <div class="pill-row">
      <span>Storyboarding</span>
      <span>Concept art → motion</span>
      <span>Rapid iteration</span>
    </div>
  </div>

```

</div>

<div class="two-column">

<div class="card">

<div class="card-label">Pipeline</div>

<h3 class="card-title">Storyboard → Draft → Final</h3>

<p class="card-body">

1. Start with a text outline of each shot.

2. Generate quick low-res previews from prompts.

3. Lock timing, then re-render selected shots at higher quality.

4. Edit and composite in your usual video editor.

</p>

<table class="table">

<thead>

<tr>

<th>Step</th>

<th>Input</th>

<th>Output</th>

</tr>

</thead>

<tbody>

<tr>

<td>1. Prompt</td>

<td>Text description</td>

<td>Scene plan</td>

</tr>

<tr>

<td>2. Preview</td>

<td>Prompt + style</td>

<td>Low-res clip</td>

</tr>

<tr>

<td>3. Polish</td>

<td>Chosen takes</td>

<td>High-res video</td>

</tr>

</tbody>

</table>

<div class="callout">

Tip: Keep prompts structured: setting,
subject, camera, motion, style.

</div>

```

</div>

<div class="card">
  <div class="card-label">Use cases</div>
  <h3 class="card-title">Where Sora-style models shine</h3>
  <ul class="card-body" style="list-style: disc; padding-left: 18px;">
    <li>Pre-visualising complex scenes before live shoots.</li>
    <li>Generating abstract or impossible camera moves.</li>
    <li>Quick mood pieces for pitches or treatments.</li>
    <li>Educative clips from plain-language scripts.</li>
  </ul>
  <div class="callout">
    <b>Remember:</b> final professional work still needs
    <strong>human editing, review and polishing</strong>.
  </div>
</div>
</div>
</section>

<!-- SAFETY / LIMITS -->
<section class="section" id="safety">
  <div class="section-header">
    <div>
      <h2 class="section-title">Safety & limitations</h2>
      <p class="section-subtitle">
        Any powerful generative system needs guardrails. This section
        highlights typical considerations when deploying video models.
      </p>
    </div>
    <div class="pill-row">
      <span>Safety filters</span>
      <span>Policy checks</span>
      <span>Labeling</span>
    </div>
  </div>

  <div class="two-column">
    <div class="card">
      <div class="card-label">Examples</div>
      <h3 class="card-title">Common limitations</h3>
      <p class="card-body">
        Even advanced models can:
      </p>
      <ul class="card-body" style="list-style: disc; padding-left: 18px;">

```

```
    <li>Misunderstand fine-grained physics in unusual scenes.</li>
    <li>Struggle with long, multi-shot continuity.</li>
    <li>Hallucinate text or tiny details on signs.</li>
    <li>Produce outputs that require careful human review.</li>
  </ul>
</div>
```

```
<div class="card">
  <div class="card-label">Good practice</div>
  <h3 class="card-title">Responsible use</h3>
  <p class="card-body">
    - Label AI-generated content when you share it publicly.<br />
    - Avoid prompts that could generate harmful or misleading media.<br />
    - Always review outputs before publishing.<br />
    - Follow the policies of the platform or provider you use.
  </p>
</div>
</div>
</section>
```

```
<!-- FAQ -->
<section class="section" id="faq">
  <div class="section-header">
    <div>
      <h2 class="section-title">Frequently asked questions</h2>
      <p class="section-subtitle">
        A quick overview of how a Sora-style model fits into your creative
        workflow.
      </p>
    </div>
  </div>
</div>
```

```
<div class="faq">
  <div class="faq-item">
    <div class="faq-q">Is this an official Sora website?</div>
    <div class="faq-a">
      No. This page is a <strong>concept / demo website layout</strong>
      created for learning and design practice. It is not affiliated with
      or endorsed by any official provider.
    </div>
  </div>
</div>
```

```
<div class="faq-item">
  <div class="faq-q">Can I use this page for my own project?</div>
```

```
<div class="faq-a">
```

Yes – you can download the HTML file, customise the text, colours and buttons, and host it as your own landing page or portfolio piece.

```
</div>
```

```
</div>
```

```
<div class="faq-item">
```

```
<div class="faq-q">How do I turn this into a real product site?</div>
```

```
<div class="faq-a">
```

Connect the buttons (e.g. “Try Sora demo”) to your actual app or prototype, add a docs page, and plug in analytics / sign-up forms as needed.

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
</main>
```

```
<footer>
```

Concept landing page for a Sora-style AI video model.

Customize the code to match your own tool, studio, or portfolio.

```
</footer>
```

```
</div>
```

```
</body>
```

```
</html>
```