


Reporte de testing



All methods in suite **Suite1**

2
m
25
s

Group by class
All

Name

BotonesHome()

Name: BotonesHome

Description: Test de los botones y alertas en pantalla

Signature: BotonesHome()[pri:0, instance:Package_1.Test_Frenzy@546a03af]

Start time: 11:32:56

End time: 11:33:30

Duration: 34s

```
org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //DIV[@class='buttonTutorial flexVerticalCenter justifyContentCenter'] (tried for 30 second(s) with 500 MILLISECONDS interval)
    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:80)
    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:232)
    at Package_1.Test_Frenzy.BotonesHome(Test_Frenzy.java:143)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
    at java.lang.reflect.Method.invoke(Unknown Source)
    at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:108)
    at org.testng.internal.Invoker.invokeMethod(Invoker.java:669)
    at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:877)
    at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1201)
    at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)
    at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)
    at org.testng.TestRunner.privateRun(TestRunner.java:776)
    at org.testng.TestRunner.run(TestRunner.java:634)
    at org.testng.SuiteRunner.runTest(SuiteRunner.java:425)
    at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:420)
    at org.testng.SuiteRunner.privateRun(SuiteRunner.java:385)
    at org.testng.SuiteRunner.run(SuiteRunner.java:334)
    at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
    at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
    at org.testng.TestNG.runSuitesSequentially(TestNG.java:1318)
    at org.testng.TestNG.runSuitesLocally(TestNG.java:1243)
    at org.testng.TestNG.runSuites(TestNG.java:1161)
    at org.testng.TestNG.run(TestNG.java:1129)
    at org.testng.TestNG.privateMain(TestNG.java:1459)
    at org.testng.TestNG.main(TestNG.java:1428)
    Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.xpath: //DIV[@class='buttonTutorial flexVerticalCenter justifyContentCenter']
    For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
    Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
    System info: host: 'COGNITSBRYANPAZ', ip: '192.168.50.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_144'
    Driver info: driver.version: unknown
    at org.openqa.selenium.support.ui.ExpectedConditions.lambda$findElement$0(ExpectedConditions.java:883)
    at java.util.Optional.orElseThrow(Unknown Source)
    at org.openqa.selenium.support.ui.ExpectedConditions.findElement(ExpectedConditions.java:882)
    at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:44)
    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:206)
    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:202)
    at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:644)
    at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:641)
    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:209)
    ... 25 more
```

ComoGanoBits()

Name: ComoGanoBits

Description: Boton de cómo ganar bits en la vista points

Signature: ComoGanoBits()[pri:0, instance:Package_1.Test_Frenzy@546a03af]

Start time: 11:33:39

End time: 11:34:15

Duration: 35s

```
org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //DIV[@class='buttonTutorial flexVerticalCenter justifyContentCenter'] (tried for 30 second(s) with 500 MILLISECONDS interval)
    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:80)
```

```

at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:232)
at Package_1.Test_Frenzy.ComoGanoBits(Test_Frenzy.java:266)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:108)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:669)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:877)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1201)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)
at org.testng.TestRunner.privateRun(TestRunner.java:776)
at org.testng.TestRunner.run(TestRunner.java:634)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:425)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:420)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:385)
at org.testng.SuiteRunner.run(SuiteRunner.java:334)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1318)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1243)
at org.testng.TestNG.runSuites(TestNG.java:1161)
at org.testng.TestNG.run(TestNG.java:1129)
at org.testng.TestNG.privateMain(TestNG.java:1459)
at org.testng.TestNG.main(TestNG.java:1428)
Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.xpath: //DIV[@class='button
flexVerticalCenter justifyContentCenter']
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
System info: host: 'COGNITSBRYANPAZ', ip: '192.168.50.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0',
'1.8.0_144'
Driver info: driver.version: unknown
at org.openqa.selenium.support.ui.ExpectedConditions.lambda$findElement$0(ExpectedConditions.java:883)
at java.util.Optional.orElseThrow(Unknown Source)
at org.openqa.selenium.support.ui.ExpectedConditions.findElement(ExpectedConditions.java:882)
at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:44)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:206)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:202)
at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:644)
at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:641)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:209)
... 25 more

```

Ofertas()

Name: Ofertas

Description: Test de la vista ofertas de los socios correspondientes.

Signature: Ofertas()[pri:0, instance:Package_1.Test_Frenzy@546a03af]

Start time: 11:34:15

End time: 11:34:45

Duration: 30s

```

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //DIV[@class='col-xs-
col-sm-12 col-md-11 col-lg-10'] (tried for 30 second(s) with 500 MILLISECOND interval)
at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:80)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:232)
at Package_1.Test_Frenzy.Ofertas(Test_Frenzy.java:278)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:108)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:669)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:877)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1201)

```

```
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)
at org.testng.TestRunner.privateRun(TestRunner.java:776)
at org.testng.TestRunner.run(TestRunner.java:634)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:425)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:420)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:385)
at org.testng.SuiteRunner.run(SuiteRunner.java:334)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1318)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1243)
at org.testng.TestNG.runSuites(TestNG.java:1161)
at org.testng.TestNG.run(TestNG.java:1129)
at org.testng.TestNG.privateMain(TestNG.java:1459)
at org.testng.TestNG.main(TestNG.java:1428)
Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.xpath: //DIV[@class='col-xs-12 col-md-11 col-lg-10']
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
System info: host: 'COGNITSBRYANPAZ', ip: '192.168.50.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_144'
Driver info: driver.version: unknown
at org.openqa.selenium.support.ui.ExpectedConditions.lambda$findElement$0(ExpectedConditions.java:883)
at java.util.Optional.orElseThrow(Unknown Source)
at org.openqa.selenium.support.ui.ExpectedConditions.findElement(ExpectedConditions.java:882)
at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:44)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:206)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:202)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:209)
... 25 more
```

AbrirNavegador()

Name: AbrirNavegador
Description: Abre el navegador configurado
Signature: AbrirNavegador()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:32:30
End time: 11:32:36
Duration: 5s

Login()

Name: Login
Description: Se inicia sesi3n con los datos correspondientes
Signature: Login()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:32:36
End time: 11:32:42
Duration: 5s

Navegacion()

Name: Navegacion
Description: Navegaci3n y test de los links en el menu
Signature: Navegacion()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:32:42
End time: 11:32:56
Duration: 13s

Categorias()

Name: Categorias
Description: Test en todas las categorias existentes
Signature: Categorias()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:33:30
End time: 11:33:31
Duration: 748 ms

GanarBits()

Name: GanarBits
Description: Test del bot3n: ¿como ganar bits?
Signature: GanarBits()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:33:31
End time: 11:33:34
Duration: 2s

QueEsFrenzyVideo()

Name: QueEsFrenzyVideo
Description: Test del bot3n para ver el v3deo en Que es Frenzy
Signature: QueEsFrenzyVideo()[pri:0, instance:Package_1.Test_Frenzy@546a03af]

Start time: 11:33:34
End time: 11:33:39
Duration: 5s

Premios()

Name: Premios
Description: Test de la vista premios
Signature: Premios()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:34:45
End time: 11:34:52
Duration: 7s

BotonesApp()

Name: BotonesApp
Description: Botones descargar en play store y app store
Signature: BotonesApp()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:34:52
End time: 11:34:56
Duration: 3s

Package_1.Test_Frenzy

Name

AbrirNavegador()

Name: AbrirNavegador
Description: Abre el navegador configurado
Signature: AbrirNavegador()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:32:30
End time: 11:32:36
Duration: 5s

Login()

Name: Login
Description: Se inicia sesi3n con los datos correspondientes
Signature: Login()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:32:36
End time: 11:32:42
Duration: 5s

Navegacion()

Name: Navegacion
Description: Navegaci3n y test de los links en el menu
Signature: Navegacion()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:32:42
End time: 11:32:56
Duration: 13s

BotonesHome()

Name: BotonesHome
Description: Test de los botones y alertas en pantalla
Signature: BotonesHome()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:32:56
End time: 11:33:30
Duration: 34s

```
org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //DIV[@class='buttonTutorial flexVerticalCenter justifyContentCenter'] (tried for 30 second(s) with 500 MILLISECONDS interval)
    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:80)
    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:232)
    at Package_1.Test_Frenzy.BotonesHome(Test_Frenzy.java:143)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
    at java.lang.reflect.Method.invoke(Unknown Source)
    at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:108)
    at org.testng.internal.Invoker.invokeMethod(Invoker.java:669)
    at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:877)
    at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1201)
    at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)
    at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)
    at org.testng.TestRunner.privateRun(TestRunner.java:776)
```

```

at org.testng.TestRunner.run(TestRunner.java:634)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:425)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:420)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:385)
at org.testng.SuiteRunner.run(SuiteRunner.java:334)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1318)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1243)
at org.testng.TestNG.runSuites(TestNG.java:1161)
at org.testng.TestNG.run(TestNG.java:1129)
at org.testng.TestNG.privateMain(TestNG.java:1459)
at org.testng.TestNG.main(TestNG.java:1428)
Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.xpath: //DIV[@class='button
flexVerticalCenter justifyContentCenter']
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
System info: host: 'COGNITSBRYANPAZ', ip: '192.168.50.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0',
'1.8.0_144'
Driver info: driver.version: unknown
at org.openqa.selenium.support.ui.ExpectedConditions.lambda$findElement$0(ExpectedConditions.java:883)
at java.util.Optional.orElseThrow(Unknown Source)
at org.openqa.selenium.support.ui.ExpectedConditions.findElement(ExpectedConditions.java:882)
at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:44)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:206)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:202)
at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:644)
at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:641)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:209)
... 25 more

```

Categorias()

Name: Categorias
Description: Test en todas las categorias existentes
Signature: Categorias()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:33:30
End time: 11:33:31
Duration: 748 ms

GanarBits()

Name: GanarBits
Description: Test del botón: ¿como ganar bits?
Signature: GanarBits()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:33:31
End time: 11:33:34
Duration: 2s

QueEsFrenzyVideo()

Name: QueEsFrenzyVideo
Description: Test del botón para ver el vídeo en Que es Frenzy
Signature: QueEsFrenzyVideo()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:33:34
End time: 11:33:39
Duration: 5s

ComoGanoBits()

Name: ComoGanoBits
Description: Botón de cómo ganar bits en la vista points
Signature: ComoGanoBits()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:33:39
End time: 11:34:15
Duration: 35s

```

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //DIV[@class='buttonTutor
flexVerticalCenter justifyContentCenter'] (tried for 30 second(s) with 500 MILLISECONDS interval)
at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:80)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:232)
at Package_1.Test_Frenzy.ComoGanoBits(Test_Frenzy.java:266)

```



```

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:108)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:669)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:877)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1201)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)
at org.testng.TestRunner.privateRun(TestRunner.java:776)
at org.testng.TestRunner.run(TestRunner.java:634)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:425)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:420)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:385)
at org.testng.SuiteRunner.run(SuiteRunner.java:334)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1318)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1243)
at org.testng.TestNG.runSuites(TestNG.java:1161)
at org.testng.TestNG.run(TestNG.java:1129)
at org.testng.TestNG.privateMain(TestNG.java:1459)
at org.testng.TestNG.main(TestNG.java:1428)
Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.xpath: //DIV[@class='button
flexVerticalCenter justifyContentCenter']
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
System info: host: 'COGNITSBRYANPAZ', ip: '192.168.50.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', j
'1.8.0_144'
Driver info: driver.version: unknown
at org.openqa.selenium.support.ui.ExpectedConditions.lambda$findElement$0(ExpectedConditions.java:883)
at java.util.Optional.orElseThrow(Unknown Source)
at org.openqa.selenium.support.ui.ExpectedConditions.findElement(ExpectedConditions.java:882)
at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:44)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:206)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:202)
at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:644)
at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:641)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:209)
... 25 more

```

Ofertas()

Name: Ofertas

Description: Test de la vista ofertas de los socios correspondientes.

Signature: Ofertas() [pri:0, instance:Package_1.Test_Frenzy@546a03af]

Start time: 11:34:15

End time: 11:34:45

Duration: 30s

```

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //DIV[@class='col-xs-
col-sm-12 col-md-11 col-lg-10'] (tried for 30 second(s) with 500 MILLISECONDS interval)
at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:80)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:232)
at Package_1.Test_Frenzy.Ofertas(Test_Frenzy.java:278)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:108)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:669)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:877)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1201)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)

```

```
at org.testng.TestRunner.privateRun(TestRunner.java:776)
at org.testng.TestRunner.run(TestRunner.java:634)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:425)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:420)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:385)
at org.testng.SuiteRunner.run(SuiteRunner.java:334)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1318)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1243)
at org.testng.TestNG.runSuites(TestNG.java:1161)
at org.testng.TestNG.run(TestNG.java:1129)
at org.testng.TestNG.privateMain(TestNG.java:1459)
at org.testng.TestNG.main(TestNG.java:1428)
Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.xpath: //DIV[@class='col-xs-
col-md-11 col-lg-10']
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
System info: host: 'COGNITSBRYANPAZ', ip: '192.168.50.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', j
'1.8.0_144'
Driver info: driver.version: unknown
at org.openqa.selenium.support.ui.ExpectedConditions.lambda$findElement$0(ExpectedConditions.java:883)
at java.util.Optional.orElseThrow(Unknown Source)
at org.openqa.selenium.support.ui.ExpectedConditions.findElement(ExpectedConditions.java:882)
at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:44)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:206)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:202)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:209)
... 25 more
```

Premios()

Name: Premios
Description: Test de la vista premios
Signature: Premios()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:34:45
End time: 11:34:52
Duration: 7s

BotonesApp()

Name: BotonesApp
Description: Botones descargar en play store y app store
Signature: BotonesApp()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:34:52
End time: 11:34:56
Duration: 3s

Generated with [TestNG XSLT](#)

All methods in suite **Suite1**

2
m
25
s

Group by class
All

Failed Passed Skipped Config

Name

BotonesHome()

Name: BotonesHome
Description: Test de los botones y alertas en pantalla
Signature: BotonesHome()[pri:0, instance:Package_1.Test_Frenzy@546a03af]

Start time: 11:32:56
End time: 11:33:30
Duration: 34s

```
org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //DIV[@class="buttonTutorial flexVerticalCenter justifyContentCenter"] (tried for 30 second(s) with 500 MILLISECONDS interval)
    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:80)
    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:232)
    at Package_1.Test_Frenzy.BotonesHome(Test_Frenzy.java:143)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
    at java.lang.reflect.Method.invoke(Unknown Source)
    at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:108)
    at org.testng.internal.Invoker.invokeMethod(Invoker.java:669)
    at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:877)
    at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1201)
    at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)
    at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)
    at org.testng.TestRunner.privateRun(TestRunner.java:776)
    at org.testng.TestRunner.run(TestRunner.java:634)
    at org.testng.SuiteRunner.runTest(SuiteRunner.java:425)
    at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:420)
    at org.testng.SuiteRunner.privateRun(SuiteRunner.java:385)
    at org.testng.SuiteRunner.run(SuiteRunner.java:334)
    at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
    at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
    at org.testng.TestNG.runSuitesSequentially(TestNG.java:1318)
    at org.testng.TestNG.runSuitesLocally(TestNG.java:1243)
    at org.testng.TestNG.runSuites(TestNG.java:1161)
    at org.testng.TestNG.run(TestNG.java:1129)
    at org.testng.TestNG.privateMain(TestNG.java:1459)
    at org.testng.TestNG.main(TestNG.java:1428)
    Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.xpath: //DIV[@class="buttonTutorial flexVerticalCenter justifyContentCenter"]
    For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
    Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
    System info: host: 'COGNITSBRYANPAZ', ip: '192.168.50.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_144'
    Driver info: driver.version: unknown
    at org.openqa.selenium.support.ui.ExpectedConditions.lambda$findElement$0(ExpectedConditions.java:883)
    at java.util.Optional.orElseThrow(Unknown Source)
    at org.openqa.selenium.support.ui.ExpectedConditions.findElement(ExpectedConditions.java:882)
    at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:44)
    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:206)
    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:202)
    at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:644)
    at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:641)
    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:209)
    ... 25 more
```

ComoGanoBits()

Name: ComoGanoBits
Description: Boton de cómo ganar bits en la vista points
Signature: ComoGanoBits()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:33:39
End time: 11:34:15
Duration: 35s

```
org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //DIV[@class="buttonTutorial flexVerticalCenter justifyContentCenter"] (tried for 30 second(s) with 500 MILLISECONDS interval)
    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:80)
    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:232)
    at Package_1.Test_Frenzy.ComoGanoBits(Test_Frenzy.java:266)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
```

```

at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:108)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:669)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:877)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1201)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)
at org.testng.TestRunner.privateRun(TestRunner.java:776)
at org.testng.TestRunner.run(TestRunner.java:634)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:425)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:420)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:385)
at org.testng.SuiteRunner.run(SuiteRunner.java:334)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1318)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1243)
at org.testng.TestNG.runSuites(TestNG.java:1161)
at org.testng.TestNG.run(TestNG.java:1129)
at org.testng.TestNG.privateMain(TestNG.java:1459)
at org.testng.TestNG.main(TestNG.java:1428)
Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.xpath: //DIV[@class='button
flexVerticalCenter justifyContentCenter']
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
System info: host: 'COGNITSBRYANPAZ', ip: '192.168.50.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', j
'1.8.0_144'
Driver info: driver.version: unknown
at org.openqa.selenium.support.ui.ExpectedConditions.lambda$findElement$0(ExpectedConditions.java:883)
at java.util.Optional.orElseThrow(Unknown Source)
at org.openqa.selenium.support.ui.ExpectedConditions.findElement(ExpectedConditions.java:882)
at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:44)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:206)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:202)
at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:644)
at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:641)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:209)
... 25 more

```

Ofertas()

Name: Ofertas

Description: Test de la vista ofertas de los socios correspondientes.

Signature: Ofertas()[pri:0, instance:Package_1.Test_Frenzy@546a03af]

Start time: 11:34:15

End time: 11:34:45

Duration: 30s

```

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //DIV[@class='col-xs-
col-sm-12 col-md-11 col-lg-10'] (tried for 30 second(s) with 500 MILLISECONDS interval)
at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:80)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:232)
at Package_1.Test_Frenzy.Ofertas(Test_Frenzy.java:278)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:108)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:669)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:877)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1201)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)
at org.testng.TestRunner.privateRun(TestRunner.java:776)

```

```
at org.testng.TestRunner.run(TestRunner.java:634)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:425)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:420)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:385)
at org.testng.SuiteRunner.run(SuiteRunner.java:334)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1318)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1243)
at org.testng.TestNG.runSuites(TestNG.java:1161)
at org.testng.TestNG.run(TestNG.java:1129)
at org.testng.TestNG.privateMain(TestNG.java:1459)
at org.testng.TestNG.main(TestNG.java:1428)
Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.xpath: //DIV[@class='col-xs-11 col-md-11 col-lg-10']
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
System info: host: 'COGNITSBRYANPAZ', ip: '192.168.50.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_144'
Driver info: driver.version: unknown
at org.openqa.selenium.support.ui.ExpectedConditions.lambda$findElement$0(ExpectedConditions.java:883)
at java.util.Optional.orElseThrow(Unknown Source)
at org.openqa.selenium.support.ui.ExpectedConditions.findElement(ExpectedConditions.java:882)
at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:44)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:206)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:202)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:209)
... 25 more
```

AbrirNavegador()

Name: AbrirNavegador
Description: Abre el navegador configurado
Signature: AbrirNavegador()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:32:30
End time: 11:32:36
Duration: 5s

Login()

Name: Login
Description: Se inicia sesi3n con los datos correspondientes
Signature: Login()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:32:36
End time: 11:32:42
Duration: 5s

Navegacion()

Name: Navegacion
Description: Navegaci3n y test de los links en el menu
Signature: Navegacion()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:32:42
End time: 11:32:56
Duration: 13s

Categorias()

Name: Categorias
Description: Test en todas las categorias existentes
Signature: Categorias()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:33:30
End time: 11:33:31
Duration: 748ms

GanarBits()

Name: GanarBits
Description: Test del bot3n: ¿como ganar bits?
Signature: GanarBits()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:33:31
End time: 11:33:34
Duration: 2s

QueEsFrenzyVideo()

Name: QueEsFrenzyVideo
Description: Test del bot3n para ver el v3o-deo en Que es Frenzy
Signature: QueEsFrenzyVideo()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:33:34
End time: 11:33:39
Duration: 5s

Premios()

Name: Premios
Description: Test de la vista premios
Signature: Premios()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:34:45
End time: 11:34:52
Duration: 7s

BotonesApp()

Name: BotonesApp
Description: Botones descargar en play store y app store
Signature: BotonesApp()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:34:52
End time: 11:34:56
Duration: 3s

Package_1.Test_Frenzy

Name

AbrirNavegador()

Name: AbrirNavegador
Description: Abre el navegador configurado
Signature: AbrirNavegador()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:32:30
End time: 11:32:36
Duration: 5s

Login()

Name: Login
Description: Se inicia sesi3n con los datos correspondientes
Signature: Login()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:32:36
End time: 11:32:42
Duration: 5s

Navegacion()

Name: Navegacion
Description: Navegaci3n y test de los links en el menu
Signature: Navegacion()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:32:42
End time: 11:32:56
Duration: 13s

BotonesHome()

Name: BotonesHome
Description: Test de los botones y alertas en pantalla
Signature: BotonesHome()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:32:56
End time: 11:33:30
Duration: 34s

```
org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //DIV[@class="buttonTutorial flexVerticalCenter justifyContentCenter"] (tried for 30 second(s) with 500 MILLISECONDS interval)
    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:80)
    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:232)
    at Package_1.Test_Frenzy.BotonesHome(Test_Frenzy.java:143)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
    at java.lang.reflect.Method.invoke(Unknown Source)
    at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:108)
    at org.testng.internal.Invoker.invokeMethod(Invoker.java:669)
    at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:877)
    at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1201)
    at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)
    at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)
    at org.testng.TestRunner.privateRun(TestRunner.java:776)
    at org.testng.TestRunner.run(TestRunner.java:634)
    at org.testng.SuiteRunner.runTest(SuiteRunner.java:425)
    at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:420)
    at org.testng.SuiteRunner.privateRun(SuiteRunner.java:385)
```

```
at org.testng.SuiteRunner.run(SuiteRunner.java:334)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1318)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1243)
at org.testng.TestNG.runSuites(TestNG.java:1161)
at org.testng.TestNG.run(TestNG.java:1129)
at org.testng.TestNG.privateMain(TestNG.java:1459)
at org.testng.TestNG.main(TestNG.java:1428)
Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.xpath: //DIV[@class='button
flexVerticalCenter justifyContentCenter']
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
System info: host: 'COGNITSBRYANPAZ', ip: '192.168.50.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0',
'1.8.0_144'
Driver info: driver.version: unknown
at org.openqa.selenium.support.ui.ExpectedConditions.lambda$findElement$0(ExpectedConditions.java:883)
at java.util.Optional.orElseThrow(Unknown Source)
at org.openqa.selenium.support.ui.ExpectedConditions.findElement(ExpectedConditions.java:882)
at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:44)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:206)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:202)
at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:644)
at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:641)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:209)
... 25 more
```

Categorias()

Name: Categorias
Description: Test en todas las categorias existentes
Signature: Categorias()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:33:30
End time: 11:33:31
Duration: 748 ms

GanarBits()

Name: GanarBits
Description: Test del botón: ¿cómo ganar bits?
Signature: GanarBits()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:33:31
End time: 11:33:34
Duration: 2s

QueEsFrenzyVideo()

Name: QueEsFrenzyVideo
Description: Test del botón para ver el vídeo en Que es Frenzy
Signature: QueEsFrenzyVideo()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:33:34
End time: 11:33:39
Duration: 5s

ComoGanoBits()

Name: ComoGanoBits
Description: Botón de cómo ganar bits en la vista points
Signature: ComoGanoBits()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:33:39
End time: 11:34:15
Duration: 35s

```
org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //DIV[@class='buttonTutor
flexVerticalCenter justifyContentCenter'] (tried for 30 second(s) with 500 MILLISECONDS interval)
at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:80)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:232)
at Package_1.Test_Frenzy.ComoGanoBits(Test_Frenzy.java:266)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
```



```

at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:108)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:669)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:877)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1201)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)
at org.testng.TestRunner.privateRun(TestRunner.java:776)
at org.testng.TestRunner.run(TestRunner.java:634)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:425)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:420)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:385)
at org.testng.SuiteRunner.run(SuiteRunner.java:334)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1318)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1243)
at org.testng.TestNG.runSuites(TestNG.java:1161)
at org.testng.TestNG.run(TestNG.java:1129)
at org.testng.TestNG.privateMain(TestNG.java:1459)
at org.testng.TestNG.main(TestNG.java:1428)
Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.xpath: //DIV[@class="button
flexVerticalCenter justifyContentCenter"]
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
System info: host: 'COGNITSBRYANPAZ', ip: '192.168.50.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0',
'1.8.0_144'
Driver info: driver.version: unknown
at org.openqa.selenium.support.ui.ExpectedConditions.lambda$findElement$0(ExpectedConditions.java:883)
at java.util.Optional.orElseThrow(Unknown Source)
at org.openqa.selenium.support.ui.ExpectedConditions.findElement(ExpectedConditions.java:882)
at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:44)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:206)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:202)
at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:644)
at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:641)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:209)
... 25 more

```

Ofertas()

Name: Ofertas
Description: Test de la vista ofertas de los socios correspondientes.
Signature: Ofertas()pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:34:15
End time: 11:34:45
Duration: 30s

```

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //DIV[@class='col-xs-
col-sm-12 col-md-11 col-lg-10'] (tried for 30 second(s) with 500 MILLISECONDS interval)
at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:80)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:232)
at Package_1.Test_Frenzy.Ofertas(Test_Frenzy.java:278)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:108)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:669)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:877)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1201)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)
at org.testng.TestRunner.privateRun(TestRunner.java:776)
at org.testng.TestRunner.run(TestRunner.java:634)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:425)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:420)

```



```
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:385)
at org.testng.SuiteRunner.run(SuiteRunner.java:334)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1318)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1243)
at org.testng.TestNG.runSuites(TestNG.java:1161)
at org.testng.TestNG.run(TestNG.java:1129)
at org.testng.TestNG.privateMain(TestNG.java:1459)
at org.testng.TestNG.main(TestNG.java:1428)
Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.xpath: //DIV[@class='col-xs-12 col-md-11 col-lg-10']
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
System info: host: 'COGNITSBRYANPAZ', ip: '192.168.50.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_144'
Driver info: driver.version: unknown
at org.openqa.selenium.support.ui.ExpectedConditions.lambda$findElement$0(ExpectedConditions.java:883)
at java.util.Optional.orElseThrow(Unknown Source)
at org.openqa.selenium.support.ui.ExpectedConditions.findElement(ExpectedConditions.java:882)
at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:44)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:206)
at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:202)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:209)
... 25 more
```

Premios()

Name: Premios
Description: Test de la vista premios
Signature: Premios()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:34:45
End time: 11:34:52
Duration: 7s

BotonesApp()

Name: BotonesApp
Description: Botones descargar en play store y app store
Signature: BotonesApp()[pri:0, instance:Package_1.Test_Frenzy@546a03af]
Start time: 11:34:52
End time: 11:34:56
Duration: 3s