


Modul : 12

Nama : Bryan Ricky C

NIM : 2105101012

Membuat input_aksi.php




```
<?php
include 'koneksi.php';
$npm = $_POST['npm'];
$nama = $_POST['nama'];
$alamat = $_POST['alamat'];
$kelas = $_POST['kelas'];

mysqli_query($koneksi,"insert into mahasiswa values('$npm','$nama','$alamat','$kelas')");

header("location:index.php?pesan=input");
?>
```

Membuat input.php



```
<!DOCTYPE html>
<html>
<head>
<title>Input Data Ke Database dengan PHP </title>
<link rel="stylesheet" type="text/css" href="style.css">
</head>
<body>

<div class="judul">
<h1>Input Data Ke Database dengan PHP</h1>
<h2>Input data dari database</h2>
<h3>www.unipma.ac.id</h3>
</div>

<br/>
<a href="index.php"><b> Lihat Semua Data</b></a>
```

The image shows two identical screenshots of a code editor interface, likely Microsoft Visual Studio Code, displaying PHP code for an input form. The code is identical in both instances.

The code defines a form for inputting student data:

```
<h3>Input Data Mahasiswa</h3>
<form action = "input_aksi.php" method = "post">
<table border="0" class="table">
<tr>
<td>NPM</td>
<td><input type="text" name="npm"></td>
</tr>
<tr>
<td>Nama</td>
<td><input type="text" name="nama"></td>
</tr>
<tr>
<td>Alamat</td>
<td><input type="text" name="alamat"></td>
</tr>
</table>
</form>
</body>
</html>
```

The code editor interface includes:

- File menu: File, Edit, Selection, View, Go, Run, ...
- Search bar: prak.php
- Explorer sidebar: PRAK_PHP > Latihan > Modul 12 > input.php
- Editor area: Lines 17-44 of input.php
- Bottom status bar: Ln 1, Col 1, Spaces: 4, UTF-8, CRLF, PHP, Go Live, Quokka, Prettier

The image shows two side-by-side code editors, both titled "prak.php".

Editor 1 (Top):

- File Path: Modul 12 > Latihan > koneksi.php
- Content:

```
<?php
$host = "localhost";
$username = "root";
$password = "";
$database = "unipma";
// Membuat koneksi ke database menggunakan MySQLi
$koneksi = new mysqli($host, $username, $password, $database);

// Memeriksa koneksi
if ($koneksi->connect_error) {
    die("Koneksi gagal: " . $koneksi->connect_error);
}

// Set karakter set untuk koneksi
$koneksi->set_charset("utf8");
?>
```

Editor 2 (Bottom):

- File Path: Modul 12 > Latihan > index.php
- Content:

```
<body>
<div class="judul">
    <h1>Membuat Koneksi Dengan PHP Dan MySQL</h1>
    <h2>Menampilkan data dari database</h2>
    <h3>www.unipma.ac.id</h3>
</div>

<br/>

<?php
if(isset($_GET['pesan'])) {
    $pesan = $_GET['pesan'];
    if($pesan == "input"){
        echo "Data Berhasil di Input.";
    }else if($pesan == "update"){
        echo "Data Berhasil di Update.";
    }
}
?>
```

The image displays two side-by-side screenshots of a code editor, likely Visual Studio Code, showing the same PHP file, `index.php`, in two different states.

Top Screenshot (Line 36-37):

```
<th>No.</th>
<th>NPM</th>
```

Bottom Screenshot (Line 36-37):

```
<th>No.</th>
<th>NPM</th>
```

In both screenshots, the code editor interface includes:

- EXPLORER** sidebar on the left showing project structure: `PRAK_PHP` (Modul 9, Modul 11, Modul 12, Latihan), `index.php` (input_aksi.php, input.php, koneksi.php, style.css, Tugas, Modul_10, Modul_13).
- Editor Area** showing the `index.php` file content.
- Bottom Status Bar** showing: Ln 7, Col 7, Spaces: 4, UTF-8, CRLF, PHP, Go Live, Quokka, Prettier.

The image shows two side-by-side instances of the Visual Studio Code code editor.

Top Window (index.php):

- Explorer:** Shows files in the 'PRAK_PHP' folder, including 'Modul 9', 'Modul 11', 'Modul 12' (selected), 'Latihan' (selected), 'index.php' (selected), 'input_aksi.php', 'input.php', 'koneksi.php', '# style.css', 'Tugas', 'Modul_10', and 'Modul_13'.
- Editor:** Displays the PHP code for 'index.php'. The code includes logic to echo data from an array '\$d' and provides links for 'EDIT' and 'HAPUS' actions.
- Status Bar:** Shows 'Ln 7, Col 7', 'Spaces: 4', 'UTF-8', 'CRLF', 'PHP', 'Go Live', 'Quokka', and 'Prettier' icons.

Bottom Window (# style.css):

- Explorer:** Shows files in the 'PRAK_PHP' folder, including 'Modul 9', 'Modul 11', 'Modul 12' (selected), 'Latihan' (selected), 'index.php' (selected), 'input_aksi.php', 'input.php', 'koneksi.php', '# style.css' (selected), 'Tugas', 'Modul_10', and 'Modul_13'.
- Editor:** Displays the CSS code for '# style.css'. It defines styles for the 'body' element (font-family, color), the '.judul' class (background-color, padding, text-align), and the '.judul h1, h2, h3' selector (height).
- Status Bar:** Shows 'Ln 1, Col 1', 'Spaces: 4', 'UTF-8', 'CRLF', 'CSS', 'Go Live', 'Quokka', and 'Prettier' icons.

A screenshot of a code editor window titled "prak.php". The left sidebar shows a file tree under "PRAK PHP": "Modul 9", "Modul 11", "Modul 12" (selected), "Latihan" (selected), "index.php", "input_aksi.php", "input.php", "koneksi.php", and "# style.css". The main editor area displays the following CSS code:

```
padding: 5px;
text-decoration: none;
}
.table{
border-collapse: collapse;
}
table.table th th , table.table tr td{
padding: 10px 20px;
}
```

The status bar at the bottom shows "Ln 1, Col 1" and other settings like "Spaces: 4", "UTF-8", "CRLF", "CSS", "Go Live", "Quokka", and "Prettier".

Hasil

A screenshot of a web browser window. The address bar shows "localhost/prak_php/Modul 12/Latihan/". The page title is "Membuat Koneksi Dengan PHP Dan MySQL". The content of the page is:

Membuat Koneksi Dengan PHP Dan MySQL
Menampilkan data dari database
www.unipma.ac.id

+ Tambah Data Baru

Data Mahasiswa

No.	NPM	Nama	Alamat	Kelas	Opsi
1	1	joko	ngawi	IA	EDIT HAPUS
2	2	agus	madiun	1B	EDIT HAPUS
3	3	susan	madiun	1C	EDIT HAPUS
4	4	AKu	Ngawi	1D	EDIT HAPUS

Input Data Ke Database dengan PHP

Input data dari database

www.unipma.ac.id

[Lihat Semua Data](#)

Input Data Mahasiswa

NPM	<input type="text" value="5"/>
Nama	<input type="text" value="A"/>
Alamat	<input type="text" value="a"/>
Kelas	<input type="text" value="a"/>

Membuat Koneksi Dengan PHP Dan MySQL

Menampilkan data dari database

www.unipma.ac.id

Data Berhasil di Input.

[+ Tambah Data Baru](#)


Data Mahasiswa

No.	NPM	Nama	Alamat	Kelas	Opsi
1	1	joko	ngawi	1A	EDIT HAPUS
2	2	agus	madiun	1B	EDIT HAPUS
3	3	susan	madiun	1C	EDIT HAPUS
4	4	AKu	Ngawi	ID	EDIT HAPUS
5	5	A	a	a	EDIT HAPUS

Tugas

Formulir Perpustakaan

Membuat input_aksi.php




```
<?php
include 'koneksi.php';
$nomor = $_POST['nomor'];
$judul = $_POST['judul'];
$penulis = $_POST['penulis'];
$peminjam = $_POST['peminjam'];

mysqli_query($koneksi, "INSERT INTO peminjaman (nomor, judul, penulis, peminjam)
VALUES ('$nomor','$judul','$penulis','$peminjam')");

header("location:index.php?pesan=input");
?>
```

Membuat input.php



```
<body>
<div class="container">
<div class="row">
<div class="col-12">
<div class="card mt-5">
<div class="card-header text-center">
<h1>Formulir Peminjaman Buku</h1>
</div>
<div class="card-body">
<form action = "input_aksi.php" method = "post">
<div class="mb-3">
<label for="exampleInputEmail1" class="form-label">Nomor Buku</label>
<input type="text" class="form-control" name="nomor" id="exampleInputEmail1" aria-
</div>
<div class="mb-3">
```

The image shows two identical screenshots of a code editor interface, likely Microsoft Visual Studio Code, displaying a PHP file named `input.php`. The editor has a dark theme with syntax highlighting for PHP code.

Top Screenshot:

```
<div class="mb-3">
<label for="exampleInputEmail1" class="form-label">Judul Buku</label>
<input type="text" class="form-control" name="judul" id="exampleInputEmail1" aria-describedby="exampleInputEmail1Help" value="Buku A" />
</div>
<div class="mb-3">
<label for="exampleInputEmail1" class="form-label">Penulis</label>
<input type="text" class="form-control" name="penulis" id="exampleInputEmail1" aria-describedby="exampleInputEmail1Help" value="John Doe" />
</div>
<div class="mb-3">
<label for="exampleInputEmail1" class="form-label">Nama Peminjam</label>
<input type="text" class="form-control" name="peminjam" id="exampleInputEmail1" aria-describedby="exampleInputEmail1Help" value="Jane Smith" />
</div>
<button type="submit" class="btn btn-primary">Submit</button>
</form>
</div>
```

Bottom Screenshot:

```
</div>
</div>
</div>
</div>
</div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js" integrity="
```

The code consists of several `<div>` elements with `mb-3` classes, each containing a `<label>` and a `<input>` element. There is also a `<button>` element inside a `<form>` tag. The bottom screenshot shows the closing tags for the `<div>` elements and a `<script>` tag at the end of the page.

The image shows two identical screenshots of a code editor interface, likely Microsoft Visual Studio Code, displaying the file `index.php`. The code is written in PHP and contains logic for handling GET requests and displaying a table.

```
<body>
<div class="container">
<div class="row mt-5">
<?php
if(isset($_GET['pesan'])) {
    $pesan = $_GET['pesan'];
    if($pesan == "input"){
        echo "Data Berhasil di Input.";
    }else if($pesan == "update"){
        echo "Data Berhasil di Update.";
    }elseif ($pesan == "hapus") {
        echo "Data Berhasil di Hapus.";
    }
}
header("refresh:3;url=index.php");
}

<br>
<br>
<a class="btn btn-primary mb-3" href="input.php" role="button">Tambah Data</a>
<table class="table border">
<thead>
<tr>
<th scope="col">No</th>
<th scope="col">Nomor Buku</th>
<th scope="col">Judul Buku</th>
<th scope="col">Penulis</th>
<th scope="col">Peminjam</th>
</tr>
</thead>
```

The image shows two side-by-side screenshots of a code editor interface, likely Visual Studio Code, displaying the same PHP file named `index.php`. Both versions are set to the dark theme and show the same code content.

File Explorer: The left sidebar shows a project structure under `PRAK_PHP` with the following files and folders:


- Modul 9
- Modul 11
- Modul 12
 - Latihan
 - Tugas
 - klinik
 - perpustakaan
- Modul_10
- Modul_13

Code Editor: The main area displays the `index.php` file content. The code is a PHP script that queries a MySQL database to fetch data from the `peminjaman` table and displays it in an HTML table.

```
Modul 12 > Tugas > perpustakaan > index.php
37 </tr>
38 </thead>
39
40 <?php
41 include "koneksi.php";
42 $nomor = 1;
43 $data = mysqli_query($koneksi,"select * from peminjaman");
44 while($d = mysqli_fetch_array($data)){
45
46
47 <tbody>
48
49 <!-- Data dari formulir akan ditampilkan di sini -->
50 <tr>
51 <td><?php echo $nomor++; ?></td>
52 <td><?php echo $d['nomor']; ?></td>
```

The bottom status bar indicates the file is `prak.php`, with line 11, column 24, spaces: 2, encoding: UTF-8, and other standard developer tools like Go Live, Quokka, and Prettier.

Second Screenshot: The second screenshot shows the same code editor with the same project structure and code content. It appears to be a duplicate or a second instance of the first screenshot.




A screenshot of the Visual Studio Code (VS Code) interface. The title bar says "prak.php". The left sidebar shows a file tree under "PRAK PHP" with files like "Modul 9", "Modul 11", "Modul 12", "Latihan", "Tugas", "klinik", "perpustakaan", "index.php", "input_aksi.php", "input.php", and "koneksi.php". The main editor area contains the following PHP code:

```
<?php  
$host = "localhost";  
$username = "root";  
$password = "";  
$database = "f_perpustakaan";  
// Membuat koneksi ke database menggunakan MySQLi  
$koneksi = new mysqli($host, $username, $password, $database);  
// Memeriksa koneksi  
if ($koneksi->connect_error) {  
    die("Koneksi gagal: " . $koneksi->connect_error);  
}  
// Set karakter set untuk koneksi  
$koneksi->set_charset("utf8");  
?>
```

The status bar at the bottom shows "Ln 14, Col 3" and other settings.

Hasil




A screenshot of a table with a header "Tambah Data". The table has five columns: No, Nomor Buku, Judul Buku, Penulis, and Peminjam. There are two rows of data:

No	Nomor Buku	Judul Buku	Penulis	Peminjam
1	1A	Aku	Kamu	Saya
2	1B	A	B	C



Form servis motor

Membuat input_aksi.php




```
<?php
include 'koneksi.php';
$nomor = $_POST['nomor'];
$nama = $_POST['nama'];
$tanggal = $_POST['tanggal'];
$jenis = $_POST['jenis'];

mysqli_query($koneksi, "INSERT INTO servis (nomor, nama, tanggal, jenis)
VALUES ('$nomor','$nama','$tanggal','$jenis')");

header("location:index.php?pesan=input");
?>
```

Membuat input.php



```
<body>
<div class="container">
<div class="row">
<div class="col-12">
<div class="card mt-5">
<div class="card-header text-center">
<h1>Formulir Servis Motor</h1>
</div>
<div class="card-body">
<form action = "input_aksi.php" method = "post">
<div class="mb-3">
<label for="exampleInputEmail1" class="form-label">Nomor Kendaraan</label>
<input type="text" class="form-control" name="nomor" id="exampleInputEmail1" aria</div>
<div class="mb-3">
```

```
<div class="mb-3">
<label for="exampleInputEmail1" class="form-label">Nama Pemilik</label>
<input type="text" class="form-control" name="nama" id="exampleInputEmail1" aria-
</div>
<div class="mb-3">
<label for="exampleInputEmail1" class="form-label">Tanggal Service</label>
<input type="date" class="form-control" name="tanggal" id="exampleInputEmail1" aria-
</div>
<p>Jenis Service</p>
<select class="form-select mb-3" name="jenis" aria-label="Default select example">
<option selected>Jenis Service</option>
<option value="Service Ringan">Service Ringan</option>
<option value="Service Berat">Service Berat</option>
<option value="Cek Semua">Cek Semua</option>
</select>
```



```
</select>
<button type="submit" class="btn btn-primary">Submit</button>
</form>
</div>
</div>
</div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js" integrity=
```

The image shows two identical screenshots of a code editor interface, likely VS Code, displaying the file `index.php`. The code is written in PHP and contains logic for handling different types of user input (pesan) and displaying success messages. It also includes a header refresh and a table structure.

```
<body>
<div class="container">
<div class="row">
<div class="col-12 mt-5">
<?php
if(isset($_GET['pesan'])) {
    $pesan = $_GET['pesan'];
    if($pesan == "input"){
        echo "Data Berhasil di Input.";
    }else if($pesan == "update"){
        echo "Data Berhasil di Update.";
    }elseif ($pesan == "hapus") {
        echo "Data Berhasil di Hapus.";
    }
}
header("refresh:3;url=index.php");
}
<br>
<br>
<a class="btn btn-primary mb-3" href="input.php" role="button">Tambah Data</a>
<table class="table border">
<thead>
<tr>
<th scope="col">No</th>
<th scope="col">Nomor Kendaraan</th>
<th scope="col">Nama Pemilik</th>
<th scope="col">Tanggal Service</th>
<th scope="col">Jenis Service</th>
</tr>

```

The image shows two side-by-side screenshots of a code editor interface, likely Visual Studio Code, displaying PHP code for a web application. Both screenshots have a dark theme and show the same file structure in the Explorer sidebar.

Screenshot 1 (Top):

```
Modul 12 > Tugas > servis > index.php
37     </tr>
38     </thead>
39
40     <?php
41         include "koneksi.php";
42
43         $nomor = 1;
44
45         $data = mysqli_query($koneksi,"select * from servis");
46
47         while($d = mysqli_fetch_array($data)){
48
49             ?>
50
51             <tbody>
52                 <!-- Data dari formulir akan ditampilkan di sini -->
53                 <tr>
54                     <td><?php echo $nomor++; ?></td>
55                     <td><?php echo $d['nomor']; ?></td>
```

Screenshot 2 (Bottom):

```
Modul 12 > Tugas > servis > index.php
51             <td><?php echo $d['nomor']; ?></td>
52
53             <td><?php echo $d['nama']; ?></td>
54
55             <td><?php echo $d['tanggal']; ?></td>
56
57             <td><?php echo $d['jenis']; ?></td>
58
59         </tr>
60
61         </tbody>
62
63         <?php
64             ?
65             </table>
66
67             </div>
68
69             </div>
70
71             <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js" integrity="
```

The code in both screenshots is nearly identical, with minor differences in line numbers and some whitespace. The code is a PHP script that includes a database connection, retrieves data from a MySQL table named 'servis', and displays it in an HTML table. The table columns correspond to the fields in the database table: nomor, nama, tanggal, and jenis.

The screenshot shows a code editor interface with a dark theme. In the top bar, there are tabs for 'prak.php', 'input_aksi.php', and 'koneksi.php'. The 'koneksi.php' tab is active. The left sidebar has an 'EXPLORER' section showing a file tree under 'PRAK PHP' with items like 'Modul 9', 'Modul 11', 'Modul 12', 'Latihan', 'Tugas', 'klinik', 'perpustakaan', 'servis', 'index.php', 'input_aksi.php', 'input.php', and 'koneksi.php'. Below the tree are sections for 'OUTLINE' and 'TIMELINE'. The main area contains the following PHP code:

```
1 <?php
2 $host = "localhost";
3 $username = "root";
4 $password = "";
5 $database = "f_servis";
6 // Membuat koneksi ke database menggunakan MySQLi
7 $koneksi = new mysqli($host, $username, $password, $database);
8 // Memeriksa koneksi
9 if ($koneksi->connect_error) {
10 die("Koneksi gagal: " . $koneksi->connect_error);
11 }
12 // Set karakter set untuk koneksi
13 $koneksi->set_charset("utf8");
14 ?>
```

At the bottom of the editor, status bars show 'Ln 5, Col 24', 'Spaces: 4', 'UTF-8', 'CRLF', 'PHP', 'Go Live', 'Quokka', and 'Prettier'.

Hasil

The screenshot shows a browser window with the URL 'localhost/prak_php/Modul 12/Tugas/servis/'. The page displays a table titled 'Formulir Servis Motor' with two rows of data. The table has columns: No, Nomor Kendaraan, Nama Pemilik, Tanggal Service, and Jenis Service.

No	Nomor Kendaraan	Nama Pemilik	Tanggal Service	Jenis Service
1	AE	AKu	2024-01-10	Service Ringan
2	AB	Saya	2024-01-31	Cek Semua

Tambah Data

No	Nomor Kendaraan	Nama Pemilik	Tanggal Service	Jenis Service
1	AE	AKu	2024-01-10	Service Ringan
2	AB	Saya	2024-01-31	Cek Semua



Formulir Servis Motor

Nomor Kendaraan

Nama Pemilik

Tanggal Service
 (Klik untuk pilih)

Jenis Service

Submit



Data Berhasil di Input.

Tambah Data

No	Nomor Kendaraan	Nama Pemilik	Tanggal Service	Jenis Service
1	AE	AKu	2024-01-10	Service Ringan
2	AB	Saya	2024-01-31	Cek Semua
3	B	B	2024-01-01	Service Berat

Formulir kliniksehat

Membuat input_aksi.php

```
<?php  
include 'koneksi.php';  
  
$nik = $_POST['nik'];  
$nama = $_POST['nama'];  
$jk = $_POST['jk'];  
$alamat = $_POST['alamat'];  
  
mysqli_query($koneksi, "INSERT INTO pendaftaran (nik, nama, jk, alamat)  
VALUES ('$nik','$nama','$jk','$alamat')");  
  
header("location:index.php?pesan=input");  
  
?>
```

Membuat input.php

```
<div class="container">  
  <div class="row">  
    <div class="col-12">  
      <div class="card mt-5">  
        <div class="card-header text-center">  
          <h1>Formulir Pendaftaran Klinik</h1>  
        </div>  
        <div class="card-body">  
          <form action = "input_aksi.php" method = "post">  
            <div class="mb-3">  
              <label for="exampleInputEmail1" class="form-label">NIK</label>  
              <input type="text" class="form-control" name="nik" id="exampleInputEmail1" aria-descr  
            </div>  
            <div class="mb-3">  
              <label for="exampleInputEmail1" class="form-label">Nama</label>  
              <input type="text" class="form-control" name="nama" id="exampleInputEmail1" aria-descr...>
```

The image shows two identical screenshots of a code editor interface, likely VS Code, displaying the file `input.php`. The code is a form for gender selection and address entry.

```
<input type="text" class="form-control" name="nama" id="exampleInputEmail1" aria-describedby="exampleInputEmail1Help" placeholder="Nama" required>
</div>
<p>Jenis Kelamin</p>
<div class="form-check form-check-inline mb-3">
<input class="form-check-input" name="jk" type="radio" name="inlineRadioOptions" id="inlineRadio1" checked="">
<label class="form-check-label" for="inlineRadio1">Laki - Laki</label>
</div>
<div class="form-check form-check-inline mb-3">
<input class="form-check-input" type="radio" name="jk" name="inlineRadioOptions" id="inlineRadio2" checked="">
<label class="form-check-label" for="inlineRadio2">Perempuan</label>
</div>
<div class="mb-3">
<label for="exampleInputEmail1" class="form-label">Alamat</label>
<input type="text" class="form-control" name="alamat" id="exampleInputEmail1" aria-describedby="exampleInputEmail1Help" placeholder="Alamat" required>
</div>
```

The code consists of several HTML elements including input fields, labels, and radio buttons. It is structured with Bootstrap classes like `form-control`, `form-check`, and `mb-3`.

The image shows two side-by-side screenshots of a code editor, likely Visual Studio Code, displaying the same PHP file, `index.php`. Both screenshots show the file's content and the file tree in the Explorer sidebar.

File Tree (Explorer):

- PRAK_PHP
- Modul 9
- Modul 11
- Modul 12
 - Lathian
 - Tugas
 - klinik
 - index.php
 - input_aksi.php
 - input.php
 - koneksi.php
 - perpustakaan
 - servis
 - Modul_10
 - Modul_13

Code Content:

```
<body>
<div class="container">
<div class="row">
<div class="col-12 mt-5">
<?php
if(isset($_GET['pesan'])) {
    $pesan = $_GET['pesan'];
    if($pesan == "input"){
        echo "Data Berhasil di Input.";
    }else if($pesan == "update"){
        echo "Data Berhasil di Update.";
    }elseif ($pesan == "hapus") {
        echo "Data Berhasil di Hapus.";
    }
}
header("refresh:3;url=index.php");
}

<br>
<br>
<a class="btn btn-primary mb-3" href="input.php" role="button">Tambah Data</a>
<table class="table border">
<thead>
<tr>
<th scope="col">No</th>
<th scope="col">NIK</th>
<th scope="col">Nama</th>
<th scope="col">Jenis Kelamin</th>
<th scope="col">Alamat</th>
</tr>
```

Both screenshots show the same code, indicating no changes have been made to the file.

```
</tr>
</thead>
<?php
include "koneksi.php";
$nomor = 1;
$data = mysqli_query($koneksi,"select * from pendaftaran");
while($d = mysqli_fetch_array($data)){
?>
<tbody>
<!-- Data dari formulir akan ditampilkan di sini --&gt;
&lt;tr&gt;
&lt;td&gt;&lt;?php echo $nomor++; ?&gt;&lt;/td&gt;
&lt;td&gt;&lt;?php echo $d['nik']; ?&gt;&lt;/td&gt;</pre>  


```
<td><?php echo $d['nik']; ?></td>
<td><?php echo $d['nama']; ?></td>
<td><?php echo $d['jk']; ?></td>
<td><?php echo $d['alamat']; ?></td>
</tr>
</tbody>
<?php
}
?>
</table>
</div>
</div>
</div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js" integrity=
```


```

The screenshot shows the Visual Studio Code interface with the following details:


- File Explorer:** Shows a tree view of files under "PRAK PHP". The "koneksi.php" file is selected.
- Editor:** Displays the following PHP code:

```
<?php  
$host = "localhost";  
$username = "root";  
$password = "";  
$database = "f_klinik";  
// Membuat koneksi ke database menggunakan MySQLi  
$koneksi = new mysqli($host, $username, $password, $database);  
// Memeriksa koneksi  
if ($koneksi->connect_error) {  
    die("Koneksi gagal: " . $koneksi->connect_error);  
}  
// Set karakter set untuk koneksi  
$koneksi->set_charset("utf8");  
?>
```
- Status Bar:** Shows "Ln 14, Col 3" and other status indicators like "Spaces: 4", "UTF-8", "CRLF", "PHP", "Go Live", "Quokka", and "Prettier".

Hasil



| Tambah Data | | | | |
|-------------|--------|------|---------------|--------|
| No | NIK | Nama | Jenis Kelamin | Alamat |
| 1 | 352101 | Aku | Laki - Laki | Indo |
| 2 | 352102 | Saya | Laki - Laki | Ngawi |



Data Berhasil di Input.

Tambah Data

| No | NIK | Nama | Jenis Kelamin | Alamat |
|----|--------|------|---------------|--------|
| 1 | 352101 | Aku | Laki - Laki | Indo |
| 2 | 352102 | Saya | Laki - Laki | Ngawi |
| 3 | 352103 | A | Perempuan | A |