

## Modul 7

Nama : Bryan Ricky C

NIM : 2105101012

### Tag Div

The screenshot displays a development environment with two code editors and a browser preview.

**Top Editor:** Shows the CSS part of a tag div. The class ".satubag" is defined with the following properties:

```
.satubag {
    background-color: black;
    color: white;
    margin: 20px;
    padding: 20px;
}
```


**Bottom Editor:** Shows the full HTML structure. The HTML includes a head section with a style block containing the CSS for ".satubag". The body section contains a div with the class "satubag" which contains a h2 and a p tag.

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0" />
        <title>Penggunaan Tag Div</title>
        <style>
            .satubag {
                background-color: black;
                color: white;
                margin: 20px;
                padding: 20px;
            }
        </style>
    </head>
    <body>
        <div class="satubag">
            <h2>Pengumuman</h2>
            <p>Seminar Nasional</p>
            <p>Dengan Tema Penguetan Kualitas Pendidikan Tinggi Melalui Publikasi Ilmiah Bereputasi</p>
        </div>
    </body>
</html>
```

**Browser Preview:** Shows a black box with white text. The text inside the box is:

Pengumuman  
Seminar Nasional  
Dengan Tema Penguetan Kualitas Pendidikan Tinggi Melalui Publikasi Ilmiah Bereputasi

## Praktikum 1




The screenshot shows the Visual Studio Code interface with the file `praktikum1.html` open. The code defines a CSS box with a relative position and absolute child elements. A screenshot of the rendered HTML is shown below, featuring a blue header bar with the text "CSS = Bagian Ini Tentang Text" inside a yellow-bordered box.

```
<meta charset="UTF-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Document</title>
</head>
<body>
<div style="position: relative">
<div style="opacity: 0.5; position: absolute; left: 50px; top: -30px; width: 300px; height: 150px; background-color: #b4009e; color: white; padding: 10px; border-radius: 10px; letter-spacing: 12px; font-size: 15px; position: relative; left: 25px; top: 25px">
<h1>CSS = Bagian Ini Tentang Text</h1>
<div style="background-color: #ffff00; color: black; padding: 10px; border-radius: 10px; margin-top: 10px; width: 360px; height: 130px; position: relative; left: 25px; top: 25px">
<span style="background-color: #b4009e; color: white; padding: 5px; border-radius: 5px; display: inline-block; margin-bottom: 10px">Kotak</span>
</div>
</div>
</div>
```

**Kotak x t**

## Praktikum 2



The screenshot shows the Visual Studio Code interface with the file `praktikum2.html` open. The code defines a CSS class `.satubag` with a black background and white text, applied to a `div` element. A screenshot of the rendered HTML is shown below, featuring a blue header bar with the text "Kotak x t" inside a yellow-bordered box.

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Document</title>
<style>
.satubag {
background-color: black;
color: white;
margin: 20px;
padding: 20px;
}
</style>
</head>
```

The screenshot shows a Microsoft Edge browser window displaying three cards with content from a web page. The browser interface includes a top navigation bar with File, Edit, Selection, View, Go, Run, and a search bar. Below the navigation is an Explorer sidebar showing a file structure under 'PRAK WEB' and 'Modul 7'. The main content area shows code snippets for 'praktikum2.html' and 'praktikum2.html' (repeated). The bottom of the browser window has status bars for line and column numbers, spaces, encoding, and various developer tools.

```
<div class="satubag">
<h2>Tentang Kota Madiun</h2>
<p>Kota Madiun itu kota yang cukup kecil wilayahnya terdiri dari kecamatan saja</p>
<p>Tapi justru karena kecilnya itu membuat pengelolaanya menjadi lebih intensif. Ini seperti Negara besar.</p>
</div>

<div class="satubag">
<h2>Kota Wisata</h2>
<p>Magetan.</p>
<p>Berada di kaki dan lereng gunung Lawu, menyimpan potensi pariwisata dan pertanian</p>
<p>Nuansa desa yang masih alami banyak dijumpai di kabupaten ini. Pasar tradisional banyak diisi c</p>
</div>
```

```
<div class="satubag">
<h2>Ponorogo</h2>
<p>Ponorogo adalah kota yang mempunyai budaya yang cukup kuat, yaitu budaya reog</p>
<p>Berada di sebelah selatan Kota Madiun, alamnya yang masih baik masih menyisakan nuansa pedesaan</p>
<p>Siapa ingin berkunjung ke Ponorogo dijamin akan puas berpariwisata kuliner yaitu mencoba sate Pono</p>
</div>
</body>
</html>
```

## Tentang Kota Madiun

Kota Madiun itu kota yang cukup kecil wilayahnya terdiri dari kecamatan saja

Tapi justru karena kecilnya itu membuat pengelolaanya menjadi lebih intensif. Ini seperti Negara Singapura, negara yang karena kecilnya dapat mengelola wilayahnya menjadi lebih baik dan lebih cepat dibandingkan negara yang lebih besar.

## Kota Wisata

Magetan.

Berada di kaki dan lereng gunung Lawu, menyimpan potensi pariwisata dan pertanian

Nuansa desa yang masih alami banyak dijumpai di kabupaten ini. Pasar tradisional banyak diisi oleh sayuran segar hasil petik kebun

## Ponorogo

Ponorogo adalah kota yang mempunyai budaya yang cukup kuat, yaitu budaya reog

Berada di sebelah selatan Kota Madiun, alamnya yang masih baik masih menyisakan nuansa pedesaan yang murni

Siapa ingin berkunjung ke Ponorogo dijamin akan puas berpariwisata kuliner yaitu mencoba sate Ponorogo dan dawet jabung.

## Praktikum 3

The image displays two side-by-side instances of the Visual Studio Code (VS Code) code editor. Both instances have the title bar "Prak Web" and show the file "praktikum3.html" in the Explorer sidebar under the "Modul 7" folder.

**Top Instance:**

```
<title>Document</title>
<style>
  #header {
    background-color: black;
    color: white;
    text-align: center;
    padding: 5px;
  }
  #nav {
    line-height: 30px;
    background-color: #eeeeee;
    height: 300px;
    width: 100px;
    float: left;
    padding: 5px;
  }
</style>
```

**Bottom Instance:**

```
#section {
  width: 350px;
  float: left;
  padding: 10px;
}
#footer {
  background-color: black;
  color: white;
  clear: both;
  text-align: center;
  padding: 5px;
}
</style>
</head>
<body>
```

Screenshot of a Microsoft Edge browser window showing the code editor interface for a web page named "praktikum3.html". The code is an HTML document with a header, navigation, section, and footer.

```

<body>
  <div id="header">
    <h1>Kota Wisata</h1>
  </div>
  <div id="nav">
    Madiun<br />
    Magetan<br />
    Ponorogo<br />
  </div>
  <div id="section">
    <h2>Ponorogo</h2>
    <p>Ponorogo adalah kota yang mempunyai budaya yang cukup kuat, yaitu budaya reog</p>
    <p>Berada di sebelah selatan Kota Madiun, alamnya yang masih baik masih menyisakan nuansa pedesaan</p>
    <p>Siapa ingin berkunjung ke Ponorogo dijamin akan puas berpariwisata kuliner yaitu mencoba sate Ponorogo dan dawet jabung.</p>
  </div>
  <div id="footer">Info lebih lanjut kunjungi www.kuliner.jatim


The browser's status bar shows the file path: file:///D:/KULIAH SS/Prak Web/Modul 7/praktikum3.html. The bottom of the browser window displays the rendered HTML content:



Kota Wisata



Madiun  
Magetan  
Ponorogo



Ponorogo



Ponorogo adalah kota yang mempunyai budaya yang cukup kuat, yaitu budaya reog



Berada di sebelah selatan Kota Madiun, alamnya yang masih baik masih menyisakan nuansa pedesaan yang murni



Siapa ingin berkunjung ke Ponorogo dijamin akan puas berpariwisata kuliner yaitu mencoba sate Ponorogo dan dawet jabung.



Info lebih lanjut kunjungi www.kuliner.jatim


```

Display

Prak Web


```

<html>
  <head>
    <style>
      .navigasi {
        text-align: center;
      }
      .navigasi li {
        display: inline-block;
        background-color: red;
        width: 150px;
        height: 150px;
      }
    </style>
  </head>
  <body>
    <div class="header">
      <h1>SELAMAT DATANG DI WEBKU</h1>
    </div>
    <div class="navigasi">
      <ul>
        <li><a href="#">HOME</a></li>
        <li><a href="#">PROFIL</a></li>
        <li><a href="#">CONTACT</a></li>
      </ul>
    </div>
    <div class="main">
      <h2>Bagian ini adalah isi web</h2>
      <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Totam et quia nobis atque aliquid quo</p>
    </div>
  </body>
</html>

```

Ln 1, Col 15 Spaces: 2 UTF-8 CRLF HTML Go Live Quokka Prettier

## SELAMAT DATANG DI WEBKU



### Bagian ini adalah isi web

Lorem ipsum dolor sit amet consectetur adipisicing elit. Totam et quia nobis atque aliquid quo eligendi molestias quasi libero, perferendis tempore, a distinctio maxime soluta reiciendis cupiditate sed similique debitis.

## Dimension

The screenshot shows a code editor interface with two main panes. The left pane is the Explorer view, displaying a file tree for 'PRAK WEB' under 'Modul 7'. The right pane is the code editor, showing the content of 'dimension.html'. The code defines two CSS classes: '.satu' and '.dua'. The '.satu' class sets a width of 200px, height of 200px, and a pink background color. The '.dua' class sets a width of 100%, height of 20%, and an aqua background color. The code editor also shows the HTML structure with a head section containing the style block and a body section with two div elements: one with class 'satu' containing 'WELCOME' and another with class 'dua' containing 'Hello World'. Below the code editor is a browser preview window showing the rendered HTML. The browser title bar says 'file:///D/KULIAH%20SS/Prak Web/Modul 7/dimension.html'. The browser content area displays 'WELCOME' in a pink box and 'Hello World' in a blue box.

```
<head>
<style>
.satu {
width: 200px;
height: 200px;
background-color: #pink;
}
.dua {
width: 100%;
height: 20%;
background-color: #aqua;
}
</style>
</head>
<body>
<div class="satu">WELCOME</div>
<br />
<div class="dua">Hello World</div>
</body>
</html>
```

## Overflow

The screenshot shows the Visual Studio Code interface with the following details:

- Explorer View:** Shows a file tree for "PRAK WEB" with various HTML files like "border.html", "boxsizing.html", "dimension.html", etc., and some image files.
- Editor View:** Displays the content of "overflow.html".

```
<head>
<style>
.satu {
    width: 200px;
    height: 200px;
    background-color: pink;
    overflow: auto;
}
</style>
</head>
<body>
<br />
<div class="satu">
    Lorem ipsum dolor sit amet consectetur adipisicing elit. Mollitia in quam cupiditate animi ea reiciendis eaque ducimus aliquam earum. Obsecrati animi quo, iusto quos accusamus accusantium laborum velit consequuntur fuga.
</div>
</body>
</html>
```
- Browser Preview:** Below the editor, a browser window shows the rendered content of the "overflow.html" file. A pink box highlights the "satu" div, which has a width of 200px and a height of 200px, and contains the text "Lorem ipsum dolor sit amet consectetur adipisicing elit. Mollitia in quam cupiditate animi ea reiciendis eaque ducimus aliquam earum. Obsecrati animi quo, iusto quos accusamus accusantium laborum velit consequuntur fuga."

## Margin


The screenshot shows the Visual Studio Code interface with the following details:

- Explorer View:** Shows a file tree for "PRAK WEB" with various HTML files like "border.html", "boxsizing.html", "dimension.html", etc., and some image files.
- Editor View:** Displays the content of "margin.html".

```
<title>CSS Layouting : Display</title>
<style>
.satu {
    width: 120px;
    height: 120px;
    background-color: lightblue;
    margin-top: 10px;
    margin-left: 30px;
}
.dua {
    width: 100px;
    height: 100px;
    background-color: purple;
    margin-left: -50px;
    margin-bottom: 50px;
}
</style>
```
- Browser Preview:** Below the editor, a browser window shows the rendered content of the "margin.html" file. It displays two boxes: a blue box with a width of 120px and a height of 120px, and a purple box with a width of 100px and a height of 100px. The blue box has a top margin of 10px and a left margin of 30px. The purple box has a left margin of -50px and a bottom margin of 50px.

The status bar at the bottom shows: Ln 4, Col 43 Spaces: 2 UTF-8 CRLF HTML Go Live Quokka Prettier
A preview window below shows a light blue square with the word 'SATU' inside it, followed by a purple square with the word 'DUA' inside it."/>

## Border



## Padding

File Edit Selection View Go Run ... ← → 🔍 Prak Web

EXPLORER PRAK WEB ... padding.html

Modul 7 > padding.html > html > head > style .satu

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>CSS Layouting : Display</title>
5     <style>
6       .satu {
7         width: 120px;
8         height: 120px;
9         background-color: lightblue;
10        margin-top: 10px;
11        margin-left: 30px;
12        border-left: 5px dashed grey;
13        padding-left: 50px;
14      }
15
16      .dua {
17        width: 100px;
18        height: 100px;
19        background-color: purple;
20        /* margin-left: -50px; */
21        margin-bottom: 50px;
22        border-top: 10px dotted white;
23        padding-top: 30px;
24      }
25    </style>
26  </head>
27  <body>
28    <div class="satu">SATU</div>
29    <div class="dua">DUA</div>
30  </body>
```

Ln 7, Col 22 Spaces: 2 UTF-8 CRLF HTML ⚡ Go Live ⚡ Quokka ✨ Prettier

File Edit Selection View Go Run ... ← → 🔍 Prak Web

EXPLORER PRAK WEB ... padding.html

Modul 7 > padding.html > html > head > style .dua

```
.dua {
  width: 100px;
  height: 100px;
  background-color: purple;
  /* margin-left: -50px; */
  margin-bottom: 50px;
  border-top: 10px dotted white;
  padding-top: 30px;
}
```

</style>

```
</head>
<body>
  <div class="satu">SATU</div>
  <div class="dua">DUA</div>
</body>
```

Ln 7, Col 22 Spaces: 2 UTF-8 CRLF HTML ⚡ Go Live ⚡ Quokka ✨ Prettier




## Box Sizing

```
<!DOCTYPE html>
<html>
<head>
<title>CSS Layouting : Display</title>
<style>
.satu {
width: 120px;
height: 120px;
background-color: lightblue;
margin-top: 10px;
margin-left: 30px;
border-left: 5px dashed grey;
padding-left: 50px;
}
.dua {
```

```
.dua {
width: 100px;
height: 100px;
background-color: purple;
/* margin-left: -50px; */
margin-bottom: 50px;
border-top: 10px dotted white;
padding-top: 30px;
box-sizing: border-box;
}
```

The image shows two screenshots of a code editor (VS Code) displaying CSS code for two classes: ".satu" and ".dua". The ".satu" class is defined with a width of 120px, a height of 120px, a lightblue background, a 10px margin-top, a 30px margin-left, a 5px dashed grey border-left, and a 50px padding-left. The ".dua" class is defined with a width of 100px, a height of 100px, a purple background, a 50px margin-bottom, a 10px dotted white border-top, a 30px padding-top, and a box-sizing of border-box.



## Float

### Text Wrapping

Prak Web

```

<style>
  .container {
    background-color: red;
    margin: auto;
    width: 500px;
    padding: 5px;
    overflow: hidden;
  }

  .gambar {
    height: 150px;
    width: 150px;
    float: left;
    margin: 5px;
  }

```

Prak Web

```

.tulisan {
  margin-left: 170px;
}

.clear {
  clear: left;
}

</style>

</head>

<body>

<div class="container">
  
  <p class="tulisan">
    Lorem ipsum dolor sit amet, consectetur adipisicing elit. Inventore quasi cupiditate eveniet. Cor
  </p>
</div>

<div class="clear"></div>
</body>
</html>

```

Ln 28, Col 9 Spaces: 2 UTF-8 CRLF HTML Go Live Quokka Prettier

Portfolio file:///D/KULIAH SS/Prak Web/Modul 7/float\_1.html



The logo of Universitas PGRI Mataram (UNIPMA) features a central emblem with a torch and wings, surrounded by a circular border with the university's name in Indonesian.

Logo ipsum dolor sit amet, consectetur  
adipisicing elit. Inventore quasi cupiditate eveniet.  
Consequuntur nesciunt aspernatur dolorem laborum  
quasi nigris officiis, qui quam facilius quisqueque expedita  
illo inventore earum fugit permutat.

## Float

### Image Gallery

The image shows three screenshots of a code editor interface, likely Visual Studio Code, demonstrating the creation of a simple image gallery using CSS floats.

**Screenshot 1:** The code defines a container with a width of 500px and a centered galeri element with a width of 100px and height of 100px. The galeri element has a lightgreen background color, a margin of 5px, and is set to float left. It also has a text-align center and a line-height of 100px. A .clear class is defined at the bottom of the style section.

```
<style>
    .container {
        margin: auto;
        width: 500px;
    }
    .galeri {
        width: 100px;
        height: 100px;
        margin: 5px;
        background-color: lightgreen;
        float: left;
        text-align: center;
        line-height: 100px;
    }
    .clear {

```


**Screenshot 2:** The code continues from the previous screenshot, adding the closing brace for the .clear class and the end of the style section. It then shows the start of the body section, which contains a container div containing seven galeri divs, each containing a number from 1 to 7.

```
.clear {
}
</style>
</head>
<body>
    <div class="container">
        <div class="galeri">1</div>
        <div class="galeri">2</div>
        <div class="galeri">3</div>
        <div class="galeri">4</div>
        <div class="galeri">5</div>
        <div class="galeri">6</div>
        <div class="galeri">7</div>
    </div>

```

**Screenshot 3:** The code completes the body section with a closing body tag and ends with a closing html tag. The file path shown in the sidebar is "Modul 7 > float\_2.html".

```
</div>
</body>
</html>
```



## Float

### Multi-Column Layout

The image shows two screenshots of the Visual Studio Code (VS Code) interface, both displaying the file "float\_3.html".

**Screenshot 1:** The code defines a container with a width of 800px and margin set to auto. It also defines a sidebar with a width of 150px, height of 500px, background color of lightgreen, and a float value of left. The sidebar is currently selected in the code editor.

```
<style>
    .container {
        margin: auto;
        width: 800px;
    }

    .sidebar {
        width: 150px;
        height: 500px;
        background-color: lightgreen;
        float: left;
    }

```

**Screenshot 2:** The code continues from the previous screenshot. It defines a main section with a width of 500px, height of 500px, background color of lightgrey, and a float value of left. It also defines a rightbar section with a width of 150px, height of 500px, background color of red, and a float value of left. The rightbar section is currently selected in the code editor.

```
}

    .main {
        width: 500px;
        height: 500px;
        background-color: lightgrey;
        float: left;
    }

    .rightbar {
        background-color: red;
        width: 150px;
        height: 500px;
        float: left;
    }
</style>
</head>
```

The Explorer sidebar on the left lists various HTML files and other project files like "unimpa.jpg" and "unimpa.docx". The status bar at the bottom of the VS Code interface shows "Ln 5, Col 8" and other standard development tools.

The screenshot shows a code editor and a browser window side-by-side. The code editor displays an HTML file named `float_3.html`. The file structure is as follows:

```
<html>
  <head>
  </head>
  <body>
    <div class="container">
      <div class="sidebar">1</div>
      <div class="main">2</div>
      <div class="rightbar">3</div>
    </div>
  </body>
</html>
```

The browser window shows the rendered HTML. It features a light gray background. On the left is a green vertical bar labeled '1'. In the center is a white vertical bar labeled '2'. On the right is a red vertical bar labeled '3'. This visualizes how the floating elements are positioned relative to each other and the container.

## Position


The screenshot shows a code editor with an open file named `position.html`. The file contains the following CSS styles:

```
.container {
  margin: auto;
  width: 800px;
  height: 2000px;
}
.sidebar,
.main,
.rightbar {
  width: 100px;
  height: 100px;
}
```

The sidebar and main sections are currently empty, while the rightbar section is filled with a solid red color.

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <style>
      .sidebar {
        background-color: lightgreen;
      }
      .main {
        background-color: lightgrey;
        position: fixed;
        top: 0px;
        left: 0;
        /* width: 100%; */
      }
      .rightbar {
        background-color: red;
      }
    </style>
  </head>
```

```
<body>
  <div class="container">
    <div class="sidebar">1</div>
    <div class="main">2</div>
    <div class="rightbar">3</div>
  </div>
</body>
</html>
```



## Tugas Praktikum

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Portofolio</title>
<link rel="stylesheet" href="style.css" />
</head>
<body id="home">
<nav>
<ul>
<a href="" class="merk">Valliant Dheka F</a>
<li><a href="#home">Home</a></li>
<!-- <li><a href="#home">About Me</a></li> -->
<li><a href="#profile">Profile</a></li>
<li><a href="#profile">Contact</a></li>
</ul>
</nav>
<div class="container">
<div id="about">

<br><br><br>
<h1>Valliant Dheka F</h1>
<p class="univ">Mahasiswa Universitas PGRI Madiun</p>
<p>Teknik Informatika</p>
<div class="clear"></div>
</div>

<div id="profile">
<div class="school"><a href="#sd">SD</a></div>
<div class="school"><a href="#smp">SMP</a></div>
<div class="school"><a href="#sma">SMA</a></div>
</div>
<div id="sd">
<h2>SD</h2>
<p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Exercitationem, animi.</p>
</div>
<div id="smp">
<h2>SMP</h2>
<p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Nesciunt suscipit ratione cum minus numquam magni saepe eligendi dolores delectus cumque.</p>
</div>
```

```
<div id="sma">
  <h2>SMA</h2>
  <p>Lorem ipsum dolor sit, amet consectetur adipisicing elit. Sed repellendus libero aut! A minima, nihil laboriosam corporis eos dolore eligendi numquam debitis quam vero alias. Tenetur vel expedita eligendi inventore.</p>
</div>
</div>
</body>
```

CSS

```
/* html {
    padding: 0;
    margin: 0;
} */
html {
    background-color: red;
}

nav {
    width: 100%;
    background-color: red;
    position: fixed;
    top: 0;
    left: 0;
    text-align: end;
    font-size: 1.1rem;
    z-index: 99999999;
}
nav ul {
    transform: translateX(-10em);
}
nav ul li {
    margin-right: 20px;
    display: inline-block;
}
nav ul li a {
```

```
text-decoration: none;
color: white;
padding: 5px;
}

nav ul .merk {
    text-decoration: none;
    color: white;
    margin-right: 49em;
}
.container {
    width: 80%;
    background-color: white;
    margin: auto;
}
```

```
#about {
    text-align: center;
    transform: translateY(5em);
}
#about img {
    float: left;
    border-radius: 50%;
    transform: translateX(22em);
    border: 5px solid red;
}
.clear {
    clear: left;
}
#about h1,
p {
```

```
transform: translateY(1em);
}
.container #about .univ {
  transform: translateY(2em);
}

#profile {
  display: flex;
  justify-content: space-around;
  margin-top: 10em;
}
#profile .school {
  width: 100px;
  height: 100px;
  background-color: red;
  transform: translateY(1em);
}
.container #about .univ {
  transform: translateY(2em);
}

#profile {
  display: flex;
  justify-content: space-around;
  margin-top: 10em;
}
#profile .school {
  width: 100px;
  height: 100px;
  background-color: red;
```

```
text-align: center;
line-height: 100px;
display: flex;
flex-direction: column;
align-items: center;
justify-content: center;
border-radius: 1em;
}

#profile a {
    text-decoration: none;
    color: black;
}

#sd,
#smp,
display: block;
color: black;
border: 2em solid #fff;
text-align: center;
background-color: red;
padding: 1.5em;
}
```

Hasil

