

12/23/2024 12502

Project:

American Leadership Academy Apache Junction Warner & Meridian Apache Junction, AZ 85120

Ship To:

Item	PO Number	Mfr	Model & Description	Qty	Weight	
HS01		Continental	2REN Reach-In Refrigerator	1	450	
11604		Refrigerator	445 /50/4 5.0	4		
HS01		Continental Refrigerator	115v/60/1-ph, 6.9 amps, cord, NEMA 5-15P, standard	1		
HS01		Continental	Left Door hinged on left & right door hinged on	1		
11001		Refrigerator	right, standard	-		
HS01		Continental	5" Casters, standard	1		
		Refrigerator				
HS02A		Fisher	13240 Wall / Splash Mount Faucet	1	5	
HS02A		Fisher	2400-2103 Elbow, 1/2" F x 1/2" F, 90°, brass	2	0.76	
HS02B		Fisher	22306 Drain, Lever / Twist Waste	2	20	
HS04		Panasonic	NE-1025F Microwave Oven	1	40	
HS06		Robot Coupe	R2U Food Processor, Benchtop / Countertop	1	34	
HS06		Robot Coupe	SP3DISC SP3Disc, (3) disc package includes: (1) 1/4" grating disc, (1) 1/4" x 1/4" julienne disc, (1) 1/32" slicing disc	1		
HS07		Edlund	S-11 Can Opener	1	3.83	
HS08		Eagle Group	Prep Storage Shelving	1		
HS08		Eagle Group	1848E-X Shelf, wire, 48"W x 18"D, patented QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	12	144	
HS08		Eagle Group	P63-E-X Post, stationary, 63"H, grooved in 1" increments, includes post cap & leveling bolt, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	12	42	
HS09		Eagle Group	4330 Bun / Sheet Pan Rack	4	396	
HS10		Eagle Group	HSA-10-FA-1X Hand Sink	4	108	
HS15		Eagle Group	EPOXY Cooler Shelving	1		
HS15		Eagle Group	1860E-X Shelf, wire, 60"W x 18"D, patented QuadTruss® design, includes (4) pairs of split sleeves per shelf, 600 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	4	68	
HS15		Eagle Group	1848E-X Shelf, wire, 48"W x 18"D, patented QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	12	144	
HS15		Eagle Group	1836E-X Shelf, wire, 36"W x 18"D, patented QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	28	252	
HS15		Eagle Group	P74-E-X Post, stationary, 74"H, grooved in 1" increments, includes post cap & leveling bolt, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	44	176	



12/23/2024 12502

Project

American Leadership Academy Apache Junction Warner & Meridian Apache Junction, AZ 85120

Ship To:

HS18	Item	PO Number	Mfr	Model & Description	Qty	Weight	
H518	HS18		Eagle Group	EPOXY Freezer Shelving	1		
Name	HS18		Eagle Group	QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	16		
increments, includes post cap & leveling bolt, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER) HS21	HS18		Eagle Group	QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD®	8	72	
HS21	HS18			increments, includes post cap & leveling bolt, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	24	96	
Reverse Park Park							
HS21 Eagle Group 1836E-X Shelf, wire, 36"W x 18"D, patented 4 36 HS21 Eagle Group 1836E-X Shelf, wire, 36"W x 18"D, patented 4 36 QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER) HS21 Eagle Group P74-E-X Post, stationary, 74"H, grooved in 1" 24 96 HS21 Eagle Group P74-E-X Post, stationary, 74"H, grooved in 1" 24 96 HS22 Lincoln 1600-000-U Conveyor Oven, Gas levelling bolt, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER) 2 1700 HS22 Lincoln 1600-000-U Conveyor Oven, Gas 2 1700 HS22 Lincoln NOTE: New oven installations require an oven top, 2 top cap motorcover & stand to be included in order 2 HS22 Lincoln 1609 Oven Top (1 required) (for Lincoln Impinger® 1 29 HS22 Lincoln 1612 High Stand, with casters for 1 & 2 stack (for Lincoln Impinger® Low Profile™ Ovens) 1 175 HS22 Lincoln 1612 High Stand, with casters for 1 & 2 stack (for Lincoln Impinger® Low Profile™ Ovens) 1 175 HS23 Vulcan 36S-6BN Range, 36", 6 Open Burners 1 520 HS23 Vulcan 35tainless steel backriser & lift-off high shelf, 1 1 10 HS23 Vulcan CASTERS-RR4 Casters, 5" (set of 4) (2 with locks) 1 10				QuadTruss® design, includes (4) pairs of split sleeves per shelf, 600 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)		136	
QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER) HS21 Eagle Group P74-E-X Post, stationary, 74"H, grooved in 1" 24 96 increments, includes post cap & leveling bolt, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER) HS22 Lincoln 1600-000-U Conveyor Oven, Gas 2 1700 4. 17	HS21		Eagle Group	QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD®	12	144	
increments, includes post cap & leveling bolt, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER) HS22 Lincoln 1600-000-U Conveyor Oven, Gas 2 1700 HS22 Lincoln NOTE: New oven installations require an oven top, top cap motorcover & stand to be included in order HS22 Lincoln 1609 Oven Top (1 required) (for Lincoln Impinger® 1 29 Low Profile™ Ovens) HS22 Lincoln 1612 High Stand, with casters for 1 & 2 stack (for 1 175 Lincoln Impinger® Low Profile™ Ovens) HS22A Krowne M7548K10 Gas Connector Hose Kit / Assembly 2 19.2 HS23 Vulcan 36S-6BN Range, 36", 6 Open Burners 1 520 HS23 Vulcan Stainless steel backriser & lift-off high shelf, 1 standard HS23 Vulcan CASTERS-RR4 Casters, 5" (set of 4) (2 with locks) 1 10	HS21		Eagle Group	QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD®	4	36	
HS22 Lincoln NOTE: New oven installations require an oven top, top cap motorcover & stand to be included in order HS22 Lincoln 1609 Oven Top (1 required) (for Lincoln Impinger® 1 29 Low Profile™ Ovens) HS22 Lincoln 1612 High Stand, with casters for 1 & 2 stack (for 1 175 Lincoln Impinger® Low Profile™ Ovens) HS2A Krowne M7548K10 Gas Connector Hose Kit / Assembly 2 19.2 HS23 Vulcan 36S-6BN Range, 36", 6 Open Burners 1 520 HS23 Vulcan Stainless steel backriser & lift-off high shelf, standard HS23 Vulcan CASTERS-RR4 Casters, 5" (set of 4) (2 with locks) 1 10	HS21		Eagle Group	increments, includes post cap & leveling bolt, EAGLEgard® hybrid epoxy finish with MICROGARD®	24	96	
top cap motorcover & stand to be included in order HS22 Lincoln 1609 Oven Top (1 required) (for Lincoln Impinger® 1 29 Low Profile™ Ovens) HS22 Lincoln 1612 High Stand, with casters for 1 & 2 stack (for 1 175 Lincoln Impinger® Low Profile™ Ovens) HS22A Krowne M7548K10 Gas Connector Hose Kit / Assembly 2 19.2 HS23 Vulcan 36S-6BN Range, 36", 6 Open Burners 1 520 HS23 Vulcan Stainless steel backriser & lift-off high shelf, 1 standard HS23 Vulcan CASTERS-RR4 Casters, 5" (set of 4) (2 with locks) 1 10	HS22		Lincoln	1600-000-U Conveyor Oven, Gas	2	1700	
Low Profile™ Ovens) HS22 Lincoln 1612 High Stand, with casters for 1 & 2 stack (for Lincoln Impinger® Low Profile™ Ovens) HS22A Krowne M7548K10 Gas Connector Hose Kit / Assembly 2 19.2 HS23 Vulcan 36S-6BN Range, 36", 6 Open Burners 1 520 HS23 Vulcan Stainless steel backriser & lift-off high shelf, 1 standard HS23 Vulcan CASTERS-RR4 Casters, 5" (set of 4) (2 with locks) 1 10	HS22		Lincoln		2		
HS22 Lincoln 1612 High Stand, with casters for 1 & 2 stack (for Lincoln Impinger® Low Profile™ Ovens) HS22A Krowne M7548K10 Gas Connector Hose Kit / Assembly 2 19.2 HS23 Vulcan 36S-6BN Range, 36", 6 Open Burners 1 520 HS23 Vulcan Stainless steel backriser & lift-off high shelf, 1 standard HS23 Vulcan CASTERS-RR4 Casters, 5" (set of 4) (2 with locks) 1 10	HS22		Lincoln	1 1 7 1 9	1	29	
HS22A Krowne M7548K10 Gas Connector Hose Kit / Assembly 2 19.2 —— HS23 Vulcan 36S-6BN Range, 36", 6 Open Burners 1 520 —— HS23 Vulcan Stainless steel backriser & lift-off high shelf, 1 —— standard Vulcan CASTERS-RR4 Casters, 5" (set of 4) (2 with locks) 1 10 ——	HS22		Lincoln		1	175	
HS23 Vulcan Stainless steel backriser & lift-off high shelf, 1 standard HS23 Vulcan CASTERS-RR4 Casters, 5" (set of 4) (2 with locks) 1 10	HS22A		Krowne	· -	2	19.2	
HS23 Vulcan Stainless steel backriser & lift-off high shelf, 1 standard HS23 Vulcan CASTERS-RR4 Casters, 5" (set of 4) (2 with locks) 1 10	HS23		Vulcan	36S-6BN Range, 36", 6 Open Burners	1	520	
			Vulcan	Stainless steel backriser & lift-off high shelf,	1		
HS23A Krowne M7548K10 Gas Connector Hose Kit / Assembly 2 19.2	HS23		Vulcan	CASTERS-RR4 Casters, 5" (set of 4) (2 with locks)	1	10	
	HS23A		Krowne	M7548K10 Gas Connector Hose Kit / Assembly	2	19.2	



12/23/2024 12502

Project

American Leadership Academy Apache Junction Warner & Meridian Apache Junction, AZ 85120

Ship To:

Item	PO Number	Mfr	Model & Description	Qty	Weight
HS25		Vulcan	VC44GC Convection Oven, Gas	1	928
HS25		Vulcan	Natural gas (specify elevation if over 2,000 ft.)	1	
HS25		Vulcan	(2) 120v/60/1-ph, 15.4 amps total, (2) cords with plugs, standard	1	
HS25		Vulcan	Gas manifold piping included with stacking kit to provide single point gas connection	1	
HS25A		Krowne	M7548K10 Gas Connector Hose Kit / Assembly	2	19.2
HS26		Convotherm	C4 ED 6.20GS-N Combi Oven, Gas	1	458
HS26		Convotherm	NOTE: Purchasers, owners & operators are solely responsible to verify that the incoming water to the equipment is within the manufacturer's water quality specs as outlined on the product spec sheet. Water quality verification in virtually all cases requires water testing & in some cases, requires that water samples be submitted & for which the test results may take 4 weeks to receive. Noncompliance with manufacturer water quality specifications can cause irreparable damage to the equipment & / or its components & will VOID the original manufacturer's warranty. Water treatment solutions shown on this page & in the pricelist are offered for purchasing convenience only & can be selected only if the incoming water quality falls within the water treatment manufacturer's selection guidelines.	1	
HS26		Convotherm	C-START Cleaner Kit, Includes: One (1) 2.5 Gallon container of ConvoClean forte solution, One (1) 2.5 Gallon container of ConvoCare solution & a set of connectors and hoses	1	
HS26		Convotherm	11000115826 Installation of First Unit, for 6.10, 6.20, 10.10 & 10.20 (Non-discountable NET pricing) (Note: Pricing based on 200 mile round trip, additional charges may apply, see Installation flyer for details) (Note: Customer should indicate your preferred Welbilt Authorized Service Agent for installation on the PO otherwise Welbilt RISE will select an Authorized Service Agent for this install) (Mainland U.S.)	1	
HS26		Convotherm	New Construction	1	
HS26		Convotherm	Note: End user contact name & number at the site must be included with the PO to avoid delivery delays. This contact person should have up-to-theminute status on water, drain, electric/gas availability, as well as confirmation of completion of interior & exterior doorways through which equipment must be transported.	1	
HS26		Convotherm	11000115827 Installation of each additional unit, for 6.10, 6.20, 10.10 & 10.20 (at the same location & at the same time) (Non-discountable NET pricing)	1	



12/23/2024 12502

Project:

American Leadership Academy Apache Junction Warner & Meridian Apache Junction, AZ 85120

Ship To:

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			(Note: Pricing based on 200 mile round trip, additional charges may apply, see Installation flyer for details) (Note: Customer should indicate your preferred Welbilt Authorized Service Agent for installation on the PO otherwise Welbilt RISE will select an Authorized Service Agent for this install) (Mainland U.S.)			
HS26		Convotherm	11000115805 Installation Kits, for 6.10, 6.20 & 10.10 gas, DWV Copper (Non-discountable NET pricing) (See Installation Kit flyer for details)	1		
HS26		Convotherm	Natural Gas	1		
HS26		Convotherm	Door hinged right, standard	1		
HS26		Convotherm	An RO system must be included on this quote if mail-in water test results have not been received by the dealer PRIOR to creating this quote. A filter system should only be included on this quote if water test results are in hand & the test results indicate a water filter meets the water specification.	1		
HS26A		Everpure	QTI1+CR Water Filtration System, for Steam Equipment	1	12	
HS29		Continental Refrigerator	1RNPT Pass-Thru Refrigerator	1	320	
HS29		Continental Refrigerator	115v/60/1-ph, 5.2 amps, cord, NEMA 5-15P, standard	1		
HS29		Continental Refrigerator	Door hinged on right, standard (control side)	1		
HS29		Continental Refrigerator	Door hinged on right, standard(rear)	1		
HS29		Continental Refrigerator	5" Casters, standard	1		
HS30		Continental Refrigerator	PA68N Pizza Preparation Refrigerator	1	488	
HS30		Continental Refrigerator	115v/60/1-ph, 7.4 amps, cord, NEMA 5-15P, standard	1		
HS30		Continental Refrigerator	Condensing unit on the right, standard	1		
HS30		Continental Refrigerator	Left door hinged left, right door hinged right, door above the compressor hinged right, standard	1		
HS30		Continental Refrigerator	5" Swivel Casters standard	1		
HS33		Hatco	GRAH-60D6 Heat Lamp	2	68	
HS33		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1		
HS33		Hatco	208v/60/1-ph	2		
HS33		Hatco	RMB-14M Remote Control Enclosure, (2) infinite switches, (2) indicator lights (for 208 volt only)	2	14	



12/23/2024 12502

Project:

American Leadership Academy Apache Junction Warner & Meridian Apache Junction, AZ 85120

Ship To:

Item	PO Number	Mfr	Model & Description	Qty	Weight	
HS33		Hatco	STANDARD Clear Anodized Aluminum housing, standard (available at time of purchase only)	2		
HS33		Hatco	LEADS20 16'-20' Extended Electrical Leads (available at time of purchase only)	2		
HS34		Continental Refrigerator	DL1WE-PT Pass-Thru Heated Cabinet	1	320	
HS34		Continental Refrigerator	208-230v/60/1-ph, 7.2 amps, 1.5 kW, cord & plug supplied by others	1		
HS34		Continental Refrigerator	Door hinged on right, standard (control side)	1		
HS34		Continental Refrigerator	Door hinged on left (rear)	1		
HS34		Continental Refrigerator	6" stainless steel adj. legs, standard	1		
HS35		Panasonic	NE-1025F Microwave Oven	1	40	
HS38		Continental Refrigerator	1RSNGD Reach-In Refrigerator	1	287	
HS38		Continental Refrigerator	115v/60/1-ph, 6.0 amps, cord, NEMA 5-15P, standard	1		
HS38		Continental Refrigerator	Door hinged on left	1		
HS38		Continental Refrigerator	5" Casters, standard	1		
HS42		Continental Refrigerator	1RSNGD Reach-In Refrigerator	1	287	
HS42		Continental Refrigerator	115v/60/1-ph, 6.0 amps, cord, NEMA 5-15P, standard	1		
HS42		Continental Refrigerator	Door hinged on right, standard	1		
HS42		Continental Refrigerator	5" Casters, standard	1		
HS43	<u></u> ,	Panasonic	NE-1025F Microwave Oven	4	160	
HS46A		Fisher	13270 Wall / Splash Mount Faucet	1	5	
HS46A		Fisher	10006 Supply Line, 1/2" F x 1/2" M, 36" long, stainless steel	2	1	
HS46B		Fisher	22306 Drain, Lever / Twist Waste	3	30	
HS47		Fisher	34470 Pre-Rinse Faucet Assembly, with Add On Faucet	1	15	
HS50		Hobart	LXNH-2 Dishwasher, Undercounter	1	150	
HS50		Hobart	EXTERN-CASTER-LXN External Height Adjustable Casters – Machine width increases by 4.25", height is adjustable by +0-1"	1		
HS51	·	Eagle Group	DS4-CP74-2448E Wire Shelving Unit	2		
HS52		Manitowoc	IYT0620A Ice Maker, Cube-Style	1	145	
HS52		Manitowoc	(-161) 115v/60/1-ph, 12.2 amps	1		
HS52		Manitowoc	D420 Ice Bin, 22"W, 34"D \times 50"H, with side-hinged front-opening door, side grips, 383 lbs. application	1	108	



12/23/2024 12502

Project

American Leadership Academy Apache Junction Warner & Meridian Apache Junction, AZ 85120

Ship To:

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			capacity, AHRI certified 12.9 cu. ft., for top-mounted ice maker, Duratech exterior, NSF			
HS52		Manitowoc	Legs, 6" adjustable stainless steel, standard	1		
HS52A		3M Purification	ICE120-S Water Filtration System, for Ice Machines	1	3.75	
HS54	-	Lakeside	311 Cart, Utility/Bussing	1	29	
HS54	-	Lakeside	Casters, 3-1/2", swivel, standard	1		
HS59	-	Rubbermaid	FG199300GRAY Mop Broom Holder	1	2.24	
HS60	-	Eagle Group	1848E63-X Wire Shelving Unit	1	64	
HS65		Eagle Group	1848E63-X Wire Shelving Unit	1	64	
ES01		Continental	2REN Reach-In Refrigerator	1	450	
		Refrigerator				
ES01		Continental	115v/60/1-ph, 6.9 amps, cord, NEMA 5-15P,	1		
		Refrigerator	standard			
ES01		Continental	Left Door hinged on left & right door hinged on	1		
ECO4		Refrigerator	right, standard	4		
ES01		Continental Refrigerator	5" Casters, standard	1		
ES2A		Fisher	13240 Wall / Splash Mount Faucet	1	5	
ES2A		Fisher	2400-2103 Elbow, 1/2" F x 1/2" F, 90°, brass	2	0.76	
ES2B		Fisher	22306 Drain, Lever / Twist Waste	2	20	
ESO4		Panasonic	NE-1025F Microwave Oven	1	40	
ES06		Robot Coupe	R2U Food Processor, Benchtop / Countertop	1	34	
ES06		Robot Coupe	SP3DISC SP3Disc, (3) disc package includes: (1)	1	34	
LJUU		Nobol Coupe	1/4" grating disc, (1) 1/4" x 1/4" julienne disc, (1) 1/32" slicing disc	•		
ES07		Edlund	S-11 Can Opener	1	3.83	
ES08		Eagle Group	Prep Storage Shelving	1		
ES08		Eagle Group	1848E-X Shelf, wire, 48"W x 18"D, patented QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	12	144	
ES08		Eagle Group	P63-E-X Post, stationary, 63"H, grooved in 1" increments, includes post cap & leveling bolt, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	12	42	
ES09		Eagle Group	4330 Bun / Sheet Pan Rack	4	396	
ES10		Eagle Group	HSA-10-FA-1X Hand Sink	4	108	
ES15		Eagle Group	EPOXY Cooler Shelving	1		
ES15		Eagle Group	1848E-X Shelf, wire, 48"W x 18"D, patented	16	192	
			QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)			
ES15		Eagle Group	1836E-X Shelf, wire, 36"W x 18"D, patented QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard®	4	36	



12/23/2024 12502

Project

American Leadership Academy Apache Junction Warner & Meridian Apache Junction, AZ 85120

Ship To:

			(/14)2/6-6886			
Item	PO Number	Mfr	Model & Description	Qty	Weight	
			hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)			
ES15		Eagle Group	P74-E-X Post, stationary, 74"H, grooved in 1" increments, includes post cap & leveling bolt, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	20	80	
ES18		Eagle Group	EPOXY Freezer Shelving	1		
ES18		Eagle Group	1848E-X Shelf, wire, 48"W x 18"D, patented QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	16	192	
ES18		Eagle Group	1836E-X Shelf, wire, 36"W x 18"D, patented QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	4	36	
ES18		Eagle Group	P74-E-X Post, stationary, 74"H, grooved in 1" increments, includes post cap & leveling bolt, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	20	80	
ES20		Eagle Group	4004 Dunnage Rack	1	16	
ES21		Eagle Group	EPOXY Dry Storage Shelving	1		
ES21		Eagle Group	1848E-X Shelf, wire, 48"W x 18"D, patented QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	32	384	
ES21		Eagle Group	1842E Shelf, wire, 42"W x 18"D, patented QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF	4	44	
ES21		Eagle Group	1836E-X Shelf, wire, 36"W x 18"D, patented QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	12	108	
ES21		Eagle Group	P74-E-X Post, stationary, 74"H, grooved in 1" increments, includes post cap & leveling bolt, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	48	192	
ES22		Convotherm	C4 ED 6.20GS-N Combi Oven, Gas	1	458	
ES22		Convotherm	NOTE: Purchasers, owners & operators are solely responsible to verify that the incoming water to the equipment is within the manufacturer's water quality specs as outlined on the product spec sheet. Water quality verification in virtually all cases	1		



12/23/2024 12502

Project

American Leadership Academy Apache Junction Warner & Meridian Apache Junction, AZ 85120

Ship To:

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			requires water testing & in some cases, requires that water samples be submitted & for which the test results may take 4 weeks to receive. Noncompliance with manufacturer water quality specifications can cause irreparable damage to the equipment & / or its components & will VOID the original manufacturer's warranty. Water treatment solutions shown on this page & in the pricelist are offered for purchasing convenience only & can be selected only if the incoming water quality falls within the water treatment manufacturer's selection guidelines.			
ES22		Convotherm	C-START Cleaner Kit, Includes: One (1) 2.5 Gallon container of ConvoClean forte solution, One (1) 2.5 Gallon container of ConvoCare solution & a set of connectors and hoses	1		
ES22		Convotherm	11000115826 Installation of First Unit, for 6.10, 6.20, 10.10 & 10.20 (Non-discountable NET pricing) (Note: Pricing based on 200 mile round trip, additional charges may apply, see Installation flyer for details) (Note: Customer should indicate your preferred Welbilt Authorized Service Agent for installation on the PO otherwise Welbilt RISE will select an Authorized Service Agent for this install) (Mainland U.S.)	1		
ES22		Convotherm	New Construction	1		
ES22		Convotherm	Note: End user contact name & number at the site must be included with the PO to avoid delivery delays. This contact person should have up-to-theminute status on water, drain, electric/gas availability, as well as confirmation of completion of interior & exterior doorways through which equipment must be transported.	1		
ES22		Convotherm	11000115805 Installation Kits, for 6.10, 6.20 & 10.10 gas, DWV Copper (Non-discountable NET pricing) (See Installation Kit flyer for details)	1		
ES22		Convotherm	Natural Gas	1		
ES22		Convotherm	Door hinged right, standard	1		
ES22		Convotherm	An RO system must be included on this quote if mail-in water test results have not been received by the dealer PRIOR to creating this quote. A filter system should only be included on this quote if water test results are in hand & the test results indicate a water filter meets the water specification.	1		
ES22B		Everpure	QTI1+CR Water Filtration System, for Steam Equipment	1	12	
ES23		Vulcan	VC44GC Convection Oven, Gas	1	928	
ES23		Vulcan	Natural gas (specify elevation if over 2,000 ft.)	1		



12/23/2024 12502

Project

American Leadership Academy Apache Junction Warner & Meridian Apache Junction, AZ 85120

Ship To:

Item	PO Number	Mfr	Model & Description	Qty	Weight	
ES23		Vulcan	(2) 120v/60/1-ph, 15.4 amps total, (2) cords with plugs, standard	1		
ES23		Vulcan	Gas manifold piping included with stacking kit to provide single point gas connection	1		
ES23A		Krowne	M7548K10 Gas Connector Hose Kit / Assembly	2	19.2	
ES25		Vulcan	36S-6BN Range, 36", 6 Open Burners	1	520	
ES25		Vulcan	Stainless steel backriser & lift-off high shelf, standard	1		
ES25		Vulcan	CASTERS-RR4 Casters, 5" (set of 4) (2 with locks)	1	10	
ES25A		Krowne	M7548K10 Gas Connector Hose Kit / Assembly	2	19.2	
ES26		Lincoln	1600-000-U Conveyor Oven, Gas	2	1700	
ES26		Lincoln	NOTE: New oven installations require an oven top, top cap motorcover & stand to be included in order	2		
ES26		Lincoln	1609 Oven Top (1 required) (for Lincoln Impinger® Low Profile™ Ovens)	1	29	
ES26		Lincoln	1612 High Stand, with casters for 1 & 2 stack (for Lincoln Impinger® Low Profile™ Ovens)	1	175	
ES29		Continental	PA68N Pizza Preparation Refrigerator	1	488	
		Refrigerator				
ES29		Continental	115v/60/1-ph, 7.4 amps, cord, NEMA 5-15P,	1		
		Refrigerator	standard			
ES29		Continental	Condensing unit on the right, standard	1		
FC20		Refrigerator	Lafe dans black take stake dans black stake dans	4		
ES29		Continental Refrigerator	Left door hinged left, right door hinged right, door above the compressor hinged right, standard	1		
ES29		Continental	5" Swivel Casters standard	1		
LJZJ		Refrigerator	5 Swiver casters standard	_		
ES32		Panasonic	NE-1025F Microwave Oven	1	40	
ES35		Lakeside	311 Cart, Utility/Bussing	1	29	
ES35		Lakeside	Casters, 3-1/2", swivel, standard	1		
ES36		Continental	1RNPT Pass-Thru Refrigerator	1	320	
		Refrigerator	•			
ES36		Continental	115v/60/1-ph, 5.2 amps, cord, NEMA 5-15P,	1		
		Refrigerator	standard			
ES36		Continental	Door hinged on right, standard (control side)	1		
		Refrigerator				
ES36		Continental	Door hinged on right, standard(rear)	1		
FC2.6		Refrigerator	511 Contains at an doub	4		
ES36		Continental Refrigerator	5" Casters, standard	1		
ES39		Continental	DL1WE-PT Pass-Thru Heated Cabinet	1	320	
LJJJ		Refrigerator	DETAMENT A33-THIR HEATER CAPILLET	1	320	
ES39		Continental	208-230v/60/1-ph, 7.2 amps, 1.5 kW, cord & plug	1		
2000		Refrigerator	supplied by others	-		
ES39		Continental	Door hinged on right, standard (control side)	1		
		Refrigerator	5 , ,			



12/23/2024 12502

Project

American Leadership Academy Apache Junction Warner & Meridian Apache Junction, AZ 85120

Ship To:

Item	PO Number	Mfr	Model & Description	Qty	Weight	
ES39		Continental Refrigerator	Door hinged on left (rear)	1		
ES39		Continental Refrigerator	6" stainless steel adj. legs, standard	1		
ES40		Hatco	GRAH-60D6 Heat Lamp	2	68	
ES40		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1		
ES40		Hatco	208v/60/1-ph	2		
ES40		Hatco	RMB-14M Remote Control Enclosure, (2) infinite switches, (2) indicator lights (for 208 volt only)	2	14	
ES40		Hatco	STANDARD Clear Anodized Aluminum housing, standard (available at time of purchase only)	2		
ES40		Hatco	LEADS20 16'-20' Extended Electrical Leads (available at time of purchase only)	2		
ES41		Eagle Group	DS4-CP74-2448E Wire Shelving Unit	2		
ES42A		Fisher	13270 Wall / Splash Mount Faucet	1	5	
ES42A		Fisher	10006 Supply Line, 1/2" F x 1/2" M, 36" long, stainless steel	2	1	
ES42B		Fisher	22306 Drain, Lever / Twist Waste	3	30	
ES43		Fisher	34470 Pre-Rinse Faucet Assembly, with Add On Faucet	1	15	
ES46		Hobart	LXNH-2 Dishwasher, Undercounter	1	150	
ES46		Hobart	EXTERN-CASTER-LXN External Height Adjustable Casters – Machine width increases by 4.25", height is adjustable by +0-1"	1		
ES47		Continental Refrigerator	1RSNGD Reach-In Refrigerator	1	287	
ES47		Continental Refrigerator	115v/60/1-ph, 6.0 amps, cord, NEMA 5-15P, standard	1		
ES47		Continental Refrigerator	Door hinged on left	1		
ES47		Continental Refrigerator	5" Casters, standard	1		
ES51		Continental Refrigerator	1RSNGD Reach-In Refrigerator	1	287	
ES51		Continental Refrigerator	115v/60/1-ph, 6.0 amps, cord, NEMA 5-15P, standard	1		
ES51		Continental Refrigerator	Door hinged on right, standard	1		
ES51		Continental Refrigerator	5" Casters, standard	1		
ES52		Panasonic	NE-1025F Microwave Oven	4	160	
ES54		John Boos	PBJC-222584-X Mop Sink Cabinet	1	169	
ES54A		John Boos	PBF-SS-6-X Service Faucet	1	5	
ES55		Manitowoc	IYT0620A Ice Maker, Cube-Style	1	145	
ES55		Manitowoc	(-161) 115v/60/1-ph, 12.2 amps	1		



12/23/2024 12502

Project

American Leadership Academy Apache Junction Warner & Meridian Apache Junction, AZ 85120

Ship To:

			(/14)2/6-6886			
Item	PO Number	Mfr	Model & Description	Qty	Weight	
ES55		Manitowoc	D420 Ice Bin, 22"W, 34"D x 50"H, with side-hinged front-opening door, side grips, 383 lbs. application capacity, AHRI certified 12.9 cu. ft., for top-mounted ice maker, Duratech exterior, NSF	1	108	
ES55		Manitowoc	Legs, 6" adjustable stainless steel, standard	1		
ES55A		3M Purification	ICE120-S Water Filtration System, for Ice Machines	1	3.75	
C01		Eagle Group	HSA-10-FA-1X Hand Sink	1	27	
C04	<u> </u>	Berner	PE06-C-2096A Air Curtain	1	108	
C04		Berner	NOTE:Contact Name / Phone Number and/or Email required at time of order	1		
C04		Berner	120v/60/1-ph, standard	1		
C04	<u> </u>	Berner	White powder coat exterior finish, standard	1		
C04		Berner	33V015S-SS-AK Remote Mounted Rheostat Variable Speed Switch, Suitable for controlling up to (4) motor(s) Voltage Code A = 120/1/60, Switch must be mounted indoors only	1		
C05		Berner	PE06-C-1072A Air Curtain	1	72	
C05		Berner	NOTE:Contact Name / Phone Number and/or Email required at time of order	1		
C05		Berner	120v/60/1-ph, standard	1		
C05		Berner	White powder coat exterior finish, standard	1		
C05		Berner	33V015S-SS-AK Remote Mounted Rheostat Variable Speed Switch, Suitable for controlling up to (4) motor(s) Voltage Code A = 120/1/60, Switch must be mounted indoors only	1		
C07		Gold Medal	2185ST Nacho Cheese / Chips Warmer, Display	1	20	
C07		Gold Medal	All information & pricing is subject to change without notice; contact Gold Medal Products Co. for the most up-to-date pricing and information.	1		
C08		Winco	51074A Food Topping Warmer, Countertop	1	24.1	
C09		Cozoc	PW5002-10-18 PRETZEL Display Case, Hot Food, Countertop	1	82	
C10		APW Wyott (Middleby)	HR-31 Hot Dog Grill	1	44	
C10		APW Wyott (Middleby)	120v/60/1-ph, 975 watts, 8.1 amps, NEMA 5-15P, standard	1		
C10		APW Wyott (Middleby)	BC-31 Hot Dog Bun Cabinet, 23-11/16", (100) bun capacity, lift up plexiglass doors, for use with both standard & slanted hotrod rolling grills, stainless steel construction, NSF	1	22	
C11		Gold Medal	2003ST Popcorn Popper	1	111	
C11		Gold Medal	All information & pricing is subject to change without notice; contact Gold Medal Products Co. for the most up-to-date pricing and information.	1		
C12		Eagle Group	SR14-12-9.5-1 Drop-In Sink	1	18	
C12		Eagle Group	Faucet hole punched on 4" centers, standard	1		
C12		Eagle Group	Standard faucet	1		



12/23/2024 12502

Project

American Leadership Academy Apache Junction Warner & Meridian Apache Junction, AZ 85120

Ship To:

Item	PO Number	Mfr	Model & Description	Qty	Weight	
C13		Continental Refrigerator	D2RNGD Reach-in Display Refrigerator, 2 sections	1	545	
C13		Continental Refrigerator	115v/60/1-ph, 9.0 amps, cord, NEMA 5-15P, standard	1		
C13		Continental Refrigerator	Left door hinged on left & right door hinged on right, standard	1		
C13		Continental Refrigerator	50209-4 Casters, swivel, with brakes (3" diameter rubber tires) set of 4 (4" height)	1		
C14		Continental Refrigerator	2RFENSA Reach-In Dual Temp Cabinet	1	660	
C14		Continental Refrigerator	115v/60/1-ph, 5.2 amps, cord & plug (refrigerator), standard	1		
C14		Continental Refrigerator	115v/60/1-ph, 7.6 amps, cord & plug (freezer), standard	1		
C14		Continental Refrigerator	Left Door hinged on left & right door hinged on right, standard	1		
C14		Continental Refrigerator	5" Casters, standard	1		
C16		Eagle Group	HSA-10-FA-1X Hand Sink	1	27	
C17A		Fisher	13270 Wall / Splash Mount Faucet	1	5	
C17A		Fisher	10006 Supply Line, 1/2" F x 1/2" M, 36" long, stainless steel	2	1	
C17B		Fisher	22306 Drain, Lever / Twist Waste	3	30	
C18		Fisher	34470 Pre-Rinse Faucet Assembly, with Add On Faucet	1	15	
C20		Eagle Group	EPOXY Dry Storage Shelving	1		
C20		Eagle Group	1848E-X Shelf, wire, 48"W x 18"D, patented QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	8	96	
C20		Eagle Group	1836E-X Shelf, wire, 36"W x 18"D, patented QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	4	36	
C20		Eagle Group	P74-E-X Post, stationary, 74"H, grooved in 1" increments, includes post cap & leveling bolt, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF (FLYER)	12	48	
C21A		Fisher	13240 Wall / Splash Mount Faucet	1	5	
C21A		Fisher	10006 Supply Line, 1/2" F x 1/2" M, 36" long, stainless steel	2	1	
C21B		Fisher	22306 Drain, Lever / Twist Waste	1	10	
C23		Panasonic	NE-1025F Microwave Oven	1	40	
	Signatu	ıre:	Date:			