



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
F1	_____	Manitowoc	IYT1900A Ice Maker, Cube-Style	1	321	_____
F1	_____	Manitowoc	(-261E) 208-230v/60/1-ph, 20.1 amps, standard	1		_____
F2	_____	Manitowoc	LB1448 Ice Bin for Ice Machines	1	355	_____
F2	_____	Manitowoc	K00463 Ice Scoop, 85 oz (5.3 lbs.) capacity, thumb & knuckle guard, rubber handle, internal or external bin mounting (compatible with D Bins), cast aluminum, NSF	1		_____
F2	_____	Manitowoc	K00461 External Scoop Holder, wall or bin mount, metal frame with plastic shield, NSF	1	11	_____
F2	_____	Manitowoc	K0034900 Ice Deflector, for 48" Indigo ice machines on LB-Style bins, or on non Manitowoc bins (universal)	1	10	_____
F2	_____	Manitowoc	K00482 External Scoop Holder Extension, for K-00461 (required if using with LB-style and F-style bins), NSF	1	5	_____
F4	_____	Manitowoc	AR-40000-P Water Filtration System, for Ice Machines	1	4	_____
F5	_____	Advance Tabco	7-PS-81 Hand Sink	1	32	_____
F5	_____	Advance Tabco	K-08 Low-flow aerator 0.5gpm, fits 55/64-27 male or 15/16-27 female thread on spout, conforms to California AB 1953	1	1	_____
F5	_____	Advance Tabco	K-425 Thermostatic Mixing Valve, for knee pedal, foot pedal and electronic hand sinks and valves	1	1	_____
F5	_____	Advance Tabco	7-PS-16 Welded Side Splash, 7-3/4"H (installed height), one side (specify side), for hand sinks with 14" wide x 10" front-to-back bowl, splash mounted faucets	1	5	_____
F7	_____	John Boos	ST4R5-3072SSK Work Table, 72", Stainless Steel Top	1	119	_____
F8	_____	John Boos	BHS1272-16/304 Shelving, Wall Mounted	3	72	_____
F12	_____	Fisher	27500 Faucet, Kettle / Pot Filler	1	6.5	_____
F13	_____	Globe (Middleby)	SP40 Planetary Mixer	1	653	_____
F13	_____	Globe (Middleby)	Quick Ship items have limited configurations & that standard configuration may not apply. Contact factory for details	1		_____
F13	_____	Globe (Middleby)	208v/60/3-ph, 7.0 amps, NEMA L15-20P	1		_____
F13	_____	Globe (Middleby)	XBTRUCK-40 Bowl Truck, heavy-duty, with handle, for SP40 40 quart mixer	1	24	_____
F14	_____	Rubbermaid	FG360088WHT Ingredient Bin	3	84	_____
F15	_____	John Boos	DSB07-X Work Table, Bakers Top	1	157	_____
F15	_____	John Boos	Standard flyer accessories only, NO modifications to flyer items allowed or their accessories	1		_____
F16	_____	John Boos	BHS1260-16/304 Shelving, Wall Mounted	3	63	_____
F22	_____	Advance Tabco	MX-GL-302 Equipment Stand, for Mixer / Slicer	1	63	_____
F22	_____	Advance Tabco	TA-25 Casters, 5", swivel, with rubber wheels (set of 4) (2 with brakes)	1	10	_____
F26	_____	Advance Tabco	7-PS-81 Hand Sink	1	32	_____



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
F26		Advance Tabco	K-08 Low-flow aerator 0.5gpm, fits 55/64-27 male or 15/16-27 female thread on spout, conforms to California AB 1953	1	1	
F26		Advance Tabco	K-425 Thermostatic Mixing Valve, for knee pedal, foot pedal and electronic hand sinks and valves	1	1	
F26		Advance Tabco	7-PS-17 Welded Side Splash, 7-3/4"H (installed height), both sides, for hand sinks with 14" wide x 10" front-to-back bowl, splash mounted faucets	1	12	
F27		Rubbermaid	1971258 Trash Receptacle, Indoor (Pack of 4 each)	9	58.5	
F27A		Rubbermaid	1980602 Trash Receptacle, Dolly (Pack of 2 each)	9	53.19	
F28		Fisher	64710	1		
F28		Fisher	10006 Supply Line, 1/2" F x 1/2" M, 36" long, stainless steel	1	0.5	
F28		Fisher	2400-2103 Elbow, 1/2" F x 1/2" F, 90°, brass	1	0.38	
F31		Fisher	22322 Drain, Lever / Twist Waste	2	20	
F33		Edlund	S-11 Can Opener	1	3.83	
F35		Continental Refrigerator	SW27N-FB Refrigerated Work Top	1	165	
F35		Continental Refrigerator	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	1		
F35		Continental Refrigerator	Door hinged on left	1		
F39		Continental Refrigerator	D32N12M-FB-D Mega Top Sandwich / Salad Preparation Refrigerator	1	236	
F39		Continental Refrigerator	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	1		
F42		Continental Refrigerator	PA60N-D Pizza Preparation Refrigerator	1	485	
F42		Continental Refrigerator	115v/60/1-ph, 7.4 amps, cord, NEMA 5-15P, standard	1		
F42		Continental Refrigerator	Condensing unit on the right, standard	1		
F42		Continental Refrigerator	Door over compressor hinged right, standard	1		
F42		Continental Refrigerator	5" Swivel Casters standard	1		
F43		Alto-Shaam	750-S Heated Low Temp Holding Cabinet	1	228	
F43		Alto-Shaam	NOTE: Subject to Manufacturer's Terms & Conditions. See Documents Section	1		
F43		Alto-Shaam	120v/60/1-ph, 9.0 amps, 1.1kW, 5 ft. cord, NEMA 5-15P, standard	1		
F43		Alto-Shaam	Solid door, hinged on right, standard	1		
F44		Wood Stone	WS-TS-5-RFG-W Stone Hearth Oven	1		
F44		Wood Stone	TECHNICAL START-UP FOR OVENS Technical Start Up by Wood Stone Authorized Service Agent for OVENS	1		



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			Included. This includes basic inspection of completed mechanical hook-ups to the oven, verification of incoming gas pressure to the oven, verification of burner pressures and proper function of oven components, verification that ventilation is functioning, and a check of basic oven function.		
			This technical startup does not include initial oven heat-up (which should be performed by customer after the technical start-up), in depth ventilation troubleshooting, certification of duct materials or compliance to ventilation codes, ventilation air balancing, or operational training. This covers labor for work on the oven only; any corrections to external piping, electrical, ventilation is by others. Corrections for improper modifications to the oven are not covered under this start-up. Return trips to verify installation corrections, or due to installation or customer not being ready are not covered. No liability for oven issues or damages, including as a result of improper oven installation or ventilation, is assumed by Wood Stone as a result of this technical start-up. Wood Stone Start-up does not include travel over 50 miles or two hours, overtime, and holiday charges which shall be at the expense of the purchaser.		
F44	_____	Wood Stone	Natural Gas	1	_____
F44	_____	Wood Stone	120v/50/60/1-ph, 1.1 amps, direct wire	1	_____
F44	_____	Wood Stone	NOTE: This is an Unfinished Oven - Tile or Stucco finish done on site BY OTHERS, Factory prepared for field facade application	1	_____
F44	_____	Wood Stone	Flame located BACK, standard	1	_____
F44	_____	Wood Stone	STANDARD-ARCH Standard Arch, most versatile option for flame visibility and chef accessibility	1	_____
F44	_____	Wood Stone	WS-GSV-012 Exhaust #012 fan for use with direct connection, includes fan speed control, max. 800 CFM @ 0.10" W.C., 1.4 amps	1	_____
F44	_____	Wood Stone	WS-GSV-012-ADP-10 Fan adapter, 10" round to #012 fan. Needed to attach directly to a round duct system. NOT NEEDED if using an exhaust fan curb (By Others).	1	_____
F44	_____	Wood Stone	WS-TL-SET-WOOD-M Medium Tool Set, for wood ovens, includes (1) utility peel, (1) medium brush set, (1) T-style natural fiber brush, (1) bubble hook and (1) particle shovel, For Models: 4355, MS4,	1	_____



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
F44		Wood Stone	MS5,TS5, 6045, 8645, 9660, 11260 WS-TL-LP-16-M Loading Peel, for 16" pies and smaller, light aluminum head and medium handle, overall length 50"	1	
F44		Wood Stone	WS-TL-AD Ash dolly with padlock	1	
F44		Wood Stone	WS-TL-WHC Wood handling cart	1	
F46		Continental Refrigerator	D72N30M-FB-D Mega Top Sandwich / Salad Preparation Refrigerator	1	420
F46		Continental Refrigerator	115v/60/1-ph, 6.1 amps, cord, NEMA 5-15P, standard	1	
F46		Continental Refrigerator	(00HFL) Stainless steel flat cover - with hinges	1	
F47		John Boos	ST4R5-3624SSK Work Table, 24", Stainless Steel Top	1	63
F47		John Boos	X-0115Y Modified as noted, PER SKETCH (for special notations)	1	
F47		John Boos	X-0207F 36" right end backsplash, stainless steel (up to 5" in height) (modification)	1	
F52		Fisher	81930 Faucet, Parts & Accessories	1	0.39
F53		InSinkErator	SS-200-7-CC101 Disposer	1	110
F53		InSinkErator	Standard height disposer body	1	
F53		InSinkErator	208v/60/3-ph, 3.6 amps	1	
F53		InSinkErator	SYPHON STD Syphon breaker standard, 1/2" (11477)	1	0.5
F53		InSinkErator	CC101K-6 CC-101 Control Center, CC-101, automatic reverse with start/stop push buttons, for SS-50 to SS-200 disposers, NEMA 4 stainless steel enclosure, 208-240v/50/60/1-ph, cULus (replaces CC101K-2)	1	29.1
F53		InSinkErator	MAG SILVER SAVER Trough mount, magnetic silver saver mounts to any trough system (13983)	1	1.7
F54		Fisher	13330 Pre-Rinse Faucet Assembly	1	12
F54		Fisher	64211 Elbows, (2) 1/2", brass	1	0.38
F57		Cambro	ADCSC8PKG480 Dish Cart / Dolly	3	312
F58		John Boos	BHS1842-TS-X Dishtable Sorting Shelf	1	23
F61		Fisher	64710	2	
F61		Fisher	10006 Supply Line, 1/2" F x 1/2" M, 36" long, stainless steel	2	1
F61		Fisher	2400-2103 Elbow, 1/2" F x 1/2" F, 90°, brass	2	0.76
F62		Fisher	22322 Drain, Lever / Twist Waste	3	30
F63		John Boos	BHS1296PR-16/304 Overshelf	1	50
F63		John Boos	HOOK-SS-DBL Pot Hook, double prong, stainless steel	1	1
F64		John Boos	BHS1296-16/304 Shelving, Wall Mounted	2	68
F65		Advance Tabco	7-PS-81 Hand Sink	1	32
F65		Advance Tabco	K-08 Low-flow aerator 0.5gpm, fits 55/64-27 male or 15/16-27 female thread on spout, conforms to	1	1



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			California AB 1953			
F65		Advance Tabco	K-425 Thermostatic Mixing Valve, for knee pedal, foot pedal and electronic hand sinks and valves	1	1	
F65		Advance Tabco	7-PS-17 Welded Side Splash, 7-3/4"H (installed height), both sides, for hand sinks with 14" wide x 10" front-to-back bowl, splash mounted faucets	1	12	
F66		Alto-Shaam	750-S Heated Low Temp Holding Cabinet	2	456	
F66		Alto-Shaam	NOTE: Subject to Manufacturer's Terms & Conditions. See Documents Section	2		
F66		Alto-Shaam	120v/60/1-ph, 9.0 amps, 1.1kW, 5 ft. cord, NEMA 5-15P, standard	2		
F66		Alto-Shaam	Solid door, hinged on right, standard	2		
F66		Alto-Shaam	Pass-thru design, price per cavity	2		
F67		Hatco	DL-500 Decorative Lamp	10	80	
F67		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1		
F67		Hatco	NOTE: The decorative lamp & Luminaires are NOT returnable	1		
F67		Hatco	120v/60/1-ph, 250 watt (Decorative lamp only) standard	10		
F67		Hatco	WHITE-CTD-120 Lamp Bulb, 250 Watt clear, coated	10		
F67		Hatco	CL-COAT Lamp Shade only, clear coated brushed metal (MUST select color/finish to the remainder of unit) (available at time of purchase only)	10		
F67		Hatco	SPECIFY MUST SPECIFY designer color selected from list of standard colors & indicated on order (available at time of purchase only)	10		
F67		Hatco	RT Mounting Style - Retractable mount to track adapter (specify cord & track color) - retractable Coiled cord mount to track adapter, adjusts from 33-3/8" to 71-7/8" (available at time of purchase only)	10	20	
F67		Hatco	L Switch Location - Lower (available at time of purchase only)	10		
F67		Hatco	DL-CORD-BK Black Cord, standard, (CL, CU, CT, RL mounts only) (available at time of purchase only)	10		
F67		Hatco	DL-TRACK-4W Track Mount Bar, 4', white	5		
F67		Hatco	DL-TRACKWHT Additional Track Installation & Modification Kit, white (including ceiling plate, live end fitting & cover (starter), & dead end fitting	5		
F67		Hatco	DL-ADAPT-WHITE White Track Adapter, (CT, RT, ST mounts only), standard	10		
F67		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1		



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
F68		Continental Refrigerator	SW32N-FB Refrigerated Work Top	1	221	
F68		Continental Refrigerator	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	1		
F68		Continental Refrigerator	Door hinged on right, standard	1		
F75		Fisher	27500 Faucet, Kettle / Pot Filler	1	6.5	
F79		Dormont	1675KITS48 Blue Hose Gas Connector Kit	1	6.11	
F81		Dormont	1675KITS48 Blue Hose Gas Connector Kit	1	6.11	
F83		Dormont	1675KITS48 Blue Hose Gas Connector Kit	1	6.11	
F87		Pitco (Middleby)	SG14RS-1FD Fryer Battery, Gas	1	350	
F87		Pitco (Middleby)	Natural gas	1		
F87		Pitco (Middleby)	Millivolt Thermostat, standard	1		
F87		Pitco (Middleby)	115v/60/1-ph, 5.6 amps	1		
F87		Pitco (Middleby)	Contact factory for cord information	1		
F87		Pitco (Middleby)	P6072145 Basket, (2) oblong/twin size, 13-1/2" x 6-1/2" x 5-3/4" deep, long handle, regular mesh (shipped std (n/c) with models "T" SG14, SG14R, SSH55, SE14, SE14X, SE14B, SG14T, 35+, 45+, fryer batteries shipped with (1) per fryer	1		
F87		Pitco (Middleby)	B3902303 Casters, 10", rigid, (each) locking, for fryers with Solo Filter (excludes Mega Fryers and ROV)	4		
F87A		Dormont	1675KITS48 Blue Hose Gas Connector Kit	1	6.11	
F91		Olympic	4-TIER, GREEN EPOXY DRY STORAGE SHELVING (6)	1		
F91		Olympic	J1848K Shelf, wire, 18" x 48", green epoxy finish with chromate substrate, NSF	24	288	
F91		Olympic	J74UK Post 74", mobile, works with stem caster, grooved at 1" intervals, green epoxy finish with chromate substrate, NSF	24	96	
F91		Olympic	J5B Stem/Swivel-Brake Caster, 5" dia., 1-1/4" face, resilient rubber tread, 200 lb. load capacity (priced per each), NSF	24	63.12	
F92		Mars Air Systems	LPV236-1UA-OB Air Curtain	1	36	
F92		Mars Air Systems	Mechanical switches	1		
F92		Mars Air Systems	Door Limit Switch, indoor, plunger/roller type, remote mounted	1		
F92		Mars Air Systems	99-014 Door limit switch, plunger/roller type for indoor applications, single pole double throw, 1 HP max, 250v, 20.0 amps, NEMA 1 (remote mounted)	1		
F92		Mars Air Systems	Brackets	1		
F92		Mars Air Systems	Transom mounting brackets	1		
F92		Mars Air Systems	B0042 Transom mounting bracket kit for LPV2 units, steel with Obsidian Black finish (set of 2)	1		



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
F97		Jade (Middleby)	JTPR-12 Spreader Cabinet	1	135	
F97		Jade (Middleby)	NOTE: All units are fully welded with heavy duty construction, stainless steel sides, front and top are standard	1		
F99		Vulcan	V1FT36S HD Range, 36" French Hot Top	1	685	
F99		Vulcan	Natural gas (specify elevation if over 2,000 ft.)	1		
F99		Vulcan	PRESREG-NA11/4 1-1/4" NPT pressure regulator (Natural gas)	1	3	
F99		Vulcan	1-1/4" rear gas connection, standard	1		
F99		Vulcan	Rear gas connection: cap & cover, both ends	1		
F99		Vulcan	CASTERS-RR4 Casters, 5" (set of 4) (2 with locks)	1	10	
F99A		Dormont	16125KITS48 Blue Hose Gas Connector Kit	1	13.08	
F101		Dormont	1675KITS48 Blue Hose Gas Connector Kit	1	6.11	
F105		Continental Refrigerator	D36GN Equipment Stand, Refrigerated Base	1	360	
F105		Continental Refrigerator	115v/60/1-ph, 2.5 amps, cord, NEMA 5-15P, standard	1		
F105		Continental Refrigerator	Condensing unit on the left	1		
F105		Continental Refrigerator	Casters, 3" diameter, 4"H overall, standard	1		
F105		Continental Refrigerator	Integral heat shield	1		
F106		Dormont	1675KITS48 Blue Hose Gas Connector Kit	1	6.11	
F110		Dormont	16100KITS48 Blue Hose Gas Connector Kit	1	9.02	
F112		Jade (Middleby)	JTPR-12 Spreader Cabinet	1	135	
F112		Jade (Middleby)	NOTE: All units are fully welded with heavy duty construction, stainless steel sides, front and top are standard	1		
F113		AllPoints	141-2158/38202 Paper Towel and Soap Dispenser (2)	1		
F113		AllPoints	1412158 Bobrick® Paper Towel Dispenser, small, 10-3/4"W x 4"D x 7" H, surface mount, knob latch, dispenses 200 C-fold or 275 multifold paper towels, stainless steel with satin finish	2		
F113		AllPoints	38202 Bobrick Liquid Soap Dispenser, 40 oz. capacity, 5-1/2" x 3-1/2" x 6-1/2" H, surface mounted, vandal resistant, concealed mounting brackets, corrosion resistant valve, high impact plastic	2	1.7	
F114		Fisher	53740 Deck Mount Faucet	1	4.75	
F114		Fisher	10006 Supply Line, 1/2" F x 1/2" M, 36" long, stainless steel	1	0.5	
F115		Continental Refrigerator	SWF27N-FB WorkTop Freezer	1	165	



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
F115		Continental Refrigerator	115v/60/1-ph, 4.8 amps, cord, NEMA 5-15P, standard	1		
F115		Continental Refrigerator	Door hinged on right, standard	1		
F116		Continental Refrigerator	D72N30M-FB-D Mega Top Sandwich / Salad Preparation Refrigerator	1	420	
F116		Continental Refrigerator	115v/60/1-ph, 6.1 amps, cord, NEMA 5-15P, standard	1		
F116		Continental Refrigerator	(00HFL) Stainless steel flat cover - with hinges	1		
F117		Hatco	HW-FUL Food Pan Warmer, Countertop	2	58	
F117		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1		
F117		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1		
F117		Hatco	120v/60/1-ph, 1200 watts, 10.0 amps, NEMA 5-15P (domestic voltage), standard	2		
F118		Continental Refrigerator	D72N30M-FB-D Mega Top Sandwich / Salad Preparation Refrigerator	1	420	
F118		Continental Refrigerator	115v/60/1-ph, 6.1 amps, cord, NEMA 5-15P, standard	1		
F118		Continental Refrigerator	(00HFL) Stainless steel flat cover - with hinges	1		
F121		AllPoints	1412158/38202 Paper Towel and Soap Dispenser (2)	1		
F121		AllPoints	1412158 Bobrick® Paper Towel Dispenser, small, 10-3/4"W x 4"D x 7" H, surface mount, knob latch, dispenses 200 C-fold or 275 multifold paper towels, stainless steel with satin finish	2		
F121		AllPoints	38202 Bobrick Liquid Soap Dispenser, 40 oz. capacity, 5-1/2" x 3-1/2" x 6-1/2" H, surface mounted, vandal resistant, concealed mounting brackets, corrosion resistant valve, high impact plastic	2	1.7	
F122		Fisher	53740 Deck Mount Faucet	1	4.75	
F122		Fisher	10006 Supply Line, 1/2" F x 1/2" M, 36" long, stainless steel	1	0.5	
F123		Wells (Middleby)	SS-10TDUI Hot Food Well Unit, Drop-In, Electric	2	24.8	
F123		Wells (Middleby)	Note: Must specify voltage and phase	2		
F123		Wells (Middleby)	120v/60/1-ph, 825 watts, direct	2		
F123		Wells (Middleby)	20385 Drain Valve Extension Kit, extension from drain to counter front with remote handle (for use with "D" models only) excluding DM models	2	8	
F124		Hatco	GRAHL-48D3 Heat Lamp	1	30	



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
F124		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1	
F124		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1	
F124		Hatco	120/208v/60/1-ph	1	
F124		Hatco	REM INF Remote infinite control, additional switch is required with tandem element, shipped loose (max. 12.2 amp) (available at time of purchase only)	1	
F124		Hatco	IND.LGT-REM Indicator Light (Remote only) (available at time of purchase only) per circuit	1	
F124		Hatco	LEADS10 6'-10' Extended Electrical Leads (available at time of purchase only)	1	
F124		Hatco	STANDARD Clear Anodized Aluminum housing, finish, standard (available at time of purchase only)	1	
F124		Hatco	ADJ ANGLE-D Adjustable angle bracket, (2) pair	1	
F125		Hatco	DL-600 Decorative Lamp	3	24
F125		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1	
F125		Hatco	NOTE: The decorative lamp & Luminaires are NOT returnable	1	
F125		Hatco	120v/60/1-ph, 250 watt (Decorative lamp only) standard	3	
F125		Hatco	WHITE-UCTD-120 Lamp Bulb, 250 Watt clear, uncoated	3	
F125		Hatco	CL-COAT Lamp Shade only, clear coated brushed metal (MUST select color/finish to the remainder of unit) (available at time of purchase only)	3	
F125		Hatco	SPECIFY MUST SPECIFY designer color selected from list of standard colors & indicated on order (available at time of purchase only)	3	
F125		Hatco	R Mounting Style - Retractable (specify cord color) - retractable Coiled cord mount, adjusts from 31" to 69-1/2" (available at time of purchase only)	3	6
F125		Hatco	L Switch Location - Lower (available at time of purchase only)	3	
F125		Hatco	DL-CORD-BK Black Cord, standard, (CL, CU, CT, RL mounts only) (available at time of purchase only)	3	
F125		Hatco	WHITE-UCTD-120 Lamp Bulb, 250 Watt clear, uncoated	3	
F125		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1	



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
F126		Hatco	GRAHL-48D3 Heat Lamp	1	30	
F126		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1		
F126		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1		
F126		Hatco	120/208v/60/1-ph	1		
F126		Hatco	REM INF Remote infinite control, additional switch is required with tandem element, shipped loose (max. 12.2 amp) (available at time of purchase only)	1		
F126		Hatco	IND.LGT-REM Indicator Light (Remote only) (available at time of purchase only) per circuit	1		
F126		Hatco	LEADS10 6'-10' Extended Electrical Leads (available at time of purchase only)	1		
F126		Hatco	STANDARD Clear Anodized Aluminum housing, finish, standard (available at time of purchase only)	1		
F126		Hatco	ADJ ANGLE-D Adjustable angle bracket, (2) pair	1		
F127		Mars Air Systems	LPV236-1UA-OB Air Curtain	1	36	
F127		Mars Air Systems	Mechanical switches	1		
F127		Mars Air Systems	Door Limit Switch, indoor, plunger/roller type, remote mounted	1		
F127		Mars Air Systems	99-014 Door limit switch, plunger/roller type for indoor applications, single pole double throw, 1 HP max, 250v, 20.0 amps, NEMA 1 (remote mounted)	1		
F127		Mars Air Systems	Brackets	1		
F127		Mars Air Systems	Transom mounting brackets	1		
F127		Mars Air Systems	B0042 Transom mounting bracket kit for LPV2 units, steel with Obsidian Black finish (set of 2)	1		
F128		Metro	D2020N Rack Dolly	3	40.8	
F131		AllPoints	1412158/38202 Paper Towel and Soap Dispenser (2)	1		
F131		AllPoints	1412158 Bobrick® Paper Towel Dispenser, small, 10-3/4"W x 4"D x 7" H, surface mount, knob latch, dispenses 200 C-fold or 275 multifold paper towels, stainless steel with satin finish	2		
F131		AllPoints	38202 Bobrick Liquid Soap Dispenser, 40 oz. capacity, 5-1/2" x 3-1/2" x 6-1/2" H, surface mounted, vandal resistant, concealed mounting brackets, corrosion resistant valve, high impact plastic	2	1.7	
F132		Fisher	53740 Deck Mount Faucet	1	4.75	
F132		Fisher	10006 Supply Line, 1/2" F x 1/2" M, 36" long, stainless steel	1	0.5	



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
F134		Continental	SW48N-FB Refrigerated Work Top	1	248	
		Refrigerator				
F134		Continental	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	1		
		Refrigerator				
F134		Continental	Left Door hinged on left & right door hinged on right, standard	1		
		Refrigerator				
F137		Fisher	11170 Glass Filler	1	9	
F139		Wells (Middleby)	RW-26HD Warming Drawer, Built-In	1	115	
F139		Wells (Middleby)	Note: Must specify voltage and phase	1		
F139		Wells (Middleby)	120v/60/1-ph, 900 watt, 7.5 amps, direct	1		
F140		Krowne	SGT-100 Soda System, Parts & Fittings	1	25	
F141		Krowne	KR24-S18 Drainboard	1	55	
F141		Krowne	6-1/2" High Backsplash, standard	1		
F141		Krowne	KR-SS18 Royal Series Shelf, for 18"W storage cabinet, stainless steel	1		
F143		Krowne	KR24-MS38R-10 Ice Bin with Bottle Wells	1	233	
F143		Krowne	6-1/2" High Backsplash, standard	1		
F144		Krowne	KR24-ML8 Bottle Storage Unit	1	35	
F144		Krowne	This unit is built to order and cannot be returned	1		
F144		Krowne	6-1/2" High Backsplash, standard	1		
F145		Krowne	KR24-MS14 Underbar Sink Units	1	63	
F145		Krowne	6-1/2" High Backsplash, standard	1		
F145		Krowne	22-600L Aerator, 55/64-27 female thread, 0.5 GPM	1		
F145		Krowne	30-153 Perforated Drain Basket for Bar Sink, fits all 10" x 12" x 7" sink bowls, 5" deep, with stainless steel handles, stainless steel	1		
F145		Krowne	21-443L Krowne Royal Series E-Z Install Water Line Kit, wall mount, 22" long	1	1	
F146		Krowne	KR24-T12 Underbar Add-On Unit	1	39	
F146		Krowne	SJ-TC Trash Can, gray, 23 gallon, 30"H x 11"W x 20"D	1		
F147		Krowne	KR24-S18 Drainboard	1	55	
F147		Krowne	6-1/2" High Backsplash, standard	1		
F147		Krowne	KR-SS18 Royal Series Shelf, for 18"W storage cabinet, stainless steel	1		
F151		Krowne	KR24-BD24 Beer Drainer	1	33	
F152		Glastender	F1SL24 Glass Froster	1	208	
F152		Glastender	NOTE: This is a manufactured to order unit and is NOT returnable.	1		
F152		Glastender	120v/60/1-ph, 5.0 amps, cord, NEMA 5-15P, standard	1		
F152		Glastender	(L) Refrigeration compartment on left side	1		
F152		Glastender	Refrigeration compartment cover finish: Stainless steel	1		



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
F152		Glastender	Door style: Stainless steel	1	
F152		Glastender	Door hinge location: Left	1	
F152		Glastender	Signature handle	1	
F152		Glastender	No finished top - stainless steel sub-top, standard	1	
F152		Glastender	Back finish: Galvanized steel, standard	1	
F152		Glastender	Left side finish: Black vinyl-clad, standard	1	
F152		Glastender	Right side finish: Black vinyl-clad, standard	1	
F152		Glastender	Bright White (7,000k), standard	1	
F152		Glastender	No legs or casters, standard	1	
F153		Glastender	C1FL72-UC Undercounter Refrigerator	1	445
F153		Glastender	NOTE: This is a manufactured to order item and is NOT returnable	1	
F153		Glastender	120v/60/1-ph, 7.0 amps, cord, NEMA 5-15P, standard	1	
F153		Glastender	(L) Refrigeration compartment on left side	1	
F153		Glastender	Refrigeration compartment cover finish: Stainless steel, standard	1	
F153		Glastender	Door style, first: Stainless steel, standard	1	
F153		Glastender	Door hinge location, first: Left	1	
F153		Glastender	Stainless pull-tab handle	1	
F153		Glastender	Door style, Second: Stainless steel, standard	1	
F153		Glastender	Door hinge location, first: Left	1	
F153		Glastender	Stainless pull-tab handle	1	
F153		Glastender	Door style, third: Stainless steel, standard	1	
F153		Glastender	Door hinge location, first: Left	1	
F153		Glastender	Stainless pull-tab handle	1	
F153		Glastender	Back finish: Galvanized steel, standard	1	
F153		Glastender	Left side finish: Stainless steel, standard	1	
F153		Glastender	Right side finish: Stainless steel, standard	1	
F153		Glastender	Bright White (7,000k), standard	1	
F153		Glastender	6"legs	1	
F154		Krowne	KR24-MS32R-10 Ice Bin with Bottle Wells	1	218
F154		Krowne	6-1/2" High Backsplash, standard	1	
F154		Krowne	KR-502 Royal Series 15" deep, liner on ice station	1	
F154		Krowne	KR-113 Royal Series Stainless Steel Divider, for 15" deep ice bins	1	
F154		Krowne	KR-514 Royal Series Drop-In Elixir Bottle Divider, fits 8" ice bin, (10) bottle capacity	1	
F155		Krowne	KR24-T12 Underbar Add-On Unit	1	39
F155		Krowne	SJ-TC Trash Can, gray, 23 gallon, 30"H x 11"W x 20"D	1	
F156		Krowne	KR24-ML8 Bottle Storage Unit	1	35
F156		Krowne	This unit is built to order and cannot be returned	1	



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
F156		Krowne	6-1/2" High Backsplash, standard	1		
F158		Krowne	KR24-MS14 Underbar Sink Units	1	63	
F158		Krowne	6-1/2" High Backsplash, standard	1		
F158		Krowne	22-600L Aerator, 55/64-27 female thread, 0.5 GPM	1		
F158		Krowne	30-153 Perforated Drain Basket for Bar Sink, fits all 10" x 12" x 7" sink bowls, 5" deep, with stainless steel handles, stainless steel	1		
F158		Krowne	21-443L Krowne Royal Series E-Z Install Water Line Kit, wall mount, 22" long	1	1	
F159		Krowne	KR24-C30L Drainboard	1	64	
F159		Krowne	6-1/2" High Backsplash, standard	1		
F160		Krowne	KR24-12ST Hand Sink	1	60	
F160		Krowne	6-1/2" High Backsplash, standard	1		
F160		Krowne	22-600L Aerator, 55/64-27 female thread, 0.5 GPM	1		
F160		Krowne	21-443L Krowne Royal Series E-Z Install Water Line Kit, wall mount, 22" long	1	1	
F161		Krowne	KR24-C30R Drainboard	1	64	
F161		Krowne	6-1/2" High Backsplash, standard	1		
F163		Continental Refrigerator	SW27N-FB Refrigerated Work Top	1	165	
F163		Continental Refrigerator	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	1		
F163		Continental Refrigerator	Door hinged on left	1		
F165		Advance Tabco	D-24-WSIBL2 Ice & Water Dispenser	1	47	
F166		John Boos	PB-DISINK101405-X Drop-In Sink	1	10	
F166		John Boos	PBF-4-D-LF-X Economy Faucet, deck mount, 3-1/2" gooseneck spout, 4" centers, 1/4 turn ceramic cartridges, color coded hot/cold indicators, integral check valve, 1/2" NPT, chrome finish, NSF, cCSAus (WRIST BLADES NOT AVAILABLE) (LEAD FREE FAUCET) (Available in Effingham and Nevada)	1	4	
F166		John Boos	PB-DMMK Deck Mount Faucet Mounting Kit, includes (2) 1/2" supply nipples, (2) retainer nuts, (2) lock washers and (2) rubber washers	1	1	
F166		John Boos	X-0414C Over flow hole, rear centered (modification)	1		
F166		John Boos	PB-PT1.5OV P-Trap 1-1/2" & tail pipe, with overflow	1		
F166		John Boos	PB-NPL1.5 P-Trap sink drain adapter, 1-1/2" NPT male for 1-1/2" tail pipe, connects P-Trap to lever waste	1	1	
F167		AllPoints	1412158/38202 Paper Towel and Soap Dispenser (2)	1		
F167		AllPoints	1412158 Bobrick® Paper Towel Dispenser, small, 10-3/4"W x 4"D x 7" H, surface mount, knob latch,	2		



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			dispenses 200 C-fold or 275 multifold paper towels, stainless steel with satin finish			
F167		AllPoints	38202 Bobrick Liquid Soap Dispenser, 40 oz. capacity, 5-1/2" x 3-1/2" x 6-1/2" H, surface mounted, vandal resistant, concealed mounting brackets, corrosion resistant valve, high impact plastic	2	1.7	
F168		Krowne	D2712-10 Drop-In Ice Bin	1	105	
F168		Krowne	SGT-100 Krowne Drop-In Soda Gun Holder, 4.75"W x 6.25"D, integrated perforated drip tray with dedicated 1" drain, 304 stainless steel construction, includes rubber grommet to fit all Wunder-Bar® & Schroeder® soda guns, NSF	1	25	
F176		New Age	NS933 Keg Storage Rack	3	213	
F176		New Age	94029 U-Brace, 60"W x 18"D x 2"H, all welded aluminum construction, NSF, (standard factory lead time)	6	45	
F177		New Age	98037 Dolly	3	39	
F200		Advance Tabco	7-PS-81 Hand Sink	1	32	
F200		Advance Tabco	K-08 Low-flow aerator 0.5gpm, fits 55/64-27 male or 15/16-27 female thread on spout, conforms to California AB 1953	1	1	
F200		Advance Tabco	K-425 Thermostatic Mixing Valve, for knee pedal, foot pedal and electronic hand sinks and valves	1	1	
F200		Advance Tabco	7-PS-16 Welded Side Splash, 7-3/4"H (installed height), one side (specify side), for hand sinks with 14" wide x 10" front-to-back bowl, splash mounted faucets	1	5	
F202		Continental Refrigerator	SW27N-FB Refrigerated Work Top	1	165	
F202		Continental Refrigerator	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	1		
F202		Continental Refrigerator	Door hinged on right, standard	1		
F205		Metro	D2020N Rack Dolly	3	40.8	
F208		Hatco	IWRM-C1-1317-06 Induction Range Warmer, Countertop	1	12	
F208		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1		
F208		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1		
F208		Hatco	120v/60/1-ph, 600 watts, 5.0 amps, NEMA 5-15P (domestic voltage), standard	1		
F209		Olympic	4-TIER, GREEN EPOXY DRY STORAGE SHELVING (XXX)	1		



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
F209	_____	Olympic	J2136K Shelf, wire, 21" x 36", green epoxy finish with chromate substrate, NSF	1	11	_____
F209	_____	Olympic	J74UK Post 74", mobile, works with stem caster, grooved at 1" intervals, green epoxy finish with chromate substrate, NSF	1	4	_____
F209	_____	Olympic	J5B Stem/Swivel-Brake Caster, 5" dia., 1-1/4" face, resilient rubber tread, 200 lb. load capacity (priced per each), NSF	1	2.63	_____
F210	_____	Olympic	JSEC53-CTN Security Enclosure Kit	1	110	_____
F210	_____	Olympic	J63UC Post 63", mobile, works with stem caster, grooved at 1" intervals, chrome finish, NSF	1	3.5	_____
F210	_____	Olympic	J5B Stem/Swivel-Brake Caster, 5" dia., 1-1/4" face, resilient rubber tread, 200 lb. load capacity (priced per each), NSF	1	2.63	_____
F211	_____	Merrychef	CONNEX 12 HIGH POWER STAINLESS STEEL Rapid Cook Oven	1		_____
F211	_____	Merrychef	Introducing: Freight Made Simple	1		_____
3% freight adder for the continental US \$30k order or more gets free freight						
Program Details Continental US*: Freight adder 3% of invoice price, for orders less than 30k • Minimum charge of \$100						
Free Freight • Orders of \$30k or more on: • One purchase order • Shipping Together • Delivering to same location						
If you have any questions, please reach out to Merrychef Customer Service at 888-877-6135. *Program Excludes: Alaska and Hawaii, which will be quoted per order **Equipment Only: No accessories						
F211	_____	Merrychef	208-240v/60/1-ph, 6 foot cord with NEMA 6-30P (X12DBMV6DFL1CLUS), standard	1		_____
F211	_____	Merrychef	PSR162 Panini Press 2.0 Kit e 2s/conneX12 , High Opening Grill Top (paddle, ceramic coated grilled top & solid bottom plate, 2 teflon liners)	1		_____
F212	_____	Continental Refrigerator	D2RNGD Reach-in Display Refrigerator, 2 sections	1	545	_____
F212	_____	Continental Refrigerator	115v/60/1-ph, 9.0 amps, cord, NEMA 5-15P, standard	1		_____



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
F212		Continental Refrigerator	Left door hinged on left & right door hinged on right, standard	1	
F212		Continental Refrigerator	6" stainless steel adjustable legs standard	1	
F212		Continental Refrigerator	Shelf, epoxy coated, plated steel with clips	1	
F213		Manitowoc	IYT0900A Ice Maker, Cube-Style	1	218
F213		Manitowoc	(-261) 208-230v/60/1-ph, 9.5 amps	1	
F214		Manitowoc	D570 Ice Bin for Ice Machines	1	115
F214		Manitowoc	Legs, 6" adjustable stainless steel, standard	1	
F214		Manitowoc	K00463 Ice Scoop, 85 oz (5.3 lbs.) capacity, thumb & knuckle guard, rubber handle, internal or external bin mounting (compatible with D Bins), cast aluminum, NSF	1	
F215		Manitowoc	AR-10000-P Water Filtration System, for Ice Machines	1	4
F216		Glastender	C1SB20 Back Bar Cabinet, Refrigerated	1	200
F216		Glastender	NOTE: This is a manufactured to order unit and is NOT returnable	1	
F216		Glastender	The C1SB20 can NOT hold a standard size keg, but it can hold up to (2) 1/6 kegs. For (2) 1/6 kegs, one keg must have a low profile keg tap (05001026). A 5# CO2 bottle (05000636) with tank mount regulator (RKL-TC) will NOT fit with (2) 1/6 kegs. See draft system accessories.	1	
F216		Glastender	120v/60/1-ph, 2.75 amps, cord, NEMA 5-15P, standard	1	
F216		Glastender	Standard 34° to 40°F operation	1	
F216		Glastender	(L) Refrigeration compartment on left side	1	
F216		Glastender	Refrigeration compartment cover finish: Stainless steel	1	
F216		Glastender	Door style, first: Stainless steel glass	1	
F216		Glastender	Door hinge location: Left	1	
F216		Glastender	Shelving style: (3) adjustable shelves, standard	1	
F216		Glastender	Signature handle	1	
F216		Glastender	No finished top - stainless steel sub-top, standard	1	
F216		Glastender	Back finish: Galvanized steel, standard	1	
F216		Glastender	Left side finish: Black vinyl-clad, standard	1	
F216		Glastender	Right side finish: Black vinyl-clad, standard	1	
F216		Glastender	Bright White (7,000k), standard	1	
F216		Glastender	No legs or casters, standard	1	
F217		Glastender	C1SB20 Back Bar Cabinet, Refrigerated	1	200
F217		Glastender	NOTE: This is a manufactured to order unit and is NOT returnable	1	



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
F217		Glastender	The C1SB20 can NOT hold a standard size keg, but it can hold up to (2) 1/6 kegs. For (2) 1/6 kegs, one keg must have a low profile keg tap (05001026). A 5# CO2 bottle (05000636) with tank mount regulator (RKL-TC) will NOT fit with (2) 1/6 kegs. See draft system accessories.	1	
F217		Glastender	120v/60/1-ph, 2.75 amps, cord, NEMA 5-15P, standard	1	
F217		Glastender	Standard 34° to 40°F operation	1	
F217		Glastender	(R) Refrigeration compartment on right side	1	
F217		Glastender	Refrigeration compartment cover finish: Stainless steel	1	
F217		Glastender	Door style, first: Stainless steel glass	1	
F217		Glastender	Door hinge location: Right	1	
F217		Glastender	Shelving style: (3) adjustable shelves, standard	1	
F217		Glastender	Signature handle	1	
F217		Glastender	No finished top - stainless steel sub-top, standard	1	
F217		Glastender	Back finish: Galvanized steel, standard	1	
F217		Glastender	Left side finish: Black vinyl-clad, standard	1	
F217		Glastender	Right side finish: Black vinyl-clad, standard	1	
F217		Glastender	Bright White (7,000k), standard	1	
F217		Glastender	No legs or casters, standard	1	
F221		Structural Concepts	BD3632 Display Case, Refrigerated, Self-Serve	1	
F221		Structural Concepts	NOTE: If GFCI is required, a GFCI breaker MUST be used in lieu of a GFCI receptacle	1	
F221		Structural Concepts	Exterior Color: Powder coated SCC Standard Silversan Black (FDA compliant), standard	1	
F221		Structural Concepts	Interior Color: Powder coated SCC Standard Silversan Black (FDA compliant), standard	1	
F221		Structural Concepts	Base Support: Casters with levelers (self-cont.), standard	1	
F221		Structural Concepts	End Panels: Full with stainless steel mirror interior, standard	1	
F221		Structural Concepts	Price Tag Molding: 1" Price tag molding (matches interior color), standard	1	
F221		Structural Concepts	Shelving: Metal shelves (4), lighted (LED), standard	1	
F221		Structural Concepts	Lights: LED 4000K with frosted lens, standard	1	
F221		Structural Concepts	Refrigeration: Breeze~E (Type-II) self-contained refrigeration, standard	1	
F221		Structural Concepts	Electrical Connection: 6' Straight blade power cord (base exit), standard	1	
F221		Structural Concepts	Thermometer: Digital fahrenheit thermometer, standard	1	
F221		Structural Concepts	Vinyl Graphics: None, standard	1	



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
F222		Structural Concepts	BD3632 Display Case, Refrigerated, Self-Serve	1	
F222		Structural Concepts	NOTE: If GFCI is required, a GFCI breaker MUST be used in lieu of a GFCI receptacle	1	
F222		Structural Concepts	Exterior Color: Powder coated SCC Standard Silversan Black (FDA compliant), standard	1	
F222		Structural Concepts	Interior Color: Powder coated SCC Standard Silversan Black (FDA compliant), standard	1	
F222		Structural Concepts	Base Support: Casters with levelers (self-cont.), standard	1	
F222		Structural Concepts	End Panels: Full with stainless steel mirror interior, standard	1	
F222		Structural Concepts	Price Tag Molding: 1" Price tag molding (matches interior color), standard	1	
F222		Structural Concepts	Shelving: Metal shelves (4), lighted (LED), standard	1	
F222		Structural Concepts	Lights: LED 4000K with frosted lens, standard	1	
F222		Structural Concepts	Refrigeration: Breeze~E (Type-II) self-contained refrigeration, standard	1	
F222		Structural Concepts	Electrical Connection: 6' Straight blade power cord (base exit), standard	1	
F222		Structural Concepts	Thermometer: Digital fahrenheit thermometer, standard	1	
F222		Structural Concepts	Vinyl Graphics: None, standard	1	
F222		Structural Concepts	ADDITIONAL WARRANTY REGISTER YOUR CASE WITH STRUCTURAL CONCEPTS TO RECEIVE AN ADDITIONAL 6 MONTH WARRANTY. DETAILS CAN BE FOUND IN THE PACKET SHIPPED WITH THE CASE	1	
F223		Krowne	KR24-12ST Hand Sink	1	60
F223		Krowne	6-1/2" High Backsplash, standard	1	
F223		Krowne	22-600L Aerator, 55/64-27 female thread, 0.5 GPM	1	
F223		Krowne	21-443L Krowne Royal Series E-Z Install Water Line Kit, wall mount, 22" long	1	1
F224		Krowne	KR24-C18L Drainboard	1	51
F224		Krowne	6-1/2" High Backsplash, standard	1	
F226		Krowne	KR24-MS32R-10 Ice Bin with Bottle Wells	1	218
F226		Krowne	6-1/2" High Backsplash, standard	1	
F226		Krowne	KR-502 Royal Series 15" deep, liner on ice station	1	
F226		Krowne	KR-113 Royal Series Stainless Steel Divider, for 15" deep ice bins	1	
F226		Krowne	KR-514 Royal Series Drop-In Elixir Bottle Divider, fits 8" ice bin, (10) bottle capacity	1	
F227		Krowne	KR24-ML8 Bottle Storage Unit	1	35
F227		Krowne	This unit is built to order and cannot be returned	1	
F227		Krowne	6-1/2" High Backsplash, standard	1	
F228		Krowne	KR24-MS14 Underbar Sink Units	1	63



A division of IFE Group
18021 Sky Park Circle, Suite F2
Irvine, CA 92614

Receiving Report

04/03/2025

7619

Project:

Firerock Country Club - Fountain Hills, AZ
16000 E. Firerock Country Club Dr
Fountain Hills, AZ 85268

Ship To:

Southern California Restaurant Design Group
Michelle Nguyen
171 Saxony Road, Ste. 103
Encinitas, CA 92024
(760) 436-3598
626-864-4955 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
F228	_____	Krowne	6-1/2" High Backsplash, standard	1		_____
F228	_____	Krowne	22-600L Aerator, 55/64-27 female thread, 0.5 GPM	1		_____
F228	_____	Krowne	30-153 Perforated Drain Basket for Bar Sink, fits all 10" x 12" x 7" sink bowls, 5" deep, with stainless steel handles, stainless steel	1		_____
F228	_____	Krowne	21-443L Krowne Royal Series E-Z Install Water Line Kit, wall mount, 22" long	1	1	_____
F229	_____	Krowne	KR24-T12 Underbar Add-On Unit	1	39	_____
F229	_____	Krowne	SJ-TC Trash Can, gray, 23 gallon, 30"H x 11"W x 20"D	1		_____
F230	_____	Glastender	MF36-S2 Glass Froster	1	255	_____
F230	_____	Glastender	120v/60/1-ph, 6.0 amps, NEMA 5-15P, standard	1		_____
F230	_____	Glastender	C-4X2-7/8 Casters, 2-7/8", for front-serviced coolers (set of four)	1	4	_____
F232	_____	Krowne	KR24-C30R Drainboard	1	64	_____
F232	_____	Krowne	6-1/2" High Backsplash, standard	1		_____
F234	_____	Krowne	KR24-S24 Drainboard	1	60	_____
F234	_____	Krowne	6-1/2" High Backsplash, standard	1		_____
F234	_____	Krowne	KR-SS24 Royal Series Shelf, for 24"W storage cabinet, stainless steel	1		_____
F235	_____	Krowne	KR24-S24 Drainboard	1	60	_____
F235	_____	Krowne	6-1/2" High Backsplash, standard	1		_____
F235	_____	Krowne	KR-SS24 Royal Series Shelf, for 24"W storage cabinet, stainless steel	1		_____
F237	_____	Vollrath	5950280 Induction Range Warmer, Countertop	7	106.75	_____
F237	_____	Vollrath	4644080 Non-Slip Mats for Induction Buffet Warmers, 9" x 8", black silicone, mats are safe up to 480°F (249C) (Refer to vollrathfoodservice.com for full warranty policy)	7	0.7	_____
F238	_____	Vollrath	V903001 Ice Pack	3	34.2	_____

Signature: _____

Date: _____