



### **Project:**

Copy of Caesar's Republic 7th Floor Bar - Wolf - Rev1 (NS)

## Ship To:

Item	PO Number	Mfr	Model & Description	Qty	Weight	
003	PO#CD213338	Perlick	TSF12HS Hand Sink	1	50	_
003	PO#CD213338	Perlick	4" Backsplash in lieu of standard 6" splash	1		_
003	PO#CD213338	Perlick	No Leg Relocation Kit	1		_
003	PO#CD213338	Perlick	934GN-LF Front Loading Faucet, wall/splash mount,	1		_
			lead free, gooseneck spout, faucet valves includes:			
			built-in check valves to prevent back flow or across			
			flow, (2) 3/8" O.D. x 3/8" O.D. x 18", braided			
002	DO#CD343330	Daulial.	stainless steel supply lines included	4		
003	PO#CD213338	Perlick	7054R End Splash, right, 6", for TS or TSF series	1		_
004	PO#CD213333	INFINITY	Under Bar Soda Gun Holder	1		_
006	PO#CD213333	INFINITY	IDKD-42-CB-SC3-M Mixology Station	1		_
006.1	PO#CD213338	Perlick	SR-H36A Speed Rail / Rack	3	100	_
007	PO#CD213338	Perlick	TS12U Bottle Storage Bin	3	108	_
007	PO#CD213338	Perlick	4" Backsplash in lieu of standard 6" splash	3		_
007.1	PO#CD213338	Perlick	SR-D12A Speed Rail / Rack	3		_
007.1	PO#CD213338	Perlick	SRLC-D12 Locking Speed Rail Cover, double, 12" W, stainless steel construction, factory installed	3		_
			(cover only)			
007.2	PO#CD213333	INFINITY	IURR-1-2-SSD-F-PT-ST-BS-M Custom Under Bar	1		
			Freezer			_
007.2	PO#CD213333	INFINITY	Customize equipment with 4" back splash	1		_
8	PO#CD213338	Perlick	TSF24SC Drainboard	4	260	_
8	PO#CD213338	Perlick	4" backsplash	4		_
8	PO#CD213338	Perlick	No Leg Relocation Kit	4		_
8	PO#CD213338	Perlick	1032968-24 TSF Series 24"W Perforated	4		_
			Drainboard Insert, 'Stadium' shaped perforations,			
			stainless steel construction, factory installed			
8	PO#CD213338	Perlick	SC-ES-R End Splash, right, for storage cabinets	1		_
08.1	PO#CD213338	Perlick	TSF30SC Drainboard	2	160	_
08.1	PO#CD213338	Perlick	4" backsplash	2		_
08.1	PO#CD213338	Perlick	No Leg Relocation Kit	2		_
08.1	PO#CD213338	Perlick	1032968-15 TSF Series (2) 15"W Perforated	4		_
			Drainboard InsertS, 'Stadium' shaped perforations,			
00.1	PO#CD213338	Dauliele	stainless steel construction, factory installed	1		
08.1		Perlick	SC-ES-L End Splash, left, for storage cabinets	1		_
009	PO#CD213338	Perlick	CM1900518-4-FT-DL Underbar Sink Units	1		_
009	PO#CD213338	Perlick	4" Backsplash in lieu of standard 6" splash	1		_
009	PO#CD213338	Perlick	No Leg Relocation Kit	1		_
010	PO#CD213333	INFINITY	IDKD-24-SF-CB-ISRS-24-M CUSTOM MIXOLOGY STATION	1		_
010.1	PO#CD213338	Perlick	TSF12PS-SR Underbar Sink Units	3	117	_
010.1	PO#CD213338	Perlick	4" backsplash	3		_
010.1	PO#CD213338	Perlick	No Leg Relocation Kit	3		_



08/26/2025 4749

#### Project:

Copy of Caesar's Republic 7th Floor Bar - Wolf - Rev1 (NS)

### Ship To:

			520-232-2682			
Item	PO Number	Mfr	Model & Description	Qty	Weight	
010.1	PO#CD213338	Perlick	934GN-LF Front Loading Faucet, wall/splash mount, lead free, gooseneck spout, faucet valves includes: built-in check valves to prevent back flow or across flow, (2) 3/8" O.D. x 3/8" O.D. x 18", braided stainless steel supply lines included	3		
010.1	PO#CD213338	Perlick	7054R End Splash, right, 6", for TS or TSF series	2		
010.1	PO#CD213338	Perlick	7054L End Splash, left, 6", for TS or TSF series	3		
010.1	PO#CD213338	Perlick	7055-52 Perforated Wet Waste Pan, 2.7 quart capacity, clear plastic (6-3/8" x 10-3/8" x 4" deep)	3		
010.1	PO#CD213338	Perlick	GR-IK Water Pressure Regulator Parts Bag, for glass rinsers (1 parts bag required for each glass rinser option picked)	3		
011	PO#CD213338	Perlick	BBS36 Back Bar Cabinet, Refrigerated	1	254	
011	PO#CD213338	Perlick	120v/60/1-ph, 1.8 amps, NEMA 5-15P	1		
011	PO#CD213338	Perlick	Stainless steel exterior finish	1		
011	PO#CD213338	Perlick	Refrigeration drawers: (2) in lieu of door	1		
011	PO#CD213338	Perlick	Full length stainless steel drawer handle, 16", standard	1		
011	PO#CD213338	Perlick	Standard refrigerator	1		
011	PO#CD213338	Perlick	no tapping holes	1		
011	PO#CD213338	Perlick	Condensing unit location: Right	1		
011	PO#CD213338	Perlick	unfinished	1		
011	PO#CD213338	Perlick	Crisp White LED	1		
011	PO#CD213338	Perlick	No legs or casters	1		
011.1	PO#CD213338	Perlick	HB24FS4 Reach-In Undercounter Freezer	3	585	
011.1	PO#CD213338	Perlick	Drawers: stainless steel, (2) in lieu of door	3		
011.1	PO#CD213338	Perlick	Door lock, chrome	3		
012	PO#CD213338	Perlick	HC48RS4 Undercounter Refrigerator	4	1340	
012	PO#CD213338	Perlick	Door finish: glass with stainless steel frame	4		
012	PO#CD213338	Perlick	Left hinged(nc)	4		
012	PO#CD213338	Perlick	Full length, 24", stainless steel grip with chrome endcaps	4		
012	PO#CD213338	Perlick	Door lock, chrome	4		
012	PO#CD213338	Perlick	Door finish: glass with stainless steel frame	4		
012	PO#CD213338	Perlick	Right hinged	4		
012	PO#CD213338	Perlick	Full length, 24", stainless steel grip with chrome endcaps	4		
012	PO#CD213338	Perlick	Door lock, chrome	4		
012	PO#CD213338	Perlick	No dispensing	4		
012.1	PO#CD213338	Perlick	DB48 Back Bar Cabinet, Non-Refrigerated	1	194	
012.1	PO#CD213338	Perlick	Stainless steel top finish	1		



08/26/2025 4749

#### Project:

Copy of Caesar's Republic 7th Floor Bar - Wolf - Rev1 (NS)

### Ship To:

			520-232-2682			
Item	PO Number	Mfr	Model & Description	Qty	Weight	
012.1	PO#CD213338	Perlick	Stainless steel exterior finish	1		
012.1	PO#CD213338	Perlick	unfinished	1		-
012.1	PO#CD213338	Perlick	Door type, first: solid	1		-
012.1	PO#CD213338	Perlick	Door hinge location, first: Left	1		-
012.1	PO#CD213338	Perlick	Door handle, first: full length stainless steel handle, 24"	1		
012.1	PO#CD213338	Perlick	Shelving style, first: (3) flat shelves	1		-
012.1	PO#CD213338	Perlick	Door type, second: solid	1		
012.1	PO#CD213338	Perlick	Door hinge location, second: Right	1		-
012.1	PO#CD213338	Perlick	Door handle, second: full length stainless steel handle, 24"	1		
012.1	PO#CD213338	Perlick	Shelving style, second: (3) flat shelves	1		
012.1	PO#CD213338	Perlick	No legs or casters	1		
012.2	PO#CD213338	Perlick	DBGS-24 Back Bar Cabinet, Non-Refrigerated	1	160	
012.2	PO#CD213338	Perlick	No legs or casters	1		
012.3A	PO#CD213338	Perlick	HC24FS4 Reach-In Undercounter Freezer	2	390	
012.3A	PO#CD213338	Perlick	Door finish: solid stainless steel	2		
012.3A	PO#CD213338	Perlick	Right hinged	2		
012.3A	PO#CD213338	Perlick	Full length, 24", stainless steel grip with chrome endcaps	2		
012.3A	PO#CD213338	Perlick	Door lock, chrome	2		
012.3B	PO#CD213338	Perlick	HC24FS4 Reach-In Undercounter Freezer	3	585	
012.3B	PO#CD213338	Perlick	Door finish: solid stainless steel	3		
012.3B	PO#CD213338	Perlick	Left hinged(nc)	3		
012.3B	PO#CD213338	Perlick	Full length, 24", stainless steel grip with chrome endcaps	3		
012.3B	PO#CD213338	Perlick	Door lock, chrome	3		
015	PO#CD213338	Perlick	C18650A-GRE Drip Trough	1		
015	PO#CD213338	Perlick	GR-IK Water Pressure Regulator Parts Bag, for glass rinsers (1 parts bag required for each glass rinser option picked)	1		
016	PO#CD213338	Perlick	4006-5B Draft Beer Dispensing Tower	1	37	
016.1	PO#CD213338	Perlick	CENTURY GLYCOL COOLED SYSTEM Remote Beer System	1		
016.1	PO#CD213338	Perlick	First basic trunk housing	1		
016.1	PO#CD213338	Perlick	4220-5 First Basic Trunk Housing, for remote beer system, (5) 3/8" I.D. Bev-Seal Barrier product lines (NSF-component), product lines are color-coded & number-coded, 1/2" O.D. copper coolant lines, 3/4" thick thermal insulation, black PVC flame-retardant outer wrap, 3-1/2" diameter O.A., custom fabricated	95		



08/26/2025 4749

#### Project:

Copy of Caesar's Republic 7th Floor Bar - Wolf - Rev1 (NS)

### Ship To:

Item	PO Number	Mfr	Model & Description	Qty	Weight	
016.1	PO#CD213338	Perlick	at factory, sold per ft, specify number of feet, each 1052462 Draught Guard Unit, handles up to 12 beverage lines	1		
016.1	PO#CD213338	Perlick	Trunk housing tape	1		
016.1	PO#CD213338	Perlick	C15393 6 yd. Roll - 1/2" filament tape	1		
016.1	PO#CD213338	Perlick	C15394 6 yd. roll - 2" clear polytape	3		
016.1	PO#CD213338	Perlick	C15699 6 yd. roll - 2" black polytape	4		
016.1	PO#CD213338	Perlick	Trunk housing accessories	1		
016.1	PO#CD213338	Perlick	C14230B1 Braided tubing 3/8" - 100 ft. roll	1		
017	PO#CD213338	Perlick	BBS36 Back Bar Cabinet, Refrigerated	1	254	
017	PO#CD213338	Perlick	120v/60/1-ph, 1.8 amps, NEMA 5-15P	1		
017	PO#CD213338	Perlick	Stainless steel exterior finish	1		
017	PO#CD213338	Perlick	Door type: solid	1		
017	PO#CD213338	Perlick	Door hinge location: Right	1		
017	PO#CD213338	Perlick	Door handle: full length stainless steel handle, 24"	1		
017	PO#CD213338	Perlick	Shelving style: no shelf, keg storage	1		
017	PO#CD213338	Perlick	Standard refrigerator	1		
017	PO#CD213338	Perlick	no tapping holes	1		
017	PO#CD213338	Perlick	Condensing unit location: Right	1		
017	PO#CD213338	Perlick	unfinished	1		
017	PO#CD213338	Perlick	Crisp White LED	1		
017	PO#CD213338	Perlick	No legs or casters	1		
017	PO#CD213338	Perlick	1030850 Nitro Dispensing Kit, dual infuser, includes: infuser, hoses & connections, 6-way distributor, regulator assembly & air sleeve	1		
017	PO#CD213338	Perlick	-R Universal Field Installation Components for Tapping Kits	1		
017	PO#CD213338	Perlick	858D Draft Beer Dispenser, air-cooled, accommodates (2) faucets, all Perlick towers include 630SS faucets (630SSTF faucets where applicable on TF Brass and Gold Towers), polished chrome finish	1		
017	PO#CD213338	Perlick	CC2.5NAT Cocktail Keg, 2.5 gallon, with ball lock connections. Quick disconnects sold separately in parts bag	2		
017	PO#CD213338	Perlick	CCTCK Parts Bag, for non-circulating cocktail kegs, contains: quick disconnects for ball lock connection, gas and beverage tubing, and gas manifold	2		
017	PO#CD213338	Perlick	68685-1 Air Scoop, tapping, for back bar coolers	1		
017	PO#CD213338	Perlick	308-38 Faucet Knob, black plastic	2		



08/26/2025 4749

#### Project:

Copy of Caesar's Republic 7th Floor Bar - Wolf - Rev1 (NS)

### Ship To:

Item	PO Number	Mfr	Model & Description	Qty	Weight	
025	PO#CD213338	Perlick	TS6FA Underbar Add-On Unit	1	18	
025	PO#CD213338	Perlick	4" Backsplash in lieu of standard 6" splash	1		
032A	PO#CD213331	Fisher	35250 Deck Mount Faucet	1	4.75	
041	PO#CD213334	Olympic	J2460C Wire Shelving	4	84	
041	PO#CD213334	Olympic	J74UC Post 74", mobile, works with stem caster, grooved at 1" intervals, chromate finish, NSF	4	16	
041	PO#CD213334	Olympic	J5 Stem/Swivel Caster, 5" dia., 1-1/4" face, resilient rubber tread, 200 lb. load capacity (priced per each), NSF	4	10	
041	PO#CD213334	Olympic	J2436C Shelf, wire, 24" x 36", chromate finish, NSF	4	52	
041	PO#CD213334	Olympic	J74UC Post 74", mobile, works with stem caster, grooved at 1" intervals, chromate finish, NSF	4	16	
041	PO#CD213334	Olympic	J5 Stem/Swivel Caster, 5" dia., 1-1/4" face, resilient rubber tread, 200 lb. load capacity (priced per each), NSF	4	10	
Z02	PO#CD213338	Perlick	MISC1-AR-INSTALLATION Disconnect Beer System	1		
<b>Z</b> 02	PO#CD213338	Perlick	MISC1-AR-INSTALLATION BEER SYSTEM INSTALL COST ONLY (NO RECEIVING OR WAREHOUSING) NOTE: NOT TO INCLUDE ELECTRICAL, PLUMBING, CONCRETE CORING, DRILLING MOUNTING HOLES IN SOLID SURFACE COUNTER TOPS, SECURITY, PERMITS, CARPENTRY, MASONRY, SHEET METAL WORK, OFF PREMISE DISPOSAL OF SHIPPING MATERIALS, FIRE CAULKING OR INSTALLATION OF BEVERAGE CONDUITS. ALL MEASURED ITEMS SUBJECT TO VERIFICATION AND ADJUSTMENT FOLLOWING FIELD MEASUREMENTS AT THE JOB SITE. INSTALL COSTS ARE BASED ON STANDARD WEEK DAY BUSINESS HOURS.	1		
033	PO#CD213577	John Boos	PBHS-W-1410-SSLR-X Hand Sink	1	12	
033	PO#CD213577	John Boos	PBF-4-S-LF-X Economy Faucet, splash mount, 3-1/2" gooseneck spout, 4" centers, 1/4 turn ceramic cartridges, color coded hot/cold indicators, integral check valve, 1/2" NPT, chrome finish, NSF, cCSAus (LEAD FREE FAUCET) (Available in Effingham and Nevada)	1	4	
033	PO#CD213577	John Boos	PB-SMMK-90 Splash Mount Faucet Mounting Kit, includes (2) 1/2" supply nipples, (2) retainer nuts, (2) lock washers, (2) rubber washers and (2) male & female short 90° elbows	1	1	
	Signatu	re:	Date:			