



Receiving Report

07/28/2025

11791

Project:

Agua Fria High School #1 Rebuild 2/25/25 REVISED
530 E Riley Drive
Avondale, AZ 85323

Ship To:

Avanti Restaurant Solutions
Bob Jacobson
3199C Airport Loop Dr.
Costa Mesa, CA 92626
(714)276-6886

| Item | PO Number | Mfr | Model & Description | Qty | Weight | |
|------|-----------|----------------------------|--|-----|--------|--|
| 001 | | Berner | SHD07-1048A Air Curtain | 1 | 68 | |
| 001 | | Berner | NOTE:Contact Name / Phone Number and/or Email required at time of order | 1 | | |
| 001 | | Berner | If special freight fees are requested, (See below) all applicable fees will be added to the invoice; fees subject to change; contact factory for addition information. | 1 | | |
| 001 | | Berner | A 120v/60/1-ph | 1 | | |
| 001 | | Berner | 9503SD025-PR-A Plunger/Roller Door Switch, NEMA 1, max. amp draw of 20 amps, 120-240v/1ph | 1 | | |
| 001 | | Berner | White powder coat exterior finish, standard | 1 | | |
| 002A | | Berner | ASD36078 Cooler Freezer Door, Flexible | 2 | | |
| 006 | | Cambro | DRS480480 Dunnage Rack | 10 | 339.5 | |
| 007 | | Cambro | CPU244872V4480 Shelving Unit, Plastic with Poly Exterior Steel Posts | 20 | 2050.6 | |
| 008 | | Eagle Group | HSA-10-FW Hand Sink | 4 | 56 | |
| 008 | | Eagle Group | 300791 Tail Piece, for 1-1/2 IPS connection, nickel-plated | 4 | | |
| 008 | | Eagle Group | 300789 P-Trap, nickel-plated | 4 | 4 | |
| 008 | | Eagle Group | -LS Left side splashes for handsink | 3 | | |
| 008 | | Eagle Group | -RS Right side splashes for handsink | 1 | | |
| 011 | | Channel | CSR-156M Can Rack | 2 | 370 | |
| 011 | | Channel | /5B Accessories, Caster Brakes, Heavy-Duty (Set of 2), 1lbs. (ITEM WEIGHT ONLY) | 2 | | |
| 014 | | Eagle Group | HSA-10-FW Hand Sink | 1 | 14 | |
| 014 | | Eagle Group | 326272 Emergency Eye Wash Unit, faucet-mount, fits in place of aerator on spout, (2) dust covers, pull valve activates fountain, polished chrome finish | 1 | 1.1 | |
| 014 | | Eagle Group | 373848 Anti-Scald Valve, for emergency eye wash unit #326272, 1/2" NPT, 65°-95°F (meets ANSI Z358.1 & ASSE 1017 standards) | 1 | 4.9 | |
| 014 | | Eagle Group | 300791 Tail Piece, for 1-1/2 IPS connection, nickel-plated | 1 | | |
| 014 | | Eagle Group | 300789 P-Trap, nickel-plated | 1 | 1 | |
| 014 | | Eagle Group | -LS Left side splashes for handsink | 1 | | |
| 017 | | Precision Stainless | STAINLESS Mobile Equipment Stand, for Mixer / Slicer | 1 | | |
| 018 | | Hobart | HS7-1 Food Slicer, Electric | 1 | 138 | |
| 018 | | Hobart | HS-CHUTE Food chute for HS series slicers | 1 | | |
| 018 | | Hobart | HS-FENFUL Product fence for HS series slicers | 1 | | |
| 018 | | Hobart | HS-HVYGRP Heavy Duty Meat Grip | 1 | | |
| 019 | | Precision Stainless | STAINLESS Wall Flashing & Wall Cap | 1 | | |
| 021 | | Traulsen | G20010 Reach-In Refrigerator | 1 | 590 | |
| 021 | | Traulsen | G23ACC-SHLF9 (1) epoxy coated shelf with pins & clips - L | 2 | 20 | |
| 021 | | Traulsen | G23ACC-SHLF11 (1) Epoxy coated shelf with pins & clips - R | 2 | 20 | |



Receiving Report

07/28/2025

11791

Project:

Agua Fria High School #1 Rebuild 2/25/25 REVISED
530 E Riley Drive
Avondale, AZ 85323

Ship To:

Avanti Restaurant Solutions
Bob Jacobson
3199C Airport Loop Dr.
Costa Mesa, CA 92626
(714)276-6886

| Item | PO Number | Mfr | Model & Description | Qty | Weight | |
|------|-----------|----------------------------------|--|-----|--------|--|
| 021 | | Traulsen | LK2 Legs, 6"H, stainless steel, set of (4) | 1 | 8 | |
| 022 | | Precision Stainless | STAINLESS Mobile Equipment Stand, for Mixer / Slicer | 1 | | |
| 023 | | Hobart | HL200-1STD Planetary Mixer | 1 | 280 | |
| 024 | | Precision Stainless | STAINLESS Prep Table w/Sinks | 1 | | |
| 024A | | Fisher | 60836 Wall / Splash Mount Faucet | 1 | 5 | |
| 024A | | Fisher | 10006 Supply Line, 1/2" F x 1/2" M, 36" long, stainless steel | 2 | 1 | |
| 024A | | Fisher | 71498 Close Elbow, 1/2" female, stainless steel | 2 | 0.5 | |
| 024B | | Fisher | 22209 Drain, Lever / Twist Waste | 2 | 9 | |
| 025 | | Precision Stainless | STAINLESS Wall Shelf | 1 | | |
| 026 | | Precision Stainless | STAINLESS Three Compartment Sink | 1 | | |
| 026A | | Fisher | 5214 Wall / Splash Mount Faucet | 2 | 19 | |
| 026A | | Fisher | 5000-2103 Close Elbow, 3/4" female, rough chrome | 4 | 3 | |
| 026B | | Fisher | 22209 Drain, Lever / Twist Waste | 3 | 13.5 | |
| 027 | | Salvajor | 200-CA-18-ARSS-LD-PP Disposer | 1 | 130 | |
| 027 | | Salvajor | 208v/60/3-ph, 6.6 amps | 1 | | |
| 027 | | Salvajor | 18CC 18" Stainless steel cone cover | 1 | 5 | |
| 027 | | Salvajor | 980105 Mounting bracket for ARSS-2, ARSS, ARSS-LD & WSP | 1 | 8 | |
| 027 | | Salvajor | DP Stainless steel dejamming prong | 1 | 1 | |
| 027A | | Fisher | 3990 Vacuum Breaker Assembly | 1 | 3.5 | |
| 028 | | Fisher | 67989 Pre-Rinse Faucet Assembly | 1 | 11.15 | |
| 029 | | Precision Stainless | STAINLESS Pot / Utensil Rack | 1 | | |
| 030 | | Metro | PR48VX4-XDR Drying Rack Unit | 1 | 112.8 | |
| 030 | | Metro | XDRIP Quick Ship - Drip Tray Assembly, adjustable, fits 36"W x 24"D & 48"W x 24"D MetroMax® i shelves or open frame, includes (2) polymer chutes & (1) aluminum frame, NSF (chutes funnel dripping liquids into a standard size GN 1/1 steam pan (pan not included)) | 1 | 4.7 | |
| 031 | | Metro | PR48VX3-XDR Drying Rack Unit | 2 | 216.4 | |
| 031 | | Metro | XDRIP Quick Ship - Drip Tray Assembly, adjustable, fits 36"W x 24"D & 48"W x 24"D MetroMax® i shelves or open frame, includes (2) polymer chutes & (1) aluminum frame, NSF (chutes funnel dripping liquids into a standard size GN 1/1 steam pan (pan not included)) | 2 | 9.4 | |
| 033A | | Precision Stainless | STAINLESS Ceiling Closure Panels | 1 | | |
| 035 | | Precision Stainless | STAINLESS Wall Flashing | 1 | | |
| 036 | | Garland Commercial Ranges | G36-6S Range, 36", 6 Open Burners | 1 | 310 | |
| 036 | | Garland Commercial Ranges | Natural gas, specify elevation if over 2,000 ft | 1 | | |
| 036 | | Garland Commercial Ranges | Low-Profile stainless steel backguard, in lieu of standard backguard/shelf | 1 | | |



Receiving Report

07/28/2025

11791

Project:

Agua Fria High School #1 Rebuild 2/25/25 REVISED
530 E Riley Drive
Avondale, AZ 85323

Ship To:

Avanti Restaurant Solutions
Bob Jacobson
3199C Airport Loop Dr.
Costa Mesa, CA 92626
(714)276-6886

| Item | PO Number | Mfr | Model & Description | Qty | Weight | |
|------|-----------|----------------------------|---|-----|--------|--|
| 036A | | Dormont | 1675KIT48 Blue Hose Gas Connector Kit | 1 | 5.85 | |
| 037 | | Cleveland | SGL40TR Tilting Skillet Braising Pan, Gas | 1 | 624 | |
| 037 | | Cleveland | Performance start-up included at customer request after equipment is installed (Free Water Quality Check included) (contact Cleveland Sales Representative for details) | 1 | | |
| 037 | | Cleveland | New construction | 1 | | |
| 037 | | Cleveland | Natural Gas | 1 | | |
| 037 | | Cleveland | Standard wattage | 1 | | |
| 037 | | Cleveland | 120v/60/1-ph, 1.8 amps NEMA 5-15P, standard | 1 | | |
| 037 | | Cleveland | PT1 Power Tilt, with hand tilt override | 1 | | |
| 037 | | Cleveland | TD2SK 2" tangent draw-off valve, front mounted left side (Note: May require additional lead time, contact factory) | 1 | | |
| 037 | | Cleveland | PCS Pan Carrier, for floor models | 1 | 10 | |
| 037 | | Cleveland | DPK14 Double Pantry Faucet And Bracket For SEL30TR, SEL40TR, SGL30TR, SGL40TR, SGM30TR, SGM40TR, SEM30TR, SEM40TR | 1 | 7 | |
| 037A | | Dormont | 1675KIT48 Blue Hose Gas Connector Kit | 1 | 5.85 | |
| 038 | | Precision Stainless | STAINLESS Floor Trough | 1 | | |
| 040 | | Blodgett (Middleby) | ZEPH-200-G DBL Convection Oven, Gas | 2 | 2386 | |
| 040 | | Blodgett (Middleby) | Start-Up option to all the convection and deck ovens (Does not included assembly or installation of any components) (NET) | 2 | | |
| 040 | | Blodgett (Middleby) | Natural gas | 2 | | |
| 040 | | Blodgett (Middleby) | 115v/60/1-ph, 6.0 amps, 2-wire with ground, cord & plug, 1/2 hp (per deck), standard | 4 | | |
| 040 | | Blodgett (Middleby) | SSI-M Top Oven: Solid State infinite control with 60 min. manual timer | 2 | | |
| 040 | | Blodgett (Middleby) | SSI-M Bottom Oven: Solid State infinite control with 60 min. manual timer | 2 | | |
| 040 | | Blodgett (Middleby) | Venting to be determined | 2 | | |
| 040 | | Blodgett (Middleby) | 6" legs, adjustable, stainless steel (set), standard | 2 | | |
| 040 | | Blodgett (Middleby) | Gas manifold for double ovens | 2 | | |
| 040A | | Dormont | 1675KIT48 Blue Hose Gas Connector Kit | 2 | 11.7 | |
| 041A | | Precision Stainless | STAINLESS Ceiling Closure Panels | 1 | | |
| 042 | | Precision Stainless | STAINLESS Wall Flashing | 1 | | |
| 043A | | Dormont | 1675KIT48 Blue Hose Gas Connector Kit | 6 | 35.1 | |
| 044 | | Precision Stainless | STAINLESS Mobile Work Table | 3 | | |
| 045A | | Dormont | 1675KIT48 Blue Hose Gas Connector Kit | 4 | 23.4 | |
| 045A | | Parts Town | Components To Stack Existing Single Ovens | 1 | | |
| 047 | | Traulsen | RHF232WP-HHS Pass-Thru Heated Cabinet | 2 | 1450 | |
| 047 | | Traulsen | 208/115v/60/1-ph, 15.5 amps, standard | 2 | | |
| 047 | | Traulsen | Thermometer side: Left door hinged left/right hinged right, standard | 2 | | |
| 047 | | Traulsen | Rear: Left door hinged left/right hinged right, | 2 | | |



Receiving Report

07/28/2025

11791

Project:

Agua Fria High School #1 Rebuild 2/25/25 REVISED
530 E Riley Drive
Avondale, AZ 85323

Ship To:

Avanti Restaurant Solutions
Bob Jacobson
3199C Airport Loop Dr.
Costa Mesa, CA 92626
(714)276-6886

| Item | PO Number | Mfr | Model & Description | Qty | Weight | |
|------|-----------|----------------------------------|--|-----|--------|-------|
| | | | standard | | | |
| 047 | _____ | Traulsen | Half height glass door(s) in lieu of full height solid door, per door | 8 | | _____ |
| 047 | _____ | Traulsen | Half height glass doors on kitchen side only | 1 | | _____ |
| 047 | _____ | Traulsen | Additional coated shelf | 12 | | _____ |
| 047 | _____ | Traulsen | Two 6" high stainless steel kickplates, for use with standard legs only, both sides | 4 | | _____ |
| 048 | _____ | Traulsen | RHT132WPUT-HHS Pass-Thru Refrigerator | 2 | 990 | _____ |
| 048 | _____ | Traulsen | 115v/60/1-ph, 7.6 amps, cord with NEMA 5-15P, standard | 2 | | _____ |
| 048 | _____ | Traulsen | Front half height glass door(s) in lieu of full height solid door, per door - F | 4 | | _____ |
| 048 | _____ | Traulsen | Half height solid door, standard | 2 | | _____ |
| 048 | _____ | Traulsen | Thermometer side door: hinged on right, standard | 2 | | _____ |
| 048 | _____ | Traulsen | Rear door hinged on left | 2 | | _____ |
| 048 | _____ | Traulsen | Additional coated shelf on pilasters (max 13) | 8 | | _____ |
| 048 | _____ | Traulsen | One (1) Stainless Steel Kickplate , 6" High (models with legs only) | 4 | | _____ |
| 049 | _____ | Precision Stainless | STAINLESS WORK TABLE W/ SINK | 1 | | _____ |
| 049A | _____ | Fisher | 33120 Deck Mount Faucet | 1 | 5.5 | _____ |
| 049A | _____ | Fisher | 10006 Supply Line, 1/2" F x 1/2" M, 36" long, stainless steel | 2 | 1 | _____ |
| 049B | _____ | Fisher | 22209 Drain, Lever / Twist Waste | 1 | 4.5 | _____ |
| 050 | _____ | AccuTemp | N61201E060 DBL Convection Steamer, Gas, Boilerless | 1 | 560 | _____ |
| 050 | _____ | AccuTemp | Lifetime service and support guarantee | 1 | | _____ |
| 050 | _____ | AccuTemp | Door hinged on right standard | 1 | | _____ |
| 050 | _____ | AccuTemp | SNH-21-01 - Support Stand, for double stacked Steam'N'Hold or Evolution units, Ergo-low mounting height: 8-7/8" lowest unit height, stainless steel, with 5" casters in lieu of standard | 1 | | _____ |
| 050A | _____ | Dormont | 1675KIT48 Blue Hose Gas Connector Kit | 2 | 11.7 | _____ |
| 055 | _____ | Precision Stainless | STAINLESS Wall Shelf | 1 | | _____ |
| 056 | _____ | Precision Stainless | STAINLESS Serving Counter | 1 | | _____ |
| 057 | _____ | Low Temp | DI-TW-DW-20-04 Hot Food Well Unit, Drop-In, Electric | 1 | | _____ |
| 057 | _____ | Low Temp | Some options may increase lead times | 1 | | _____ |
| 057 | _____ | Low Temp | 208v/60/1-ph, 10.8 amps, 2253 watts, direct wire (standard) | 1 | | _____ |
| 058 | _____ | Low Temp | DI-TA-20-02 Cold Food Well Unit, Drop-In, Refrigerated | 1 | 245 | _____ |
| 058 | _____ | Low Temp | 120v/60/1-ph, 7.0 amps, cord with NEMA 5-15P | 1 | | _____ |
| 059 | _____ | Premier Metal & Glass | TM2S-G-EXT SNEEZE GUARD, STATIONARY | 1 | 125 | _____ |
| 059 | _____ | Premier Metal & Glass | Crating | 1 | | _____ |
| 060 | _____ | Precision Stainless | STAINLESS Mobile Work Table | 1 | | _____ |
| 062 | _____ | Precision Stainless | STAINLESS Serving Counter | 1 | | _____ |



Receiving Report

07/28/2025

11791

Project:

Agua Fria High School #1 Rebuild 2/25/25 REVISED
530 E Riley Drive
Avondale, AZ 85323

Ship To:

Avanti Restaurant Solutions
Bob Jacobson
3199C Airport Loop Dr.
Costa Mesa, CA 92626
(714)276-6886

| Item | PO Number | Mfr | Model & Description | Qty | Weight |
|------|-----------|---------------------------------------|---|-----|--------|
| 063 | | Alto-Shaam | 500-3D Warming Drawer, Free Standing | 2 | 330 |
| 063 | | Alto-Shaam | 120v/50/60/1-ph, 5.3 amps, .64 kW, NEMA 5-15P, standard | 2 | |
| 063 | | Alto-Shaam | Non-vented drawers, standard | 6 | |
| 063 | | Alto-Shaam | 5010920 Caster Stand Assembly, 3" heavy-duty casters, for 500-1D; 500-2D; 500-3D | 2 | |
| 064 | | Precision Stainless | STAINLESS Serving Counter | 1 | |
| 065 | | Alto-Shaam | 500-3D Warming Drawer, Free Standing | 2 | 330 |
| 065 | | Alto-Shaam | 120v/50/60/1-ph, 5.3 amps, .64 kW, NEMA 5-15P, standard | 2 | |
| 065 | | Alto-Shaam | Non-vented drawers, standard | 6 | |
| 065 | | Alto-Shaam | 5010920 Caster Stand Assembly, 3" heavy-duty casters, for 500-1D; 500-2D; 500-3D | 2 | |
| 066 | | Precision Stainless | STAINLESS Serving Counter | 1 | |
| 067 | | Alto-Shaam | 500-3D Warming Drawer, Free Standing | 2 | 330 |
| 067 | | Alto-Shaam | 120v/50/60/1-ph, 5.3 amps, .64 kW, NEMA 5-15P, standard | 2 | |
| 067 | | Alto-Shaam | Non-vented drawers, standard | 6 | |
| 067 | | Alto-Shaam | 5010920 Caster Stand Assembly, 3" heavy-duty casters, for 500-1D; 500-2D; 500-3D | 2 | |
| 068 | | Construction Specialties, Inc. | DECOGARD-ACROVYN BG-10N Bumper Guard | 1 | |
| 069 | | Precision Stainless | STAINLESS Corner Guard | 3 | |
| 070 | | Precision Stainless | STAINLESS Wall End Cap | 9 | |
| 071 | | Berner | SLC07-1036A Air Curtain | 1 | 45 |
| 071 | | Berner | A 120v/60/1-ph | 1 | |
| 071 | | Berner | White powder coat exterior finish, standard | 1 | |
| 071 | | Berner | 9503SD025-PR-A Plunger/Roller Door Switch, NEMA 1, max. amp draw of 20 amps, 120-240v/1ph | 1 | |
| 074 | | Eagle Group | HSA-10-FW Hand Sink | 1 | 14 |
| 074 | | Eagle Group | -LRS Left & right side splashes | 1 | |
| 074 | | Eagle Group | 300791 Tail Piece, for 1-1/2 IPS connection, nickel-plated | 1 | |
| 074 | | Eagle Group | 300789 P-Trap, nickel-plated | 1 | 1 |
| 074 | | Eagle Group | -LS Left side splashes for handsink | 1 | |
| 075 | | Precision Stainless | STAINLESS Prep Table w/Sink | 1 | |
| 075A | | Fisher | 60836 Wall / Splash Mount Faucet | 1 | 5 |
| 075A | | Fisher | 10006 Supply Line, 1/2" F x 1/2" M, 36" long, stainless steel | 2 | 1 |
| 075A | | Fisher | 71498 Close Elbow, 1/2" female, stainless steel | 2 | 0.5 |
| 075B | | Fisher | 22209 Drain, Lever / Twist Waste | 1 | 4.5 |
| 076 | | Precision Stainless | STAINLESS Wall Shelf | 1 | |
| 078 | | Traulsen | AHT132WPUT-HHS Pass-Thru Refrigerator | 1 | 445 |
| 078 | | Traulsen | 115v/60/1-ph, 7.6 amps, cord with NEMA 5-15P, standard | 1 | |
| 078 | | Traulsen | Front half height glass door(s) in lieu of full height | 1 | |



Receiving Report

07/28/2025

11791

Project:

Agua Fria High School #1 Rebuild 2/25/25 REVISED
530 E Riley Drive
Avondale, AZ 85323

Ship To:

Avanti Restaurant Solutions
Bob Jacobson
3199C Airport Loop Dr.
Costa Mesa, CA 92626
(714)276-6886

| Item | PO Number | Mfr | Model & Description | Qty | Weight |
|------|-----------|----------------------------|---|-----|--------|
| | | | solid door, per door - F | | |
| 078 | | Traulsen | Half height solid door, standard | 1 | |
| 078 | | Traulsen | Thermometer side door: hinged on right, standard | 1 | |
| 078 | | Traulsen | Rear door hinged on left | 1 | |
| 078 | | Traulsen | Additional coated shelf on pilasters (max 13) | 2 | |
| 078 | | Traulsen | One (1) Stainless Steel Kickplate , 6" High (models with legs only) | 2 | |
| 079 | | FWE | UHS-12 Mobile Heated Cabinet | 2 | 700 |
| 079 | | FWE | 120v/50/60/1-ph, 11.0 amps, 1315 watts, NEMA 5-15P, standard (US) | 2 | |
| 079 | | FWE | Manual Control, standard | 2 | |
| 079 | | FWE | Full Perimeter Top Bumper | 2 | |
| 080 | | Traulsen | G21004P Pass-Thru Refrigerator | 2 | 1180 |
| 080 | | Traulsen | G23ACC-SHLF9 (1) epoxy coated shelf with pins & clips - L | 4 | 40 |
| 080 | | Traulsen | G23ACC-SHLF11 (1) Epoxy coated shelf with pins & clips - R | 4 | 40 |
| 080 | | Traulsen | LK2 Legs, 6"H, stainless steel, set of (4) | 2 | 16 |
| 081 | | Precision Stainless | STAINLESS Work Table | 3 | |
| 082 | | Precision Stainless | STAINLESS Serving Counter | 1 | |
| 085 | | Berner | SLC07-2096A Air Curtain | 3 | 324 |
| 085 | | Berner | A 120v/60/1-ph | 3 | |
| 085 | | Berner | White powder coat exterior finish, standard | 3 | |
| 085 | | Berner | 91EZN120-BA-M-120 Basic Control Package, NEMA 4 Mag Reed, 120V only, includes RIB Relay | 3 | |
| 1500 | | Precision Stainless | FREIGHT Delivery of Custom Stainless Steel Equipment | 1 | |