Design · Equipment · Contract

Project:
Dexcom - RECEIVING LIST
232 South Dobson Road (Building 1)
Mesa , AZ 85202

Ship To:
Edward Don & Company
Andrew Keaggy
521 8th Street SW, Dte D
Auburn, WA 98001

Item	PO Number	Mfr	Model & Description	Qty	Weight	
24	7005373435-00	**Advance Tabco**	7-PS-40 Hand Sink	1	22	_____
39	7005373435-00	**Advance Tabco**	7-PS-40 Hand Sink	1	22	_____
64	7005373435-00	**Advance Tabco**	7-PS-40 Hand Sink	1	22	_____
53	7005373439-00	**Alto-Shaam**	6-10E CLASSIC Combi Oven, Electric	1	608	_____
53	7005373439-00	**Alto-Shaam**	208-240v/50/60/3-ph, 21.9-25.3 amps, 7.9-10.5kW, 8 AWG, NO cord or plug	1		_____
53	7005373439-00	**Alto-Shaam**	5026932 Installation Kit, for electric combi ovens, Copper, rated up to 30.0 amps, includes quick disconnect kit, per oven ((NET) NO FURTHER DISCOUNTS APPLY) (Note: Required to meet NYC requirements)	1		_____
53	7005373439-00	**Alto-Shaam**	6-10EVH Ventech Type 1 Hood with Condensation, for 6-10E, self-contained, two-speed high-powered fan, 775-880 CFM, includes: (2) easy clean grease filters, (2) odor filters, stainless steel construction, 1.63 amps, 0.34 kW, cULus, UL EPA, ANSI/NSF 4, CE, EAC (Not available with smoking feature, or units with recessed door) (All utilities are run through the oven, no additional hookups required)	1		_____
53	7005373439-00	**Alto-Shaam**	Hood Factory install ((NET) NO FURTHER DISCOUNTS APPLY)	1		_____
53	7005373439-00	**Alto-Shaam**	For Field install, Combitherm Factory Authorized Installation Program (above) MUST be selected for field install option to become available for selection	1		_____
53	7005373439-00	**Alto-Shaam**	5033743 Probe/Mounting Brackets	1		_____
53	7005373439-00	**Alto-Shaam**	CE-24750 Combitherm® Spray Cleaning Liquid, (12) 1 quart containers per case	1	20	_____
53	7005373439-00	**Alto-Shaam**	CE-46828 Alto-Shaam, Non-Caustic cleaner, (1) 32 oz bottle	1		_____
53	7005373439-00	**Alto-Shaam**	CE-27889 Scale Free™ deliming product, 4 lb. bottle, citrus-based, non-corrosive	1	4	_____
53	7005373439-00	**Alto-Shaam**	Seismic feet package	1		_____
53.1	7005373439-00	**Alto-Shaam**	5031203 Reverse Osmosis System	1		_____
17	7005373431-00	**Cambro**	ICS100L110 Ice Bin / Ice Caddy , Mobile	1	52	_____
43	7005373446-00	**Continental Refrigerator**	DF27N-U-D Reach-In Undercounter Freezer	1	165	_____
43	7005373446-00	**Continental Refrigerator**	115v/60/1-ph, 4.8 amps, cord, NEMA 5-15P, standard	1		_____
45	7005373446-00	**Continental Refrigerator**	D27N-U Undercounter Refrigerator	1	165	_____
45	7005373446-00	**Continental Refrigerator**	115v/60/1-ph, 2.46 amps, cord & plug, standard	1		_____
45	7005373446-00	**Continental Refrigerator**	Door hinged on right, standard	1		_____
47	7005373446-00	**Continental Refrigerator**	SW27N8C-FB Sandwich / Salad Preparation Refrigerator	1	180	_____
47	7005373446-00	**Continental Refrigerator**	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	1		_____

![DON BUILD logo]

Design · Equipment · Contract

Project:		**Ship To:**
Dexcom - RECEIVING LIST		Edward Don & Company
232 South Dobson Road (Building 1)		Andrew Keaggy
Mesa , AZ 85202		521 8th Street SW, Dte D
		Auburn, WA 98001

Item	PO Number	Mfr	Model & Description	Qty	Weight	
47	7005373446-00	**Continental Refrigerator**	Door hinged on left	1		_____
47	7005373446-00	**Continental Refrigerator**	(00FVL) Flat lid with vision panel - with hinges	1		_____
47	7005373446-00	**Continental Refrigerator**	10" cutting board, rear mounted (NOTE: Must use flat cover)	1		_____
57	7005373446-00	**Continental Refrigerator**	D36GN Equipment Stand, Refrigerated Base	1	360	_____
57	7005373446-00	**Continental Refrigerator**	115v/60/1-ph, 2.5 amps, cord, NEMA 5-15P, standard	1		_____
57	7005373446-00	**Continental Refrigerator**	Condensing unit on the right, standard	1		_____
57	7005373446-00	**Continental Refrigerator**	16 gauge stainless steel top (flat top or marine edge)	1		_____
57	7005373446-00	**Continental Refrigerator**	Casters, 3" diameter, 4"H overall, standard	1		_____
57	7005373446-00	**Continental Refrigerator**	Stainless steel top extension, 3"	1		_____
57	7005373446-00	**Continental Refrigerator**	Integral heat shield	1		_____
62	7005373446-00	**Continental Refrigerator**	SWF48N WorkTop Freezer	1	248	_____
62	7005373446-00	**Continental Refrigerator**	115v/60/1-ph, 7.7 amps, cord, NEMA 5-15P, standard	1		_____
62	7005373446-00	**Continental Refrigerator**	Left Door hinged on left & right door hinged on right, standard	1		_____
62	7005373446-00	**Continental Refrigerator**	Casters, 5" standard	1		_____
62	7005373446-00	**Continental Refrigerator**	SOS48 Single pass-thru overshelf for 48" models	1		_____
68	7005373446-00	**Continental Refrigerator**	SW48N12C Sandwich / Salad Preparation Refrigerator	1	270	_____
68	7005373446-00	**Continental Refrigerator**	115v/60/1-ph, 4.5 amps, cord, NEMA 5-15P, standard	1		_____
68	7005373446-00	**Continental Refrigerator**	Left Door hinged on left & right door hinged on right, standard	1		_____
68	7005373446-00	**Continental Refrigerator**	(00FVL) Flat lid with vision panel - with hinges	1		_____
68	7005373446-00	**Continental Refrigerator**	10" cutting board, rear mounted (NOTE: Must use flat cover)	1		_____
68	7005373446-00	**Continental Refrigerator**	50301 Casters, swivel, with brakes (3" diameter rubber tires) set of 4 (3-3/4" height)	1		_____
72	7005373446-00	**Continental Refrigerator**	SW48N-U Undercounter Refrigerator	1	248	_____
72	7005373446-00	**Continental Refrigerator**	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	1		_____
72	7005373446-00	**Continental**	Left Door hinged on left & right door hinged on	1		_____

DON | BUILD

Design · Equipment · Contract

Project:
Dexcom - RECEIVING LIST
232 South Dobson Road (Building 1)
Mesa , AZ 85202

Ship To:
Edward Don & Company
Andrew Keaggy
521 8th Street SW, Dte D
Auburn, WA 98001

Item	PO Number	Mfr	Model & Description	Qty	Weight	
		Refrigerator	right, standard			
42	7005373440-00	**Delfield**	305 Drop-In Ice Bin	1	18	_____
67	7005373440-00	**Delfield**	N8630P Hot / Cold Food Well Unit, Drop-In, Electric	1	164	_____
67	7005373440-00	**Delfield**	120v/60/1-ph, 25.0 amps, standard	1		_____
67	7005373440-00	**Delfield**	AS000-BMU-003R Perforated false bottom (N8630)	1		_____
67	7005373440-00	**Delfield**	AS000-BMU-0034 Ball valve assembly (shipped loose) for N8600 & N8800	1		_____
55.1	7005373443-00	**Dormont**	16100KITS36 Blue Hose Gas Connector Kit	1	8.15	_____
56.1	7005373443-00	**Dormont**	1675KITS48PS Blue Hose Gas Connector Kit	1	7.42	_____
59.1	7005373443-00	**Dormont**	1675KITS48PS Blue Hose Gas Connector Kit	1	7.42	_____
21	7005373450-00	**Essendant (formerly LaGasse**	FG262000GRAY Mobile Trash Unit	1		_____
7	7005373450-00	**Essendant (formerly LaGasse**	FG262000GRAY Commercial Waste Container	1	5.82	_____
7	7005373450-00	**Essendant (formerly LaGasse**	FG261960GRAY BRUTE® Container Lid, 19-7/8"D x 1-1/4"H, for 20 gallon trash can, heavy duty plastic, gray , NSF, Made in USA	1	1.58	_____
7	7005373450-00	**Essendant (formerly LaGasse**	FG264043BLA BRUTE® Quiet Dolly, 18-1/4"D x 6-5/8"H, non-marking casters, black, NSF, Made in USA	1	5.39	_____
12	7005373444-00	**Globe (Middleby)**	G12A Food Slicer, Electric	1	93	_____
12	7005373444-00	**Globe (Middleby)**	SC-LARGE Large Slicer Cover, constructed of heavy duty plastic (10 mil, double polished PVC, clear), fits S-Series, 3000N & 4000N model slicers and G12, G12A, G14, GC512, & GSO12 model slicers	1	1	_____
66	7005373432-00	**Hatco**	HBGB-3618 Heated Shelf Food Warmer	1	40	_____
66	7005373432-00	**Hatco**	120v/60/1-ph, 630 watts, 5.3 amps, NEMA 5-15P (domestic voltage), standard	1		_____
66	7005373432-00	**Hatco**	HBGB-GLASS-BLK Black finished ceramic glass, standard	1		_____
66	7005373432-00	**Hatco**	Stainless steel trim ring (standard)	1		_____
66	7005373432-00	**Hatco**	Flat top surface, standard	1		_____
66	7005373432-00	**Hatco**	Thermostat control with lighted rocker switch, standard	1		_____
66	7005373432-00	**Hatco**	Stainless steel bezel only (standard)	1		_____
18	7005373442-00	**Hoshizaki**	KM-520MAJ Ice Maker, Cube-Style	1	175	_____
18.1	7005373442-00	**Hoshizaki**	H9320-51 Water Filtration System, for Ice Machines	1		_____
18.1	7005373442-00	**Hoshizaki**	H9655-06 Replacement Water Filter Cartridge (6 pack)	1		_____
19	7005373442-00	**Hoshizaki**	B-300SF Ice Bin for Ice Machines	1	125	_____
19	7005373442-00	**Hoshizaki**	HS-5607 Scoop Holder Kit	1		_____
36	7005373436-00	**Lakeside**	311 Cart, Utility/Bussing	2	58	_____
36	7005373436-00	**Lakeside**	202 Waste Basket, 10"D x 14"W x 15"H, large, with stainless steel hanger strap, polyethylene, gray	2	12	_____
36	7005373436-00	**Lakeside**	Casters, 3-1/2", swivel, standard	2		_____
3	7005373445-00	**Metro**	MQ2454G Shelving, with Metal Frame	16	296	_____

DON | BUILD

Design · Equipment · Contract

Project:
Dexcom - RECEIVING LIST
232 South Dobson Road (Building 1)
Mesa , AZ 85202

Ship To:
Edward Don & Company
Andrew Keaggy
521 8th Street SW, Dte D
Auburn, WA 98001

Item	PO Number	Mfr	Model & Description	Qty	Weight	
3	7005373445-00	**Metro**	MX74UP Quick Ship - Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 73-3/16"H, for use with stem casters, adjusts at 1" increments, corrosion proof all polymer construction, NSF	16	35.2	_____
3	7005373445-00	**Metro**	5PCX Quick Ship - Polymer Stem Caster, swivel, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	8	16.8	_____
3	7005373445-00	**Metro**	5PCBX Quick Ship - Polymer Stem Caster, brake, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	8	18.4	_____
30	7005373445-00	**Metro**	MQ2454G Shelving, with Metal Frame	4	74	_____
30	7005373445-00	**Metro**	MX74UP Quick Ship - Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 73-3/16"H, for use with stem casters, adjusts at 1" increments, corrosion proof all polymer construction, NSF	4	8.8	_____
30	7005373445-00	**Metro**	5PCX Quick Ship - Polymer Stem Caster, swivel, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	2	4.2	_____
30	7005373445-00	**Metro**	5PCBX Quick Ship - Polymer Stem Caster, brake, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	2	4.6	_____
37	7005373445-00	**Metro**	MQ1848G Shelving, with Metal Frame	12	158.4	_____
37	7005373445-00	**Metro**	MX74UP Quick Ship - Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 73-3/16"H, for use with stem casters, adjusts at 1" increments, corrosion proof all polymer construction, NSF	12	26.4	_____
37	7005373445-00	**Metro**	5PCX Quick Ship - Polymer Stem Caster, swivel, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	6	12.6	_____
37	7005373445-00	**Metro**	5PCBX Quick Ship - Polymer Stem Caster, brake, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	6	13.8	_____
37	7005373445-00	**Metro**	MQ1836G Shelving, with Metal Frame	16	155.2	_____
37	7005373445-00	**Metro**	MX74UP Quick Ship - Polymer trilobal post	16	35.2	_____

DON | BUILD

Design · Equipment · Contract

Project:
Dexcom - RECEIVING LIST
232 South Dobson Road (Building 1)
Mesa , AZ 85202

Ship To:
Edward Don & Company
Andrew Keaggy
521 8th Street SW, Dte D
Auburn, WA 98001

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			(compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 73-3/16"H, for use with stem casters, adjusts at 1" increments, corrosion proof all polymer construction, NSF			
37	7005373445-00	**Metro**	5PCX Quick Ship - Polymer Stem Caster, swivel, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	8	16.8	_____
37	7005373445-00	**Metro**	5PCBX Quick Ship - Polymer Stem Caster, brake, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	8	18.4	_____
37	7005373445-00	**Metro**	MQ1854G Shelving, with Metal Frame	1	15	_____
37	7005373445-00	**Metro**	MX63UP Quick Ship - Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 61-3/16"H, for use with stem casters, grooved on 1" increments, corrosion proof all polymer construction, NSF	1	1.8	_____
37	7005373445-00	**Metro**	5PCX Quick Ship - Polymer Stem Caster, swivel, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	1	2.1	_____
37	7005373445-00	**Metro**	5PCBX Quick Ship - Polymer Stem Caster, brake, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	1	2.3	_____
40	7005373445-00	**Metro**	SEC53DC Security Unit	1	162	_____
40	7005373445-00	**Metro**	EZA-2436NC Super Erecta EZ-ADD Shelf, wire, 36"W x 24"D, corner hardware includes: (4) EZ-ADD Collars, (4) stainless steel mounting plates & (4) lock clips, chrome plated finish, NSF listed (ships in one box)	4	46.8	_____
5	7005373445-00	**Metro**	MQ2454G Shelving, with Metal Frame	4	74	_____
5	7005373445-00	**Metro**	MX74UP Quick Ship - Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 73-3/16"H, for use with stem casters, adjusts at 1" increments, corrosion proof all polymer construction, NSF	4	8.8	_____
5	7005373445-00	**Metro**	5PCX Quick Ship - Polymer Stem Caster, swivel, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	2	4.2	_____
5	7005373445-00	**Metro**	5PCBX Quick Ship - Polymer Stem Caster, brake, 5" dia., 1-1/4"W face, -20° F to 120°F temperature	2	4.6	_____

Design · Equipment · Contract

Project:
Dexcom - RECEIVING LIST
232 South Dobson Road (Building 1)
Mesa , AZ 85202

Ship To:
Edward Don & Company
Andrew Keaggy
521 8th Street SW, Dte D
Auburn, WA 98001

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)			
5	7005373445-00	**Metro**	MQ2460G Shelving, with Metal Frame	8	162.4	_____
5	7005373445-00	**Metro**	MX74UP Quick Ship - Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 73-3/16"H, for use with stem casters, adjusts at 1" increments, corrosion proof all polymer construction, NSF	8	17.6	_____
5	7005373445-00	**Metro**	5PCX Quick Ship - Polymer Stem Caster, swivel, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	4	8.4	_____
5	7005373445-00	**Metro**	5PCBX Quick Ship - Polymer Stem Caster, brake, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	4	9.2	_____
79	7005373448-00	**Premier Metal & Glass**	FM1V-G Sneeze Guard	1		_____
81	7005373448-00	**Premier Metal & Glass**	FM1V-G Sneeze Guard	1		_____
82	7005373448-00	**Premier Metal & Glass**	PER PLAN HEAT/LED LIGHT UNIT	1		_____
11	7005373433-00	**Robot Coupe**	R2N Food Processor, Benchtop / Countertop	1	33	_____
11	7005373433-00	**Robot Coupe**	SP5DISC SP5Disc, (5) disc package includes: (1) 1/4" grating disc, (1) 1/4" x 1/4" julienne disc, (1) 5/64" julienne disc, (1) 1/32" slicing disc, (1) 1/4" slicing disc	1		_____
76	7005373428-00	**Structural Concepts**	NR6051RRSSV Display Case, Refrigerated/Non-Refrig	1	1100	_____
76	7005373428-00	**Structural Concepts**	Refrigeration: Breeze-E (Type II) self-contained refrigeration, rear access (R513A)(nc)	1		_____
76	7005373428-00	**Structural Concepts**	Electrical Connection: 10' NEMA 6-15P, 208-240v/60/1-ph straight blade power cord, standard	1		_____
76	7005373428-00	**Structural Concepts**	Clean Sweep: Clean Sweep®, automatic condenser coil cleaner (self-cont.)	1		_____
76	7005373428-00	**Structural Concepts**	Base Support: Adjustable, locking casters (self-cont.), standard	1		_____
76	7005373428-00	**Structural Concepts**	Interior Color: Stainless steel	1		_____
76	7005373428-00	**Structural Concepts**	Frame Exterior Color: Stainless steel	1		_____
76	7005373428-00	**Structural Concepts**	Panel Exterior Color: Laminate standard color 909-58 Black	1		_____
76	7005373428-00	**Structural Concepts**	GRAIN DIRECTION Standard laminate grain directions (when applicable): - Front Panels (Upper Header and Lower Panels): Horizontal grain direction - End Panels: Vertical grain direction - Blend & Reveal Cases Only: Horizontal grain direction on front and end panels	1		_____

DON | BUILD

Design · Equipment · Contract

Project:
Dexcom - RECEIVING LIST
232 South Dobson Road (Building 1)
Mesa , AZ 85202

Ship To:
Edward Don & Company
Andrew Keaggy
521 8th Street SW, Dte D
Auburn, WA 98001

Item	PO Number	Mfr	Model & Description	Qty	Weight	
76	7005373428-00	**Structural Concepts**	Lower Front Panel Color: Powder coated SCC Standard Silversan Black (FDA compliant), standard	1		_____
76	7005373428-00	**Structural Concepts**	Lower Rear Doors: Reflective Glass rear sliding doors	1		_____
76	7005373428-00	**Structural Concepts**	Upper Rear Doors: Reflective glass rear sliding doors	1		_____
76	7005373428-00	**Structural Concepts**	Lower Rear Panel Color: Powder coated SCC Standard Silversan Black (FDA compliant), standard	1		_____
76	7005373428-00	**Structural Concepts**	Lights: LED 4000K with frost lens	1		_____
76	7005373428-00	**Structural Concepts**	Night curtain, retractable, non-locking	1		_____
33	7005373441-00	**T&S Brass**	B-0133-01 Pre-Rinse Faucet Assembly, with Add On Faucet	1	14.5	_____
33	7005373441-00	**T&S Brass**	B-1105-KIT Inlet Kit, 1/2"NPT close elbows, 24" flex supply hoses	1	1.31	_____
35	7005373441-00	**T&S Brass**	B-0290 Wall / Splash Mount Faucet	2	16	_____
35	7005373441-00	**T&S Brass**	B-0427 Supply Nipple, 3/4" x 2-1/2"	4	1.64	_____
35	7005373441-00	**T&S Brass**	B-0290-K Big-Flo Repair Kit, washers, o-rings, seats & screws	2	0.2	_____
41	7005373441-00	**T&S Brass**	B-0231 Wall / Splash Mount Faucet	1	5.66	_____
41	7005373441-00	**T&S Brass**	B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "Ell" 1/2" NPT female x male	1	0.94	_____
41	7005373441-00	**T&S Brass**	B-0230-KIT Inlet Kit, 1/2" NPT nipple, close elbows, 24" flex supply hoses	1	2.05	_____
67.1	7005373441-00	**T&S Brass**	B-0205-060X-CR Pantry Faucet	1	3.27	_____
69	7005373441-00	**T&S Brass**	B-2282-01 Dipper Well	1	3.75	_____
8	7005373441-00	**T&S Brass**	B-0231 Wall / Splash Mount Faucet	1	5.66	_____
8	7005373441-00	**T&S Brass**	B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "Ell" 1/2" NPT female x male	1	0.94	_____
8	7005373441-00	**T&S Brass**	B-0230-KIT Inlet Kit, 1/2" NPT nipple, close elbows, 24" flex supply hoses	1	2.05	_____
91	7005373437-00	**True Mfg. - General Foodservice**	GDM-49-HC~TSL01 Refrigerated Merchandiser	1	465	_____
91	7005373437-00	**True Mfg. - General Foodservice**	Self-contained refrigeration standard	1		_____
91	7005373437-00	**True Mfg. - General Foodservice**	Exterior: Black powder coated steel, standard	1		_____
91	7005373437-00	**True Mfg. - General Foodservice**	Interior: White aluminum, with white shelving, standard	1		_____
91	7005373437-00	**True Mfg. - General Foodservice**	Left door hinged left, right door hinged right standard	1		_____
91	7005373437-00	**True Mfg. - General Foodservice**	Sign, Plain White in lieu of standard	1		_____
91	7005373437-00	**True Mfg. - General Foodservice**	Castors, 2-1/2"	1		_____
92	7005373437-00	**True Mfg. - General**	GDM-47RL-HC-LD Refrigerated Merchandiser	1	535	

DON | BUILD

Design · Equipment · Contract

Project:
Dexcom - RECEIVING LIST
232 South Dobson Road (Building 1)
Mesa , AZ 85202

Ship To:
Edward Don & Company
Andrew Keaggy
521 8th Street SW, Dte D
Auburn, WA 98001

Item	PO Number	Mfr	Model & Description	Qty	Weight	
		Foodservice				
92	7005373437-00	**True Mfg. - General Foodservice**	Self-contained refrigeration standard	1		___
92	7005373437-00	**True Mfg. - General Foodservice**	Exterior: Black powder coated steel, standard	1		___
92	7005373437-00	**True Mfg. - General Foodservice**	Interior: White aluminum, with white shelving, standard	1		___
92	7005373437-00	**True Mfg. - General Foodservice**	Sign, Plain White in lieu of standard	1		___
92	7005373437-00	**True Mfg. - General Foodservice**	Castors, 2-1/2"	1		___
44	7005373438-00	**Vitamix**	036019-ABAB Blender, Bar	2	46.2	___
44	7005373438-00	**Vitamix**	015978 Advance® Complete Blender Container, 48 oz. (1.4 liter) capacity, clear BPA Free, Tritan™ container, includes: Advance® blade assembly & lid, NSF (for use with The Quiet One®, Drink Machine™ Advance®)	2	4.4	___
44	7005373438-00	**Vitamix**	000760 Tamper, 12-3/4" long, for containers: 1195, 58625, 15504, 58805, 15652, 15643, 15899, 15896, 15894 & 15893	2	1	___
55	7005373434-00	**Vulcan**	60SC-4B36GT Range, 60", 4 Burners, 36" Griddle	1	1075	___
55	7005373434-00	**Vulcan**	Natural gas (specify elevation if over 2,000 ft.)	1		___
55	7005373434-00	**Vulcan**	115v/60/1-ph, cord & plug, standard	1		___
55	7005373434-00	**Vulcan**	Griddle on right side, standard	1		___
55	7005373434-00	**Vulcan**	Convection oven on right side, standard	1		___
55	7005373434-00	**Vulcan**	RCTWLBR-60 Towel Bar, for 60" ranges	1	22	___
55	7005373434-00	**Vulcan**	Stainless steel backriser & lift-off high shelf, standard	1		___
55	7005373434-00	**Vulcan**	CASTERS-RR4 Casters, 5" (set of 4) (2 with locks) (quantity of 2 required)	2	26	___
56	7005373434-00	**Vulcan**	VACB25-QS-PLATINUM Charbroiler, Gas, Countertop	1	290	___
56	7005373434-00	**Vulcan**	Natural gas (specify elevation if over 2,000 ft.)	1		___
56	7005373434-00	**Vulcan**	PLTRAIL-ACB25 Plate Rail, 25" wide x 10-5/8" deep, stainless steel	1	8	___
56	7005373434-00	**Vulcan**	SPLASH6-CB25 Splashguard, 6" add-on, sides & back	1	10	___
56	7005373434-00	**Vulcan**	OVRSHLF-ACB25 Overshelf, 12-3/4" high x 13" deep with removable wire rack	1	8	___
56	7005373434-00	**Vulcan**	LEGS-GRD6 6" Legs (installed by others)	1	10	___
59	7005373434-00	**Vulcan**	1TR45C Gas Floor Fryer	1	230	___
59	7005373434-00	**Vulcan**	Natural gas (specify elevation if over 10,000 ft. contact factory)	1		___
59	7005373434-00	**Vulcan**	120v/60/1-ph, with cord & plug, standard	1		___
59	7005373434-00	**Vulcan**	COVER-TANK Stainless steel tank cover/work surface top, for all 35, 45 & 50 lbs. gas fryers & Frymate VX15	1	10	___
59	7005373434-00	**Vulcan**	VSPGARD-G/E Removable Splash Guard, 10",	1	7	___

Design · Equipment · Contract

Project:
Dexcom - RECEIVING LIST
232 South Dobson Road (Building 1)
Mesa , AZ 85202

Ship To:
Edward Don & Company
Andrew Keaggy
521 8th Street SW, Dte D
Auburn, WA 98001

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			stainless steel, for 35, 45, 50 & 65 lbs. fryers, sold individually			
59	7005373434-00	**Vulcan**	CRUMB-SCREEN Mesh Crumb Screen, 1/4"	1	3	_____
61	7005373434-00	**Vulcan**	FRYMATE VX15 Frymate Holding Station	1	122	_____
61	7005373434-00	**Vulcan**	COVER-TANK Stainless steel tank cover/work surface top, for all 35, 45 & 50 lbs. gas fryers & Frymate VX15	1	10	_____
61	7005373434-00	**Vulcan**	FOOD-WARMER-QS-PLATINUM (Quick Ship) ThermoGlo™ Food Warmer, 120v, for all Frymate™ models	1	25	_____