

Design • Equipment • Contract

Project:

Hawaiian Bros | Shea Blvd - Scottsdale *WORKING*
8970 E Shea Blvd
Scottsdale, AZ 85260

Ship To:

Edward Don Woodridge
Trina Iverson
20408 Bashan Drive
Ashburn, VA 20147

Item	PO Number	Mfr	Model & Description	Qty	Weight
CO1-56	7005442901	Alto-Shaam	7-20E PRO: Combi Oven, Electric	2	1454
CO1-56	7005442901	Alto-Shaam	NOTE: Subject to Manufacturer's Terms & Conditions. See Documents Section	2	
CO1-56	7005442901	Alto-Shaam	12 month extended warranty to begin at the end of std. warranty & continue for 12 additional months (net)	2	
CO1-56	7005442901	Alto-Shaam	Alto-Shaam Prodigy Factory Authorized Installation Program (First unit only) ((NET) NO FURTHER DISCOUNTS APPLY)	1	
CO1-56	7005442901	Alto-Shaam	Alto-Shaam Prodigy Factory Authorized Installation Program, for Table-top Units, per each additional unit ((NET) NO FURTHER DISCOUNTS APPLY)	1	
CO1-56	7005442901	Alto-Shaam	Installation Program includes: 1. Travel within 60 miles (120 miles round-trip) of installer 2. Pre-installation site survey 3. Professionally reviewed and managed installation process 4. Assembly of purchased equipment 5. Assembly of any accessories 6. Placement and leveling of unit 7. Connection to existing utilities within three feet of unit 8. Mechanical to ensure proper function (Note: Installation of units outside of the 60 mile radius will require additional travel charges payable by the customer)	2	
			Installation Program does not include: 1. Delivery to end user location 2. Unit must be within five feet of and have a clear and unobstructed path to final destination 3. Special licensing or permits 4. Overtime travel or labor 5. Removal of packing material 6. Removal and scrapping of old unit 7. Installation kit		
CO1-56	7005442901	Alto-Shaam	TURBO: TURBO WITH SMOKER **** SMOKER ON TOP UNIT ONLY ****	1	
CO1-56	7005442901	Alto-Shaam	TURBO: TURBO **** BOTTOM UNIT - NO SMOKER ****	1	
CO1-56	7005442901	Alto-Shaam	208v/50/60/3-ph, 54.7 amps, 19.7kW, NO cord or plug	2	
CO1-56	7005442901	Alto-Shaam	5026974: Installation Kit, for electric combi ovens, Copper, rated up to 80.0 amps, per oven ((NET) NO FURTHER DISCOUNTS APPLY) (Note: Required to meet NYC requirements)	2	
CO1-56	7005442901	Alto-Shaam	NOTE: CombiSmoker NOT available on units with security options	2	
CO1-56	7005442901	Alto-Shaam	Wifi, standard	2	
CO1-56	7005442901	Alto-Shaam	Stacked	1	

**BUILD****Receiving Report**

06/02/2025

HBSHEA

Design • Equipment • Contract**Project:**

Hawaiian Bros | Shea Blvd - Scottsdale *WORKING*
8970 E Shea Blvd
Scottsdale, AZ 85260

Ship To:

Edward Don Woodridge
Trina Iverson
20408 Bashan Drive
Ashburn, VA 20147

Item	PO Number	Mfr	Model & Description	Qty	Weight	
CO1-56	7005442901	Alto-Shaam	Removable "T" style temperature probe, standard	2		_____
CO1-56	7005442901	Alto-Shaam	CE-46991: Alto-Shaam, Concentrated Oven Cleaner, Quantity 50 tablets per container (75 gram tablet size). (Replaces CTP/CTC cleaner, CE-36354)	2		_____
CO1-56	7005442901	Alto-Shaam	CE-24750: Combitherm® Spray Cleaning Liquid, (12) 1 quart containers per case	2	40	_____
CO1-56	7005442901	Alto-Shaam	CE-27889: Scale Free™ deliming product, 4 lb. bottle, citrus-based, non-corrosive	2	8	_____
CO1-56	7005442901	Alto-Shaam	BH-38059: Clean-out Brush, 60" long	2		_____
CO1-56	7005442901	Alto-Shaam	5016710: Stacking Hardware, 7-20E or 7-20G over 7-20E (non ventless hood application)	1		_____
CO1-56	7005442901	Alto-Shaam	5017391: Mobile Stacking Base, for 7-20 or 10-20 model ovens	1		_____
98	7005442903	Antunes	VZN-521HE: Water Filtration System, for Multiple Applications	1	48	_____
98	7005442903	Antunes	AQ-RO-600 USRO: Antunes Water Filtration System, 18.5"W x 11.8"D x 16.6"H, Color display panel, adjustable blend valve, Three stage treatment process, Fast Flash.	1		_____
98	7005442903	Antunes	7000829: Surge Tank, 44 gallon, Provides backup supply of filtered water, 36" (91 cm) height, 21" (53 cm) dia.	1		_____
98	7005442903	Antunes	9710146: SI-XL Scale Inhibitor System, anti-scale dispensing system, includes: scale stick, 10" white housing, head, mounting bracket & filter wrench	1	10	_____
16	7005442905	Eagle Group	BPHS-1014-F-LRS: Hand Sink	5	70	_____
39	7005442905	Eagle Group	WB18-VG: Stationary Wall Mount Bracket, wire, end unit (shelf sold separately), for 18"D shelf, includes (1) single shelf support & wall mounting plate, Valu-Gard® green epoxy finish, NSF	4	10	_____
41	7005442905	Eagle Group	312688-X: Mop Broom Holder	2	8	_____
77	7005442905	Eagle Group	2460VG-X: Wire Shelving	3	63	_____
77	7005442905	Eagle Group	DTF2460-E: Double Truss Frame, 3-sided, 60"W x 24"D, improves support & stability, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection	1	10	_____
77	7005442905	Eagle Group	P86-VG-X: Post, stationary, 86"H, grooved in 1" increments, includes post cap & leveling bolt, Valu-Gard® green epoxy finish, NSF (FLYER)	4	20	_____
93	7005442905	Eagle Group	2460VG-X: Shelf, wire, 60"W x 24"D, patented QuadTruss® design, includes (4) pairs of split sleeves per shelf, 600 lbs. capacity, Valu-Gard® green epoxy finish, NSF (FLYER)	8	168	_____
93	7005442905	Eagle Group	P74-VG-X: Post, stationary, 74"H, grooved in 1" increments, includes post cap & leveling bolt, Valu-Gard® green epoxy finish, NSF (FLYER)	12	48	_____
95	7005442905	Eagle Group): dry storage shelving	1		_____
95	7005442905	Eagle Group	2430VG: Shelf, wire, 30"W x 24"D, patented	5	55	_____

**BUILD****Receiving Report**

06/02/2025

HBSHEA

Design • Equipment • Contract**Project:**

Hawaiian Bros | Shea Blvd - Scottsdale *WORKING*
8970 E Shea Blvd
Scottsdale, AZ 85260

Ship To:

Edward Don Woodridge
Trina Iverson
20408 Bashan Drive
Ashburn, VA 20147

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, Valu-Gard® green epoxy finish, NSF			
95	7005442905	Eagle Group	2424VG: Shelf, wire, 24"W x 24"D, patented QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, Valu-Gard® green epoxy finish, NSF	10	90	_____
95	7005442905	Eagle Group	1860VG-X: Shelf, wire, 60"W x 18"D, patented QuadTruss® design, includes (4) pairs of split sleeves per shelf, 600 lbs. capacity, Valu-Gard® green epoxy finish, NSF (FLYER)	10	170	_____
95	7005442905	Eagle Group	1848VG-X: Shelf, wire, 48"W x 18"D, patented QuadTruss® design, includes (4) pairs of split sleeves per shelf, 800 lbs. capacity, Valu-Gard® green epoxy finish, NSF (FLYER)	10	120	_____
95	7005442905	Eagle Group	P86-VG-X: Post, stationary, 86"H, grooved in 1" increments, includes post cap & leveling bolt, Valu-Gard® green epoxy finish, NSF (FLYER)	6	30	_____
97	7005442905	Eagle Group	QTR24603-VG: QuadPLUS® Tray Drying Rack, 60"W x 24"D, 3" spacing, wire construction with Valu-Gard® green epoxy finish, fits over QuadPLUS® polymer shelf	2		_____
97	7005442905	Eagle Group	QTR24483-VG: QuadPLUS® Tray Drying Rack, 48"W x 24"D, 3" spacing, wire construction with Valu-Gard® green epoxy finish, fits over QuadPLUS® polymer shelf	2	36	_____
97	7005442905	Eagle Group	P86-VG-X: Post, stationary, 86"H, grooved in 1" increments, includes post cap & leveling bolt, Valu-Gard® green epoxy finish, NSF (FLYER)	8	40	_____
39	_____	EAGLE GROUP): MOP SINK SHELVING	1		_____
93	_____	EAGLE GROUP): WALKIN COOLER SHELVING	1		_____
97	_____	EAGLE GROUP): DISH DRYING SHELVING	1		_____
1	7005442908	Manitowoc	RNP0620A: Nugget Ice Maker	2	420	_____
1	7005442908	Manitowoc	(-161) 115v/60/1-ph, 16.3 amps, standard	2		_____
22	7005442918	New Age	6005: Dunnage Rack	4	44	_____
92	7005442918	New Age	2015: Dunnage Rack	1	13.56	_____
99	7005442918	New Age	2031: Dunnage Rack	1	9	_____
23	7005442927	PVI	D1525323: Wet Food Dolly	1	13	_____
38	7005442960	T&S Brass	B-0667-POL: Service Faucet	1	8.09	_____
54G	7005442960	T&S Brass	HG-4D-48SK-PS: Gas Connector Hose Kit / Assembly	2	18.2	_____
68	7005442960	T&S Brass	B-0245: Deck Mount Faucet	1	5.8	_____
68	7005442960	T&S Brass	B-1912-10: Straight Swivel Extension, with gasket, 3/8" NPT, 7-5/8" overall length	1	0.65	_____
68	7005442960	T&S Brass	B-0109-01: Wall Bracket, 6"	1	0.83	_____
70G	7005442960	T&S Brass	HG-4D-48SK-PS: Gas Connector Hose Kit / Assembly	3	27.3	_____
81	7005442960	T&S Brass	B-0133-B08: Pre-Rinse Faucet Assembly	1	11.9	_____
84	7005442960	T&S Brass	B-0133-A14-B08: Pre-Rinse Faucet Assembly, with	1	13.5	_____



BUILD

Design • Equipment • Contract

Receiving Report

06/02/2025

HBSHEA

Project:

Hawaiian Bros | Shea Blvd - Scottsdale *WORKING*
8970 E Shea Blvd
Scottsdale, AZ 85260

Ship To:

Edward Don Woodridge
Trina Iverson
20408 Bashan Drive
Ashburn, VA 20147

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			Add On Faucet			
70	7005442964	Town	RM-55N-R: Rice / Grain Cooker	3	138	_____
14	7005442974	Turbo Air	MUR-28-N: Undercounter Refrigerator	1	163	_____
14	7005442974	Turbo Air	Note: Contact factory representative for parts & accessories discounts	1		_____
14	7005442974	Turbo Air	Self-cleaning condenser device equipped, standard	1		_____
14	7005442974	Turbo Air	Door hinged on right (field reversible), standard	1		_____
14	7005442974	Turbo Air	Caster Set, swivel, locking front wheels, standard	1		_____
14	7005442974	Turbo Air	30265H0100: Caster 2.5" Non-Brake (EA)	2		_____
14	7005442974	Turbo Air	30265H0200: Caster 2.5" With Brake (EA)	2		_____
73	7005442974	Turbo Air	MUR-28-N: Undercounter Refrigerator	1	163	_____
73	7005442974	Turbo Air	Note: Contact factory representative for parts & accessories discounts	1		_____
73	7005442974	Turbo Air	Self-cleaning condenser device equipped, standard	1		_____
73	7005442974	Turbo Air	Door hinged on right (field reversible), standard	1		_____
73	7005442974	Turbo Air	Caster Set, swivel, locking front wheels, standard	1		_____
73	7005442974	Turbo Air	30265H0100: Caster 2.5" Non-Brake (EA)	2		_____
73	7005442974	Turbo Air	30265H0200: Caster 2.5" With Brake (EA)	2		_____
36	7005442994	Winholt	WL-66-15: Locker	4	276	_____