



# Receiving Report

04/07/2025

371054

**SS KEMP**

**Project:**

Aramark - Avnet \_ McKemy - CONVERT (ST)

**Ship To:**

TriMark SS Kemp  
Samantha Towles  
4567 Willow Parkway  
Cleveland, OH 44125-1041  
216-271-7700  
216-271-7700 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
A1		Alto-Shaam	1000-UP Heated Holding Cabinet	1	360	
A1		Alto-Shaam	NOTE: Subject to Manufacturer's Terms & Conditions. See Documents Section	1		
A1		Alto-Shaam	12 month extended warranty to begin at the end of std. warranty & continue for 12 additional months (net)	1		
A1		Alto-Shaam	120v/60/1-ph, 16.0 amps, 1.9kW, 9' cord, NEMA 5-20P	1		
A1		Alto-Shaam	Reach-in design, standard	2		
A1		Alto-Shaam	Solid door, hinged on right, standard	2		
A9		Frymaster/Dean	FPRE117 Electric Floor Fryer	1	277	
A9		Frymaster/Dean	Electrical specs must be specified	1		
A9		Frymaster/Dean	CM3.5 controller, standard	1		
A9		Frymaster/Dean	Full frypots, standard	1		
A9		Frymaster/Dean	Casters, 5" diameter (set of 4), standard	1		
A9		Frymaster/Dean	Start-Up Program includes gas pressure check, gas plumbing size, wiring inspection, proper basket lift operation, cleaning of all frypots with damp rag/paper towels, controller check & programming demonstration, inspection of vent hood & demonstration of the proper use & care of the filter sys (if all is applicable)	1		
A9		Frymaster/Dean	Start-Up Program, included at Customer's request on all fryers with built-in filter	1		
A9		Frymaster/Dean	Start-Up Program includes gas pressure check, gas plumbing size, wiring inspection, proper basket lift operation, cleaning of all frypots with damp rag/paper towels, controller check & programming demonstration, inspection of vent hood & demonstration of the proper use & care of the filter sys (if all is applicable)	1		
K2		Garland Commercial Ranges	E24-48G Griddle, Electric, Countertop	1	400	
K2		Garland Commercial Ranges	208v/60/3-ph, 51.0 amps, direct	1		
K4		Garland Commercial Ranges	36ES15 HD Range, 36", 2 Boiling Sections	1	315	
K4		Garland Commercial Ranges	208v/60/1-ph, 29 amps, standard	1		
K4		Garland Commercial Ranges	PCASTPC-36E Swivel casters, polyurethane wheels (non-marking)	1		
6		Minus Forty Technologies Corp	43 UDGR-L1 43 UDGR-L1	1		
6A		Minus Forty Technologies Corp	22-USGF-F2 Freezer, Merchandiser	1	340	
6B		Minus Forty Technologies Corp	22-USGR-F2 Refrigerator, Merchandiser	1	340	



# Receiving Report

04/07/2025

371054

## Project:

Aramark - Avnet \_ McKemy - CONVERT (ST)

## Ship To:

TriMark SS Kemp  
Samantha Towles  
4567 Willow Parkway  
Cleveland, OH 44125-1041  
216-271-7700  
216-271-7700 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
K6/K6.1		<b>RATIONAL</b>	ICP 6-FULL ON 10-FULL E 208/240V 3 PH Combi Oven, Electric	1	
K6/K6.1		<b>RATIONAL</b>	60.74.725 Combi-Duo Stacking Kit for iCombi 6-full size (electric or gas) on iCombi 6- or 10-full size (electric only)	1	66.14
K6/K6.1		<b>RATIONAL</b>	Select a Combi-Duo stand below	1	
K6/K6.1		<b>RATIONAL</b>	60.31.635 Mobile Combi-Duo Kit, full size with rollers with ¾" stepless height adjustable, required for stacking 6 full on 10 full electric, or with Universal Stacking kits, or under counter installations. (contact factory for details), stainless steel construction. H: 3-3/8"	1	
K6/K6.1		<b>RATIONAL</b>	NOTE: All discounts subject to approval by manufacturer	1	
K6/K6.1		<b>RATIONAL</b>	CAP Chef Assistance Program, a RATIONAL certified Chef conducts 4 hours/location specialized application training with personnel, no charge	1	
K6/K6.1		<b>RATIONAL</b>	Two (2) Installation kits - One (1) for each iCombi is required	1	
K6/K6.1		<b>RATIONAL</b>	8720.1563US Installation Kit, for electric iCombi/SCC/CMP 62 (208/60/3ph & 240/60/3ph); electric iCombi/SCC/CMP 202 (480/60/3ph) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)	1	37
K6/K6.1		<b>RATIONAL</b>	8720.1554US (Installation Kit, for electric iCombi/SCC/CMP 102 (208/60/3 & 240/60/3); electric iCombi/SCC/CMP 202 (440/60/3) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)	1	41
K6/K6.1		<b>RATIONAL</b>	1900.1150US Water Filtration Double Cartridge System, for full-size Combi-Duos or if used for more than (2) units, includes: (1) double head with pressure gauge, (2) R95-CL filter & (1) filter installation kit (for each additional unit add (1) additional head & additional cartridge. Maximum (4) cartridges)	1	
K6/K6.1		<b>RATIONAL</b>	NOTE: The RATIONAL Water Filtration Systems helps provide consistent high quality water to your RATIONAL cooking systems. The patented carbon block technology reduces the effects of sediment, chloramines and chlorine while providing the required flow rates	1	
K6/K6.1		<b>RATIONAL</b>	60.76.178 UltraVent® Plus Ventless Recirculating Condensation Hood, with HEPA filter for smoke capture, filters smoke, for single or Combi-Duo, for 6- and 10-full size (electric), 120v/50/60Hz/1-ph, 170 watts, 6' cord, NEMA 5-15P	1	
K6/K6.1		<b>RATIONAL</b>	6010.2101 Gastronorm Grid Shelf, 2/1 size, 25-5/8"	8	38.16



# Receiving Report

04/07/2025

371054

**Project:**

Aramark - Avnet \_ McKemy - CONVERT (ST)

**Ship To:**

TriMark SS Kemp  
Samantha Towles  
4567 Willow Parkway  
Cleveland, OH 44125-1041  
216-271-7700  
216-271-7700 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			x 20-7/8", stainless steel		
K6/K6.1		<b>RATIONAL</b>	9999.2240 Services: Installation	1	
K6/K6.1		<b>RATIONAL</b>	9999.2271 Services: Installation	1	
K6/K6.1		<b>RATIONAL</b>	9999.2252 Services: Installation	2	
A4		<b>Scotsman</b>	CU3030MA-1 Ice Maker with Bin, Cube-Style	1	230
A4		<b>Scotsman</b>	NOTE: Sale of this product must comply with Scotsman's MSRP Policy; contact your Scotsman representative for details	1	
A4a		<b>SCOTSMAN MID OHIO</b>	EV932401 Water Filtration System, for Ice Machines	1	6
K1		<b>True Mfg. - General Foodservice</b>	T-23F-HC Reach-In Freezer	1	295
K1		<b>True Mfg. - General Foodservice</b>	Self-contained refrigeration standard	1	
K1		<b>True Mfg. - General Foodservice</b>	Door hinged right standard	1	
K1		<b>True Mfg. - General Foodservice</b>	4" stem castors, standard (adds 5" to OA height)	1	
K3		<b>True Mfg. - General Foodservice</b>	TRCB-48-HC Chef Base	1	325
K3		<b>True Mfg. - General Foodservice</b>	Self-contained refrigeration standard	1	
K3		<b>True Mfg. - General Foodservice</b>	Standard marine edge top	1	
K3		<b>True Mfg. - General Foodservice</b>	4" Castors, standard	1	

Signature: \_\_\_\_\_

Date: \_\_\_\_\_