

**BUILD**

Design • Equipment • Contract

**Receiving Report**

08/12/2024

11647

**Project:**

Peoria Redevelopment Project Phase 1 (Caldwell County BBQ)

**Ship To:**Edward Don Woodridge  
Craig Anderson  
3199-D Airport Loop Drive  
Costa Mesa, CA 92626  
951-516-4571 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
48		<b>Cambro</b>	IBS20148 Ingredient Bin	3	84	
48		<b>Cambro</b>	SCP24CW135 Camwear® Scoop, 24 oz., polycarbonate, clear, NSF	3	1	
48		<b>Cambro</b>	IBSH24148 Ingredient Bin Scoop Holder, 24 oz, white, for models IBS20148, IBS27148 and IBSF27	3	2.52	
104		<b>Continental Refrigerator</b>	SW60N24M-HGL-FB-D Mega Top Sandwich / Salad Preparation Refrigerator	1	368	
104		<b>Continental Refrigerator</b>	115v/60/1-ph, 5.8 amps, cord, NEMA 5-15P, standard	1		
105		<b>Continental Refrigerator</b>	SW48N-U Undercounter Refrigerator	1	248	
105		<b>Continental Refrigerator</b>	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	1		
105		<b>Continental Refrigerator</b>	Left Door hinged on left & right door hinged on right, standard	1		
24		<b>Continental Refrigerator</b>	2FN Reach-In Freezer	1	446	
24		<b>Continental Refrigerator</b>	115v/60/1-ph, 9.0 amps, cord, NEMA 5-15P, standard	1		
24		<b>Continental Refrigerator</b>	Left Door hinged on left & right door hinged on right, standard	1		
24		<b>Continental Refrigerator</b>	5" Casters, standard	1		
24		<b>Continental Refrigerator</b>	Shelf, epoxy coated, plated steel with clips	2		
54		<b>Continental Refrigerator</b>	D48GN Equipment Stand, Refrigerated Base	1	450	
54		<b>Continental Refrigerator</b>	115v/60/1-ph, 2.5 amps, cord, NEMA 5-15P, standard	1		
54		<b>Continental Refrigerator</b>	Condensing unit on the right, standard	1		
54		<b>Continental Refrigerator</b>	Casters, 3" diameter, 4"H overall, standard	1		
95		<b>FWE</b>	UHS-4 Heated Cabinet, Half-Height	3	675	
95		<b>FWE</b>	120v/50/60/1-ph, 11.0 amps, 1315 watts, NEMA 5-15P, standard (US)	3		
95		<b>FWE</b>	Electronic Control	3		
95		<b>FWE</b>	Cord Winding Bracket	3		
117		<b>Glastender</b>	C-HSA-12-D Hand Sink	1	50	
117		<b>Glastender</b>	Aerator, faucet, 2.0 GPM, standard	1		
117		<b>Glastender</b>	Faucet, deck mounted, 4"OC, 3/8" hot & cold water connections required, standard	1		
117		<b>Glastender</b>	03000483 Wet Waste Sink Strainer	1	2	
117		<b>Glastender</b>	C-LSA-D CHOICE Side Splash, left, for 19" deep models with drain pan work surface, stainless steel	1	4	
117		<b>Glastender</b>	C-RSA-D CHOICE Side Splash, right, for 19" deep models with drain pan work surface, stainless steel	1	4	
118		<b>Glastender</b>	C-DBCB-24-LD Drainboard	1	83	

**BUILD**

Design • Equipment • Contract

**Receiving Report**

08/12/2024

11647

**Project:**

Peoria Redevelopment Project Phase 1 (Caldwell County BBQ)

**Ship To:**Edward Don Woodridge  
Craig Anderson  
3199-D Airport Loop Drive  
Costa Mesa, CA 92626  
951-516-4571 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
118		<b>Glastender</b>	03013594 Shelf Kit, for C-DBCB-24	1	8	
119		<b>Glastender</b>	C-IBA-36-CP10 Ice Bin	1	160	
119		<b>Glastender</b>	With cover, with (2) bottle wells	1		
119		<b>Glastender</b>	BW3-2 Bottle Well, 3-bottle, for 19" deep ice bins, ABS plastic molded, set of two for placement on left & right of ice bin, ledge on one side accommodates sliding ice bin cover, for use with potable ice, black	1	8	
119		<b>Glastender</b>	IBCA-24 Underbar Ice Bin Sliding Cover, 24"W, two-piece, stainless steel (for use with 19"D ice bins)	1	7	
120		<b>Glastender</b>	C-SR-36 Speed Rail / Rack	1	10	
121		<b>Glastender</b>	C-LD-24 Bottle Storage Unit	1	60	
122		<b>Glastender</b>	C-PCB-24 Work Center	1	85	
122		<b>Glastender</b>	C-LSP Side Splash, left end, for CHOICE POS cabinets	1	4	
122		<b>Glastender</b>	C-RSP Side Splash, right end, for CHOICE POS cabinets	1	4	
123		<b>Glastender</b>	C-SC-24L Waste Cabinet	1	95	
123		<b>Glastender</b>	Aerator, faucet, 2.0 GPM, standard	1		
123		<b>Glastender</b>	Faucet, deck mounted, 4"OC, 3/8" hot & cold water connections required, standard	1		
123		<b>Glastender</b>	03000483 Wet Waste Sink Strainer	1	2	
123		<b>Glastender</b>	C-RSB-D CHOICE Side Splash, right, for 24", stainless steel	1	5	
125		<b>Glastender</b>	C-DBCB-24-LD Drainboard	1	83	
125		<b>Glastender</b>	03013594 Shelf Kit, for C-DBCB-24	1	8	
125		<b>Glastender</b>	C-LSB-D CHOICE Side Splash, left, for 24" deep models, stainless steel	1	5	
125		<b>Glastender</b>	C-RSB-D CHOICE Side Splash, right, for 24", stainless steel	1	5	
101		<b>Hatco</b>	EP11-14418 Sneeze Guard, Stationary	1	119.73	
101		<b>Hatco</b>	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1		
101		<b>Hatco</b>	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1		
101		<b>Hatco</b>	NOTE: Sneeze Guards are NOT returnable	1		
94		<b>Hatco</b>	EP11-07218 Sneeze Guard, Stationary	1	66.93	
97		<b>Hatco</b>	EP11-04818 Sneeze Guard, Stationary	2	98.66	
97		<b>Hatco</b>	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1		
97		<b>Hatco</b>	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1		
97		<b>Hatco</b>	NOTE: Sneeze Guards are NOT returnable	1		
05		<b>Hobart</b>	4732A+BUILDUP Meat Grinder	1	318	
05		<b>Hobart</b>	4732A-10STD 200/60/3 Drive Unit without thermal	1		

**BUILD**

Design • Equipment • Contract

**Receiving Report**

08/12/2024

11647

**Project:**

Peoria Redevelopment Project Phase 1 (Caldwell County BBQ)

**Ship To:**Edward Don Woodridge  
Craig Anderson  
3199-D Airport Loop Drive  
Costa Mesa, CA 92626  
951-516-4571 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			overload, painted finish (knife & 5 blades included in unit), US/EXP configuration			
05	_____	Hobart	32LEG-5 5" Chopper Leg Set, stainless steel	1	6	_____
05	_____	Hobart	3246KNF-STA/SH #32/#46 Stay Sharp™ knife	1	1	_____
05	_____	Hobart	3246PLT-1/8S #32/#46 Stay Sharp™ plate, 1/8"	1	1	_____
05	_____	Hobart	3246PLT-3/16S #32/#46 Stay Sharp™ plate, 3/16"	1	1	_____
05	_____	Hobart	3246PLT-1/4S #32/#46 Stay Sharp™ plate, 1/4"	1	1	_____
05	_____	Hobart	32STF-HOG #32/#46 Stuffer - Large	1	1	_____
05	_____	Hobart	32STF-SHEEP #32/#46 Stuffer - Small	1	1	_____
44	_____	Hobart	HMM20-1STD Planetary Mixer	1	204	_____
44	_____	Hobart	BOWL-HMM20 Centerline Mixer Bowl, 20 quart, stainless steel, for 20 quart planetary mixer (NET)	1		_____
76	_____	Hoshizaki	KM-2200SRJZ3 Ice Maker, Cube-Style	1	400	_____
76	_____	Hoshizaki	Always pair Z model ice machines with Z model remote condenser	1		_____
76A	_____	Hoshizaki	URC-22FZ Remote Condenser Unit	1		_____
76A	_____	Hoshizaki	Always pair Z model ice machines with Z model remote condenser	1		_____
76A	_____	Hoshizaki	HS-5325 Tubing Kit, 55 ft, brazing required, for URC-22FZ & URC-26JZ remote condenser (line sets require refrigerant)	1		_____
77	_____	Hoshizaki	B-1650SS Ice Bin for Ice Machines	1	375	_____
77	_____	Hoshizaki	Universal top kit included	1		_____
78	_____	Hoshizaki	H9320-53 Water Filtration System, for Ice Machines	1		_____
78	_____	Hoshizaki	H9655-06 Replacement Water Filter Cartridge (6 pack)	1		_____
03	_____	John Boos	ST4R1.5-3096SSK Work Table, 96", Stainless Steel Top	1	153	_____
03	_____	John Boos	WSUG-6 Welded Setup, (6) legs with gussets, (base is removable from top) (freight class change required when choosing this option)	1		_____
03	_____	John Boos	CAS02-R-X Casters, 5", heavy duty, locking, for 1-5/8" diameter legs (set of 6) (Available in Effingham and Nevada)	1	18.9	_____
03	_____	John Boos	X-CUTLEG Legs cut for casters for a standard 35.75" working height	1		_____
04	_____	John Boos	ST4R1.5-3060SSK Work Table, 60", Stainless Steel Top	1	98	_____
04	_____	John Boos	WSUG-4 Welded Setup, (4) legs with gussets, (base is removable from top) (freight class change required when choosing this option)	1		_____
04	_____	John Boos	CAS01-R-X Casters, 5", heavy duty, locking, for 1-5/8" diameter legs (set of 4) (Available in Effingham and Nevada)	1	12.6	_____
04	_____	John Boos	X-CUTLEG Legs cut for casters for a standard 35.75"	1		_____

**BUILD**

Design • Equipment • Contract

**Receiving Report**

08/12/2024

11647

**Project:**

Peoria Redevelopment Project Phase 1 (Caldwell County BBQ)

**Ship To:**Edward Don Woodridge  
Craig Anderson  
3199-D Airport Loop Drive  
Costa Mesa, CA 92626  
951-516-4571 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			working height			
07	_____	<b>John Boos</b>	PBHS-W-1410-P-SSLR-X Hand Sink	6	102	_____
07	_____	<b>John Boos</b>	Standard flyer accessories only, NO modifications to flyer items allowed or their accessories	6		_____
07	_____	<b>John Boos</b>	PB-SMMK-90 Splash Mount Faucet Mounting Kit, includes (2) 1/2" supply nipples, (2) retainer nuts, (2) lock washers, (2) rubber washers and (2) male & female short 90° elbows	6	6	_____
09	_____	<b>John Boos</b>	ST4-3096SSK Work Table, 96", Stainless Steel Top	2	306	_____
09	_____	<b>John Boos</b>	WSUG-6 Welded Setup, (6) legs with gussets, (base is removable from top) (freight class change required when choosing this option)	2		_____
09	_____	<b>John Boos</b>	CAS02-R-X Casters, 5", heavy duty, locking, for 1-5/8" diameter legs (set of 6) (Available in Effingham and Nevada)	2	37.8	_____
09	_____	<b>John Boos</b>	X-CUTLEG Legs cut for casters for a standard 35.75" working height	2		_____
11	_____	<b>John Boos</b>	ST4R1.5-3636SSK Work Table, 36", Stainless Steel Top	1	81	_____
11	_____	<b>John Boos</b>	WSUG-4 Welded Setup, (4) legs with gussets, (base is removable from top) (freight class change required when choosing this option)	1		_____
22	_____	<b>John Boos</b>	ST4R5-3072SSK Work Table, 72", Stainless Steel Top	1	119	_____
22	_____	<b>John Boos</b>	WSUG-4 Welded Setup, (4) legs with gussets, (base is removable from top) (freight class change required when choosing this option)	1		_____
23	_____	<b>John Boos</b>	BHS1672-16/304 Shelving, Wall Mounted	2	60	_____
31	_____	<b>John Boos</b>	WCO-60-X Wall Cabinet	1	99	_____
37	_____	<b>John Boos</b>	2PB244-2D24 Two (2) Compartment Sink	1	139	_____
37	_____	<b>John Boos</b>	PB-LWB Lever waste support arm bracket. Not for use with PB-LWS-1 or PB-LWS-10V straight handle lever waste.	2		_____
37	_____	<b>John Boos</b>	Note: Provisions made at factory for installation.	1		_____
37	_____	<b>John Boos</b>	X-0414C Over flow hole, rear centered (modification)	2		_____
37	_____	<b>John Boos</b>	PB-SCP24 Poly Board / Sink Cover, 24"W x 25" front-to-back x 3/4" thick	2	32	_____
37	_____	<b>John Boos</b>	PB-SCH24-2 Sink Cover Storage Holder, holds (2) boards, attaches to sink legs to hold boards vertically, for polyboard sink covers	1	6	_____
38	_____	<b>John Boos</b>	BHS1636PR-16/304 Overshelf	2	40	_____
38	_____	<b>John Boos</b>	HOOK-SS-DBL Pot Hook, double prong, stainless steel	6	6	_____
41	_____	<b>John Boos</b>	ST6R5-3060SSK Work Table, 60", Stainless Steel Top	1	91	_____
41	_____	<b>John Boos</b>	WSUG-4 Welded Setup, (4) legs with gussets, (base is removable from top) (freight class change	1		_____



# BUILD

Design • Equipment • Contract

## Receiving Report

08/12/2024

11647

**Project:**

Peoria Redevelopment Project Phase 1 (Caldwell County BBQ)

**Ship To:**

Edward Don Woodridge  
Craig Anderson  
3199-D Airport Loop Drive  
Costa Mesa, CA 92626  
951-516-4571 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			required when choosing this option)			
42	_____	John Boos	BHS1660PR-16/304 Overshelf	1	31	_____
42	_____	John Boos	HOOK-SS-DBL Pot Hook, double prong, stainless steel	7	7	_____
46	_____	John Boos	ST6-3696SSK Work Table, 96", Stainless Steel Top	1	170	_____
46	_____	John Boos	WSUG-6 Welded Setup, (6) legs with gussets, (base is removable from top) (freight class change required when choosing this option)	1		_____
47	_____	John Boos	ST6-3696SSK Work Table, 96", Stainless Steel Top	1	170	_____
47	_____	John Boos	WSUG-6 Welded Setup, (6) legs with gussets, (base is removable from top) (freight class change required when choosing this option)	1		_____
56	_____	John Boos	EES8-3060 Equipment Stand	1	82	_____
56	_____	John Boos	CAS01-R-X Casters, 5", heavy duty, locking, for 1-5/8" diameter legs (set of 4) (Available in Effingham and Nevada)	1	12.6	_____
61	_____	John Boos	SDT6-S84SBK-R Soiled Dishtable	1	104	_____
61	_____	John Boos	SPECIFY DISH MACHINE BRAND AND MODEL. John Boos standard opening is 20-7/8". Certain dish machines require modification at additional cost not shown here.	1		_____
61	_____	John Boos	X-0115Y Modified as noted, PER SKETCH (for special notations)	1		_____
61	_____	John Boos	PB-DTA-20-01 Dish Table Pre-Rinse Basket, with welded slide bar, stainless steel construction, fits 20" x 20" pre-rinse sink	1	25	_____
62	_____	John Boos	BHS1842-TS-X Dishtable Sorting Shelf	1	23	_____
67	_____	John Boos	CDT6-S48SBK-L Clean Dishtable	1	62	_____
67	_____	John Boos	SPECIFY DISH MACHINE BRAND AND MODEL. John Boos standard opening is 20-7/8". Certain dish machines require modification at additional cost not shown here.	1		_____
67	_____	John Boos	CAS12-1 Flange Foot, adjustable, stainless steel, (WITH MOUNTING HOLES) (each)	2		_____
68	_____	John Boos	BHS1636-16/304 Shelving, Wall Mounted	2	34	_____
69	_____	John Boos	3PB20284-2D24 Three (3) Compartment Sink	1	190	_____
69	_____	John Boos	BES-L Left End Splash, 10"H with boxed end, stainless steel, each	1		_____
69	_____	John Boos	X-0414A Additional pair of 1" faucet holes, per pair (modification)	1		_____
69	_____	John Boos	X-0414C Over flow hole, rear centered (modification)	3		_____
69	_____	John Boos	PB-LWB Lever waste support arm bracket. Not for use with PB-LWS-1 or PB-LWS-10V straight handle lever waste.	3		_____
69	_____	John Boos	Note: Provisions made at factory for installation.	1		_____

**BUILD**

Design • Equipment • Contract

**Receiving Report**

08/12/2024

11647

**Project:**

Peoria Redevelopment Project Phase 1 (Caldwell County BBQ)

**Ship To:**Edward Don Woodridge  
Craig Anderson  
3199-D Airport Loop Drive  
Costa Mesa, CA 92626  
951-516-4571 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
71	_____	<b>John Boos</b>	PRW24A Pot Rack	1	36	_____
71	_____	<b>John Boos</b>	HOOK-SS-DBL Pot Hook, double prong, stainless steel	6	6	_____
75	_____	<b>John Boos</b>	PBHS-W-0909-P-SSLR-X Hand Sink	2	28	_____
75	_____	<b>John Boos</b>	Standard flyer accessories only, NO modifications to flyer items allowed or their accessories	2		_____
75	_____	<b>John Boos</b>	PB-SMMK-90 Splash Mount Faucet Mounting Kit, includes (2) 1/2" supply nipples, (2) retainer nuts, (2) lock washers, (2) rubber washers and (2) male & female short 90° elbows	2	2	_____
79	_____	<b>John Boos</b>	FTSG-1860-X Floor Trough	1	93	_____
81	_____	<b>John Boos</b>	PBMS2016-6-X Mop Sink	1	35	_____
83	_____	<b>John Boos</b>	PB-MSS824-X Shelving, Wall Mounted	1	10	_____
90	_____	<b>John Boos</b>	4CH6R5-30108-1S Work Table, Cabinet Base Hinged Doors	1	520	_____
90	_____	<b>John Boos</b>	Drop-in hand sinks	1		_____
90	_____	<b>John Boos</b>	PB-DISINK091106-STD Pro-Bowl Drop-In Sink, 1-compartment, 16-1/2"W x 17-1/2"D x 17-1/4"H overall size, (1) 11-1/2"W x 9-1/4" front-to-back x 6" deep bowl, deck mount faucet holes with 4" centers, 2" drain opening with basket drain, with left & right side splashes, integrated towel dispenser, includes soap dispenser (PB-SD-DM), stainless steel construction	1	30	_____
90	_____	<b>John Boos</b>	X-0208A Cutout per sketch (used for special cutouts for drop-in) (modification)	1		_____
90	_____	<b>John Boos</b>	PBF-4DM-5GLF Heavy Duty Faucet, deck mount, 5" gooseneck spout, 4" centers, 1/4 turn ceramic cartridges, color coded hot/cold indicators, integral check valve, 1/2" NPT, chrome finish, NSF, cCSAus, ADA Compliant (LEAD FREE FAUCET)	1	5	_____
90	_____	<b>John Boos</b>	PB-DMMK Deck Mount Faucet Mounting Kit, includes (2) 1/2" supply nipples, (2) retainer nuts, (2) lock washers and (2) rubber washers	1	1	_____
90	_____	<b>John Boos</b>	PB-PT1.5 P-Trap, 1-1/2" & tail pipe	1	7	_____
93	_____	<b>John Boos</b>	CCB3624 Cutting Board	3	288	_____
55A	_____	<b>Krowne</b>	M7548K10 Gas Connector Hose Kit / Assembly	1	9.6	_____
59A	_____	<b>Krowne</b>	M7548K10 Gas Connector Hose Kit / Assembly	1	9.6	_____
131	_____	<b>Mars Air Systems</b>	LPV2120-2UA-OB Air Curtain	2	280	_____
131	_____	<b>Mars Air Systems</b>	Magnetic switches	2		_____
131	_____	<b>Mars Air Systems</b>	Magnetic Reed Switch, commercial, surface mounted	2		_____
131	_____	<b>Mars Air Systems</b>	MCPS-2UA Motor control panel for unheated units, remote mounted, (2) 1/6 HP motor maximum, 115v/60/1-ph	2		_____
131	_____	<b>Mars Air Systems</b>	99-018 Magnetic reed switch, commercial plastic body for surface mounted applications, 24v, NEMA	2		_____

**BUILD**

Design • Equipment • Contract

**Receiving Report**

08/12/2024

11647

**Project:**

Peoria Redevelopment Project Phase 1 (Caldwell County BBQ)

**Ship To:**Edward Don Woodridge  
Craig Anderson  
3199-D Airport Loop Drive  
Costa Mesa, CA 92626  
951-516-4571 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			1 (requires controller, or motor control panel wth MCP-24v)		
131		Mars Air Systems	MCP-24V Accessory, panel mounted 24v transformer (adder for motor control panel)	2	
131		Mars Air Systems	MCP-TS Titanium Silver motor control panel enclosure (adder for motor control panel)	2	
131		Mars Air Systems	Other options	2	
131		Mars Air Systems	INS-CP 8' Cord & Plug, unit mounted, 1 HP max, 115-230v/1-ph (specify location)	2	
131		Mars Air Systems	J05120 Filter kit, washable aluminum filters for 120" LPV2/LPN2 units, (4) 29-7/16"W x 7-5/8"H (includes set of spares)	2	
131		Mars Air Systems	HSG-TS Housing adder, Titanium Silver paint (priced per foot model length)	20	
131		Mars Air Systems	ZZMARSPERFOORNOTE Enter the quantity based on the model width in feet.	2	
131		Mars Air Systems	RMT-VLA Remote mounted variable speed switch, 120v, 6.0 amps	2	
16		Mars Air Systems	N248-1UA-OB Air Curtain	1	
16		Mars Air Systems	Mechanical switches	1	
16		Mars Air Systems	Door Limit Switch, indoor, plunger/roller type, remote mounted	1	
16		Mars Air Systems	99-014 Door limit switch, plunger/roller type for indoor applications, single pole double throw, 1 HP max, 250v, 20.0 amps, NEMA 1 (remote mounted)	1	
16		Mars Air Systems	HSG-PW Housing adder, Pearl White paint (priced per foot model length)	4	
17		Metro	HP2260PDMB Dunnage Rack	2	84
18		Metro	SEC56DC Security Unit	1	203
18		Metro	A2460NC Quick Ship - Super Adjustable Super Erecta® Shelf, wire, 60"W x 24"D, chrome plated finish, corner release system, NSF	3	63
73		Metro	5X337G4 Plastic Shelving Unit	1	53
73		Metro	5X357G4 MetroMax® 4 Starter Shelving Unit, 48"W x 18"D x 74"H, rust proof, 800 lb. capacity per shelf, 2000 lb. capacity per unit, (5) open grid all-polymer shelves with removable shelf mats, bag of (4) wedge connectors for each shelf, (4) polymer posts, Microban antimicrobial product protection, KD, NSF	2	125.4
06		New Age	4331 Bun / Sheet Pan Rack	4	332
06		New Age	PS Pan Stop, aluminum strap welded to rear of unit (MUST BE FACTORY INSTALLED)	4	
06		New Age	E Solid Base, solid aluminum sheet welded to top of unit base (must be factory installed)	4	
06		New Age	PB Perimeter bumper, non-marking gray rubber strip, adds 2" to length & width (MUST BE FACTORY	4	



**BUILD**

Design • Equipment • Contract

**Receiving Report**

08/12/2024

11647

**Project:**

Peoria Redevelopment Project Phase 1 (Caldwell County BBQ)

**Ship To:**Edward Don Woodridge  
Craig Anderson  
3199-D Airport Loop Drive  
Costa Mesa, CA 92626  
951-516-4571 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			INSTALLED)		
06		New Age	KU Upgrade all caster to 6" K-Urethane platform casters	4	
06		New Age	CL-D Caster Lock, for 6" K-Urethane caster (pair)	8	
19		New Age	1256CK Can Rack	1	137
02		Olympic	J2448K Wire Shelving	88	1408
02		Olympic	J74K Post 74", stationary, grooved at 1" intervals, includes leveling bolt & cap, green epoxy finish with chromate substrate, NSF	88	352
21		Olympic	J2448C Wire Shelving	30	480
21		Olympic	J86C Post 86", stationary, grooved at 1" intervals, includes leveling bolt & cap, chrome finish, NSF	24	120
32		Olympic	J2460C Wire Shelving	5	105
32		Olympic	J86C Post 86", stationary, grooved at 1" intervals, includes leveling bolt & cap, chrome finish, NSF	4	20
43		Robot Coupe	CL50EUREST Food Processor, Benchtop / Countertop	1	49
08		Spray Master	300-5052 High Pressure Cleaning System	1	315
08		Spray Master	208-240v/60/1-ph, standard	1	
08		Spray Master	WALL MOUNT KIT Wall mount kit, SS wall mount	1	
08		Spray Master	WALL MOUNTED HOSE REEL Hose reel, wall mounted	1	
08		Spray Master	100' upgrade	1	15
37A		T&S Brass	B-3950-01 Drain, Lever / Twist Waste	2	15.4
39		T&S Brass	B-0131-ADF12-BC Pre-Rinse Faucet Assembly, with Add On Faucet	1	13.2
39		T&S Brass	B-0230-KIT Inlet Kit, 1/2" NPT nipple, close elbows, 24" flex supply hoses	1	2.05
58		T&S Brass	B-1137 Wall / Splash Mount Faucet	1	3.37
61A		T&S Brass	B-3950 Drain, Lever / Twist Waste	1	4.55
63		T&S Brass	B-0131-B Pre-Rinse Faucet Assembly	1	12
63		T&S Brass	B-0230-KIT Inlet Kit, 1/2" NPT nipple, close elbows, 24" flex supply hoses	1	2.05
69A		T&S Brass	B-3950-01 Drain, Lever / Twist Waste	3	23.1
70		T&S Brass	B-0290 Wall / Splash Mount Faucet	2	16
82		T&S Brass	B-0665-BSTP Service Faucet	1	8.33
82		T&S Brass	B-0618-01 Hose, reinforced PVC, 30" long, 3/4" garden hose inlet, plain outlet	1	2.21
82		T&S Brass	B-0654 Hose Bracket, 4-11/16"L x 2-5/8"W, stainless steel, with (1) spring-loaded rubber grip, includes: (2) mounting screws & (1) 30" rubber hose with plain end outlet & 3/4" female garden hose inlet	1	2
82		T&S Brass	B-0653 Mop Hanger, stainless steel mp hanger, three spring loaded rubber grips, 17.68" long x 2.62" W	1	2.5
126		True Mfg. - General Foodservice	TBB24-72-3G-Z1-SFT-S-1 Back Bar Cabinet, Refrigerated	1	415



**BUILD**

Design • Equipment • Contract

**Receiving Report**

08/12/2024

11647

**Project:**

Peoria Redevelopment Project Phase 1 (Caldwell County BBQ)

**Ship To:**Edward Don Woodridge  
Craig Anderson  
3199-D Airport Loop Drive  
Costa Mesa, CA 92626  
951-516-4571 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
126	_____	<b>True Mfg. - General Foodservice</b>	Standard refrigerator (33°F-38°F)	1	_____	_____
126	_____	<b>True Mfg. - General Foodservice</b>	3" Castors (set of 6) (contact factory for price)	1	_____	_____
127	_____	<b>True Mfg. - General Foodservice</b>	TDD-4-S-HC Draft Beer Cooler	1	495	_____
127	_____	<b>True Mfg. - General Foodservice</b>	Self-contained refrigeration standard	1	_____	_____
127	_____	<b>True Mfg. - General Foodservice</b>	Two-Way Manifold, for direct draw draft	2	_____	_____
127	_____	<b>True Mfg. - General Foodservice</b>	Draft Column, double faucet, 3" dia., angled top	2	_____	_____
127	_____	<b>True Mfg. - General Foodservice</b>	May require an additional manifold	1	_____	_____
127	_____	<b>True Mfg. - General Foodservice</b>	Plate Castors, 3" (set of 6)	1	_____	_____
128	_____	<b>True Mfg. - General Foodservice</b>	TUC-48F-HC Reach-In Undercounter Freezer	1	290	_____
128	_____	<b>True Mfg. - General Foodservice</b>	Self-contained refrigeration standard	1	_____	_____
128	_____	<b>True Mfg. - General Foodservice</b>	Bolt locks, factory installed, standard	1	_____	_____
128	_____	<b>True Mfg. - General Foodservice</b>	Castors, 5" (36" work surface height) standard	1	_____	_____
57	_____	<b>Vollrath</b>	924HIMC Induction Range, Countertop	2	268	_____
49	_____	<b>Vulcan</b>	VHFA18 Mobile Heated Cabinet	1	220	_____
55	_____	<b>Vulcan</b>	MSA48 Griddle, Gas, Countertop	1	480	_____
55	_____	<b>Vulcan</b>	Natural gas (specify elevation if over 2,000 ft.)	1	_____	_____
55	_____	<b>Vulcan</b>	PLTRAIL-48 Plate Rail, 48" wide x 10-5/8" deep, stainless steel (NOTE: Not compatible with rear grease trough griddles)	1	8	_____
59	_____	<b>Vulcan</b>	VC44GD Convection Oven, Gas	1	928	_____
59	_____	<b>Vulcan</b>	Natural gas (specify elevation if over 2,000 ft.)	1	_____	_____
59	_____	<b>Vulcan</b>	(2) 120v/60/1-ph, 15.4 amps total, (2) cords with plugs, standard	1	_____	_____
59	_____	<b>Vulcan</b>	Gas manifold piping included with stacking kit to provide single point gas connection	1	_____	_____
59	_____	<b>Vulcan</b>	Simultaneous doors, both ovens	2	_____	_____
59	_____	<b>Vulcan</b>	Castors, set of (4) in lieu of standard legs	1	_____	_____
102	_____	<b>Wells (Middleby)</b>	MOD-400TDM Hot Food Well Unit, Drop-In, Electric	1	105	_____
102	_____	<b>Wells (Middleby)</b>	Note: Must specify voltage and phase	1	_____	_____
102	_____	<b>Wells (Middleby)</b>	208/240v/60/1-ph or 3-ph, 1.24/1.65 kW per well, field wired (field convertible)	1	_____	_____
102	_____	<b>Wells (Middleby)</b>	21709 Drain Screen, one per well	4	4	_____
102	_____	<b>Wells (Middleby)</b>	22593 Wellslok Extension Kit, for UL 12" x 20" warmers only to adapt wood countertops up to 1-	4	4	_____



# BUILD

Design • Equipment • Contract

## Receiving Report

08/12/2024

11647

**Project:**

Peoria Redevelopment Project Phase 1 (Caldwell County BBQ)

**Ship To:**

Edward Don Woodridge  
Craig Anderson  
3199-D Airport Loop Drive  
Costa Mesa, CA 92626  
951-516-4571 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			1/2" thick (1 well requires one Kit, 2 to 3 well units require two kits, 4 to 5 well units require three kits)			
103	_____	<b>Wells (Middleby)</b>	RW-2HD Warming Drawer, Free Standing	2	252	_____
103	_____	<b>Wells (Middleby)</b>	Note: Must specify voltage and phase	2		_____
103	_____	<b>Wells (Middleby)</b>	120v/60/1-ph, 900 watts, 7.5 amps, NEMA 5-15P	2		_____
103	_____	<b>Wells (Middleby)</b>	22025 Caster Kit, set of four, two with front brakes, raises unit 2-1/4" nominal height, for use with RWHD-1,2,3	2	24	_____
96	_____	<b>Wells (Middleby)</b>	MOD-100TD Hot Food Well Unit, Drop-In, Electric	1	24	_____
96	_____	<b>Wells (Middleby)</b>	120v/60/1-ph, 1.65 kW	1		_____
96	_____	<b>Wells (Middleby)</b>	Cord and NEMA 6-15P plug (can not be used in conjunction with 72" wiring option)	1		_____
96	_____	<b>Wells (Middleby)</b>	20385 Drain Valve Extension Kit, extension from drain to counter front with remote handle (for use with "D" models only) excluding DM models	1	4	_____
96	_____	<b>Wells (Middleby)</b>	21709 Drain Screen, one per well	1	1	_____
96	_____	<b>Wells (Middleby)</b>	22593 Wellslok Extension Kit, for UL 12" x 20" warmers only to adapt wood countertops up to 1-1/2" thick (1 well requires one Kit, 2 to 3 well units require two kits, 4 to 5 well units require three kits)	1	1	_____
27	_____	<b>Winholt</b>	WL-66 Locker	5	270	_____
36	_____	<b>Winston</b>	HOV5-14UV Mobile Heated Cabinet	8	3360	_____
36	_____	<b>Winston</b>	120v/60/1-ph, 2292 watts, 19.1 amps, NEMA 5-20P	8		_____
36	_____	<b>Winston</b>	Right hand	8		_____
36	_____	<b>Winston</b>	5" Plate casters (2) with locking, standard	8		_____
36	_____	<b>Winston</b>	Automatic water fill system, in lieu of standard manual fill	8		_____
36	_____	<b>Winston</b>	Allows cord to be wrapped on rear of cabinet	8		_____
36	_____	<b>Winston</b>	PLEASE NOTE: OPTION/ACCESSORY PRICING IS VALID IN COMBINATION WITH EQUIPMENT ORDERS ONLY. If additional options/accessories are required post sale contact Winston Industries at CustomerCare@Winstonind.com for pricing.	8		_____
36	_____	<b>Winston</b>	PS2938-4 Racks, oven, stainless steel, (UV only) 4 pk (price shown is net)	8		_____