



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
1-101		Advance Tabco	9-OP-20 Mop Sink	1	33	
1-102		AllPoints	36124 Mop Broom Holder	1	3.15	
1-103		Advance Tabco	WS-12-24-X Shelving, Wall Mounted	1	9	
1-104		Olympic	SHELVING Storage Shelving (5 Shelves Total)	1		
1-105		Custom Fab	STAINLESS wall flashing	1		
1-113		Winholt	WL-618 Locker	1	190	
1-120		Olympic	SHELVING Storage Shelving (85 Shelves Total)	1		
1-121		Olympic	SHELVING Storage Shelving (35 Shelves Total)	1		
1-122		SPG	SU1185PGMO Security Unit	1	141	
1-122		SPG	AC8RS Amco Caster, stem caster, rigid/swivel (convertible from rigid to swivel), 5" diameter, 1-1/4" wide face, plastic wheel with urethane tire, 250 lb. capacity	1	3	
1-122		SPG	Import Surcharge Required. Please add 15% to NET price of item.	1		
1-123		Metro	SHELVING Storage Shelving (48 Shelves Total)	1		
1-124		Delfield	GAR1P-SH Reach-In Refrigerator	2	702	
1-124		Delfield	0460003CN 3 year parts & labor warranty, standard	2		
1-124		Delfield	W00003ACN Additional 4 years compressor warranty (parts only), standard	2		
1-124		Delfield	Door hinged on left	2		
1-124		Delfield	Set of (4) 5" locking casters, standard	2		
1-126		New Age	1331 Bun / Sheet Pan Rack	6	348	
1-126		New Age	5" platform type casters, std.	6		
1-127		New Age	94273 Keg Storage Rack	1	14.4	
1-127		New Age	94029 U-Brace, 60"W x 18"D x 2"H, all welded aluminum construction, NSF, (standard factory lead time)	1	7.5	
1-127		New Age	1288 Keg Rack, 80"W x 18"D x 76"H, (8) 1/2 barrel keg capacity or (26) 1/6 barrel keg capacity, (3) shelves, "T"-Bar shelves, aluminum construction, NSF, Made in USA, (standard factory lead time)	1	78	
1-127		New Age	94030 U-Brace, 80"W x 18"D x 2"H, all welded aluminum construction, NSF, (standard factory lead time)	1	9	
1-127		New Age	68P Post, 68"H, marked in 2" increments, aluminum finish, NSF, Made in USA, (standard factory lead time)	8	28.8	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
1-129		Advance Tabco	WS-12-48-16 Shelving, Wall Mounted	4	56	
1-130		American Panel	CUSTOM Walk-In Cooler	1	4152	
1-131		American Panel	CUSTOM condensor	1	213	
1-134		Micro Matic	MMPP4302-PKG Draft Beer System Power Pack	1	157	
1-140		Advance Tabco	FTG-1248 Floor Trough	1	86	
1-140		Advance Tabco	FT-1 Anti-Splash Guard, factory installed (per linear foot)	4	4	
1-154		Advance Tabco	FTG-1248 Floor Trough	1	86	
1-154		Advance Tabco	FT-1 Anti-Splash Guard, factory installed (per linear foot)	4	4	
1-170		New Age	2052 Dunnage Rack	1	9.5	
1-171		Custom Fab	STAINLESS corner guard	14		
1-200		Custom Fab	STAINLESS island plating table	1		
1-202		Custom Fab	STAINLESS work table	1		
1-203		Custom Fab	STAINLESS wall shelving	2		
1-204		Custom Fab	STAINLESS work table	1		
1-205		Custom Fab	STAINLESS wall shelving	2		
1-206		Custom Fab	STAINLESS work table	1		
1-207		Custom Fab	STAINLESS wall shelving	2		
1-212		Vollrath	40831 Food Packaging Machine	1	118	
1-215		Delfield	GAF2P-S Reach-In Freezer	2	990	
1-215		Delfield	0460003CN 3 year parts & labor warranty, standard	2		
1-215		Delfield	W00003ACN Additional 4 years compressor warranty (parts only), standard	2		
1-215		Delfield	Left door hinged on left, right door hinged on right, standard	2		
1-215		Delfield	Set of (4) 5" locking casters, standard	2		
1-220		Custom Fab	STAINLESS work table	1		
1-221		Irinex	208v/60/3-ph, 4.7 kW, 13.4 amps	1		
1-221		Irinex	Standard door hanging (hinge on the left)	1		
1-300L		Captive-Aire	CUSTOM Exhaust Hood #1	1		
1-300L		Captive-Aire	Electrical System #1	1		
1-300ML		Captive-Aire	CUSTOM Exhaust Hood #2	1		
1-300MR		Captive-Aire	CUSTOM Exhaust Hood #3	1		



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
1-300R		Captive-Aire	CUSTOM Exhaust Hood #4	1	
1-301		Captive-Aire	R-102 Ansul Fire Suppression System	1	
1-302		Jade (Middleby)	JMRH-36GT HD Range, 36" Thermostatic Griddle	1	530
1-302		Jade (Middleby)	NOTE: All units are fully welded with heavy duty construction, stainless steel sides, front and top are standard	1	
1-302		Jade (Middleby)	NOTE: Stainless steel tray bed (burner box), deflectors, tray guides and drip tray/grease can standard	1	
1-302		Jade (Middleby)	Natural gas, specify if elevation over 2000 ft.	1	
1-302		Jade (Middleby)	3/4" Rear connection, standard	1	
1-302		Jade (Middleby)	3/4" Gas regulator supplied with range	1	
1-302		Jade (Middleby)	Cap & stainless steel manifold cover, left	1	
1-302		Jade (Middleby)	Cap & stainless steel manifold cover, right	1	
1-302		Jade (Middleby)	550°F Thermostat, standard	1	
1-302		Jade (Middleby)	Legs, 4"H, for use with equipment stand by others	1	
1-302.1		Dormont	1675KITS48PS Blue Hose Gas Connector Kit	1	7.42
1-308		Jade (Middleby)	JSHBI-36H-36C Broiler, Deck-Type, Gas	1	1050
1-308		Jade (Middleby)	Natural gas, specify if elevation over 2000 ft.	1	
1-308		Jade (Middleby)	3/4" Rear connection, standard	1	
1-308		Jade (Middleby)	3/4" Gas regulator supplied with range	1	
1-308		Jade (Middleby)	Cap & stainless steel manifold cover, left	1	
1-308		Jade (Middleby)	Cap & stainless steel manifold cover, right	1	
1-308		Jade (Middleby)	Set of four casters (2 with brakes)	1	
1-308.1		Dormont	1675KITS48PS Blue Hose Gas Connector Kit	1	7.42
1-309		Jade (Middleby)	JSB-36WM Salamander Broiler, Gas	1	240
1-309		Jade (Middleby)	Gas type to be specified	1	
1-309		Jade (Middleby)	3/4" Rear connection, standard	1	
1-309		Jade (Middleby)	3/4" Gas regulator supplied with range	1	
1-309		Jade (Middleby)	Standard Depth Model - 18" Overall Depth, standard	1	
1-310		Jade (Middleby)	JMRH-24B HD Range, 24" Charbroiler	1	250
1-310		Jade (Middleby)	NOTE: All units are fully welded with heavy duty construction, stainless steel sides, front and top are standard	1	
1-310		Jade (Middleby)	NOTE: Stainless steel tray bed (burner box), deflectors, tray guides and drip tray/grease can	1	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			standard		
1-310		Jade (Middleby)	Natural gas, specify if elevation over 2000 ft.	1	
1-310		Jade (Middleby)	3/4" Rear connection, standard	1	
1-310		Jade (Middleby)	3/4" Gas regulator supplied with range	1	
1-310		Jade (Middleby)	Cap & stainless steel manifold cover, left	1	
1-310		Jade (Middleby)	Cap & stainless steel manifold cover, right	1	
1-310		Jade (Middleby)	No Legs, for use with equipment stand by others (gussets are still present)	1	
1-310.1		Dormont	1675KITS48PS Blue Hose Gas Connector Kit	1	7.42
1-311		Jade (Middleby)	JTRH-36GT HD Range, 36" Thermostatic Griddle	1	530
1-311		Jade (Middleby)	NOTE: All units are fully welded with heavy duty construction, stainless steel sides, front and top are standard	1	
1-311		Jade (Middleby)	NOTE: Stainless steel tray bed (burner box), deflectors, tray guides and drip tray/grease can standard	1	
1-311		Jade (Middleby)	Gas type to be specified	1	
1-311		Jade (Middleby)	3/4" Rear connection, standard	1	
1-311		Jade (Middleby)	3/4" Gas regulator supplied with range	1	
1-311		Jade (Middleby)	Cap & stainless steel manifold cover, left	1	
1-311		Jade (Middleby)	Cap & stainless steel manifold cover, right	1	
1-311		Jade (Middleby)	550°F Thermostat, standard	1	
1-311		Jade (Middleby)	Set of four casters (2 with brakes)	1	
1-311.1		Dormont	1675KITS48PS Blue Hose Gas Connector Kit	1	7.42
1-313		Blodgett (Middleby)	DFG-100-ES DBL Convection Oven, Gas	1	1095
1-313		Blodgett (Middleby)	NOTE: Draft diverter is not required for this oven	1	
1-313		Blodgett (Middleby)	Natural gas	1	
1-313		Blodgett (Middleby)	115v/60/1-ph, 8.0 amps, 3/4 hp, 2-wire with ground, NEMA 5-15P (per deck), standard	2	
1-313		Blodgett (Middleby)	SSD Top Oven: Solid State digital with Pulse Plus® and Cook & Hold, standard	1	
1-313		Blodgett (Middleby)	SSD Bottom Oven: Solid State digital with Pulse Plus® and Cook & Hold, standard	1	
1-313		Blodgett (Middleby)	Side shields, right hand side only, per deck	2	
1-313		Blodgett (Middleby)	4" low profile plate casters (set)	1	
1-313		Blodgett (Middleby)	NOTE: DO NOT deduct cost of standard legs	1	
1-313		Blodgett (Middleby)	Gas manifold	1	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
1-313.1		Dormont	1675KITS48PS Blue Hose Gas Connector Kit	1	7.42	
1-314		Custom Fab	STAINLESS spreader table	1		
1-316		Pitco (Middleby)	SG14RS-2FD Fryer Battery, Gas	1	550	
1-316		Pitco (Middleby)	Gas to be determined	1		
1-316		Pitco (Middleby)	Millivolt Thermostat, standard	1		
1-316		Pitco (Middleby)	115v/60/1-ph, 7.0 amps	1		
1-316		Pitco (Middleby)	P6072145 Basket, (2) oblong/twin size, 13-1/2" x 6-1/2" x 5-3/4" deep, long handle, regular mesh (shipped std (n/c) with models "T" SG14, SG14R, SSH55, SE14, SE14X, SE14B, SG14T, 35+, 45+, fryer batteries shipped with (1) per fryer	1		
1-316		Pitco (Middleby)	P6072145 Basket, (1) oblong/twin size, 13-1/4" x 6-1/2" x 5-3/4" deep, long handle, regular mesh, models SG14, SG14R, SSH55, SE14, SE14X, SE14B, SG14T, 35+, 45+	1		
1-316		Pitco (Middleby)	B3901504 Casters, 9" adjustable swivel non-lock rear & lock front casters, for battery of (2) Solstice gas and electric fryers, batteries and retherms	1		
1-316.1		Dormont	1675KITS48PS Blue Hose Gas Connector Kit	2	14.84	
1-319		Advance Tabco	FTG-1836 Floor Trough	1	86	
1-319		Advance Tabco	FT-1 Anti-Splash Guard, factory installed (per linear foot)	1	1	
1-320		Cleveland	KEL25T Kettle, Electric, Tilting	1	290	
1-320		Cleveland	Performance start-up included at customer request after equipment is installed (Free Water Quality Check included) (contact Cleveland Sales Representative for details)	1		
1-320		Cleveland	Standard wattage	1		
1-320		Cleveland	208v/60/3-ph, 9.8kW, 27.2 amps, standard	1		
1-320		Cleveland	Standard Control Panel includes: LED indicator for heat cycle & low water, Power ON/OFF Dial with 1-10 Temperature Dial Setting	1		
1-320		Cleveland	TD2 2" tangent draw-off valve with strainer	1		
1-320		Cleveland	DS2 Perforated Drain Strainer, 2" draw-off, 3/16" strainer holes	1	2	
1-320		Cleveland	CHS25 Spring-assisted cover (25 gallon)	1		
1-323		Hatco	GR5AHL-24 Heat Lamp	6	102	
1-323		Hatco	120v/60/1-ph	6		



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
1-323		Hatco	COLOR-6-9"-24 Designer Colors for Strip Heater housing; 6" or 9" x 24" long housing (available at time of purchase only) aluminum models [GR5 family models will be 6"]	6	
1-323		Hatco	COPPER Antique Copper, designer colors (available at time of purchase only)	6	
1-323		Hatco	The color selected is considered custom & is NOT returnable	6	
1-323		Hatco	NOTE: Power & LED wiring out one end of unit	6	
1-323		Hatco	NOTE: LED Wire Leads, extended beyond the standard 6-1/2' LED leads- Must Specify total lead length required	6	
1-323		Hatco	NOTE: Power Wire Leads, extended beyond the standard 5' power leads- Must Specify total lead length required	6	
1-323		Hatco	GR5AL-WW Warm White LED, standard	6	
1-324		Custom Fab	STAINLESS tubular wall shelf	1	
1-326		Cleveland	SEL30TR Tilting Skillet Braising Pan, Electric	1	503
1-326		Cleveland	Performance start-up included at customer request after equipment is installed (Free Water Quality Check included) (contact Cleveland Sales Representative for details)	1	
1-326		Cleveland	208v/60/3-ph, 40.0 amps, standard	1	
1-326		Cleveland	HTS Standard Manual Hand Tilt, with quick lowering feature (hydraulic)	1	
1-326		Cleveland	SPK14 Single Pantry Faucet And Bracket For SEL30TR, SEL40TR, SGL30TR, SGL40TR, SGM30TR, SGM40TR, SEM30TR, SEM40TR	1	5
1-327		Advance Tabco	FTG-1830 Floor Trough	1	74
1-327		Advance Tabco	FT-1 Anti-Splash Guard, factory installed (per linear foot)	3	3
1-330		Delfield	F2936CP Equipment Stand, Refrigerated Base	1	374
1-330		Delfield	0460003N 3 year parts & labor warranty, standard	1	
1-330		Delfield	W00007AN 7 year compressor warranty, standard	1	
1-330		Delfield	115v/60/1-ph, 2.0 amps, NEMA 5-15P, standard	1	
1-330		Delfield	Full perimeter marine edge, standard	1	
1-330		Delfield	Compressor on right, standard	1	
1-335		Delfield	F2973CP Equipment Stand, Refrigerated Base	1	535



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
1-335		Delfield	0460003N 3 year parts & labor warranty, standard	1	
1-335		Delfield	W00007AN 7 year compressor warranty, standard	1	
1-335		Delfield	115v/60/1-ph, 4.8 amps, NEMA 5-15P, standard	1	
1-335		Delfield	Full perimeter marine edge, standard	1	
1-335		Delfield	Compressor on right, standard	1	
1-349		Jade (Middleby)	JSB-36WM Salamander Broiler, Gas	1	240
1-349		Jade (Middleby)	NOTE: All units are fully welded with heavy duty construction, stainless steel sides, front and top are standard	1	
1-349		Jade (Middleby)	Gas type to be specified	1	
1-349		Jade (Middleby)	3/4" Rear connection, standard	1	
1-349		Jade (Middleby)	3/4" Gas regulator supplied with range	1	
1-349		Jade (Middleby)	Standard Depth Model - 18" Overall Depth, standard	1	
1-371		Jade (Middleby)	JTRH-6 HD Range, 36", 6 Open Burners	1	490
1-371		Jade (Middleby)	NOTE: All units are fully welded with heavy duty construction, stainless steel sides, front and top are standard	1	
1-371		Jade (Middleby)	NOTE: Stainless steel tray bed (burner box), deflectors, tray guides and drip tray/grease can standard	1	
1-371		Jade (Middleby)	Gas type to be specified	1	
1-371		Jade (Middleby)	3/4" Rear connection, standard	1	
1-371		Jade (Middleby)	3/4" Gas regulator supplied with range	1	
1-371		Jade (Middleby)	Cap & stainless steel manifold cover, left	1	
1-371		Jade (Middleby)	Cap & stainless steel manifold cover, right	1	
1-371		Jade (Middleby)	Set of four casters (2 with brakes)	1	
1-371.1		Dormont	1675KITS48PS Blue Hose Gas Connector Kit	1	7.42
1-375		Jade (Middleby)	JTRH-2FHT-36C HD Range, 36", 2 French Hot Tops	1	760
1-375		Jade (Middleby)	NOTE: All units are fully welded with heavy duty construction, stainless steel sides, front and top are standard	1	
1-375		Jade (Middleby)	NOTE: Stainless steel tray bed (burner box), deflectors, tray guides and drip tray/grease can standard	1	
1-375		Jade (Middleby)	Gas type to be specified	1	
1-375		Jade (Middleby)	3/4" Rear connection, standard	1	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
1-375		Jade (Middleby)	3/4" Gas regulator supplied with range	1		
1-375		Jade (Middleby)	Cap & stainless steel manifold cover, left	1		
1-375		Jade (Middleby)	Cap & stainless steel manifold cover, right	1		
1-375		Jade (Middleby)	Set of four casters (2 with brakes)	1		
1-375.1		Dormont	1675KITS48PS Blue Hose Gas Connector Kit	1	7.42	
1-375.2		Custom Fab	STAINLESS spreader	1		
1-381		Jade (Middleby)	JMRH-6 HD Range, 36", 6 Open Burners	1	450	
1-381		Jade (Middleby)	NOTE: All units are fully welded with heavy duty construction, stainless steel sides, front and top are standard	1		
1-381		Jade (Middleby)	NOTE: Stainless steel tray bed (burner box), deflectors, tray guides and drip tray/grease can standard	1		
1-381		Jade (Middleby)	Natural gas, specify if elevation over 2000 ft.	1		
1-381		Jade (Middleby)	3/4" Rear connection, standard	1		
1-381		Jade (Middleby)	3/4" Gas regulator supplied with range	1		
1-381		Jade (Middleby)	Cap & stainless steel manifold cover, left	1		
1-381		Jade (Middleby)	Cap & stainless steel manifold cover, right	1		
1-381		Jade (Middleby)	Legs, 25"H, crossrails, standard	1		
1-381		Jade (Middleby)	Legs, 4"H, for use with equipment stand by others	1		
1-381.1		Dormont	1675KITS48 Blue Hose Gas Connector Kit	1	6.11	
1-381.2		Custom Fab	STAINLESS spreader	1		
1-400		Advance Tabco	FTG-1284 Floor Trough	1	126	
1-400		Advance Tabco	FT-6 Modify length or width of trough (start with next larger size)	1		
1-400		Advance Tabco	FT-1 Anti-Splash Guard, factory installed (per linear foot)	6	6	
1-401		Custom Fab	STAINLESS soiled dishtable	1		
1-403		Custom Fab	STAINLESS wall flashing	1		
1-406		Advance Tabco	7-PS-EC-SPNF-X Hand Sink	3	54	
1-406.1		T&S Brass	B-0342 Wall / Splash Mount Faucet	3	16.02	
1-406.1		T&S Brass	B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "Ell" 1/2" NPT female x male	3	2.82	
1-406.1		T&S Brass	B-0230-KIT Inlet Kit, 1/2" NPT nipple, close elbows, 24" flex supply hoses	3	6.15	
1-407		Kohler	BROCKWAY 4' Sink, Hand	1		



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
1-407.1		T&S Brass	B-0235-LN Wall / Splash Mount Faucet	2	8.2	
1-407.1		T&S Brass	B-0520 Swivel Gooseneck Spout, 5-3/4" spread, 10-5/8"H, 6-3/16" clearance, 1/4" NPT male inlet	2	4.8	
1-410		Captive-Aire	CUSTOM condensate Hood #5	1		
1-411		Custom Fab	STAINLESS clean dishtable	1		
1-412		Advance Tabco	PS-12-72-EC-X Overshelf	6	300	
1-412		Advance Tabco	WS-12-72-X Special Value Shelf, wall-mounted, 72"W x 12"D, 1-5/8" bullnose front edge, 1-1/2"H rear up-turn, 18/430 satin finish stainless steel, NSF	6	126	
1-412		Advance Tabco	WS-12-84-X Special Value Shelf, wall-mounted, 84"W x 12"D, 1-5/8" bullnose front edge, 1-1/2"H rear up-turn, 18/430 satin finish stainless steel, NSF (units 84" & longer have (3) support brackets)	12	300	
1-412		Advance Tabco	WS-12-48-X Special Value Shelf, wall-mounted, 48"W x 12"D, 1-5/8" bullnose front edge, 1-1/2"H rear up-turn, 18/430 satin finish stainless steel, NSF	12	168	
1-412		Advance Tabco	WS-12-36-X Special Value Shelf, wall-mounted, 36"W x 12"D, 1-5/8" bullnose front edge, 1-1/2"H rear up-turn, 18/430 satin finish stainless steel, NSF	12	144	
1-413		Custom Fab	STAINLESS 3-comp sink	1		
1-414		Custom Fab	STAINLESS overshelf, wall mounted	1		
1-415		Advance Tabco	FFTG-1272 Floor Trough	1	55	
1-415		Advance Tabco	FT-1 Anti-Splash Guard, factory installed (per linear foot)	6	6	
1-416		Advance Tabco	FFTG-1236 Floor Trough	1	40	
1-416		Advance Tabco	FT-1 Anti-Splash Guard, factory installed (per linear foot)	3	3	
1-417		Metro	PR36VX4-XDR Drying Rack Unit	2	185.6	
1-417		Metro	X6PEG-8PK Sorting/Drying Pegs, 6", for MetroMax grid shelving, NSF (pack of 8)	2	0.6	
1-423		Custom Fab	STAINLESS wall shelf	1		
1-426		Custom Fab	STAINLESS roll-up work table	1		
1-427		Custom Fab	STAINLESS shelf, wall mounted	2		
1-500		Delfield	186114PTBMP Pizza Preparation Refrigerator	1	927	
1-500		Delfield	0460003N 3 year parts & labor warranty, standard	1		



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
1-500		Delfield	W00007AN 7 year compressor warranty, standard	1	
1-500		Delfield	115v/60/1-ph, 6.5 amps, NEMA 5-15P, standard	1	
1-500		Delfield	Compressor on right, standard	1	
1-500		Delfield	101D Two Tier Drawers in lieu of 32" door, (1) 12" x 20" x 6" deep pan capacity per drawer (pan not included)	1	
1-500		Delfield	101D Two Tier Drawers in lieu of 32" door, (1) 12" x 20" x 6" deep pan capacity per drawer (pan not included)	1	
1-500		Delfield	101D Two Tier Drawers in lieu of 32" door, (1) 12" x 20" x 6" deep pan capacity per drawer (pan not included)	1	
1-500		Delfield	Cutting board, 20" wide x 1/2" thick, composite	1	
1-501		Delfield	18699PTBMP Pizza Preparation Refrigerator	1	805
1-501		Delfield	0460003N 3 year parts & labor warranty, standard	1	
1-501		Delfield	W00007AN 7 year compressor warranty, standard	1	
1-501		Delfield	115v/60/1-ph, 6.5 amps, NEMA 5-15P, standard	1	
1-501		Delfield	Compressor on right, standard	1	
1-501		Delfield	101C Two Tier Drawers in lieu of 27" door, (2) 12" x 20" x 6" deep pan capacity per drawer (pan not included)	1	
1-501		Delfield	101C Two Tier Drawers in lieu of 27" door, (2) 12" x 20" x 6" deep pan capacity per drawer (pan not included)	1	
1-501		Delfield	101C Two Tier Drawers in lieu of 27" door, (2) 12" x 20" x 6" deep pan capacity per drawer (pan not included)	1	
1-501		Delfield	Cutting board, 20" wide x 1/2" thick, polyethylene	1	
1-503		Custom Fab	STAINLESS utility chase	1	
1-504		Custom Fab	STAINLESS cabinet base	1	
1-509		Custom Fab	STAINLESS expo counter	1	
1-511		Delfield	N8746ND Hot Food Well Unit, Drop-In, Electric	1	100
1-511		Delfield	Note: If installation of equipment is in Michigan, there is a local code requirement that requires individual drain valves on these models. Please add the accessories as required.	1	
1-511		Delfield	Introducing: Freight Made Simple	1	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
<p>6% on Single purchase orders shipping to one location**.</p> <p>Liftgate & inside delivery not included.</p> <p>Nationwide Freight*</p> <p>*Continental United States only</p> <p>**6% Must be manually calculated on your purchase order total, \$200 minimum.</p> <p>If you have any questions, please contact Customer Service at 1-800-733-8948</p>					
1-511		Delfield	120v/60/1-ph, 17.0 amps, standard	1	
1-511		Delfield	000-504-0031 Autofill assembly kit (shipped loose), for N8700 series	1	
1-514		Delfield	ST4472NP Refrigerated Work Top	2	922
1-514		Delfield	0460003CN 3 year parts & labor warranty, standard	2	
1-514		Delfield	W00007ACN 7 year compressor warranty, standard	2	
1-514		Delfield	115v/60/1-ph, NEMA 5-15P, standard	2	
1-514		Delfield	Self-Contained refrigeration, standard	2	
1-514		Delfield	AS000-AXD-003G 34" work height casters for 48" thru 72"	2	
1-514		Delfield	Door(s) standard	2	
1-516		Delfield	ST4448NP Refrigerated Work Top	2	632
1-516		Delfield	0460003CN 3 year parts & labor warranty, standard	2	
1-516		Delfield	W00007ACN 7 year compressor warranty, standard	2	
1-516		Delfield	115v/60/1-ph, NEMA 5-15P, standard	2	
1-516		Delfield	Self-Contained refrigeration, standard	2	
1-516		Delfield	AS000-AXD-003G 34" work height casters for 48" thru 72"	2	
1-516		Delfield	Door(s) standard	2	
1-517		Delfield	GAF1P-SH Reach-In Freezer	1	354
1-517		Delfield	0460003CN 3 year parts & labor warranty, standard	1	
1-517		Delfield	W00003ACN Additional 4 years compressor warranty (parts only), standard	1	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
1-517		Delfield	Door hinged on right standard	1		
1-517		Delfield	Set of (4) 5" locking casters, standard	1		
1-518		Delfield	F2996CP Equipment Stand, Refrigerated Base	1	725	
1-600		Custom Fab	STAINLESS beverage counter	1		
1-601		Custom Fab	STAINLESS shelving, wall mounted	2		
1-602		Perlick	HB24BS4 Undercounter Refrigerator	1	195	
1-602		Perlick	B Door finish: solid with black vinyl/field laminate	1		
1-602		Perlick	Left hinged(nc)	1		
1-602		Perlick	Full length, 24", stainless steel grip with chrome endcaps	1		
1-602		Perlick	Door lock, chrome	1		
1-709		Turbo Air	TOM-72UC-W(B)-N Drop-In Refrigerated Merchandiser	1	630	
1-709		Turbo Air	Self-cleaning condenser device equipped, standard	1		
1-709		Turbo Air	White finish	1		
1-712		Advance Tabco	1014A-10A Undermount Sink	1	6	
1-712		Advance Tabco	K-350 Upgraded Finish (recommended for residential or front-of-house applications)	1	20	
1-712		Advance Tabco	K-76 Paint-on sound deadening under top (each)	1	5	
1-712		Advance Tabco	K-610A Perforated bottom strainer plate, stainless steel, removable, sits 1" above bottom of sink, fits Advance Tabco Deep Drawn™ 10" x 14" sink bowls only	1	10	
1-715		Custom Fab	STAINLESS utility chase	1		
1-716		Perlick	HC24FS4 Reach-In Undercounter Freezer	1	195	
1-716		Perlick	Please note: This unit is intended for chilling glasses or holding product at freezing, not intended to hold food overnight or freeze ice cubes.	1		
1-716		Perlick	B Door finish: solid with black vinyl/field laminate	1		
1-716		Perlick	Right hinged	1		
1-716		Perlick	Full length, 24", stainless steel grip with chrome endcaps	1		
1-716		Perlick	Door lock, chrome	1		
1-716		Perlick	67014-1 Lock bracket, for wood overlay on models HC24, HB24, & HD24	1		
1-717		Advance Tabco	1014A-10A Undermount Sink	2	12	
1-717		Advance Tabco	K-350 Upgraded Finish (recommended for	2	40	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			residential or front-of-house applications)			
1-717		Advance Tabco	K-76 Paint-on sound deadening under top (each)	2	10	
1-717		Advance Tabco	K-610A Perforated bottom strainer plate, stainless steel, removable, sits 1" above bottom of sink, fits Advance Tabco Deep Drawn™ 10" x 14" sink bowls only	2	20	
1-722		Crysalli	CBR-V2BLC-SDLX Water Dispensing Tower	1	12	
1-722		Crysalli	CR-UCM1 Remote Chiller, for chilled water dispensing system, undercounter, self-contained refrigeration, designed for remote or backhouse mounting applications (up to 35'), sparkling & still water, stainless steel coil, 50 liter/13 gallon per hour capacity, 4 gallon water bath capacity, 9.5 lbs ice bank capacity, 40° to 100°F temperature range, 7' over flow drain hose, 7' CO2 hose, R134a, 1/5 HP compressor, 1/3 HP carbonator, 120v/60/1-ph, 9.6 amps, NEMA 5-15P, ETLus, NSF, Made in USA (for CBR-V2 & CBR-V3) (water filtration system required)	1	115	
1-722		Crysalli	CR-KIT-UCM Installation Kit, includes: LBS-10JG leak block sensor, 5 ft of CR-4L38 trunkline, various fittings and oetiker clamps, extra tubing and insulation to install the filter system, CR-UCM# and CBR or CM tower, for models: CR-UCM1, CR-UCM2, CR-UCM2-2CL, CR-UCM2-S0096, CR-UCM2-2CL-S0096	1	7	
1-722		Crysalli	RDP-1SSQ-2CL Recessed Drain Pan, drop-in, 12"W x 15-1/8"D, 1/2" copper drain stem, includes hole for mounting tower, stainless steel construction, for use with two product towers, Made in USA	1	4	
1-722		Crysalli	CR-MDLN-V2 Medallion Holders, straight, set of two for CBR-V2 (sparkling and chilled still water)	1		
1-724		Manitowoc	USP0100A Ice Maker, Cube-Style	1	209	
1-724		Manitowoc	(-161) 115v/60/1ph, 10 amps, cord with NEMA 5-15P	1		
1-724		Manitowoc	AR-10000-P Arctic Pure® Plus Primary Water Filter Assembly, includes head, shroud, hardware, mounting assembly, & (1) filter cartridge, 15,000 gallon capacity, 0-600 lbs./ice per day	1	4	
1-725		Krowne	BS84 Back Bar Cabinet, Refrigerated	1	480	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
1-725		Krowne	L - Left compressor location	1		
1-725		Krowne	S - Stainless steel top	1	25	
1-725		Krowne	30°F - 40°, standard	1		
1-725		Krowne	S - Stainless steel door	1		
1-725		Krowne	L - Left hinge location, first door	1		
1-725		Krowne	S - Stainless steel door	1		
1-725		Krowne	L - Left hinge location, second door	1		
1-725		Krowne	S - Stainless steel door	1		
1-725		Krowne	R - Right hinge location, third door	1		
1-725		Krowne	BS-501 Warm White/Amber LED light Upgrade	1		
1-725		Krowne	No legs or casters	1		
1-726		Krowne	BS84 Back Bar Cabinet, Refrigerated	1	480	
1-726		Krowne	R - Right compressor location	1		
1-726		Krowne	S - Stainless steel top	1	25	
1-726		Krowne	30°F - 40°, standard	1		
1-726		Krowne	S - Stainless steel door	1		
1-726		Krowne	L - Left hinge location, first door	1		
1-726		Krowne	S - Stainless steel door	1		
1-726		Krowne	L - Left hinge location, second door	1		
1-726		Krowne	S - Stainless steel door	1		
1-726		Krowne	R - Right hinge location, third door	1		
1-726		Krowne	BS-501 Warm White/Amber LED light Upgrade	1		
1-726		Krowne	No legs or casters	1		
1-731		Krowne	BS60 Back Bar Cabinet, Refrigerated	1	360	
1-731		Krowne	L - Left compressor location	1		
1-731		Krowne	S - Stainless steel top	1	20	
1-731		Krowne	30°F - 40°, standard	1		
1-731		Krowne	S - Stainless steel door	1		
1-731		Krowne	L - Left hinge location, first door	1		
1-731		Krowne	S - Stainless steel door	1		
1-731		Krowne	R - Right hinge location, second door	1		
1-731		Krowne	BS-501 Warm White/Amber LED light Upgrade	1		
1-731		Krowne	No legs or casters	1		
1-740		TurboChef (Middleby)	SOTA-TOUCH CONTROL Rapid Cook Oven	2	410	
1-740		TurboChef (Middleby)	MDD-1001 Open Kitchen bundle, includes - 1 x ConnectWare module, 1 x Secure Access Point	1		



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			(SAP), 3 year subscription for Open Kitchen (NET price displays when item is added to quote)		
1-740		TurboChef (Middleby)	All items FOB: Carrollton, Texas: Consumable/accessory orders less than \$5,000 will incur a handling fee. Orders shipping standard ground will incur a \$15.00 handling fee. Orders shipping other than standard ground will incur \$25.00 handling fee	2	
1-740		TurboChef (Middleby)	208/240v/60/1-ph, 30.0 amps, 6.2 kW, 6 foot cord (nominal), NEMA 6-30P	2	
1-740		TurboChef (Middleby)	NGC-1478 Paddle, Aluminum, 12.3" x 13.6" (31.2 cm x 34.5 cm)	2	4
1-740		TurboChef (Middleby)	I1-9716 Paddle, Aluminum, 9.6" x 13.6" (24.4 cm x 34.5 cm)	2	4
1-740		TurboChef (Middleby)	I1-9542 Rack, Panini Tray, for I1 Ovens	2	
1-741		Custom Fab	STAINLESS utility chase	2	
1-751		Krowne	KMB Modular Bar System	30	330
1-751		Krowne	This unit is built to order and cannot be returned	30	
1-751		Krowne	KMB-EC Electrical box only	4	4
1-751		Krowne	KMB-LK-W Light Kit, snap-in LED light, cool white, kit includes: (1) snap-in LED light, (1) stainless steel pre-punched wall plate, (1) 2" x 4" electrical box	9	
1-751		Krowne	KMB-PS-25 Power Supply, for KMB-LK light kits, 25 watts, powers up to (10) lights	1	1
1-751		Krowne	KMB-MT Full size foot print template printed on mylar paper (priced per foot)	30	30
1-751		Krowne	KMB-PC Customer Side Panel Clips, millwork panel clips, 3/4" offset (24 pieces)	3	
1-752		Krowne	KR24-C30R Drainboard	1	64
1-752		Krowne	6-1/2" High Backsplash, standard	1	
1-753		Krowne	KR19-M36L-10 Ice Bin with Bottle Wells	1	172
1-753		Krowne	6-1/2" High Backsplash, standard	1	
1-753		Krowne	SC24F Underbar Ice Bin Cover, full, for 24"W ice bin without bottle wells, stainless steel, NSF	1	
1-753		Krowne	KR-520 Royal Series Garnish Station with Sliding Cover, fits 24" ice bin, mounts on ice bin frame with sliding cover beneath, removable for overnight storage, includes (6) pint containers, integrated	1	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			cover to prevent contamination, built-in handles, open bottom allows ice to keep garnishes cool, stainless steel construction			
1-754		Krowne	KR24-T12 Underbar Add-On Unit	3	117	
1-756		Krowne	KR19-M36L-10 Ice Bin with Bottle Wells	1	172	
1-756		Krowne	6-1/2" High Backsplash, standard	1		
1-756		Krowne	SC24F Underbar Ice Bin Cover, full, for 24"W ice bin without bottle wells, stainless steel, NSF	1		
1-756		Krowne	KR-520 Royal Series Garnish Station with Sliding Cover, fits 24" ice bin, mounts on ice bin frame with sliding cover beneath, removable for overnight storage, includes (6) pint containers, integrated cover to prevent contamination, built-in handles, open bottom allows ice to keep garnishes cool, stainless steel construction	1		
1-757		Krowne	KR24-6SH Soda System, Parts & Fittings	2	60	
1-758		Krowne	KR24-C24R Drainboard	1	57	
1-758		Krowne	6-1/2" High Backsplash, standard	1		
1-759		Krowne	RS-36 Speed Rail / Rack	1	7	
1-760		Krowne	KR24-S30 Drainboard	1	65	
1-760		Krowne	6-1/2" High Backsplash, standard	1		
1-760		Krowne	KR-SS30 Royal Series Shelf, for 30"W storage cabinet, stainless steel	1		
1-761		Krowne	KR24-12RD Bottle Storage Unit	1	40	
1-761		Krowne	6-1/2" High Backsplash, standard	1		
1-762		Krowne	KR24-12BD Blender Station	1	43	
1-762		Krowne	6-1/2" High Backsplash, standard	1		
1-762		Krowne	30-153 Perforated Drain Basket for Bar Sink, fits all 10" x 12" x 7" sink bowls, 5" deep, with stainless steel handles, stainless steel	1		
1-762		Krowne	21-443L Krowne Royal Series E-Z Install Water Line Kit, wall mount, 22" long	1	1	
1-763		Krowne	RD-36 Speed Rail / Rack	1	12	
1-764		Krowne	KR-3T48-R Liquor Bottle Display	1	35	
1-764		Krowne	KR-3T48-L Royal Series Lighted Countertop Liquor Display, 3-tier, 48"W, (2) wireless remotes, (36) bottle capacity, multi-color LED lights, 1/4" double frosted clear acrylic tops, 1/4" glossy black acrylic	1	35	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			front, sides & back, 7 ft. cord with plug on left side, cULus			
1-767		Krowne	KR24-12BD Blender Station	1	43	
1-767		Krowne	6-1/2" High Backsplash, standard	1		
1-767		Krowne	30-153 Perforated Drain Basket for Bar Sink, fits all 10" x 12" x 7" sink bowls, 5" deep, with stainless steel handles, stainless steel	1		
1-767		Krowne	21-443L Krowne Royal Series E-Z Install Water Line Kit, wall mount, 22" long	1	1	
1-768		Custom Fab	STAINLESS end panels	2		
1-769		Krowne	KR24-MS12-C Underbar Sink Units	1	73	
1-769		Krowne	6-1/2" High Backsplash, standard	1		
1-769		Krowne	Right hinged cabinet door	1		
1-769		Krowne	30-160 Perforated Basket, 6" deep, for 10" x 14" & 10" x 12" dump sinks, plastic	1	5	
1-769		Krowne	21-443L Krowne Royal Series E-Z Install Water Line Kit, wall mount, 22" long	1	1	
1-770		Krowne	KR24-GSB3 Glass Rack	2	120	
1-770		Krowne	6-1/2" High Backsplash, standard	2		
1-772		Krowne	KR-D24 Drop-In Bar Drainer	1	12	
1-773		Krowne	KR24-GSB3 Glass Rack	1	60	
1-773		Krowne	6-1/2" High Backsplash, standard	1		
1-774		Krowne	PTSD60L Back Bar Cabinet, Refrigerated, Pass-Thru	1		
1-774		Krowne	30°F - 40°, standard	1		
1-774		Krowne	S - Stainless steel top, standard	1		
1-774		Krowne	S - Stainless steel cabinet sides, both, standard	1		
1-774		Krowne	BC-823 Warm White/Amber LED light Upgrade	1		
1-774		Krowne	No legs or casters	1		
1-775		Waring	MX1500TXP Blender, Bar	2	50	
1-777		Krowne	KR24-12RD Bottle Storage Unit	1	40	
1-777		Krowne	6-1/2" High Backsplash, standard	1		
1-779		Krowne	KR-7GR Glass Rinser	2	14	
1-782		Krowne	KTH-3S Draft Beer Dispensing Tower	1		
1-784		Krowne	KPT52L Back Bar Cabinet, Refrigerated, Pass-Thru	1	435	
1-784		Krowne	30°F - 40°, standard	1		
1-784		Krowne	S - Stainless steel top	1		
1-784		Krowne	S - Stainless steel cabinet sides, both, standard	1		



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
1-784		Krowne	S - Stainless steel doors	1	
1-784		Krowne	L - Left hinge location, first door	1	
1-784		Krowne	R - Right hinge location, second door	1	
1-784		Krowne	L - Left hinge location, first door	1	
1-784		Krowne	R - Right hinge location, second door	1	
1-784		Krowne	BC-823 Warm White/Amber LED light Upgrade	1	
1-784		Krowne	No legs or casters	1	
1-785		Krowne	KR24-SD12 Drainboard	1	60
1-785		Krowne	Left hinged cabinet door, standard	1	
1-785		Krowne	6-1/2" High Backsplash, standard	1	
1-786		Perlick	HB24BS4 Undercounter Refrigerator	1	195
1-786		Perlick	B Door finish: solid with black vinyl/field laminate	1	
1-786		Perlick	Left hinged(nc)	1	
1-786		Perlick	Full length, 24", stainless steel grip with chrome endcaps	1	
1-786		Perlick	Door lock, chrome	1	
1-787		Perlick	RDP12X42 Drip Trough	1	
1-789		Enofrigo	A1WW2HV7B Refrigerator, Wine, Built-In	1	1080
1-789		Enofrigo	Self-contained, standard	1	
1-789		Enofrigo	OPT20005 Relative Humidity Digital Control, per compartment, for 2 door models, cETLus, CE	2	
1-789		Enofrigo	Warm LED lighting 2700°K, standard	1	
1-789		Enofrigo	Semi-gloss black finish, standard	1	
1-789		Enofrigo	GK20430004 Type (R) Shelves, set of (5), perforated flat stainless steel, maximum (42) bottle capacity per shelf, cETLus, CE	1	
1-789		Enofrigo	GK20430004 Type (R) Shelves, set of (5), perforated flat stainless steel, maximum (42) bottle capacity per shelf, cETLus, CE	1	
1-790		Enofrigo	A1WE3HV7B Refrigerator, Wine, Built-In	1	1720
1-790		Enofrigo	Self-contained, standard	1	
1-790		Enofrigo	OPT20006 Relative Humidity Digital Control, per compartment, for 3 door models, cETLus, CE	3	
1-790		Enofrigo	Warm LED lighting 2700°K, standard	1	
1-790		Enofrigo	Semi-gloss black finish, standard	1	
1-790		Enofrigo	GK20080017 Type (C) Supports, set of (10), horizontal plexiglass, maximum (10) bottle	1	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
1-790		Enofrigo	capacity per shelf, cETLus, CE GK20080017 Type (C) Supports, set of (10), horizontal plexiglass, maximum (10) bottle capacity per shelf, cETLus, CE	1	
1-790		Enofrigo	GK20080017 Type (C) Supports, set of (10), horizontal plexiglass, maximum (10) bottle capacity per shelf, cETLus, CE	1	
2-200		Custom Fab	STAINLESS work counter	1	
2-203		InSinkErator	SS-200-12B-MRS Disposer	1	91
2-203		InSinkErator	Standard height disposer body	1	
2-203		InSinkErator	115v/60/1-ph, 17.4 amps	1	
2-203		InSinkErator	SYPHON STD Syphon breaker standard, 1/2" (11477)	1	0.5
2-511		Delfield	SH2CR-62-BP Serving Counter, Hot & Cold	1	575
2-511		Delfield	Note: If installation of equipment is in Michigan, there is a local code requirement that requires individual drain valves and mechanical access on these models. Please add the accessories as required.	1	
2-511		Delfield	Introducing: Freight Made Simple	1	
6% on Single purchase orders shipping to one location**.					
Liftgate & inside delivery not included.					
Nationwide Freight*					
*Continental United States only					
**6% Must be manually calculated on your purchase order total, \$200 minimum.					
If you have any questions, please contact Customer Service at 1-800-733-8948					
2-511		Delfield	0460000N 1 year parts & labor warranty, standard	1	
2-511		Delfield	W00007AN 7 year compressor warranty, standard	1	
2-511		Delfield	36" standard height	1	
2-511		Delfield	120/208-230v/60/1-ph, 18.0 amps, NEMA 14-20P, standard	1	
2-511		Delfield	H-60 Display with glass shelves & sneeze guard, 2 tier (contact factory for price)	1	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
2-511		Delfield	LED-60 LED light fixture, priced per tier (contact factory for price)	1	
2-514		Hatco	CWB-2 Drop-In Refrigerated Well	1	155
2-514		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1	
2-514		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1	
2-514		Hatco	CE mark not available	1	
2-514		Hatco	120v/60/1-ph, 300 watts, 1/5 HP, NEMA 5-15P (domestic voltage), standard	1	
2-518		Delfield	GADBR1P-SH Reach-In Dual Temp Cabinet	1	495
2-518		Delfield	0460003CN 3 year parts & labor warranty, standard	1	
2-518		Delfield	W00003ACN Additional 4 years compressor warranty (parts only), standard	1	
2-518		Delfield	Door hinged on right standard	1	
2-518		Delfield	Set of (4) 5" locking casters, standard	1	
2-520		Carter-Hoffmann (Middleby)	HL8-1816 Mobile Heated Cabinet	1	430
2-520		Carter-Hoffmann (Middleby)	120v/60/1-ph, 2000 watts, 16.7 amps, 6 ft cord with NEMA 5-20P, standard	1	
2-520		Carter-Hoffmann (Middleby)	Two solid doors, standard	1	
3-111		Perlick	HB24FS4 Reach-In Undercounter Freezer	1	195
3-111		Perlick	Please note: This unit is intended for chilling glasses or holding product at freezing, not intended to hold food overnight or freeze ice cubes.	1	
3-111		Perlick	Drawers: stainless steel, (2) in lieu of door	1	
3-111		Perlick	Note: Drawers come standard with full length handles with stainless steel grips & chrome endcaps	1	
3-111		Perlick	Door lock, chrome	1	
3-406		Advance Tabco	7-PS-23-ECSPNF-X Hand Sink	1	12
3-406		Krowne	HS-19 Hand Sink	1	
3-407		T&S Brass	EW-7360B Eye Wash Attachment	1	7
3-407		Krowne	16-232L Eye Wash Attachment	1	
3-413		Advance Tabco	FS-2-2024 Two (2) Compartment Sink	1	160



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
4-101		Advance Tabco	9-OP-40DF Mop Sink	1	85	
4-101		Krowne	MS-2424 Mop Sink	1	40	
4-101		Krowne	16-127 Krowne Royal Series Service Faucet, splash-mounted, 8" centers, 6-1/2" long heavy cast spout with bail hook & hose thread, bracket can mount above or below, vacuum breaker, rough brass, low lead compliant, NSF, Includes internal check valves to prevent backflow & cross contamination	1	2.17	
4-101.1		Krowne	MH-24 Mop Broom Holder	1		
4-103		Advance Tabco	K-245 Shelving, Wall Mounted	1	12	
4-104		Olympic	SHELVING Storage Shelving (5 Shelves Total)	1		
4-105		Custom Fab	STAINLESS wall flashing	1		
4-120		Olympic	SHELVING Storage Shelving (50 Shelves Total)	1		
4-123		Metro	SHELVING Storage Shelving (55 Shelves Total)	1		
4-126		New Age	1331 Bun / Sheet Pan Rack	2	116	
4-126		New Age	5" platform type casters, std.	2		
4-126		New Age	PS Pan Stop, aluminum strap welded to rear of unit (MUST BE FACTORY INSTALLED)	2		
4-130		American Panel	CUSTOM Walk-In Cooler	1	3346	
4-131		American Panel	CUSTOM Refrigeration System	1	416	
4-145		American Panel	CUSTOM Walk-In Cooler	1	2450	
4-146		American Panel	CUSTOM Refrigeration System	1	210	
4-166		RATIONAL	60.22.400 mobile plate rack	3		
4-170		Cambro	ICS200TB191 Ice Bin / Ice Caddy , Mobile	1	92	
4-171		Custom Fab	STAINLESS corner guard	14		
4-200		Custom Fab	STAINLESS work table	14		
4-200.1		Krowne	15-812L Deck Mount Faucet	1	5.5	
4-200.1		Krowne	22-204 Krowne Twist Waste Valve with 1-1/4" Overflow Outlet with Cap, 3-1/2" sink opening, 2" NPS male threaded with 1-1/2" female threaded drain outlet (no adapter required), 4-1/2" flange, stainless steel strainer, flange & handle	1	0.33	
4-201		Custom Fab	STAINLESS shelving, wall mounted	2		
4-204		Custom Fab	STAINLESS prep table	1		
4-242		Hobart	HL400-1STD Planetary Mixer	1	453	
4-256		Carter-Hoffmann (Middleby)	BB100 Heated Banquet Cart	1	324	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
4-256		Carter-Hoffmann (Middleby)	120v/60/1-ph, 1650 watts, 13.7 amps, 10 ft. rubber cord with NEMA 5-15P, standard	1	
4-256		Carter-Hoffmann (Middleby)	Standard package	1	
4-256		Carter-Hoffmann (Middleby)	6" polyurethane casters, set of 4, standard	1	
4-256		Carter-Hoffmann (Middleby)	Lift-up pull handle	1	
4-300L		Captive-Aire	CUSTOM Exhaust Hood #6	1	
4-300L		Captive-Aire	Electrical System #2	1	
4-300R		Captive-Aire	CUSTOM Exhaust Hood #7	1	
4-301		Captive-Aire	R-102 Ansul Fire Suppression System	1	
4-306		Custom Fab	STAINLESS spreader	1	
4-309		Jade (Middleby)	JCM-36 Cheesemelter, Gas	1	160
4-309		Jade (Middleby)	NOTE: All units are fully welded with heavy duty construction, stainless steel sides, front and top are standard	1	
4-309		Jade (Middleby)	Gas type to be specified	1	
4-309		Jade (Middleby)	3/4" Rear connection, standard	1	
4-309		Jade (Middleby)	3/4" Gas regulator supplied with range	1	
4-311		Jade (Middleby)	JGT-2424 W/1" INSET LEGS Griddle, Gas, Countertop	1	300
4-311		Jade (Middleby)	NOTE: All units are fully welded with heavy duty construction, stainless steel sides, front and top are standard	1	
4-311		Jade (Middleby)	Gas type to be specified	1	
4-311		Jade (Middleby)	3/4" Rear connection, standard	1	
4-311		Jade (Middleby)	3/4" Gas regulator supplied with range	1	
4-311		Jade (Middleby)	set of 4" legs inset 1"	1	
4-311.1		Dormont	1675KITS48 Blue Hose Gas Connector Kit	1	6.11
4-312		Custom Fab	STAINLESS shelf, wall mounted	1	
4-316		Pitco (Middleby)	SG14RS-2FD Fryer Battery, Gas	1	550
4-316		Pitco (Middleby)	Gas to be determined	1	
4-316		Pitco (Middleby)	Millivolt Thermostat, standard	1	
4-316		Pitco (Middleby)	115v/60/1-ph, 7.0 amps	1	
4-316		Pitco (Middleby)	Contact factory for cord information	1	
4-316		Pitco (Middleby)	P6072145 Basket, (2) oblong/twin size, 13-1/2" x 6-1/2" x 5-3/4" deep, long handle, regular mesh	1	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			(shipped std (n/c) with models "T" SG14, SG14R, SSH55, SE14, SE14X, SE14B, SG14T, 35+, 45+, fryer batteries shipped with (1) per fryer			
4-316		Pitco (Middleby)	9" legs, standard	1		
4-316.1		Dormont	1675KITS48 Blue Hose Gas Connector Kit	2	12.22	
4-316.1		Krowne	M7548K Gas Connector Hose Kit / Assembly	2	11.2	
4-316.1		Krowne	28-200 Krowne Stainless Steel Caster Positioning Set, includes (2) stainless steel chocks, (8) hex screws & (8) drop-in anchors	2	2	
4-321		Hatco	CWB-2 Drop-In Refrigerated Well	4	620	
4-321		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1		
4-321		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1		
4-321		Hatco	CE mark not available	4		
4-321		Hatco	120v/60/1-ph, 300 watts, 1/5 HP, NEMA 5-15P (domestic voltage), standard	4		
4-323		Hatco	DLH-750 Decorative Lamp	3	24	
4-323		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1		
4-323		Hatco	NOTE: The decorative lamp & Luminaires are NOT returnable	1		
4-323		Hatco	120v/60/1-ph, 375 watt, standard	3		
4-323		Hatco	WHITE-CTD-120H Lamp Bulb, 375 Watt clear, coated	3		
4-323		Hatco	SPECIFY MUST SPECIFY designer color selected from list of standard colors & indicated on order (available at time of purchase only)	3		
4-323		Hatco	SPECIFYN/C MUST SPECIFY designer color selected from list of standard colors & indicated on order (available at time of purchase only)	3		
4-323		Hatco	S Mounting Style - Stem - rigid stem mount to canopy, specify overall length from 14" to 71" (available at time of purchase only)	3		
4-323		Hatco	N Switch Location - None (available at time of purchase only)	3		



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
4-323		Hatco	UP TO 72" Overall Length - Up to 72" (specify exact length in whole numbers:_____) Measured from the ceiling to the bottom of the shade. (available at time of purchase only)	3	
4-323		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1	
4-325		RATIONAL	ICP 20-FULL NG 208/240V 1 PH (LM100GG) Combi Oven, Gas	2	1872
4-325		RATIONAL	CAP Chef Assistance Program, a RATIONAL certified Chef conducts 4 hours/location specialized application training with personnel, no charge	2	
4-325		RATIONAL	8720.1561US Installation Kit, for gas iCombi/SCC/CMP 102G (208-240/60/1ph); gas iCombi/SCC/CMP 201G (120/60/1ph); gas iCombi/SCC/CMP 202G (208-240/60/1ph) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)	2	66
4-325		RATIONAL	1900.1154US Water Filtration Single Cartridge System, for any iVario, single Combi model, or XS or half-size Combi-Duos, includes: (1) single head with pressure gauge, R95-CL filter & filter installation kit	2	
4-325		RATIONAL	NOTE: Chloride concentrations above 80ppm can cause corrosion. RATIONAL Water Filtration does NOT reduce chloride	2	
4-325		RATIONAL	Free Water Testing Kits are available (contact factory for info)	2	
4-325		RATIONAL	6010.2101 Gastronorm Grid Shelf, 2/1 size, 25-5/8" x 20-7/8", stainless steel	20	95.4
4-330		Delfield	F2936CP Equipment Stand, Refrigerated Base	1	374
4-330		Delfield	0460003N 3 year parts & labor warranty, standard	1	
4-330		Delfield	W00007AN 7 year compressor warranty, standard	1	
4-330		Delfield	115v/60/1-ph, 2.0 amps, NEMA 5-15P, standard	1	
4-330		Delfield	Full perimeter marine edge, standard	1	
4-330		Delfield	Compressor on right, standard	1	
4-371		Jade (Middleby)	JTRH-6-36C HD Range, 36", 6 Open Burners	1	740
4-371		Jade (Middleby)	NOTE: All units are fully welded with heavy duty construction, stainless steel sides, front and top are standard	1	
4-371		Jade (Middleby)	NOTE: Stainless steel tray bed (burner box), deflectors, tray guides and drip tray/grease can	1	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			standard			
4-371		Jade (Middleby)	Gas type to be specified	1		
4-371		Jade (Middleby)	3/4" Rear connection, standard	1		
4-371		Jade (Middleby)	3/4" Gas regulator supplied with range	1		
4-371		Jade (Middleby)	Cap & stainless steel manifold cover, left	1		
4-371		Jade (Middleby)	Cap & stainless steel manifold cover, right	1		
4-371		Jade (Middleby)	Set of four casters (2 with brakes)	1		
4-371.1		Dormont	1675KITS48 Blue Hose Gas Connector Kit	2	12.22	
4-371.1		Krowne	M7548K Gas Connector Hose Kit / Assembly	1	5.6	
4-371.1		Krowne	28-200 Krowne Stainless Steel Caster Positioning Set, includes (2) stainless steel chocks, (8) hex screws & (8) drop-in anchors	1	1	
4-401		Custom Fab	STAINLESS soiled dishtable	1		
4-403		Custom Fab	STAINLESS wall flashing	1		
4-404		Krowne	17-108WL Pre-Rinse Faucet Assembly	1	4.33	
4-406		Advance Tabco	7-PS-EC-SPNF-X Hand Sink	3	54	
4-406		Krowne	HS-30L Hand Sink	3	36	
4-406		Krowne	21-443L Krowne Royal Series E-Z Install Water Line Kit, wall mount, 22" long	3	3	
4-406.1		T&S Brass	B-0342 Wall / Splash Mount Faucet	3	16.02	
4-406.1		T&S Brass	B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "Ell" 1/2" NPT female x male	3	2.82	
4-406.1		T&S Brass	B-0230-KIT Inlet Kit, 1/2" NPT nipple, close elbows, 24" flex supply hoses	3	6.15	
4-407		Advance Tabco	FFTG-1242 Floor Trough	1	43	
4-407		Advance Tabco	FT-1 Anti-Splash Guard, factory installed (per linear foot)	4	4	
4-410		Captive-Aire	CUSTOM condensate Hood #8	1		
4-411		Custom Fab	STAINLESS clean dishtable	1		
4-412		Advance Tabco	PS-12-72 Overshelf	1	50	
4-412		Advance Tabco	WS-12-72 Shelf, wall-mounted, 72"W x 12"D, 1-5/8" bullnose front edge, 1-1/2"H rear up-turn, 18/430 satin finish stainless steel, NSF	1	21	
4-412		Advance Tabco	WS-12-84 Shelf, wall-mounted, 84"W x 12"D, 1-5/8" bullnose front edge, 1-1/2"H rear up-turn, 18/430 satin finish stainless steel, NSF (units 84" & longer	1	25	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
4-412		Advance Tabco	have (3) support brackets) WS-12-48 Shelf, wall-mounted, 48"W x 12"D, 1-5/8" bullnose front edge, 1-1/2"H rear up-turn, 18/430 satin finish stainless steel, NSF	1	14	
4-412		Advance Tabco	WS-12-36 Shelf, wall-mounted, 36"W x 12"D, 1-5/8" bullnose front edge, 1-1/2"H rear up-turn, 18/430 satin finish stainless steel, NSF	1	12	
4-412		Advance Tabco	TA-89 Pot Hooks, plated, double sided (package of 4)	2	2	
4-413		Custom Fab	STAINLESS I-shape 3-comp sink	1		
4-413.1		Krowne	14-812L Wall / Splash Mount Faucet	2	1.83	
4-413.1		Krowne	22-204 Krowne Twist Waste Valve with 1-1/4" Overflow Outlet with Cap, 3-1/2" sink opening, 2" NPS male threaded with 1-1/2" female threaded drain outlet (no adapter required), 4-1/2" flange, stainless steel strainer, flange & handle	2	0.67	
4-415		Advance Tabco	FFTG-1248 Floor Trough	1	46	
4-415		Advance Tabco	FT-1 Anti-Splash Guard, factory installed (per linear foot)	4	4	
4-520		Alto-Shaam	500-TH/II Cabinet, Cook / Hold / Oven	1	166	
4-520		Alto-Shaam	120v/60/1-ph, 16.0 amps, 1.9kW, 5 ft. cord, NEMA 5-20P	1		
4-520		Alto-Shaam	Solid Door, hinged on right, standard	1		
4-600		Custom Fab	STAINLESS beverage counter	1		
4-600.1		Krowne	14-510L Deck Mount Faucet	2		
4-601		Advance Tabco	WS-12-96-X Shelving, Wall Mounted	1	28	
4-602		Delfield	4432NP Refrigerated Work Top	1	245	
4-602		Delfield	0460003CN 3 year parts & labor warranty, standard	1		
4-602		Delfield	W00007ACN 7 year compressor warranty, standard	1		
4-602		Delfield	115v/60/1-ph, NEMA 5-15P, standard	1		
4-602		Delfield	Self-Contained refrigeration, standard	1		
4-602		Delfield	Door(s) standard	1		
4-604		T&S Brass	B-0113-CR-BVB-A Glass Filler	1	12.65	
4-604		Krowne	17-202WL Pre-Rinse Faucet Assembly	1	4.33	
4-607		Custom Fab	STAINLESS wall shelf	2		
4-608		Custom Fab	STAINLESS beverage counter	1		



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
4-624		Vivreau	V3-204 Water Dispensing System	1	72.6
4-624		Vivreau	Shipping (NET)	1	
4-624		Vivreau	ZZVIVRE009 60 Bottles (cases of 20) mix of sparkling and still Vivreau Bottles comes standard with equipment. Contact factory for selection. Additional artwork charges may apply for custom logo	1	
4-624		Vivreau	TRAY-16 (1046000) Wash Rack, (16) 4.4" x 4.4" compartments, use with Designer, Classic or Twist bottles, fits standard commercial dishwasher	1	
6-111		Perlick	HB24FS4 Reach-In Undercounter Freezer	1	195
6-111		Perlick	Please note: This unit is intended for chilling glasses or holding product at freezing, not intended to hold food overnight or freeze ice cubes.	1	
6-111		Perlick	Drawers: stainless steel, (2) in lieu of door	1	
6-111		Perlick	Note: Drawers come standard with full length handles with stainless steel grips & chrome endcaps	1	
6-111		Perlick	Door lock, chrome	1	
66602		Captive-Aire	FACTORY SERVICES Factory Services	1	
66603		Captive-Aire	CASLINK CASLINK	1	
77701		TriMark	CUSTOM FAB SHOP DRAWINGS Manufacturer Shop Drawings	1	
88805		TriMark Install	REFRIGERATION Installation of Remote Refrigeration	1	
88806		Captive-Aire	FIRE SYSTEM Fire System	1	
88810		RATIONAL	COMBI OVEN Combi Install	1	
88810		RATIONAL	9999.2002 Pre-Installation Site Consultation, provides an installation consultation to ensure the site has proper space and connections for gas, electric, drain & water, one (1) Consultation is needed for every four (4) cooking systems, includes 100 miles (200 miles round trip). (see attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)	1	
88810		RATIONAL	9999.2212 RCI RATIONAL Certified Installation, new certified installation for each gas floor iCombi, 100 miles (200 round-trip) included. (See attached installation flyer for details) THIS ITEM IS NON-	2	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
88810		RATIONAL	DISCOUNTABLE, USA ONLY (NET) 9999.2271 RCI RATIONAL Certified Installation, additional installation cost for a RATIONAL Water Filter System is available when purchased with Certified Installation of RATIONAL unit THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)	2		
99902		TriMark	FREIGHT freight	1		
99902		American Panel	WALKIN	1		
99902		Captive-Aire	HOOD	1		
99903		TriMark	DELIVERY Delivery (8 trips)	1		
99904		TriMark	STAGING Receiving & Staging (3 MONTHS)	1		
R-101		Krowne	MS-2424 Mop Sink	1	40	
R-101		Krowne	16-127 Krowne Royal Series Service Faucet, splash-mounted, 8" centers, 6-1/2" long heavy cast spout with bail hook & hose thread, bracket can mount above or below, vacuum breaker, rough brass, low lead compliant, NSF, Includes internal check valves to prevent backflow & cross contamination	1	2.17	
R-101		Advance Tabco	9-OP-20 Mop Sink	1	33	
R-103		Advance Tabco	K-245 Shelving, Wall Mounted	1	12	
R-104		Olympic	SHELVING Storage Shelving (5 Shelves Total)	1		
R-105		Custom Fab	STAINLESS wall flashing	1		
R-120		Olympic	SHELVING Storage Shelving (10 Shelves Total)	1		
R-135		Metro	SEC56EK3 Security Unit	1	203	
R-135		Metro	2460NK3 Quick Ship - Super Erecta® Shelf, wire, 60"W x 24"D, Metroseal™ Green epoxy-coated corrosion-resistant finish with Microban® antimicrobial protection, plastic split sleeves are included in each carton, NSF	2	43	
R-140		Advance Tabco	FFTG-1236 Floor Trough	1	40	
R-140		Advance Tabco	FT-1 Anti-Splash Guard, factory installed (per linear foot)	3	3	
R-171		Custom Fab	STAINLESS corner guard	10		
R-200		Custom Fab	STAINLESS work table	1		
R-200.1		Krowne	15-812L Deck Mount Faucet	1	5.5	
R-200.1		Krowne	22-204 Krowne Twist Waste Valve with 1-1/4" Overflow Outlet with Cap, 3-1/2" sink opening, 2" NPS male threaded with 1-1/2" female threaded	1	0.33	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			drain outlet (no adapter required), 4-1/2" flange, stainless steel strainer, flange & handle			
R-210		Custom Fab	STAINLESS work table	1		
R-219		Delfield	F2973CP Equipment Stand, Refrigerated Base	1	535	
R-219		Delfield	0460003N 3 year parts & labor warranty, standard	1		
R-219		Delfield	W00007AN 7 year compressor warranty, standard	1		
R-219		Delfield	115v/60/1-ph, 4.8 amps, NEMA 5-15P, standard	1		
R-219		Delfield	Full perimeter marine edge, standard	1		
R-219		Delfield	Compressor on right, standard	1		
R-220		Perlick	CC24W Wine Cellar Cabinet	2	1068	
R-220		Perlick	Glass Door, no overlay, left hinged (customer to provide overlay), standard	2		
R-220		Perlick	CR-ACC-24SEPL Left Side Panel, stainless steel finish	2		
R-220		Perlick	CR-ACC-24SEPR Right Side Panel, stainless steel finish	2		
R-221		Delfield	D4448NP Refrigerated Work Top	1	416	
R-221		Delfield	0460003CN 3 year parts & labor warranty, standard	1		
R-221		Delfield	W00007ACN 7 year compressor warranty, standard	1		
R-221		Delfield	115v/60/1-ph, NEMA 5-15P, standard	1		
R-221		Delfield	Self-Contained refrigeration, standard	1		
R-311		Vulcan	HEG36E Griddle, Electric, Countertop	1	310	
R-311		Vulcan	208v/60/3-ph, 16.2 kW, 45.0 amps	1		
R-316		Vulcan	CEF40 Electric Countertop Fryer	2	310	
R-316		Vulcan	208v/50/60/3-ph, 17.0 kW, 47.0 amps, standard	2		
R-316		Vulcan	VBASKET-SINGLE Single Basket, for all 35, 45 & 50 lbs. fryers	2	12	
R-316		Vulcan	VSPGARD-CEF40 Removable splash guard, 10", stainless steel, for CEF40 fryer	2	8	
R-316		Vulcan	CONNECT-KITVUL40CEF Connecting Kit, securing (2) CEF40 fryers together with grease strip, brackets & hardware included	2	2	
R-316		Vulcan	LEGS-CEF40 Leg Kit, includes: bottom cover panel & (4) 4" adjustable legs, for CEF40 fryer	2	30	
R-323		Hatco	GRAH-48D6 Heat Lamp	1	27	
R-323		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order	1		



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
R-323		Hatco	acknowledgement for details	1		
R-323		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1		
R-323		Hatco	120v/60/1-ph	1		
R-323		Hatco	BLT TOG-2 (2) Built-in toggle controls (remote recommended) (available at time of purchase only)	1		
R-323		Hatco	STANDARD Clear Anodized Aluminum housing, finish, standard (available at time of purchase only)	1		
R-323		Hatco	GRAH-48D6 Heat Lamp	1	27	
R-323		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1		
R-323		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1		
R-323		Hatco	120v/60/1-ph	1		
R-323		Hatco	BLT TOG-2 (2) Built-in toggle controls (remote recommended) (available at time of purchase only)	1		
R-323		Hatco	STANDARD Clear Anodized Aluminum housing, finish, standard (available at time of purchase only)	1		
R-325		Convotherm	10.10ET MINI Combi Oven, Electric	1	183	
R-325		Convotherm	NOTE: Purchasers, owners & operators are solely responsible to verify that the incoming water to the equipment is within the manufacturer's water quality specs as outlined on the product spec sheet. Water quality verification in virtually all cases requires water testing & in some cases, requires that water samples be submitted & for which the test results may take 4 weeks to receive. Non-compliance with manufacturer water quality specifications can cause irreparable damage to the equipment & / or its components & will VOID the original manufacturer's warranty. Water treatment solutions shown on this page & in the pricelist are offered for purchasing convenience only & can be selected only if the incoming water quality falls within the water treatment manufacturer's selection guidelines.	1		



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
R-325	_____	Convotherm	FAS START UP Mechanical Startup for one (1) Convotherm Oven, by Convotherm Authorized Servicer, when Convotherm Certified Installation is NOT purchased. Includes 100 miles roundtrip. (Non-discountable NET pricing)	1	_____
R-325	_____	Convotherm	C-START Cleaner Kit, Includes: One (1) 2.5 Gallon container of ConvoClean forte solution, One (1) 2.5 Gallon container of ConvoCare solution & a set of connectors and hoses	1	_____
R-325	_____	Convotherm	11000115824 Installation of First Unit, for 6.10 mini & 10.10 mini (Non-discountable NET pricing) (Note: Pricing based on 200 mile round trip, additional charges may apply, see Installation flyer for details) (Note: Customer should indicate your preferred Welbilt Authorized Service Agent for installation on the PO otherwise Welbilt RISE will select an Authorized Service Agent for this install)	1	_____
R-325	_____	Convotherm	New Construction	1	_____
R-325	_____	Convotherm	Note: End user contact name & number at the site must be included with the PO to avoid delivery delays. This contact person should have up-to-the-minute status on water, drain, electric/gas availability, as well as confirmation of completion of interior & exterior doorways through which equipment must be transported.	1	_____
R-325	_____	Convotherm	11000115830 Convotherm Pre-installation site survey required per location when purchasing Convotherm Certified Installation Program (Non-discountable NET pricing) (Includes 200 mile round trip, Continental USA only, additional charges may apply, see Installation flyer for details)	1	_____
R-325	_____	Convotherm	11000115890 Installation kit for 6.10 & 10.10 mini electric DWV Copper (Non-discountable NET pricing) (See Installation Kit flyer for details) (Note: Customer should indicate your preferred Welbilt Authorized Service Agent for installation on the PO otherwise Welbilt RISE will select an Authorized Service Agent for this install)	1	_____
R-325	_____	Convotherm	208-240v/60/3-ph, 23.6-27.1 amps, 8.5-11.25 kW, cord, no plug, standard	1	_____



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
R-325		Convotherm	Stainless steel finish, standard	1	
R-325		Convotherm	Right-hand door hinge, standard	1	
R-325		Convotherm	CC202 ConvoCARE Solution Rinse Agent, (2) 2.5 gallon containers (ready to use) (NET)	1	
R-325		Convotherm	CC102 ConvoClean Solution (Forte), (2) 2.5 gallon containers for semi and fully automatic cleaning of cooking chamber (NET)	1	
R-325		Convotherm	DISSOLVE-CON Descaling Solution, (6) one-gallon containers with quart markings (P/N 106174)	1	
R-325		Convotherm	An RO system must be included on this quote if mail-in water test results have not been received by the dealer PRIOR to creating this quote. A filter system should only be included on this quote if water test results are in hand & the test results indicate a water filter meets the water specification.	1	
R-325		Convotherm	WBT-QT1+CR Optipure Water Treatment System for all Convotherm spritzer/boiler-free combi ovens where water has been tested and confirmed to meet Convotherm standards (see Convotherm Water Treatment Guidelines Modified.pdf)	1	
R-325		Convotherm	Optipure Water Treatment System is dual cartridge: (1) CTO-Q10 cartridge, (1) CTO-QCR, 2.5 gpm, 0.5 micron sediment and chlorine up to 20,000 gallons, 0.5 chloramine up to 6,000 gallons, pressure gauge, inlet shut-off valve, mounting bracket, for use with steam & combi ovens (Non-discountable NET)	1	
R-325		Convotherm	11000115833 Water Filtration Installation for Convotherm (only for filtration systems purchased with equipment and thru Convotherm) (Non-discountable NET pricing) (Includes 200 mile round trip, Mainland U.S., additional charges may apply, see Installation flyer for details)	1	
R-325		Convotherm	3251524 Equipment Stand, open base with casters, for 6.10 MINI on one 10.10 mini	1	85
R-325		Convotherm	POSK-CON Pull-Out Shelf Kit for mini stand	1	
R-326		Wells (Middleby)	WVU-72 Ventless Exhaust System	1	1632
R-326		Wells (Middleby)	OWNER RESPONSIBILITY: Before any Wells Mfg.	1	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			Ventless unit can be powered up for the first time, the included UL300 Ansul fire suppression system must be charged with "Ansulex" and commissioned and tagged by a certified and locally licensed ANSUL Fire Suppression contractor. This commissioning is also the commencement of an agreement between the Ansul agent and the owner and cannot be consummated by Wells Mfg, its agents, dealers or service agencies. Cost will vary by individual Ansul agent and paid by the owner, not by Wells.		
R-326		Wells (Middleby)	NOTE: Before purchasing and installing this equipment, Wells Mfg recommends that operators apply for permits as required by local jurisdictional authorities. Required permits vary by jurisdiction and may include Electrical, Fire, Mechanical and Food Service. Permits are the responsibility of the operator and/ or its contractors.	1	
R-326		Wells (Middleby)	Note: Must specify voltage and phase	1	
R-326		Wells (Middleby)	208v/60/1-ph, 3.5 amps	1	
R-326		Wells (Middleby)	22618 Pre-Filter, fits VCS systems, WVU-48, WVU-72, & WVU-96	2	6
R-326		Wells (Middleby)	WL0711 HEPA Charcoal Filter Pack, for WVU-72	2	
R-326		Wells (Middleby)	WV72-BPK Back Panel Kit, stainless steel, for WVU-72	1	
R-326		Wells (Middleby)	WVU-72SS Stainless Steel Stand option for WVU-72	1	
R-403		Custom Fab	STAINLESS wall flashing	1	
R-406		Krowne	HS-30L Hand Sink	1	12
R-406		Krowne	21-443L Krowne Royal Series E-Z Install Water Line Kit, wall mount, 22" long	1	1
R-406		Advance Tabco	7-PS-EC-SPNF-X Hand Sink	1	18
R-406.1		T&S Brass	B-0342 Wall / Splash Mount Faucet	1	5.34
R-406.1		T&S Brass	B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "Ell" 1/2" NPT female x male	1	0.94
R-406.1		T&S Brass	B-0230-KIT Inlet Kit, 1/2" NPT nipple, close elbows, 24" flex supply hoses	1	2.05
R-412A		Custom Fab	STAINLESS overshef	1	



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
R-412B		Custom Fab	STAINLESS rack shelf	1		
R-413		Custom Fab	STAINLESS 3-comp sink	1		
R-413.1		Krowne	14-812L Wall / Splash Mount Faucet	2	1.83	
R-413.1		Krowne	22-204 Krowne Twist Waste Valve with 1-1/4" Overflow Outlet with Cap, 3-1/2" sink opening, 2" NPS male threaded with 1-1/2" female threaded drain outlet (no adapter required), 4-1/2" flange, stainless steel strainer, flange & handle	2	0.67	
R-415		Advance Tabco	FFTG-1254 Floor Trough	1	49	
R-415		Advance Tabco	FT-1 Anti-Splash Guard, factory installed (per linear foot)	5	5	
R-520		Carter-Hoffmann (Middleby)	PH181 Heated Transport Cabinet, Half Height	1	240	
R-520		Carter-Hoffmann (Middleby)	120v/60/1-ph, 1650 watts, 13.7 amps, NEMA 5-15P, standard	1		
R-600		Custom Fab	STAINLESS beverage counter	1		
R-601		Custom Fab	STAINLESS shelving, wall mounted	2		
R-602		Delfield	4448NP Refrigerated Work Top	1	316	
R-602		Delfield	0460003CN 3 year parts & labor warranty, standard	1		
R-602		Delfield	W00007ACN 7 year compressor warranty, standard	1		
R-602		Delfield	115v/60/1-ph, NEMA 5-15P, standard	1		
R-602		Delfield	Self-Contained refrigeration, standard	1		
R-602		Delfield	AS000-AXD-003G 34" work height casters for 48" thru 72"	1		
R-602		Delfield	Door(s) standard	1		
R-623		Manitowoc	USP0100A Ice Maker, Cube-Style	1	209	
R-623		Manitowoc	(-161) 115v/60/1ph, 10 amps, cord with NEMA 5-15P	1		
R-623		Manitowoc	AR-10000-P Arctic Pure® Plus Primary Water Filter Assembly, includes head, shroud, hardware, mounting assembly, & (1) filter cartridge, 15,000 gallon capacity, 0-600 lbs./ice per day	1	4	
R-627		Perlick	HB24FS4 Reach-In Undercounter Freezer	1	195	
R-627		Perlick	Please note: This unit is intended for chilling glasses or holding product at freezing, not intended to hold food overnight or freeze ice cubes.	1		
R-627		Perlick	B Door finish: solid with black vinyl/field laminate	1		



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
R-627		Perlick	Note: Cabinet furnished with (2) black-vinyl coated adjustable full extension shelves & (1) black-vinyl coated floor rack when a door is chosen	1		
R-627		Perlick	Left hinged(nc)	1		
R-627		Perlick	Full length, 24", stainless steel grip with chrome endcaps	1		
R-627		Perlick	Door lock, chrome	1		
R-701		Krowne	KMB Modular Bar System	56	616	
R-701		Krowne	This unit is built to order and cannot be returned	56		
R-701		Krowne	KMB-EC Electrical box only	6	6	
R-701		Krowne	KMB-MT Full size foot print template printed on mylar paper (priced per foot)	56	56	
R-701		Krowne	KMB-PC Customer Side Panel Clips, millwork panel clips, 3/4" offset (24 pieces)	4		
R-703		Krowne	KR19-M36L-10 Ice Bin with Bottle Wells	3	516	
R-703		Krowne	6-1/2" High Backsplash, standard	3		
R-703		Krowne	SC24F Underbar Ice Bin Cover, full, for 24"W ice bin without bottle wells, stainless steel, NSF	3		
R-704		Krowne	KR24-T12 Underbar Add-On Unit	2	78	
R-704		Krowne	SJ-TC Trash Can, gray, 23 gallon, 30"H x 11"W x 20"D	2		
R-707		Krowne	KR24-6SH Soda System, Parts & Fittings	3	90	
R-709		Krowne	KR24-12RD Bottle Storage Unit	3	120	
R-709		Krowne	6-1/2" High Backsplash, standard	3		
R-711		Krowne	KR24-C18L Drainboard	1	51	
R-711		Krowne	6-1/2" High Backsplash, standard	1		
R-712		Krowne	KR24-12ST-E Underbar Sink Units	2	120	
R-712		Krowne	6-1/2" High Backsplash, standard	2		
R-712		Krowne	16-199 AC Adapter, for electronic faucets, 120v	2		
R-712		Krowne	21-443L Krowne Royal Series E-Z Install Water Line Kit, wall mount, 22" long	2	2	
R-713		Krowne	RS-36 Speed Rail / Rack	3	21	
R-714		Krowne	KR24-C24R Drainboard	2	114	
R-714		Krowne	6-1/2" High Backsplash, standard	2		
R-717		Krowne	KR24-12BD Blender Station	2	86	
R-717		Krowne	6-1/2" High Backsplash, standard	2		
R-717		Krowne	30-153 Perforated Drain Basket for Bar Sink, fits all	2		



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			10" x 12" x 7" sink bowls, 5" deep, with stainless steel handles, stainless steel			
R-717		Krowne	21-443L Krowne Royal Series E-Z Install Water Line Kit, wall mount, 22" long	2	2	
R-720		Krowne	KR-7GR Glass Rinser	3	21	
R-721		Custom Fab	STAINLESS under bar filler	1		
R-722		Krowne	KR-522 Condiment Holder	3	15	
R-723		Krowne	KR24-GSB3 Glass Rack	1	60	
R-723		Krowne	6-1/2" High Backsplash, standard	1		
R-724		Krowne	BS60 Back Bar Cabinet, Refrigerated	1	360	
R-724		Krowne	R - Right compressor location	1		
R-724		Krowne	N - Unfinished top	1		
R-724		Krowne	30°F - 40°, standard	1		
R-724		Krowne	K - Glass door with stainless steel frame	1		
R-724		Krowne	L - Left hinge location, first door	1		
R-724		Krowne	K - Glass door with stainless steel frame	1		
R-724		Krowne	R - Right hinge location, second door	1		
R-724		Krowne	BS-500 Blue LED light upgrade	1		
R-724		Krowne	No legs or casters	1		
R-726		Krowne	KPT60L Back Bar Cabinet, Refrigerated, Pass-Thru	1	445	
R-726		Krowne	30°F - 40°, standard	1		
R-726		Krowne	S - Stainless steel top	1	20	
R-726		Krowne	S - Stainless steel cabinet sides, both, standard	1		
R-726		Krowne	K - Glass doors with stainless steel frames	1		
R-726		Krowne	L - Left hinge location, first door	1		
R-726		Krowne	R - Right hinge location, second door	1		
R-726		Krowne	L - Left hinge location, first door	1		
R-726		Krowne	R - Right hinge location, second door	1		
R-726		Krowne	BS-551 Blue LED interior lighting	1		
R-726		Krowne	No legs or casters	1		
R-727		Krowne	BS60 Back Bar Cabinet, Refrigerated	1	360	
R-727		Krowne	L - Left compressor location	1		
R-727		Krowne	N - Unfinished top	1		
R-727		Krowne	30°F - 40°, standard	1		
R-727		Krowne	K - Glass door with stainless steel frame	1		
R-727		Krowne	L - Left hinge location, first door	1		



Receiving Report

05/23/2024

CENTRAL_

Project:

Central & Adams (Edith Hotel)
1 E Adam St
Phoenix, AZ 85004

Ship To:

TriMark
Tayhesha St.Hill
210 Commerce
Irvine, CA 92602
(949)474-1000
949 474-1000 10152 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
R-727		Krowne	K - Glass door with stainless steel frame	1		
R-727		Krowne	R - Right hinge location, second door	1		
R-727		Krowne	BS-500 Blue LED light upgrade	1		
R-727		Krowne	No legs or casters	1		
R-738		Krowne	KR24-S18 Drainboard	1	55	
R-738		Krowne	6-1/2" High Backsplash, standard	1		
R-738		Krowne	KR-SS18 Royal Series Shelf, for 18"W storage cabinet, stainless steel	1		
R-739		Krowne	KR24-PE18 Underbar Drain Workboard Unit, Parts & Accessories	1	4	
R-741		Waring	MX1500TXP Blender, Bar	2	50	
R-742		Krowne	KPT52L Back Bar Cabinet, Refrigerated, Pass-Thru	1	435	
R-742		Krowne	30°F - 40°, standard	1		
R-742		Krowne	S - Stainless steel top	1		
R-742		Krowne	S - Stainless steel cabinet sides, both, standard	1		
R-742		Krowne	K - Glass doors with stainless steel frames	1		
R-742		Krowne	L - Left hinge location, first door	1		
R-742		Krowne	R - Right hinge location, second door	1		
R-742		Krowne	L - Left hinge location, first door	1		
R-742		Krowne	R - Right hinge location, second door	1		
R-742		Krowne	BS-551 Blue LED interior lighting	1		
R-742		Krowne	No legs or casters	1		

Signature: _____

Date: _____