



BUILD

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design

Andrew Keaggy

3806 N. 30th. St.

Phoenix, AZ 85016-

(602)273-1900

602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
1		Metro	MQ2448G CLEAN DISH STORAGE SHELVING	6	94.8	
1		Metro	MX74UP Quick Ship - Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 73-3/16"H, for use with stem casters, adjusts at 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection	8	17.6	
1		Metro	5PCX Quick Ship - Polymer Stem Caster, swivel, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	2	4.2	
1		Metro	5PCBX Quick Ship - Polymer Stem Caster, brake, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	2	4.6	
2		Cambro	ICS100L110 Ice Bin / Ice Caddy , Mobile	1	52	
3		Metro	D2020N Rack Dolly	2	27.2	
4		Continental Refrigerator	D1FIN Roll-In Freezer	1	475	
4		Continental Refrigerator	115/208-230v/60/1-ph, 11.1 amps, NEMA L14-20P, standard	1		
4		Continental Refrigerator	Door hinged on left	1		
5		New Age	1335 Refrigerator/Freezer Rack, Roll-In	3	216	
5		New Age	PS Pan Stop, aluminum strap welded to rear of unit (MUST BE FACTORY INSTALLED)	3		
5		New Age	E Solid Base, solid aluminum sheet welded to top of unit base (must be factory installed)	3		
5		New Age	B Corner Bumpers, non-marking gray rubber, set of 4 (available on full frame units only)	3		
6		Continental Refrigerator	D2RIN Roll-in Refrigerator	1	634	
6		Continental Refrigerator	115v/60/1-ph, 9.4 amps, cord & plug, standard	1		
6		Continental Refrigerator	Left Door hinged on left & right door hinged on right, standard	1		
7		Fabricated	STAINLESS STEEL MOBILE Work Table	2		
8		Fabricated	STAINLESS STEEL drip tray	1		
9		Fabricated	STAINLESS STEEL BEVERAGE COUNTER W/SINK	1		
11		Continental Refrigerator	SW48N-U Undercounter Refrigerator	1	248	
11		Continental Refrigerator	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	1		
11		Continental Refrigerator	Left Door hinged on left & right door hinged on right, standard	1		

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design
 Andrew Keaggy
 3806 N. 30th. St.
 Phoenix, AZ 85016-
 (602)273-1900
 602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
15	_____	T&S Brass	B-0133-CR-BVB-A Pre-Rinse Faucet Assembly	1	12.85	_____
16	_____	Rubbermaid	FG295500GRAY Waste Basket	1	1.19	_____
17	_____	Hoshizaki	H9320-51 Water Filtration System, for Ice Machines	1		_____
17	_____	Hoshizaki	H9655-06 Replacement Water Filter Cartridge (6 pack)	1		_____
18	_____	Fabricated	STAINLESS STEEL FLOOR TROUGH (4" deep)	1		_____
19	_____	Hoshizaki	KM-350MAJ 350lbs ice machine	1	175	_____
21	_____	Hoshizaki	B-300SF 300LBS ICE BIN	1	125	_____
21	_____	Hoshizaki	HS-5607 Scoop Holder Kit	1		_____
22	_____	Advance Tabco	UC-3-1827 UTILITY CART	2	50	_____
23	_____	Advance Tabco	7-PS-40 Hand Sink	1	22	_____
25	_____	Rubbermaid	FG262000GRAY Commercial Waste Container	1	5.82	_____
25	_____	Rubbermaid	FG261960GRAY BRUTE® Container Lid, 19-7/8"D x 1-1/4"H, for 20 gallon trash can, heavy duty plastic, gray, NSF, Made in USA	1	1.58	_____
25	_____	Rubbermaid	FG264043BLA BRUTE® Quiet Dolly, 18-1/4"D x 6-5/8"H, non-marking casters, black, NSF, Made in USA	1	5.39	_____
26	_____	Alto-Shaam	1200-UP Heated Holding Cabinet	2	786	_____
26	_____	Alto-Shaam	NOTE: Subject to Manufacturer's Terms & Conditions. See Documents Section	2		_____
26	_____	Alto-Shaam	120v/50/60/1-ph, 1.9 kW, 16.0 amps, NEMA 5-20P, standard	2		_____
26	_____	Alto-Shaam	Reach-in design, standard	4		_____
26	_____	Alto-Shaam	Solid Door, hinged on left (factory installed)	4		_____
26	_____	Alto-Shaam	5012932 Bumper, full perimeter (not available with 2-1/2" casters)	2	30	_____
26	_____	Alto-Shaam	5008017 Casters, 3-1/2" (89mm), plate, (2) rigid, (2) swivel with brakes	2	30	_____
26	_____	Alto-Shaam	CE-46829 Alto-Shaam, Non-Caustic cleaner, (6) 32 oz bottles	2		_____
27	_____	Cres Cor	R171SUA10E Mobile Refrigerator Cabinet	1	493	_____
27	_____	Cres Cor	120v/60/1-ph, 4.8 amps, 10' cord, NEMA 5-15P, standard	1		_____
27	_____	Cres Cor	Left-hand hinging (per door)	1		_____
27	_____	Cres Cor	1056 002 Corner Bumpers, add 2" to OA dimensions, non-marking, gray	1		_____
27	_____	Cres Cor	5" polyurethane casters, set of 4	1		_____
27	_____	Cres Cor	Magnetic door latch	1		_____
27	_____	Cres Cor	CC 16 6 CresClean™ Spray Bottle, 16 oz., plastic, (6) bottles per case	1		_____
31	_____	Advance Tabco	7-PS-40 Hand Sink	1	22	_____
33	_____	Fabricated	STAINLESS STEEL WALL MOUNTED tubular shelf w/ pot hooks	1		_____

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design
 Andrew Keaggy
 3806 N. 30th. St.
 Phoenix, AZ 85016-
 (602)273-1900
 602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
34		Fabricated	STAINLESS STEEL 3-comp sink	1		
34.1		T&S Brass	B-3950-01 Drain, Lever / Twist Waste	3	23.1	
35		T&S Brass	B-0287 Pre-Rinse Faucet Assembly, with Add On Faucet	1	18	
36		T&S Brass	B-0290 Wall / Splash Mount Faucet	1	8	
36		T&S Brass	B-0427 Supply Nipple, 3/4" x 2-1/2"	1	0.41	
36		T&S Brass	Order in quantities of (2) per faucet	1		
37		Fabricated	STAINLESS STEEL quick drain	1		
38		Hobart	AM16T-ASR-2 Dishwasher, Door Type	1		
38		Hobart	Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.	1		
38		Hobart	RAPID-FILL2-AM16 Rapid Fill Kit Dual Valve– For faster filling	1		
38		Hobart	ACC-INSTALL-RAPID16 Accessory Installation - for installations within 100 miles (accessible by public roadway) of a Hobart Service Office during normal business hours with appropriate notice; Installation beyond 100 miles or those not accessible by public roadway will be quoted by Service. Includes installation of this item only, final electrical or plumbing connections by others. Recommendation: coordinate accessory installation with machine assembly/ installation (NET)	1		
38		Hobart	WTRHAMARREST-AM16 Water Hammer Arrestor – Assembly includes 3/4" brass pressure regulator, pressure gauge, shock arrestor and garden hose adapter	1		
38		Hobart	FLNG-FT-AM16 Flanged Feet, Bolt Down – Set of 4	1		
38		Hobart	SCREEN-GUARD-AM16 Touch Screen Guard – cover to protect screen	1		
38		Hobart	WS40-NOINSTALL Water Softening System, 2,527 grains/lb capacity, 5 gallons regeneration volume, & salt alarm, holds 1 bag of salt, pricing DOES NOT include standard installation. INSTALLATION BY AUTHORIZED HOBART SERVICE OFFICE IS RECOMMENDED (NET)	1	60	
39		Captive-Aire	4824VHB-G exhaust hood (type 2)	1		
41		Fabricated	STAINLESS STEEL clean dishtable	1		
42		Metro	PCD11A Dish Cart / Dolly	2	130	
42		Metro	PROP 65 WARNING: This product can expose you to chemicals, including DEHP, which are known to the	2		



BUILD

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design
Andrew Keaggy
3806 N. 30th. St.
Phoenix, AZ 85016-
(602)273-1900
602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			State of California to cause cancer, birth defects and other reproductive harm. For more information, go to www.P65Warnings.ca.gov .		
43		Fabricated	STAINLESS STEEL WALL MOUNTED tubular shelf w/ pot hooks	1	
44		Metro	MQ1848G CLEAN DISH STORAGE SHELVING	3	39.6
44		Metro	MX74UP Quick Ship - Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 73-3/16"H, for use with stem casters, adjusts at 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection	4	8.8
44		Metro	5PCX Quick Ship - Polymer Stem Caster, swivel, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	2	4.2
44		Metro	5PCBX Quick Ship - Polymer Stem Caster, brake, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	2	4.6
44		Metro	MQ1836G CLEAN DISH STORAGE SHELVING	8	77.6
44		Metro	MX74UP Quick Ship - Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 73-3/16"H, for use with stem casters, adjusts at 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection	8	17.6
44		Metro	5PCX Quick Ship - Polymer Stem Caster, swivel, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	4	8.4
44		Metro	5PCBX Quick Ship - Polymer Stem Caster, brake, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	4	9.2
44		Metro	MQ2436G CLEAN DISH STORAGE SHELVING	8	104.8
44		Metro	MX74UP Quick Ship - Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 73-3/16"H, for use with stem casters, adjusts at 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection	8	17.6
44		Metro	5PCX Quick Ship - Polymer Stem Caster, swivel, 5"	4	8.4

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:Dave Keaggy & Assoc. Food Service Design
Andrew Keaggy
3806 N. 30th. St.
Phoenix, AZ 85016-
(602)273-1900
602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)		
44		Metro	5PCBX Quick Ship - Polymer Stem Caster, brake, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	4	9.2
45		Metro	D2020N Rack Dolly	2	27.2
46		CookTek (Middleby)	HTF-9500-FB35-1 Induction Range, Countertop	1	45
47		Continental Refrigerator	D60GN Equipment Stand, Refrigerated Base	1	495
47		Continental Refrigerator	115v/60/1-ph, 4.2 amps, cord, NEMA 5-15P, standard	1	
47		Continental Refrigerator	Condensing unit on the right, standard	1	
47		Continental Refrigerator	Casters, 3" diameter, 4"H overall, standard	1	
47		Continental Refrigerator	Stainless steel top extension, 3"	1	
47		Continental Refrigerator	NOTE: Please specify to the left, right or centered	1	
47		Continental Refrigerator	Integral heat shield	1	
48		RATIONAL	ICP 10-FULL E 480V 3 PH (LM100EE) Combi Oven, Electric	1	454
48		RATIONAL	NOTE: All discounts subject to approval by manufacturer	1	
48		RATIONAL	CAP Chef Assistance Program, a RATIONAL certified Chef conducts 4 hours/location specialized application training with personnel, no charge	1	
48		RATIONAL	9999.2100 Commissioning iCombi Electric – for one(1) electric iCombi when not installed and commissioned by trained technicians. Includes 100 miles (200 miles round-trip). THIS ITEM IN NON-DISCOUNTABLE, USA ONLY (NET)	1	
48		RATIONAL	8720.1551US Installation Kit, electric iCombi/SCC/CMP 102 (440/60Hz/3ph & 480/60Hz/3ph); electric iCombi/SCC/CMP 201 (440/60Hz/3pm & 480/60Hz/3ph); electric iCombi/SCC/CMP 61 (208/60Hz/1ph & 240/60Hz/1ph); electric iCombi/SCC/CMP 101 (208/60Hz/3ph & 240/6/3ph) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)	1	33
48		RATIONAL	1900.1158US Water Filtration Double Cartridge	1	

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design
 Andrew Keaggy
 3806 N. 30th. St.
 Phoenix, AZ 85016-
 (602)273-1900
 602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			System, for full-size Combi-Duos or if used for more than (2) units, includes: (1) double head with pressure gauge, (2) R95-CLX filter & (1) filter installation kit (for each additional unit add (1) additional head & additional cartridge. Maximum (4) cartridges)		
48		RATIONAL	Note: The RATIONAL Water Filtration Systems helps provide consistent high-quality water to your RATIONAL cooking systems. The patented carbon block technology reduces the effects of sediment, chloramines, and chlorine while delivering the required flow rates.	1	
48		RATIONAL	56.01.535 Active Green Cleaner Tabs, for all iCombi Pro/Classic, 150 pieces/bucket (minimum order quantity- 2 ea, unless ordered with a unit) (NET)	1	12.87
48		RATIONAL	56.00.562 Care Tabs, bucket of 150 packets for all iCombi Pro/Classic models and SelfCooking Center® units from 10/2008, with CareControl - Serial SG, SH or SI series (minimum order quantity: 2pcs, unless ordered with a unit) (NET)	1	14.9
48		RATIONAL	60.31.671 Base with feet, Height adjustable ¾", for iCombi 6- and 10 full size Classic/Pro	1	
52		TurboChef (Middleby)	I3-TOUCH CONTROL DL - 3 PHASE Rapid Cook Oven	3	870
52		TurboChef (Middleby)	MDD-1001 Open Kitchen bundle, includes - 1 x ConnectWare module, 1 x Secure Access Point (SAP), 3 year subscription for Open Kitchen (NET price displays when item is added to quote)	1	
52		TurboChef (Middleby)	All items FOB: Carrollton, Texas: Consumable/accessory orders less than \$5,000 will incur a handling fee. Orders shipping standard ground will incur a \$15.00 handling fee. Orders shipping other than standard ground will incur \$25.00 handling fee	3	
52		TurboChef (Middleby)	208-240v/60/3-ph, 24.0amps, 8.6-9.9kw, 6 foot cord (nominal), NEMA 15-30P	3	
52		TurboChef (Middleby)	I1-9716 Paddle, Aluminum, 9.6" x 13.6" (24.4 cm x 34.5 cm)	3	6
52		TurboChef (Middleby)	I5-9369 Stacking Stand, i5 or i3 Oven, 44.5" (113.0 cm), for use with 18" (45.7cm) cart	1	
52		TurboChef (Middleby)	105704 TurboChef Powder Cleaner Kit, includes (16) 33gm cleaner packets, (1) 75ml bottle and (1) foamer trigger	3	
53		Fabricated	STAINLESS STEEL Work Table	1	
54		Continental Refrigerator	1FEN Reach-In Freezer	1	345
54		Continental Refrigerator	115v/60/1-ph, 7.6 amps, cord, NEMA 5-15P, standard	1	

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design
 Andrew Keaggy
 3806 N. 30th. St.
 Phoenix, AZ 85016-
 (602)273-1900
 602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
54		Continental Refrigerator	Door hinged on left	1	
54		Continental Refrigerator	5" Casters, standard	1	
55		Hoshizaki	KM-350MAJ Ice Maker, Cube-Style	1	175
56		Hoshizaki	B-300SF Ice Bin for Ice Machines	1	125
56		Hoshizaki	HS-5607 Scoop Holder Kit	1	
57		Kold-Draft	GTX361AC Ice Maker, Cube-Style	1	175
57		Kold-Draft	DR3-GT Drain Riser Kit, 3", for GT Series	1	20
58		Kold-Draft	KDB400 Ice Bin for Ice Machines	1	140
58		Kold-Draft	102146001 Leg Kit, 4", for KDB230/KDB400 Bins only	1	5
59		Fabricated	STAINLESS STEEL FLOOR TROUGH (4" deep)	1	
61		Hoshizaki	H9320-51 Water Filtration System, for Ice Machines	1	
61		Hoshizaki	H9655-06 Replacement Water Filter Cartridge (6 pack)	1	
62		Kold-Draft	TLC-107096F Water Filtration System, for Ice Machines	1	2.75
62		Kold-Draft	TLC-3200S Nautilus Replacement carbon block filter, 2.1 GPM, built-in scale inhibitor	1	2.5
63		T&S Brass	B-0231 Wall / Splash Mount Faucet	1	5.66
63		T&S Brass	B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "El" 1/2" NPT female x male	1	0.94
63		T&S Brass	B-0230-KIT Inlet Kit, 1/2" NPT nipple, close elbows, 24" flex supply hoses	1	2.05
64		Fabricated	STAINLESS STEEL WORK TABLE W/ SINK	1	
64.1		T&S Brass	B-3950-01 Drain, Lever / Twist Waste	1	7.7
65		Robot Coupe	R2NCLR Food Processor, Benchtop / Countertop	1	33
65		Robot Coupe	SP5DISC SP5Disc, (5) disc package includes: (1) 1/4" grating disc, (1) 1/4" x 1/4" julienne disc, (1) 5/64" julienne disc, (1) 1/32" slicing disc, (1) 1/4" slicing disc	1	
65		Robot Coupe	107810 S Blade & Disc Holder, wall mount, holds (1) S blade & (8) discs, for machines from R101P to R402	1	
66		Fabricated	STAINLESS STEEL WALL MOUNTED OVERSHELF	1	
69		Continental Refrigerator	SW48N-U Undercounter Refrigerator	1	248
69		Continental Refrigerator	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	1	
69		Continental Refrigerator	Left Door hinged on left & right door hinged on right, standard	1	
72		Fabricated	STAINLESS STEEL drip tray	1	

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design
 Andrew Keaggy
 3806 N. 30th. St.
 Phoenix, AZ 85016-
 (602)273-1900
 602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
73	_____	Continental Refrigerator	2REN Reach-In Refrigerator	1	450	_____
73	_____	Continental Refrigerator	115v/60/1-ph, 6.9 amps, cord, NEMA 5-15P, standard	1		_____
73	_____	Continental Refrigerator	Left Door hinged on left & right door hinged on right, standard	1		_____
73	_____	Continental Refrigerator	5" Casters, standard	1		_____
74	_____	T&S Brass	B-1122 Deck Mount Faucet	2	7.94	_____
74	_____	T&S Brass	B-1100-KIT 24" Inlet Supply Hoses (3/8" Compression x 1/2" NPSM Female)	2		_____
75	_____	Rubbermaid	1971258 Trash Receptacle, Indoor	2	13	_____
76	_____	Continental Refrigerator	SW48N-U-D Undercounter Refrigerator	2	496	_____
76	_____	Continental Refrigerator	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	2		_____
77	_____	Fabricated	STAINLESS STEEL cutting board	2		_____
78	_____	CookTek (Middleby)	676101 Induction Soup Kettle	1	14.55	_____
78	_____	CookTek (Middleby)	(676101) Brushed aluminum finish	1		_____
78	_____	CookTek (Middleby)	302408 Soup Tureen, induction, 11 quart capacity, with lid, stainless steel	1		_____
78	_____	CookTek (Middleby)	302393 (302393) Ring, for 11 qt., stainless steel	1		_____
79	_____	Advance Tabco	7-PS-42 Hand Sink	1	30	_____
81	_____	Hatco	GRAHL-72D6 Heat Lamp	1	42	_____
81	_____	Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1		_____
81	_____	Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1		_____
81	_____	Hatco	120/208v/60/1-ph	1		_____
81	_____	Hatco	BLT TOG-3 (3) Built-in toggle controls (remote recommended) (available at time of purchase only)	1		_____
81	_____	Hatco	LEADS10 6'-10' Extended Electrical Leads (available at time of purchase only)	1		_____
81	_____	Hatco	STANDARD Clear Anodized Aluminum housing, finish, standard (available at time of purchase only)	1		_____
81	_____	Hatco	ADJ ANGLE-D Adjustable angle bracket, (2) pair	1		_____
82	_____	Vollrath	72020 Food Pan Warmer/Rethermalizer, Countertop	1	19.85	_____
83	_____	Fabricated	STAINLESS STEEL chefs table double overself	1		_____
84	_____	Fabricated	STAINLESS STEEL ISLAND CHEF'S TABLE W/ SINKS	1		_____
85	_____	T&S Brass	B-3950-01 Drain, Lever / Twist Waste	2	15.4	_____
91	_____	TurboChef (Middleby)	I1 SOTA Rapid Cook Oven	1	205	_____
91	_____	TurboChef (Middleby)	MDD-1001 Open Kitchen bundle, includes - 1 x	1		_____

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design
 Andrew Keaggy
 3806 N. 30th. St.
 Phoenix, AZ 85016-
 (602)273-1900
 602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			ConnectWare module, 1 x Secure Access Point (SAP), 3 year subscription for Open Kitchen (NET price displays when item is added to quote)		
91		TurboChef (Middleby)	All items FOB: Carrollton, Texas: Consumable/accessory orders less than \$5,000 will incur a handling fee. Orders shipping standard ground will incur a \$15.00 handling fee. Orders shipping other than standard ground will incur \$25.00 handling fee	1	
91		TurboChef (Middleby)	208/240v/60/1-ph, 30.0 amps, 6.2 kW, 6 foot cord (nominal), NEMA 6-30P	1	
91		TurboChef (Middleby)	I1-3221 Kit, Panini Grill Rack & Tray, for Sota oven	1	
91		TurboChef (Middleby)	I1-9716 Paddle, Aluminum, 9.6" x 13.6" (24.4 cm x 34.5 cm)	1	2
92		Advance Tabco	1014A-10A Undermount Sink	1	6
92		Advance Tabco	K-350 Upgraded Finish (recommended for residential or front-of-house applications)	1	20
92		Advance Tabco	K-6 Basket Drain, 1-1/2" IPS	1	1
94		T&S Brass	B-1111 Deck Mount Faucet	1	4
94		T&S Brass	B-1100-KIT 24" Inlet Supply Hoses (3/8" Compression x 1/2" NPSM Female)	1	
95		Rubbermaid	1971258 Trash Receptacle, Indoor	1	6.5
96		Advance Tabco	1620A-10 Undermount Sink	1	10
96		Advance Tabco	K-350 Upgraded Finish (recommended for residential or front-of-house applications)	1	20
96		Advance Tabco	K-6 Basket Drain, 1-1/2" IPS	1	1
98		T&S Brass	B-1111 Deck Mount Faucet	1	4
98		T&S Brass	B-1100-KIT 24" Inlet Supply Hoses (3/8" Compression x 1/2" NPSM Female)	1	
101		Continental Refrigerator	SW48N-U-D Undercounter Refrigerator	1	248
101		Continental Refrigerator	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	1	
103		Hatco	TPT-120 Pop-Up Toaster	2	28
103		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1	
103		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1	
103		Hatco	120v/60/1-ph, 1800w, 15.0 amps, 6' cord with NEMA 5-15P	2	
103		Hatco	Stainless steel finish, standard	2	
104		Berkel	330M-STD Proscuitto Slicer	1	192
104		Berkel	330M-STANDC 330M Slicer Stand with casters, classic Berkel red	1	84

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design
 Andrew Keaggy
 3806 N. 30th. St.
 Phoenix, AZ 85016-
 (602)273-1900
 602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
104	_____	Berkel	SLCRCVR-LG Slicer Cover, large, fits B12, B12A, B14, 300M, 330M, Berkel logo on clear vinyl with black border	1	2	_____
105	_____	CookTek (Middleby)	660801 Induction Range, Built-In / Drop-In	2	40	_____
105	_____	CookTek (Middleby)	INC-3000 (MGRFID02) Magneeto™ Trivet (Locator Disc), wireless communicator tab, temperature sensor, red LED indicator light, pan grips, anti-slip feet, molded plastic construction, use with Incogneeto™ B65x-U induction buffet units only, Made in USA	2	5.6	_____
105	_____	CookTek (Middleby)	301311 (UCG01) Induction Chafing Dish, round, 6.5 liter capacity, removable single chamber insert with push pin, lid opens 90° with adjustable rate of descent, drip channel, glass viewing window in lid, adjustable rubber foot on back of dish, stainless steel construction, NSF, CE	2	42	_____
106	_____	Alto-Shaam	300-TH Cabinet, Cook / Hold / Oven	1	165	_____
106	_____	Alto-Shaam	NOTE: Subject to Manufacturer's Terms & Conditions. See Documents Section	1		_____
106	_____	Alto-Shaam	120v/60/1-ph, 6.7 amps, .8 kW, 5 ft. cord, NEMA 5-15P, standard	1		_____
106	_____	Alto-Shaam	Simple controls, standard	1		_____
106	_____	Alto-Shaam	PR-46999 Single point, standard	1		_____
106	_____	Alto-Shaam	Solid Door, hinged on right, standard	1		_____
106	_____	Alto-Shaam	5033558 Converge Stand, 29-1/2" W x 30-3/4" H, stainless steel, casters	1		_____
106	_____	Alto-Shaam	Factory assembled	1		_____
106	_____	Alto-Shaam	CE-46829 Alto-Shaam, Non-Caustic cleaner, (6) 32 oz bottles	1		_____
107	_____	Hatco	CWBP-1 Drop-In Refrigerated Well	1	127	_____
107	_____	Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1		_____
107	_____	Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1		_____
107	_____	Hatco	120v/60/1-ph (domestic voltage), standard	1		_____
107	_____	Hatco	CWB-1FB Perforated false bottom, for CWB-1	1		_____
107	_____	Hatco	BEZELGASKET-1 Rubber Gasket, for (1) pan size drop-in food wells, factory installed, eliminates the need for silicone or other sealants (available at time of purchase only)	1		_____
109	_____	Hatco	CSUP-36-I Cold Shelf	1	140	_____
109	_____	Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1		_____
109	_____	Hatco	NOTE: Includes 24/7 parts & service assistance,	1		_____

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:Dave Keaggy & Assoc. Food Service Design
Andrew Keaggy
3806 N. 30th. St.
Phoenix, AZ 85016-
(602)273-1900
602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			call 414-671-6350		
109		Hatco	CE mark not available	1	
109		Hatco	120v/60/1-ph, 440 watts, 6.5 amps, NEMA 5-15P, 1/5 HP (domestic voltage), standard	1	
111		BSI	FABRICATED CEILING MOUNTED SNEEZE GUARDS	1	
116		Glastender	C-DBG3-24 Glass Rack	2	160
117		Glastender	GD24HT Glasswasher, Undercounter / Underbar	1	296
117		Glastender	208v/60/1-ph, 24.7 amps, 1HP	1	
117		Glastender	01001754 Drain Water Tempering Kit	1	2
118		Vitamix	036019-ABAB Blender, Bar	1	23.1
118		Vitamix	058805 Standard Blender Container ONLY, 48 oz. (1.4 liter) capacity, clear BPA Free Tritan™ container, NSF (compatible with The Quiet One®, Drink Machine™ Advance®, Drink Machine™ & Vita-Prep®) (DOES NOT INCLUDE: blade assembly & lid)	1	1.3
118		Vitamix	015507 Blender Lid, with plug, 2-piece, thermoplastic rubber, black, for 48 oz. standard containers: 15504 & 58805	1	0.5
119		Glastender	C-BSB-12 Blender Station	1	53
119		Glastender	Aerator, faucet, 2.0 GPM, standard	1	
119		Glastender	Faucet, backsplash mounted, 4"OC, 3/8" hot & cold water connections required, standard	1	
119		Glastender	C-LSA-F CHOICE Side Splash, left, for 19" deep models with flat work surface, stainless steel	1	4
119		Glastender	C-RSA-F CHOICE Side Splash, right, for 19" deep models with flat work surface, stainless steel	1	4
121		Glastender	C-SR-30 Speed Rail / Rack	1	9
121		Glastender	C-SRC-30 CHOICE Speed Rail Locking Cover, single, 30", stainless steel construction, ETL-Sanitation	1	13
122		Glastender	CBA-30L3-CP10 Ice Bin with Bottle Wells	1	165
122		Glastender	7" High Backsplash, standard	1	
122		Glastender	IBD-H-A Ice Bin Divider, half, for 19" deep cocktail unit	1	4
122		Glastender	CCD Condiment Dispenser, (6) pint condiment cups capacity, stainless steel housing, clear hinged cover, rubber pads	1	5
123		Glastender	UMGH Underbar Ice Bin/Cocktail Station, Parts & Accessories	1	3
124		Glastender	C-LD-18 Bottle Storage Unit	1	55
124		Glastender	One piece removable locking cover (NOTE: Locking cover must be specified at time of order, cannot be added in the field)	1	
125		Glastender	C-DHSB-12 Hand Sink	1	60
125		Glastender	Aerator, faucet, 2.0 GPM, standard	1	
125		Glastender	Faucet, deck mounted, 4"OC, 3/8" hot & cold water	1	

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:Dave Keaggy & Assoc. Food Service Design
Andrew Keaggy
3806 N. 30th. St.
Phoenix, AZ 85016-
(602)273-1900
602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			connections required, standard			
125	_____	Glastender	C-LSB-D CHOICE Side Splash, left, for 24" deep models, stainless steel	1	5	_____
125	_____	Glastender	C-RSB-D CHOICE Side Splash, right, for 24", stainless steel	1	5	_____
126	_____	Glastender	C-DBB-36 Drainboard	1	70	_____
127	_____	Rubbermaid	1971258 Trash Receptacle, Indoor	1	6.5	_____
128	_____	Glastender	C-DBB-12 Drainboard	1	50	_____
129	_____	Glastender	C-DBC-30 Drainboard	1	105	_____
131	_____	Glastender	C2SB36-WD Wine Cooler Dispenser	1	317	_____
131	_____	Glastender	Special order note: Note: This is a manufactured to order item and is NOT returnable	1		_____
131	_____	Glastender	The C2SB36 can NOT hold standard size kegs, but it can hold up to (4) 1/6 kegs. For (4) 1/6 kegs, one keg must have a low profile keg tap (05001026). A 5# nitrogen cylinder with tank mount regulator (RKL-TN) will NOT fit with (4) 1/6 kegs. See draft system accessories.	1		_____
131	_____	Glastender	120v/60/1-ph, 2.75 amps, cord, NEMA 5-15P, standard	1		_____
131	_____	Glastender	(R) Refrigeration compartment on right side	1		_____
131	_____	Glastender	Stainless steel front and sides	1		_____
131	_____	Glastender	Signature handle	1		_____
131	_____	Glastender	First Door hinge location, first: Left	1		_____
131	_____	Glastender	Second Door hinge location, first: Right	1		_____
131	_____	Glastender	Castors, 2-7/8" for side serviced coolers & frosters (set of four)	1		_____
131	_____	Glastender	Tank mount (single gauge) Nitrogen regulator with wine installation kit	1		_____
132	_____	Glastender	C2SB48 Back Bar Cabinet, Refrigerated	1	360	_____
132	_____	Glastender	NOTE: This is a manufactured to order unit and is NOT returnable.	1		_____
132	_____	Glastender	NOTE: The warmer of the two compartments is always a single section and located opposite the compressor end	1		_____
132	_____	Glastender	The C2SB48 can hold (2) standard size kegs or up to (6) 1/6 kegs. For (6) 1/6 kegs, one keg must have a low profile keg tap (05001026). A 5# CO2 bottle (05000636) with tank mount regulator (RKL-TC) will fit with (6) 1/6 kegs. See draft system accessories.	1		_____
132	_____	Glastender	120v/60/1-ph, 2.75 amps, cord, NEMA 5-15P, standard	1		_____
132	_____	Glastender	Beer (34°F to 40°F) & white wine (50°F to 55°F)	1		_____
132	_____	Glastender	(L) Refrigeration compartment on left side	1		_____
132	_____	Glastender	Refrigeration compartment cover finish: Stainless	1		_____

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design
 Andrew Keaggy
 3806 N. 30th. St.
 Phoenix, AZ 85016-
 (602)273-1900
 602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			steel		
132		Glastender	Drawer style, first: Stainless steel	1	
132		Glastender	NOTE: This is a manufactured to order unit and is NOT returnable.	1	
132		Glastender	Stainless pull-tab handle	1	
132		Glastender	Drawer style, second: Stainless steel	1	
132		Glastender	NOTE: This is a manufactured to order unit and is NOT returnable.	1	
132		Glastender	Stainless pull-tab handle	1	
132		Glastender	No finished top - stainless steel sub-top, standard	1	
132		Glastender	Back finish: Galvanized steel, standard	1	
132		Glastender	SS-L Left side finish: Stainless steel	1	2
132		Glastender	SS-R Right side finish: Stainless steel	1	2
132		Glastender	Bright White (7,000k), standard	1	
132		Glastender	C-4X2-7/8-S Casters, 2-7/8", for side-serviced coolers & frosters (set of four)	1	4
133		Glastender	C-PCB-24 Work Center	1	85
135		Rubbermaid	1971258 Trash Receptacle, Indoor	1	6.5
136		Fabricated	STAINLESS STEEL scupper rail (3 sided around bar perimeter)	1	
141		Advance Tabco	UC-3-1827 Cart, Utility/Bussing	2	50
142		Metro	MQ2448G Shelving, with Metal Frame	8	126.4
142		Metro	MX74UP Quick Ship - Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 73-3/16"H, for use with stem casters, adjusts at 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection	8	17.6
142		Metro	5PCX Quick Ship - Polymer Stem Caster, swivel, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	4	8.4
142		Metro	5PCBX Quick Ship - Polymer Stem Caster, brake, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	4	9.2
143		Thermalrite	FABRICATED walk-in cooler and freezer combo box	1	
143		Thermalrite	All walk-in panels shall be provided with an overall thickness of 4".	1	
143		Thermalrite	Panels to be interchangeable, foamed in-place with U.L. Labeled, CFC free poured urethane insulation pressed between interior and exterior metal surfaces, with an overall thickness of 4". Edges of	1	



BUILD

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design
Andrew Keaggy
3806 N. 30th. St.
Phoenix, AZ 85016-
(602)273-1900
602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			panels shall be high-density urethane "tongue and groove", with cam-lock assemblies, set-in-place during fabrication. The access ports are to be on the interior, for inside assembly of the walk-in, and shall be covered with white caps.		
143	_____	Thermalrite	Interior ceiling finish shall be embossed white aluminum.	1	_____
143	_____	Thermalrite	Interior walls shall be embossed galvalume.	1	_____
143	_____	Thermalrite	Exterior finish to be stainless steel, type 304, 20 gauge for exposed exterior and embossed galvalume for the remainder non-exposed exterior.	1	_____
143	_____	Thermalrite	Pre-fabricated heavy duty floor panels. Floor panels shall have foamed in place high traffic reinforcement, stainless steel, type 304 interior finish and embossed galvalume exterior finish. KEC to provide 3M or equal skid strips 30" O.C. down the main aisle of walk-in box. Floor panels shall be supplied by cooler panel manufacturer.	1	_____
143	_____	Thermalrite	Provide 78" door and frame. Door shall be sized and hinged as shown on plan. The door to be flush type, constructed and insulated in the same manner as the wall panels, and finished inside and out, to match adjacent walls.	1	_____
143	_____	Thermalrite	Provide door section with an incandescent type vapor-proof LED light with clear globe, pilot light switch and conduit between switch box and outlet box. All conduit and wiring shall be concealed, where possible.	1	_____
143	_____	Thermalrite	Heated pressure relief port (air-vent). (Freezer only)	1	_____
143	_____	Thermalrite	Door section to have low wattage heater wire covered by magnetically attracting stainless steel, to provide sealing of magnetic gasket, and prevent frost and condensate buildup.	1	_____
143	_____	Thermalrite	Audio-visual alarm to be included in door section, with remote sensor and adjustable alarm points to indicate the temperature inside, and sound an alarm when the temperature is unsatisfactory. The alarm shall have a mute switch to silence the audible alarm and a reset button to reset the alarm once the temperature conditions are satisfactory. Alarm to be capable of connecting to Owner's building monitoring system.	1	_____
143	_____	Thermalrite	14" X 14" observation window and 36" wide vinyl strip curtains and entrance door(s).	1	_____
143	_____	Thermalrite	All exposed door hardware to be polished aluminum. Hardware shall have provisions for locking and a safety release to prevent entrapment	1	_____



BUILD

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design
Andrew Keaggy
3806 N. 30th. St.
Phoenix, AZ 85016-
(602)273-1900
602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			of personnel within the box.		
143	_____	Thermalrite	Door(s) to include minimum of 3 hinges for each door section and 30" high traffic diamond tread plate on the interior and exterior of the door(s).	1	_____
143	_____	Bally	LED vapor proof lamp at door and 48" LED ceiling light fixtures. KEC to provide LED light fixtures with all required comports for field installation by the Electrical Contractor. All light fixtures to be U.L. listed for use inside walk-in cooler or freezer. All conduit and wiring between light fixtures to be concealed where possible. Provide lighting inside walk-in to meet or exceed 10 foot candles as measured at 12" above finish floor.	1	_____
143	_____	Thermalrite	Matching finish trim strips, from floor to ceiling, at all exposed vertical edges, corners, and joints to building wall(s). The KEC is responsible for verifying all field dimensions.	1	_____
143	_____	Thermalrite	Matching finish closure panels from top of walk-in to finished ceiling, on exposed sides. The KEC is responsible for all verifying field dimensions, and for providing access panels as required.	1	_____
143	_____	Thermalrite	Unit and all components to be N.S.F. Approved, U.L. and U.L. Classified with a flame spread of 25 or less, and meet the requirements of N.S.F. Standard #7.	1	_____
143	_____	Thermalrite	The KEC is to verify all dimensions with building conditions for proper fit. Provide maximum size possible to fit available space.	1	_____
143	_____	Thermalrite	See sheet FS-X.X for further information and specifications.	1	_____
144	_____	Metro	2460NK3 WALK-IN FREEZER SHELVING	8	172
144	_____	Metro	74PK3 Quick Ship - Super Erecta® SiteSelect™ Post, 74-1/2"H, adjustable leveling bolt, posts are grooved at 1" increments & numbered at 2" increments, double grooved every 8", Metroseal 3 Green epoxy coated corrosion-resistant finish with Microban® antimicrobial protection	8	32
144	_____	Metro	1836NK3 WALK-IN FREEZER SHELVING	4	59.2
144	_____	Metro	74PK3 Quick Ship - Super Erecta® SiteSelect™ Post, 74-1/2"H, adjustable leveling bolt, posts are grooved at 1" increments & numbered at 2" increments, double grooved every 8", Metroseal 3 Green epoxy coated corrosion-resistant finish with Microban® antimicrobial protection	4	16
145	_____	Thermalrite	TBD Walk-in Freezer Coil	1	_____
146	_____	Metro	2460NK3 WALK-IN COOLER SHELVING	8	172
146	_____	Metro	74PK3 Quick Ship - Super Erecta® SiteSelect™ Post,	8	32

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design
 Andrew Keaggy
 3806 N. 30th. St.
 Phoenix, AZ 85016-
 (602)273-1900
 602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			74-1/2"H, adjustable leveling bolt, posts are grooved at 1" increments & numbered at 2" increments, double grooved every 8", Metroseal 3 Green epoxy coated corrosion-resistant finish with Microban® antimicrobial protection			
146		Metro	1836NK3 WALK-IN COOLER SHELVING	4	59.2	
146		Metro	74PK3 Quick Ship - Super Erecta® SiteSelect™ Post, 74-1/2"H, adjustable leveling bolt, posts are grooved at 1" increments & numbered at 2" increments, double grooved every 8", Metroseal 3 Green epoxy coated corrosion-resistant finish with Microban® antimicrobial protection	4	16	
147		Thermalrite	TBD Walk-in Cooler Coil	1		
148		Rubbermaid	FG738000YEL Mop Bucket Wringer Combination	1	10.67	
149		Fabricated	STAINLESS STEEL fLOOR TROUGH (4" deep)	1		
151		Hoshizaki	KM-350MAJ Ice Maker, Cube-Style	1	175	
151.1		Hoshizaki	H9320-51 Water Filtration System, for Ice Machines	1		
151.1		Hoshizaki	H9655-06 Replacement Water Filter Cartridge (6 pack)	1		
152		Hoshizaki	B-300SF Ice Bin for Ice Machines	1	125	
152		Hoshizaki	HS-5607 Scoop Holder Kit	1		
155		Metro	PR1436NK3 Shelving, with Metal Frame	8		
155		Metro	Note: 14" deep stationary shelving units taller than 63" need to be fastened to the floor through Metro footplates or fastened to the wall using a Metro wall bracket. Mounting hardware is not provided	8		
155		Metro	74PK3 Quick Ship - Super Erecta® SiteSelect™ Post, 74-1/2"H, adjustable leveling bolt, posts are grooved at 1" increments & numbered at 2" increments, double grooved every 8", Metroseal 3 Green epoxy coated corrosion-resistant finish with Microban® antimicrobial protection	8	32	
155		Metro	9993Z Quick Ship - Triangular Footplate, plated finish, compatible with Super Erecta®, qwikSLOT & MetroMax family posts	8	1.6	
156		New Age	1335 Refrigerator/Freezer Rack, Roll-In	1	72	
156		New Age	PS Pan Stop, aluminum strap welded to rear of unit (MUST BE FACTORY INSTALLED)	1		
156		New Age	E Solid Base, solid aluminum sheet welded to top of unit base (must be factory installed)	1		
156		New Age	B Corner Bumpers, non-marking gray rubber, set of 4 (available on full frame units only)	1		
157		Fabricated	STAINLESS STEEL Work Table	1		
158		Captive-Aire	FS-TANK Fire Suppression System	1		
159		Continental	SW27N12M-FB-D Mega Top Sandwich / Salad	1	188	

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:Dave Keaggy & Assoc. Food Service Design
Andrew Keaggy
3806 N. 30th. St.
Phoenix, AZ 85016-
(602)273-1900
602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
		Refrigerator	Preparation Refrigerator		
159	_____	Continental Refrigerator	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	1	_____
159	_____	Continental Refrigerator	(00FVL) Flat lid with vision panel - with hinges	1	_____
159	_____	Continental Refrigerator	10" cutting board, rear mounted (NOTE: Must use flat cover)	1	_____
159	_____	Continental Refrigerator	NOTE: Overshelves not available with rear mounted cutting board option	1	_____
159	_____	Continental Refrigerator	Crumb catcher	1	_____
161	_____	Captive-Aire	5424ND-2WI-PSP-SS exhaust hood (type 1)	1	_____
162	_____	Captive-Aire	DCV-1111 exhaust hood control panel	1	_____
163	_____	CookTek (Middleby)	680101 Induction Plancha	1	170
164	_____	Hatco	HBGB-2418 Heated Shelf Food Warmer	1	32
164	_____	Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1	_____
164	_____	Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1	_____
164	_____	Hatco	120v/60/1-ph, 425 watts, 3.5 amps, NEMA 5-15P (domestic voltage), standard	1	_____
164	_____	Hatco	NOTE: Recommended for use in metallic countertop, verify that the material is suitable for temperatures up to 200°F	1	_____
164	_____	Hatco	HBGB-GLASS-BLK Black finished ceramic glass, standard	1	_____
164	_____	Hatco	HBGB-TRIM-BLK Designer Black powder coated trim ring (available at time of purchase only)	1	_____
164	_____	Hatco	The color selected is considered custom & is NOT returnable	1	_____
164	_____	Hatco	Flat top surface, standard	1	_____
164	_____	Hatco	Thermostat control with lighted rocker switch, standard	1	_____
164	_____	Hatco	Stainless steel bezel only (standard)	1	_____
165	_____	Fabricated	STAINLESS STEEL front serving counter (stainless steel)	1	_____
166	_____	BSI	XG3930 Sneeze Guard, Stationary	2	_____
166	_____	BSI	Stainless steel tubing (contact factory for price)	2	_____
166	_____	BSI	1" radius corner, standard	2	_____
166	_____	BSI	1/4" Tempered glass (not for shelves, centerline max 54") (contact factory for price)	2	_____
166	_____	BSI	Define centerline between posts: _____ (Maximum span for 1/4" glass is 54")	2	_____
166	_____	BSI	Frame Finish: Stainless steel #4	2	_____

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design
 Andrew Keaggy
 3806 N. 30th. St.
 Phoenix, AZ 85016-
 (602)273-1900
 602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
166	_____	BSI	705 Stealth™ Warmer & Light Combo, (specify voltage & length), cULus, NSF (Contact factory for price)	2	_____
166	_____	BSI	Voltage & Length to be specified	2	_____
166	_____	BSI	Lamp type to be specified	2	_____
166	_____	BSI	Remote Infinite, standard	2	_____
166	_____	BSI	Wiring exit point to be specified	2	_____
166	_____	BSI	Warmer finish to be specified	2	_____
166	_____	BSI	MWU4 Millwork Undercounter Mount, compression installation (not recommended for solid surfaces) includes hex nut & washer, 2" Deco™rative threaded escutcheon, requires undercounter access, (o.k. for use with cantilever food shields), NSF, UL (Contact factory for price)	2	_____
167	_____	BSI	XG3500-4 Sneeze Guard, Stationary	1	_____
167	_____	BSI	Stainless steel tubing (contact factory for price)	1	_____
167	_____	BSI	1" radius corner, standard	1	_____
167	_____	BSI	1/4" Tempered glass (not for shelves, centerline max 54") (contact factory for price)	1	_____
167	_____	BSI	Define centerline between posts: _____ (Maximum span for 1/4" glass is 54")	1	_____
167	_____	BSI	Frame Finish: Brushed aluminum	1	_____
167	_____	BSI	MWU4 Millwork Undercounter Mount, compression installation (not recommended for solid surfaces) includes hex nut & washer, 2" Deco™rative threaded escutcheon, requires undercounter access, (o.k. for use with cantilever food shields), NSF, UL (Contact factory for price)	1	_____
168	_____	New Age	1335 Refrigerator/Freezer Rack, Roll-In	1	72
168	_____	New Age	PS Pan Stop, aluminum strap welded to rear of unit (MUST BE FACTORY INSTALLED)	1	_____
168	_____	New Age	E Solid Base, solid aluminum sheet welded to top of unit base (must be factory installed)	1	_____
168	_____	New Age	B Corner Bumpers, non-marking gray rubber, set of 4 (available on full frame units only)	1	_____
169	_____	Captive-Aire	6024ND-2-PSP-F exhaust hood (type 1)	1	_____
171	_____	Captive-Aire	DCV-1111 exhaust hood control panel	1	_____
172	_____	RATIONAL	ICP 10-FULL E 480V 3 PH (LM100EE) Combi Oven, Electric	1	454
172	_____	RATIONAL	NOTE: All discounts subject to approval by manufacturer	1	_____
172	_____	RATIONAL	CAP Chef Assistance Program, a RATIONAL certified Chef conducts 4 hours/location specialized application training with personnel, no charge	1	_____
172	_____	RATIONAL	9999.2100 Commissioning iCombi Electric – for	1	_____

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design
 Andrew Keaggy
 3806 N. 30th. St.
 Phoenix, AZ 85016-
 (602)273-1900
 602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			one(1) electric iCombi when not installed and commissioned by trained technicians. Includes 100 miles (200 miles round-trip). THIS ITEM IN NON-DISCOUNTABLE, USA ONLY (NET)		
172		RATIONAL	8720.1551US Installation Kit, electric iCombi/SCC/CMP 102 (440/60Hz/3ph & 480/60Hz/3ph); electric iCombi/SCC/CMP 201 (440/60Hz/3pm & 480/60Hz/3ph); electric iCombi/SCC/CMP 61 (208/60Hz/1ph & 240/60Hz/1ph); electric iCombi/SCC/CMP 101 (208/60Hz/3ph & 240/6/3ph) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)	1	33
172		RATIONAL	1900.1158US Water Filtration Double Cartridge System, for full-size Combi-Duos or if used for more than (2) units, includes: (1) double head with pressure gauge, (2) R95-CLX filter & (1) filter installation kit (for each additional unit add (1) additional head & additional cartridge. Maximum (4) cartridges)	1	
172		RATIONAL	Note: The RATIONAL Water Filtration Systems helps provide consistent high-quality water to your RATIONAL cooking systems. The patented carbon block technology reduces the effects of sediment, chloramines, and chlorine while delivering the required flow rates.	1	
172		RATIONAL	56.01.535 Active Green Cleaner Tabs, for all iCombi Pro/Classic, 150 pieces/bucket (minimum order quantity- 2 ea, unless ordered with a unit) (NET)	1	12.87
172		RATIONAL	56.00.562 Care Tabs, bucket of 150 packets for all iCombi Pro/Classic models and SelfCooking Center® units from 10/2008, with CareControl - Serial SG, SH or SI series (minimum order quantity: 2pcs, unless ordered with a unit) (NET)	1	14.9
172		RATIONAL	60.31.671 Base with feet, Height adjustable ¾", for iCombi 6- and 10 full size Classic/Pro	1	
173		Fabricated	STAINLESS STEEL mobile equipment stand	1	
174		Continental Refrigerator	1FEN Reach-In Freezer	1	345
174		Continental Refrigerator	115v/60/1-ph, 7.6 amps, cord, NEMA 5-15P, standard	1	
174		Continental Refrigerator	Door hinged on left	1	
174		Continental Refrigerator	5" Casters, standard	1	
175		T&S Brass	B-1122 Deck Mount Faucet	1	3.97
175		T&S Brass	B-1100-KIT 24" Inlet Supply Hoses (3/8" Compression x 1/2" NPSM Female)	1	

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:Dave Keaggy & Assoc. Food Service Design
Andrew Keaggy
3806 N. 30th. St.
Phoenix, AZ 85016-
(602)273-1900
602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
177	_____	Rubbermaid	1971258 Trash Receptacle, Indoor	1	6.5	_____
178	_____	Continental Refrigerator	SW32N-U-D Undercounter Refrigerator	1	221	_____
178	_____	Continental Refrigerator	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	1		_____
179	_____	Fabricated	STAINLESS STEEL BACKSERVICE COUNTER W/ SINK	1		_____
181	_____	Fabricated	STAINLESS STEEL WALL MOUNTED OVERSHELF	1		_____
182	_____	Fabricated	STAINLESS STEEL MOBILE Work Table	1		_____
183	_____	T&S Brass	EW-7360B Eye Wash Attachment	1	7	_____
184	_____	Fabricated	STAINLESS STEEL WALL MOUNTED OVERSHELF	1		_____
185	_____	Rubbermaid	1971258 Trash Receptacle, Indoor	1	6.5	_____
186	_____	T&S Brass	B-1122 Deck Mount Faucet	1	3.97	_____
186	_____	T&S Brass	B-1100-KIT 24" Inlet Supply Hoses (3/8" Compression x 1/2" NPSM Female)	1		_____
187	_____	Fabricated	STAINLESS STEEL BEVERAGE COUNTER W/SINK	1		_____
192	_____	Continental Refrigerator	SW27N-U Undercounter Refrigerator	1	212	_____
192	_____	Continental Refrigerator	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	1		_____
192	_____	Continental Refrigerator	Door hinged on right, standard	1		_____
193	_____	Continental Refrigerator	1FEN Reach-In Freezer	1	345	_____
193	_____	Continental Refrigerator	115v/60/1-ph, 7.6 amps, cord, NEMA 5-15P, standard	1		_____
193	_____	Continental Refrigerator	Door hinged on left	1		_____
193	_____	Continental Refrigerator	5" Casters, standard	1		_____
194	_____	Continental Refrigerator	2REN Reach-In Refrigerator	1	450	_____
194	_____	Continental Refrigerator	115v/60/1-ph, 6.9 amps, cord, NEMA 5-15P, standard	1		_____
194	_____	Continental Refrigerator	Left Door hinged on left & right door hinged on right, standard	1		_____
194	_____	Continental Refrigerator	5" Casters, standard	1		_____
195	_____	Advance Tabco	7-PS-40 Hand Sink	1	22	_____
197	_____	Fabricated	STAINLESS STEEL WORK TABLE W/ SINK	1		_____
198	_____	Continental Refrigerator	SW48N-U Undercounter Refrigerator	1	248	_____
198	_____	Continental Refrigerator	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	1		_____
198	_____	Continental Refrigerator	Left Door hinged on left & right door hinged on right, standard	1		_____

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design
 Andrew Keaggy
 3806 N. 30th. St.
 Phoenix, AZ 85016-
 (602)273-1900
 602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
199	_____	Fabricated	STAINLESS STEEL WALL MOUNTED OVERSHELF	1		_____
201	_____	Rubbermaid	1971258 Trash Receptacle, Indoor	1	6.5	_____
202	_____	T&S Brass	B-0231 Wall / Splash Mount Faucet	1	5.66	_____
202	_____	T&S Brass	B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "El" 1/2" NPT female x male	1	0.94	_____
202	_____	T&S Brass	B-0230-KIT Inlet Kit, 1/2" NPT nipple, close elbows, 24" flex supply hoses	1	2.05	_____
202.1	_____	T&S Brass	B-3950-01 Drain, Lever / Twist Waste	1	7.7	_____
203	_____	RATIONAL	1900.1158US Water Filtration System, Cartridge Kit	1		_____
203	_____	RATIONAL	Note: The RATIONAL Water Filtration Systems helps provide consistent high-quality water to your RATIONAL cooking systems. The patented carbon block technology reduces the effects of sediment, chloramines, and chlorine while delivering the required flow rates.	1		_____
203	_____	RATIONAL	1900.1155US Water Filtration Cartridge, replacement or add on with additional Modular Head to Double Cartridge System, includes: (1) R95-CL filter	6		_____
204	_____	Advance Tabco	7-PS-40 Hand Sink	1	22	_____
206	_____	Fabricated	STAINLESS STEEL WALL MOUNTED tubular shelf w/ pot hooks	1		_____
207	_____	Fabricated	STAINLESS STEEL soiled dishtable w/ scrap sink	1		_____
208	_____	T&S Brass	B-0287 Pre-Rinse Faucet Assembly, with Add On Faucet	1	18	_____
209	_____	Fabricated	STAINLESS STEEL quick drain	1		_____
211	_____	Captive-Aire	4824VHB-G exhaust hood (type 2)	1		_____
212	_____	Hobart	AM16T-ASR-2 Dishwasher, Door Type	1		_____
212	_____	Hobart	Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.	1		_____
212	_____	Hobart	RAPID-FILL2-AM16 Rapid Fill Kit Dual Valve- For faster filling	1		_____
212	_____	Hobart	ACC-INSTALL-RAPID16 Accessory Installation - for installations within 100 miles (accessible by public roadway) of a Hobart Service Office during normal business hours with appropriate notice; Installation beyond 100 miles or those not accessible by public roadway will be quoted by Service. Includes installation of this item only, final electrical or plumbing connections by others. Recommendation: coordinate accessory	1		_____

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design
 Andrew Keaggy
 3806 N. 30th. St.
 Phoenix, AZ 85016-
 (602)273-1900
 602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			installation with machine assembly/ installation (NET)		
212		Hobart	WTRHAMARREST-AM16 Water Hammer Arrestor – Assembly includes ¾" brass pressure regulator, pressure gauge, shock arrestor and garden hose adapter	1	
212		Hobart	FLNG-FT-AM16 Flanged Feet, Bolt Down – Set of 4	1	
212		Hobart	SCREEN-GUARD-AM16 Touch Screen Guard – cover to protect screen	1	
212		Hobart	WS40-NOINSTALL Water Softening System, 2,527 grains/lb capacity, 5 gallons regeneration volume, & salt alarm, holds 1 bag of salt, pricing DOES NOT include standard installation. INSTALLATION BY AUTHORIZED HOBART SERVICE OFFICE IS RECOMMENDED (NET)	1	60
213		Metro	D2020N Rack Dolly	1	13.6
214		Fabricated	STAINLESS STEEL clean dishtable	1	
215		Metro	PCD11A Dish Cart / Dolly	1	65
215		Metro	PROP 65 WARNING: This product can expose you to chemicals, including DEHP, which are known to the State of California to cause cancer, birth defects and other reproductive harm. For more information, go to www.P65Warnings.ca.gov .	1	
216		Fabricated	STAINLESS STEEL glass rack overshef	1	
217		Fabricated	STAINLESS STEEL stainless steel wall flashing	1	
218		Fabricated	STAINLESS STEEL WALL MOUNTED tubular shelf w/ pot hooks	1	
219		T&S Brass	B-0287 Pre-Rinse Faucet Assembly, with Add On Faucet	1	18
221		Salvajor	200 Disposer	1	85
221		Salvajor	208/230/460v/60/3-ph	1	
221		Salvajor	LSA8 Disposer support leg, for 3/4 HP - 2 HP disposers	1	3
221		Salvajor	SLE8SS Seismic flange for support leg	1	1
222		Fabricated	STAINLESS STEEL 3-comp sink	1	
223		T&S Brass	B-0290 Wall / Splash Mount Faucet	1	8
223		T&S Brass	B-0427 Supply Nipple, 3/4" x 2-1/2"	1	0.41
223		T&S Brass	Order in quantities of (2) per faucet	1	
224		Fabricated	STAINLESS STEEL stainless steel wall flashing	1	
226		Metro	2448NC Wire Shelving	12	192
226		Metro	74P Quick Ship - Super Erecta® SiteSelect™ Post, 74-1/2"H, adjustable leveling bolt, posts are grooved at 1" increments & numbered at 2" increments, double grooved every 8", chrome finish	12	48
227		Advance Tabco	DUN-2048 Dunnage Rack	1	12

**BUILD**

Design • Equipment • Contract

Receiving Report

01/29/2025

140

Project:

Marriott Dual Brand Hotel_North Phoenix, AZ (Combine Items)

Ship To:

Dave Keaggy & Assoc. Food Service Design
 Andrew Keaggy
 3806 N. 30th. St.
 Phoenix, AZ 85016-
 (602)273-1900
 602-273-1900 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
228	_____	Metro	SEC56C Security Unit	1	195	_____
228	_____	Metro	A2460NC Quick Ship - Super Adjustable Super Erecta® Shelf, wire, 60"W x 24"D, chrome plated finish, corner release system, NSF	4	84	_____
229	_____	Advance Tabco	UC-3-1827 Cart, Utility/Bussing	2	50	_____
236	_____	NEW HOUSE	S53 LAUNDRY SCALE	1		_____
238	_____	Milnor Corp	30022 VRJ 60LBS WASHER/EXTRACTOR	2		_____
239	_____	Fabricated	STAINLESS STEEL FLOOR TROUGH (6" deep)	1		_____
242	_____	Milnor Corp	M78 REVERSING 75lbs dryer	2		_____
243	_____	C.S.S.	LLSB-8 LINT LASSO	2		_____
244	_____	Advance Tabco	7-PS-40 Hand Sink	1	22	_____
249	_____	Metro	MQ2448G CLEAN LINEN SHELVING	16	252.8	_____
249	_____	Metro	MX74UP Quick Ship - Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 73-3/16"H, for use with stem casters, adjusts at 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection	16	35.2	_____
249	_____	Metro	5PCX Quick Ship - Polymer Stem Caster, swivel, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	8	16.8	_____
249	_____	Metro	5PCBX Quick Ship - Polymer Stem Caster, brake, 5" dia., 1-1/4"W face, -20° F to 120°F temperature range, polyurethane wheel tread, 300 lb. capacity, NSF (donut bumpers included) (for use with all MetroMax posts & shelves)	8	18.4	_____
251	_____	CHEMTAINER	K5110 CLEAN LINEN CARRIER	2		_____
252	_____	Fabricated	STAINLESS STEEL MOBILE FOLDING TABLE	1		_____
253	_____	S&S Products	41285 HELPING HAND	1		_____
254	_____	T&S Brass	EW-7360B Eye Wash Attachment	1	7	_____
255	_____	T&S Brass	B-0231 Wall / Splash Mount Faucet	1	5.66	_____
255	_____	T&S Brass	B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "Ell" 1/2" NPT female x male	1	0.94	_____
255	_____	T&S Brass	B-0230-KIT Inlet Kit, 1/2" NPT nipple, close elbows, 24" flex supply hoses	1	2.05	_____
255.1	_____	T&S Brass	B-3950-01 Drain, Lever / Twist Waste	1	7.7	_____
256	_____	Fabricated	STAINLESS STEEL SOAK SINK	1		_____
257	_____	Thermalrite	TBD (SHOP DRAWING PENDING) walk-in cooler condenser	1		_____
258	_____	Thermalrite	TBD (SHOP DRAWING PENDING) walk-in FREEZER condenser	1		_____

Signature: _____

Date: _____