



# BUILD

## Receiving Report

01/29/2025

### Design • Equipment • Contract

**Project:**

JING - Scottsdale RECEIVING  
10605 N Scottsdale Road  
Scottsdale, AZ 85254

**Ship To:**

Edward Don Woodridge  
Andrew Keaggy  
20408 Bashan Drive  
Ashburn, VA 20147

Item	PO Number	Mfr	Model & Description	Qty	Weight	
19	7005314346-00	<b>Admiral Craft</b>	GRSLM-2D/60 Mega Top Sandwich / Salad Preparation Refrigerator	4	1588	_____
19B	7005314346-00	<b>Admiral Craft</b>	GRUCRF-60 Undercounter Refrigerator	2	652	_____
21	7005314346-00	<b>Admiral Craft</b>	GRWF-2D/60 WorkTop Freezer	3	999	_____
21A	7005314346-00	<b>Admiral Craft</b>	GRUCRF-60 Undercounter Refrigerator	2	652	_____
28	7005314327-00	<b>Bloomfield (Middleby)</b>	1222-2G-120V Hot Water Dispenser	1	25	_____
19A	7005314289-00	<b>Blue Air</b>	BAPP67-D2L-HC Pizza Preparation Refrigerator	2	794	_____
18	7005314310-00	<b>Cambro</b>	IBS20148 Ingredient Bin	6	168	_____
3	7005314344-00	<b>Cleveland</b>	22CGT6.1 Steamer, Convection, Boilerless, Countertop	1	341	_____
3	7005314344-00	<b>Cleveland</b>	INSTKITCGA5 Installation Kit for 21CGA5, 22CGT3/6 Gas Series (Non-discountable NET pricing) (See Installation Kit flyer for details)	1		_____
3	7005314344-00	<b>Cleveland</b>	Natural Gas	1		_____
3	7005314344-00	<b>Cleveland</b>	120v/60/1-ph, 4.0 amps, standard	1		_____
3	7005314344-00	<b>Cleveland</b>	FLT0040 Optipure Water Treatment System, dual-cartridge, reduces sediments over 0.5 microns, reduces chlorine, includes (1) CTOS-Q10 Catalytic Carbon Filter & (1) CTOS-QCR activated carbon filter	1		_____
3	7005314344-00	<b>Cleveland</b>	SPW Single Point Water Connection, P/N 111009 (not available in stacked unit)	1	1	_____
3	7005314344-00	<b>Cleveland</b>	ES26304466G Equipment Stand, 44" H, includes common drain and water connection manifold, gas flue exhaust kit, for mounting (2) stacked 22CGT6'S OR (1) 22CGT3 ON TOP OF (1) 22CGT6, stainless steel	1	100	_____
22B	No PO	<b>CUCKOO</b>	CR-3032 Rice Cooker/Warmer	3		_____
1A	7005314334-00	<b>Dormont</b>	1675KITS48 Blue Hose Gas Connector Kit	1	6.11	_____
2A	7005314334-00	<b>Dormont</b>	1650KITS48 Blue Hose Gas Connector Kit	1	4.12	_____
3A	7005314334-00	<b>Dormont</b>	1675KITS48 Blue Hose Gas Connector Kit	1	6.11	_____
4A	7005314334-00	<b>Dormont</b>	1675KITS48 Blue Hose Gas Connector Kit	4	24.44	_____
4A	7005314334-00	<b>Dormont</b>	PS (PS) Dormont Safety-Set, equipment placement system for all caster-mounted equipment, allows precise, consistent equipment placement under the fire suppression and ventilation systems, satisfies NFPA codes 17A (5.6.4) and 96 (12.1.2.3), includes two (2) units and hardware pack	4	4.04	_____
5A	7005314334-00	<b>Dormont</b>	1675KITS48 Blue Hose Gas Connector Kit	1	6.11	_____
5A	7005314334-00	<b>Dormont</b>	PS (PS) Dormont Safety-Set, equipment placement system for all caster-mounted equipment, allows precise, consistent equipment placement under the fire suppression and ventilation systems, satisfies NFPA codes 17A (5.6.4) and 96 (12.1.2.3), includes two (2) units and hardware pack	1	1.01	_____
6A	7005314334-00	<b>Dormont</b>	16100KITS48 Blue Hose Gas Connector Kit	1	9.02	_____
6A	7005314334-00	<b>Dormont</b>	PS (PS) Dormont Safety-Set, equipment placement system for all caster-mounted equipment, allows precise, consistent equipment placement under the	1	1.01	_____

**BUILD****Receiving Report**

01/29/2025

**Design • Equipment • Contract****Project:**JING - Scottsdale RECEIVING  
10605 N Scottsdale Road  
Scottsdale, AZ 85254**Ship To:**Edward Don Woodridge  
Andrew Keaggy  
20408 Bashan Drive  
Ashburn, VA 20147

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			fire suppression and ventilation systems, satisfies NFPA codes 17A (5.6.4) and 96 (12.1.2.3), includes two (2) units and hardware pack			
30A	7005314284-00	Elkay Foodservice	DSBS130UVPC Water Dispenser	1		_____
19C	7005314287-00	Everest Refrigeration	EPBNWR2-D4 Sandwich / Salad Preparation Refrigerator	2	872	_____
19C	7005314287-00	Everest Refrigeration	CASA5-01 5" Overall Height Casters Set of 4, (front 2 locking), standard	2		_____
37	7005314347-00	Glastender	C-DBG3-24 Glass Rack	2	160	_____
38	7005314347-00	Glastender	C-LD-24 Bottle Storage Unit	3	180	_____
39	7005314347-00	Glastender	C-CBA-48L-CP10-ED Ice Bin with Bottle Wells	2	420	_____
39	7005314347-00	Glastender	IBCA-36 Underbar Ice Bin Sliding Cover, 36"W, two-piece, stainless steel (for use with 19"D ice bins)	2	18	_____
39	7005314347-00	Glastender	No bottle racks, standard	2		_____
39	7005314347-00	Glastender	C-SR-48 CHOICE Single Speed Rail, 48"W x 5"D, stainless steel construction, ETL-Sanitation	2	26	_____
40	7005314347-00	Glastender	KC72 Draft Beer Cooler	1	410	_____
40	7005314347-00	Glastender	120v/60/1-ph, 7.0 amps, NEMA 5-15P, standard	1		_____
40	7005314347-00	Glastender	Standard 34° to 40°F operation	1		_____
40	7005314347-00	Glastender	(R) Refrigeration compartment on right side	1		_____
40	7005314347-00	Glastender	Stainless steel front	1		_____
40	7005314347-00	Glastender	Back finish: Galvanized steel, standard	1		_____
40	7005314347-00	Glastender	SS-L Left side finish: Stainless steel	1	2	_____
40	7005314347-00	Glastender	SS-R Right side finish: Stainless steel	1	2	_____
40	7005314347-00	Glastender	Signature handle	1		_____
40	7005314347-00	Glastender	Door hinge location, first: Left	1		_____
40	7005314347-00	Glastender	Door hinge location, second: Right	1		_____
40	7005314347-00	Glastender	C-6X4-1/8 Casters, 4-1/8" (set of six)	1	6	_____
40	7005314347-00	Glastender	No finished top - stainless steel sub-top	1		_____
40	7005314347-00	Glastender	CT-3-SS Column Draft Dispensing Tower, countertop, (3) stainless steel faucets (handles not included), air-cooled, integral drain pan with removable perforated insert, all stainless steel construction, stainless steel finish	1	18	_____
40	7005314347-00	Glastender	TCK12-1 Tower Cooling Kit, for 1 or 2-door cooler with one column (NOTE: Required to keep faucets cold when dispensing draft beer)	1		_____
40	7005314347-00	Glastender	MAN3 Three Product Manifold Kit (includes: 6 feet of red gas tubing per product & the clamps required for connection to keg couplers (sold separately))	1	3	_____
40	7005314347-00	Glastender	RKL-W Regulator kit, low pressure, wall mount, CO2 or Nitrogen, single gauge (includes 6 feet red gas tubing)	1	7	_____
40A	7005314347-00	Glastender	BT-4-SS Draft Beer / Wine Dispensing Tower	1	23	_____
41	7005314347-00	Glastender	C1SB44 Back Bar Cabinet, Refrigerated	1	332	_____
41	7005314347-00	Glastender	120v/60/1-ph, 2.75 amps, cord, NEMA 5-15P, standard	1		_____

**BUILD****Receiving Report**

01/29/2025

**Design • Equipment • Contract****Project:**JING - Scottsdale RECEIVING  
10605 N Scottsdale Road  
Scottsdale, AZ 85254**Ship To:**Edward Don Woodridge  
Andrew Keaggy  
20408 Bashan Drive  
Ashburn, VA 20147

Item	PO Number	Mfr	Model & Description	Qty	Weight
41	7005314347-00	Glastender	Standard 34° to 40°F operation	1	
41	7005314347-00	Glastender	(R) Refrigeration compartment on right side	1	
41	7005314347-00	Glastender	Refrigeration compartment cover finish: Black vinyl-clad, standard	1	
41	7005314347-00	Glastender	Door style, first: Black vinyl-clad, standard	1	
41	7005314347-00	Glastender	Door hinge location, first: Left	1	
41	7005314347-00	Glastender	Shelving style, first: (3) adjustable shelves, standard	1	
41	7005314347-00	Glastender	Signature handle	1	
41	7005314347-00	Glastender	Door style, second: Black vinyl-clad, standard	1	
41	7005314347-00	Glastender	Door hinge location, second: Right	1	
41	7005314347-00	Glastender	Shelving style, second: (3) adjustable shelves, standard	1	
41	7005314347-00	Glastender	Signature handle	1	
41	7005314347-00	Glastender	No finished top - stainless steel sub-top, standard	1	
41	7005314347-00	Glastender	Back finish: Galvanized steel, standard	1	
41	7005314347-00	Glastender	Left side finish: Black vinyl-clad, standard	1	
41	7005314347-00	Glastender	Right side finish: Black vinyl-clad, standard	1	
41	7005314347-00	Glastender	Bright White (7,000k), standard	1	
41	7005314347-00	Glastender	No legs or casters, standard	1	
42A	7005314347-00	Glastender	C1FB72 Back Bar Cabinet, Refrigerated	2	920
42A	7005314347-00	Glastender	120v/60/1-ph, 7.0 amps, NEMA 5-15P, standard	2	
42A	7005314347-00	Glastender	Standard 34° to 40°F operation	2	
42A	7005314347-00	Glastender	(R) Refrigeration compartment on right side	2	
42A	7005314347-00	Glastender	Refrigeration compartment cover finish: Stainless steel	2	
42A	7005314347-00	Glastender	Door style, first: Stainless steel	2	
42A	7005314347-00	Glastender	Door hinge location, first: Left	2	
42A	7005314347-00	Glastender	Shelving style, first: (3) adjustable shelves, standard	2	
42A	7005314347-00	Glastender	Signature handle	2	
42A	7005314347-00	Glastender	Door style, second: Stainless steel	2	
42A	7005314347-00	Glastender	Door hinge location, second: Right	2	
42A	7005314347-00	Glastender	Shelving style, second: (3) adjustable shelves, standard	2	
42A	7005314347-00	Glastender	Signature handle	2	
42A	7005314347-00	Glastender	Door style, third: Stainless steel	2	
42A	7005314347-00	Glastender	Door hinge location, third: Right	2	
42A	7005314347-00	Glastender	Shelving style, third: (3) adjustable shelves, standard	2	
42A	7005314347-00	Glastender	Signature handle	2	
42A	7005314347-00	Glastender	No finished top - stainless steel sub-top, standard	2	
42A	7005314347-00	Glastender	Back finish: Galvanized steel, standard	2	
42A	7005314347-00	Glastender	SS-L Left side finish: Stainless steel	2	4
42A	7005314347-00	Glastender	SS-R Right side finish: Stainless steel	2	4

**BUILD****Receiving Report**

01/29/2025

**Design • Equipment • Contract****Project:**

JING - Scottsdale RECEIVING  
10605 N Scottsdale Road  
Scottsdale, AZ 85254

**Ship To:**

Edward Don Woodridge  
Andrew Keaggy  
20408 Bashan Drive  
Ashburn, VA 20147

Item	PO Number	Mfr	Model & Description	Qty	Weight	
42A	7005314347-00	<b>Glastender</b>	Bright White (7,000k), standard	2		_____
42A	7005314347-00	<b>Glastender</b>	C-6X2-7/8 Casters, 2-7/8" (set of six)	2	12	_____
42B	7005314347-00	<b>Glastender</b>	C1FB72 Back Bar Cabinet, Refrigerated	2	920	_____
42B	7005314347-00	<b>Glastender</b>	120v/60/1-ph, 7.0 amps, NEMA 5-15P, standard	2		_____
42B	7005314347-00	<b>Glastender</b>	Standard 34° to 40°F operation	2		_____
42B	7005314347-00	<b>Glastender</b>	(L) Refrigeration compartment on left side	2		_____
42B	7005314347-00	<b>Glastender</b>	Refrigeration compartment cover finish: Stainless steel	2		_____
42B	7005314347-00	<b>Glastender</b>	Door style, first: Stainless steel	2		_____
42B	7005314347-00	<b>Glastender</b>	Door hinge location, first: Left	2		_____
42B	7005314347-00	<b>Glastender</b>	Shelving style, first: (3) adjustable shelves, standard	2		_____
42B	7005314347-00	<b>Glastender</b>	Signature handle	2		_____
42B	7005314347-00	<b>Glastender</b>	Door style, second: Stainless steel	2		_____
42B	7005314347-00	<b>Glastender</b>	Door hinge location, second: Right	2		_____
42B	7005314347-00	<b>Glastender</b>	Shelving style, second: (3) adjustable shelves, standard	2		_____
42B	7005314347-00	<b>Glastender</b>	Signature handle	2		_____
42B	7005314347-00	<b>Glastender</b>	Door style, third: Stainless steel	2		_____
42B	7005314347-00	<b>Glastender</b>	Door hinge location, third: Right	2		_____
42B	7005314347-00	<b>Glastender</b>	Shelving style, third: (3) adjustable shelves, standard	2		_____
42B	7005314347-00	<b>Glastender</b>	Signature handle	2		_____
42B	7005314347-00	<b>Glastender</b>	No finished top - stainless steel sub-top, standard	2		_____
42B	7005314347-00	<b>Glastender</b>	Back finish: Galvanized steel, standard	2		_____
42B	7005314347-00	<b>Glastender</b>	SS-L Left side finish: Stainless steel	2	4	_____
42B	7005314347-00	<b>Glastender</b>	SS-R Right side finish: Stainless steel	2	4	_____
42B	7005314347-00	<b>Glastender</b>	Bright White (7,000k), standard	2		_____
42B	7005314347-00	<b>Glastender</b>	C-6X2-7/8 Casters, 2-7/8" (set of six)	2	12	_____
42C	7005314347-00	<b>Glastender</b>	C1FB60 Back Bar Cabinet, Refrigerated	1	360	_____
42C	7005314347-00	<b>Glastender</b>	120v/60/1-ph, 3.5 amps, NEMA 5-15P, standard	1		_____
42C	7005314347-00	<b>Glastender</b>	Standard 34° to 40°F operation	1		_____
42C	7005314347-00	<b>Glastender</b>	(L) Refrigeration compartment on left side	1		_____
42C	7005314347-00	<b>Glastender</b>	Refrigeration compartment cover finish: Stainless steel	1		_____
42C	7005314347-00	<b>Glastender</b>	Door style, first: Stainless steel glass	1		_____
42C	7005314347-00	<b>Glastender</b>	Door hinge location, first: Left	1		_____
42C	7005314347-00	<b>Glastender</b>	Shelving style, first: (3) adjustable shelves, standard	1		_____
42C	7005314347-00	<b>Glastender</b>	Signature handle	1		_____
42C	7005314347-00	<b>Glastender</b>	Door style, second: Stainless steel	1		_____
42C	7005314347-00	<b>Glastender</b>	Door hinge location, second: Right	1		_____
42C	7005314347-00	<b>Glastender</b>	Shelving style, second: (3) adjustable shelves, standard	1		_____
42C	7005314347-00	<b>Glastender</b>	Signature handle	1		_____

**BUILD****Receiving Report**

01/29/2025

**Design • Equipment • Contract****Project:**JING - Scottsdale RECEIVING  
10605 N Scottsdale Road  
Scottsdale, AZ 85254**Ship To:**Edward Don Woodridge  
Andrew Keaggy  
20408 Bashan Drive  
Ashburn, VA 20147

Item	PO Number	Mfr	Model & Description	Qty	Weight	
42C	7005314347-00	Glastender	No finished top - stainless steel sub-top, standard	1		_____
42C	7005314347-00	Glastender	Back finish: Galvanized steel, standard	1		_____
42C	7005314347-00	Glastender	SS-L Left side finish: Stainless steel	1	2	_____
42C	7005314347-00	Glastender	SS-R Right side finish: Stainless steel	1	2	_____
42C	7005314347-00	Glastender	Bright White (7,000k), standard	1		_____
42C	7005314347-00	Glastender	C-4X2-7/8 Casters, 2-7/8", for front-serviced coolers (set of four)	1	4	_____
42D	7005314347-00	Glastender	C1FB60 Back Bar Cabinet, Refrigerated	1	360	_____
42D	7005314347-00	Glastender	120v/60/1-ph, 3.5 amps, NEMA 5-15P, standard	1		_____
42D	7005314347-00	Glastender	Standard 34° to 40°F operation	1		_____
42D	7005314347-00	Glastender	(R) Refrigeration compartment on right side	1		_____
42D	7005314347-00	Glastender	Refrigeration compartment cover finish: Stainless steel	1		_____
42D	7005314347-00	Glastender	Door style, first: Stainless steel	1		_____
42D	7005314347-00	Glastender	Door hinge location, first: Left	1		_____
42D	7005314347-00	Glastender	Shelving style, first: (3) adjustable shelves, standard	1		_____
42D	7005314347-00	Glastender	Signature handle	1		_____
42D	7005314347-00	Glastender	Door style, second: Stainless steel	1		_____
42D	7005314347-00	Glastender	Door hinge location, second: Right	1		_____
42D	7005314347-00	Glastender	Shelving style, second: (3) adjustable shelves, standard	1		_____
42D	7005314347-00	Glastender	Signature handle	1		_____
42D	7005314347-00	Glastender	No finished top - stainless steel sub-top, standard	1		_____
42D	7005314347-00	Glastender	Back finish: Galvanized steel, standard	1		_____
42D	7005314347-00	Glastender	SS-L Left side finish: Stainless steel	1	2	_____
42D	7005314347-00	Glastender	SS-R Right side finish: Stainless steel	1	2	_____
42D	7005314347-00	Glastender	Bright White (7,000k), standard	1		_____
42D	7005314347-00	Glastender	C-4X2-7/8 Casters, 2-7/8", for front-serviced coolers (set of four)	1	4	_____
45A	7005314347-00	Glastender	C1FB60 Back Bar Cabinet, Refrigerated	1	360	_____
45A	7005314347-00	Glastender	120v/60/1-ph, 3.5 amps, NEMA 5-15P, standard	1		_____
45A	7005314347-00	Glastender	Standard 34° to 40°F operation	1		_____
45A	7005314347-00	Glastender	(R) Refrigeration compartment on right side	1		_____
45A	7005314347-00	Glastender	Refrigeration compartment cover finish: Stainless steel	1		_____
45A	7005314347-00	Glastender	Door style, first: Stainless steel	1		_____
45A	7005314347-00	Glastender	Door hinge location, first: Left	1		_____
45A	7005314347-00	Glastender	Shelving style, first: (3) adjustable shelves, standard	1		_____
45A	7005314347-00	Glastender	Signature handle	1		_____
45A	7005314347-00	Glastender	Door style, second: Stainless steel	1		_____
45A	7005314347-00	Glastender	Door hinge location, second: Right	1		_____
45A	7005314347-00	Glastender	Shelving style, second: (3) adjustable shelves, standard	1		_____
45A	7005314347-00	Glastender	Signature handle	1		_____

**BUILD****Receiving Report**

01/29/2025

**Design • Equipment • Contract****Project:**

JING - Scottsdale RECEIVING  
10605 N Scottsdale Road  
Scottsdale, AZ 85254

**Ship To:**

Edward Don Woodridge  
Andrew Keaggy  
20408 Bashan Drive  
Ashburn, VA 20147

Item	PO Number	Mfr	Model & Description	Qty	Weight	
45A	7005314347-00	Glastender	No finished top - stainless steel sub-top, standard	1		_____
45A	7005314347-00	Glastender	Back finish: Galvanized steel, standard	1		_____
45A	7005314347-00	Glastender	SS-L Left side finish: Stainless steel	1	2	_____
45A	7005314347-00	Glastender	SS-R Right side finish: Stainless steel	1	2	_____
45A	7005314347-00	Glastender	Bright White (7,000k), standard	1		_____
45A	7005314347-00	Glastender	C-4X2-7/8 Casters, 2-7/8", for front-serviced coolers (set of four)	1	4	_____
45B	7005314347-00	Glastender	C1FB60 Back Bar Cabinet, Refrigerated	1	360	_____
45B	7005314347-00	Glastender	120v/60/1-ph, 3.5 amps, NEMA 5-15P, standard	1		_____
45B	7005314347-00	Glastender	Standard 34° to 40°F operation	1		_____
45B	7005314347-00	Glastender	(L) Refrigeration compartment on left side	1		_____
45B	7005314347-00	Glastender	Refrigeration compartment cover finish: Stainless steel	1		_____
45B	7005314347-00	Glastender	Door style, first: Stainless steel	1		_____
45B	7005314347-00	Glastender	Door hinge location, first: Left	1		_____
45B	7005314347-00	Glastender	Shelving style, first: (3) adjustable shelves, standard	1		_____
45B	7005314347-00	Glastender	Signature handle	1		_____
45B	7005314347-00	Glastender	Door style, second: Stainless steel	1		_____
45B	7005314347-00	Glastender	Door hinge location, second: Right	1		_____
45B	7005314347-00	Glastender	Shelving style, second: (3) adjustable shelves, standard	1		_____
45B	7005314347-00	Glastender	Signature handle	1		_____
45B	7005314347-00	Glastender	No finished top - stainless steel sub-top, standard	1		_____
45B	7005314347-00	Glastender	Back finish: Galvanized steel, standard	1		_____
45B	7005314347-00	Glastender	SS-L Left side finish: Stainless steel	1	2	_____
45B	7005314347-00	Glastender	SS-R Right side finish: Stainless steel	1	2	_____
45B	7005314347-00	Glastender	Bright White (7,000k), standard	1		_____
45B	7005314347-00	Glastender	C-4X2-7/8 Casters, 2-7/8", for front-serviced coolers (set of four)	1	4	_____
46	7005314347-00	Glastender	C-MTS-14 Underbar Sink Units	2	110	_____
46	7005314347-00	Glastender	NOTE: Must install backflow prevention device conforming to ANSI/ASSE 1022 or ANSI/ASSE 1024 to meet plumbing code (not included)	2		_____
46	7005314347-00	Glastender	Aerator, faucet, 2.0 GPM, standard	2		_____
46	7005314347-00	Glastender	Faucet, backsplash mounted, 4"OC, 3/8" hot & cold water connections required, standard	2		_____
47	7005314347-00	Glastender	C-HSA-12 Hand Sink	3	135	_____
47	7005314347-00	Glastender	Aerator, faucet, 2.0 GPM, standard	3		_____
47	7005314347-00	Glastender	Faucet, deck mounted, 4"OC, 3/8" hot & cold water connections required, standard	3		_____
49	7005314347-00	Glastender	C-SHA-6 Soda Gun Holder & Tubing Chase	2	50	_____
15B	7005314339-00	Globe (Middleby)	S13 Food Slicer, Electric	1	170	_____
15B	7005314339-00	Globe (Middleby)	FRZN Frozen Package, 13" serrated knife, single automatic speed at 30 slices per minute, designed to slice frozen meat between 20°F and 32°F up to	1		_____





# BUILD

## Receiving Report

01/29/2025

### Design • Equipment • Contract

**Project:**

JING - Scottsdale RECEIVING  
10605 N Scottsdale Road  
Scottsdale, AZ 85254

**Ship To:**

Edward Don Woodridge  
Andrew Keaggy  
20408 Bashan Drive  
Ashburn, VA 20147

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			1/8", for S13 and S13A ONLY, FACTORY INSTALLED (pricing applies only at time of equipment purchase)			
20	7005314319-00	Hatco	GRAH-60 Heat Lamp	6	84	_____
20	7005314319-00	Hatco	120v/60/1-ph	6		_____
20	7005314319-00	Hatco	RMB-7F Remote Control Enclosure, (1) infinite switch, (1) indicator light (for 120 volt only)	6	30	_____
20	7005314319-00	Hatco	STANDARD Clear Anodized Aluminum housing, standard (available at time of purchase only)	6		_____
20	7005314319-00	Hatco	No Tandem selection	6		_____
20	7005314319-00	Hatco	LEADS20 16'-20' Extended Electrical Leads (available at time of purchase only)	6		_____
20	7005314319-00	Hatco	STANDARD Clear Anodized Aluminum housing, finish, standard (available at time of purchase only)	6		_____
20	7005314319-00	Hatco	ADJ ANGLE Adjustable angle bracket, pair	6		_____
12	7005314336-00	John Boos	FBLG6030-X Work Table, 60", Stainless Steel Top	2	164	_____
12A	7005314336-00	John Boos	ST6-36108SBK Work Table, 108", Stainless Steel Top	1	136	_____
12A	7005314336-00	John Boos	X-2410R Mount overshelf at rear location on table	1		_____
12B	7005314336-00	John Boos	FBLG6018-X Work Table, 60", Stainless Steel Top	1	66	_____
13A	7005314336-00	John Boos	OS-ED-1260-X Overshelf	2	72	_____
13B	7005314336-00	John Boos	OSE26RK-12108 Overshelf	1	61	_____
16	7005314336-00	John Boos	E2S8-24-14T24-X Two (2) Compartment Sink	1	108	_____
16B	7005314336-00	John Boos	EWS8-1636-X Shelving, Wall Mounted	2	28	_____
17	7005314336-00	John Boos	3PB2028-2D20 Three (3) Compartment Sink	1	171	_____
17B	7005314336-00	John Boos	PRW22-X Pot Rack	1	29	_____
25F	7005314336-00	John Boos	PB-SRW-63-X Dishtable Sorting Shelf	1	28	_____
30	7005314336-00	John Boos	EBOS6R5-3036 Work Table, Cabinet Base Open Front	1	158	_____
30	7005314336-00	John Boos	EBWS-3036 Work Table Welded Intermediate Shelf, 36"W x 30"D, 18/300 stainless steel, for EBOS, EBOP, EBHS series enclosed base tables	1	15	_____
35	7005314336-00	John Boos	UBHS-1812-X Underbar Sink Units	4	140	_____
35	7005314336-00	John Boos	PBF-W2-3GLF-X Economy Faucet, shallow splash mount, 3-1/2" gooseneck spout, 4" centers, 1/4 turn ceramic cartridges, color coded hot/cold indicators, integral check valve, 1/2" NPT, chrome finish, NSF, cCSAus (LEAD FREE FAUCET) (Available in Effingham and Nevada)	4	10	_____
35	7005314336-00	John Boos	PB-WL-36-X Flexible water line connectors for shallow mount faucets, (2) hoses per kit, (1) red for hot and (1) blue for cold (Available in Effingham and Nevada)	4	4	_____
35	7005314336-00	John Boos	UBSS-18-L-X Side Splash Kit, left, 18" long x 5" high, (3) screws, 18/300 stainless steel, includes: hardware installation	4	8	_____
35	7005314336-00	John Boos	UBSS-18-R-X Side Splash Kit, right, 18" long x 5"	4	8	_____

**BUILD**

Design • Equipment • Contract

**Receiving Report**

01/29/2025

**Project:**JING - Scottsdale RECEIVING  
10605 N Scottsdale Road  
Scottsdale, AZ 85254**Ship To:**Edward Don Woodridge  
Andrew Keaggy  
20408 Bashan Drive  
Ashburn, VA 20147

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			high, (3) screws, 18/300 stainless steel, includes: hardware installation			
35A	7005314336-00	John Boos	PBHS-W-1410-P-SSLR-X Hand Sink	3	51	_____
35B	7005314336-00	John Boos	UBHS-1812-X Underbar Sink Units	4	140	_____
35B	7005314336-00	John Boos	PBF-W2-3GLF-X Economy Faucet, shallow splash mount, 3-1/2" gooseneck spout, 4" centers, 1/4 turn ceramic cartridges, color coded hot/cold indicators, integral check valve, 1/2" NPT, chrome finish, NSF, cCSAus (LEAD FREE FAUCET) (Available in Effingham and Nevada)	4	10	_____
35B	7005314336-00	John Boos	PB-WL-36-X Flexible water line connectors for shallow mount faucets, (2) hoses per kit, (1) red for hot and (1) blue for cold (Available in Effingham and Nevada)	4	4	_____
35B	7005314336-00	John Boos	UBSS-18-L-X Side Splash Kit, left, 18" long x 5" high, (3) screws, 18/300 stainless steel, includes: hardware installation	4	8	_____
35B	7005314336-00	John Boos	UBSS-18-R-X Side Splash Kit, right, 18" long x 5" high, (3) screws, 18/300 stainless steel, includes: hardware installation	4	8	_____
35C	7005314336-00	John Boos	PBHS-W-1410-P-SSLR-X Hand Sink	3	51	_____
48/48A	7005314336-00	John Boos	EBOS6-2460 Work Table, Cabinet Base Open Front	5	850	_____
48/48A	7005314336-00	John Boos	EBWS-2460 Work Table Welded Intermediate Shelf, 60"W x 24"D, 18/300 stainless steel, for EBOS, EBOP, EBHS series enclosed base tables	5	100	_____
48/48A	7005314336-00	John Boos	OSE26FK-1260 Overshelf, double, 60"W x 12"D, 16/300 stainless steel flat top, mounted 18" above table top, 12" between shelves, 1" stainless steel post, KD, NSF	5	185	_____
48B	7005314336-00	John Boos	EBOS6R5-3036 Work Table, Cabinet Base Open Front	3	474	_____
48B	7005314336-00	John Boos	EBWS-3036 Work Table Welded Intermediate Shelf, 36"W x 30"D, 18/300 stainless steel, for EBOS, EBOP, EBHS series enclosed base tables	3	45	_____
48C	7005314336-00	John Boos	EWS8-1248-X Shelving, Wall Mounted	6	96	_____
48D	7005314336-00	John Boos	EBSS6R5-3060 Work Table, Cabinet Base Sliding Doors	1	238	_____
50	7005314336-00	John Boos	PBMS2016-6-X Mop Sink	1	35	_____
50A	7005314336-00	John Boos	PB-MSS824-X Shelving, Wall Mounted	1	10	_____
9	7005314336-00	John Boos	EFT8-3612-X Work Table, Stainless Steel Top	4	141.08	_____
7A/7B	7005314288-00	Josper Charcoal Ovens (Middleby)	CVJ-76-1-1-PRO-M Charbroiler, Charcoal	1	767	_____
21C	7005314323-00	Krowne	16-153L Dipper Well	1	3	_____
34	7005314323-00	Krowne	16-153L Dipper Well	1	3	_____
32	7005314301-00	Manitowoc	IDT0620A Ice Maker, Cube-Style	2	286	_____
32	7005314301-00	Manitowoc	(-161) 115v/60/1-ph, 12.2 amps	2		_____
32	7005314301-00	Manitowoc	X Factory Built-In LuminIce II Virus & Bacteria	2		_____



**BUILD****Receiving Report**

01/29/2025

**Design • Equipment • Contract****Project:**JING - Scottsdale RECEIVING  
10605 N Scottsdale Road  
Scottsdale, AZ 85254**Ship To:**Edward Don Woodridge  
Andrew Keaggy  
20408 Bashan Drive  
Ashburn, VA 20147

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			Inhibitor, comes pre-installed in ice machine (Add "X" to end of Indigo model number)			
32	7005314301-00	Manitowoc	IAUCS iAuCS Automatic Cleaning System, accessory for Indigo NXT Cubers iF0300 - iT1900 & QuietQube models iF600C - iF2100C, external mounting, automatically schedules and performs routine de-scaling, assembly does not include cleaner or sanitizer, NSF, cULus (NOT for use with IB models)	2	22	_____
32	7005314301-00	Manitowoc	K00371 Bin Adapter, (2) RN-1078C & RN-1278C to D-970 bin (water cooled or QuietQube only)	1	8	_____
32A	7005314301-00	Manitowoc	D970 Ice Bin for Ice Machines	1	150	_____
32A	7005314301-00	Manitowoc	Legs, 6" adjustable stainless steel, standard	1		_____
32A	7005314301-00	Manitowoc	K00463 Ice Scoop, 85 oz (5.3 lbs.) capacity, thumb & knuckle guard, rubber handle, internal or external bin mounting (compatible with D Bins), cast aluminum, NSF	1		_____
32A	7005314301-00	Manitowoc	K00461 External Scoop Holder, wall or bin mount, metal frame with plastic shield, NSF	1	11	_____
32B	7005314301-00	Manitowoc	AR-40000-P Water Filtration System, for Ice Machines	1	4	_____
2	7005314351-00	Moffat	G32D5 Convection Oven, Gas	2	650	_____
2	7005314351-00	Moffat	Natural gas	2		_____
2	7005314351-00	Moffat	110-120v/60/1ph, 1.0 amps, NEMA 5-15P (oven bottom deck)	2		_____
2	7005314351-00	Moffat	Door hinging on left side, standard (No Discounts Applied)	2		_____
2	7005314351-00	Moffat	DSKG32C Stacking Kit, with casters (NET)	1	60	_____
2	7005314351-00	Moffat	M234347 Filter Head Kit, kit supplies the cartridge mounting head assembly and all associated plumbing/fittings for installation, includes double check/pressure reducing valve and two meters of tubing for connection to supply (Requires cartridge, Not included) (NET)	1		_____
8	7005314317-00	Montague	C36SHB Heavy Duty Range, Gas, 36"	1	723	_____
8	7005314317-00	Montague	Natural gas	1		_____
8	7005314317-00	Montague	Right side, stainless steel for broiler	1		_____
8	7005314317-00	Montague	Left side, stainless steel for broiler	1		_____
8	7005314317-00	Montague	Casters with 5" wheel 6" OA (set of 4)	1		_____
23	7005314329-00	Nemco	6100A Food Pan Warmer, Countertop	2	22	_____
23	7005314329-00	Nemco	66088-8 Inset, cover & ladle, for 7 qt. warmers or cooker/warmers	2	10	_____
14	7005314290-00	Quantum	WR86-2442P-5 Shelving Unit, Wire	2	190	_____
14A	7005314290-00	Quantum	WR86-2454P-5 Shelving Unit, Wire	2	220	_____
14B	7005314290-00	Quantum	WR86-2436P-5 Shelving Unit, Wire	2	170	_____
25G	7005314290-00	Quantum	WR86-2448WPM-5 Shelving Unit, Plastic with Metal Posts	1	100	_____
25G	7005314290-00	Quantum	WR-00H Casters, set of (4) 5" swivel (2 with brakes),	1	10	_____

**BUILD****Receiving Report**

01/29/2025

**Design • Equipment • Contract****Project:**

JING - Scottsdale RECEIVING  
10605 N Scottsdale Road  
Scottsdale, AZ 85254

**Ship To:**

Edward Don Woodridge  
Andrew Keaggy  
20408 Bashan Drive  
Ashburn, VA 20147

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			thermoplastic resin			
25H	7005314290-00	Quantum	WR86-2436WPM-5 Shelving Unit, Plastic with Metal Posts	2	170	_____
25H	7005314290-00	Quantum	WR-00H Casters, set of (4) 5" swivel (2 with brakes), thermoplastic resin	2	20	_____
43	7005314290-00	Quantum	WR86-1848WPM-5 Shelving Unit, Plastic with Metal Posts	2	170	_____
43	7005314290-00	Quantum	WR-00H Casters, set of (4) 5" swivel (2 with brakes), thermoplastic resin	2	20	_____
58	7005314290-00	Quantum	1860P Wire Shelf, 60"W x 18"D, 600 - 800 lb. capacity, green epoxy antimicrobial finish, NSF	16	272	_____
58	7005314290-00	Quantum	1854P Wire Shelf, 54"W x 18"D, 600 - 800 lb. capacity, green epoxy antimicrobial finish, NSF	16	240	_____
58	7005314290-00	Quantum	1842P Wire Shelf, 42"W x 18"D, 600 - 800 lb. capacity, green epoxy antimicrobial finish, NSF	8	88	_____
58	7005314290-00	Quantum	1836P Wire Shelf, 36"W x 18"D, 600 - 800 lb. capacity, green epoxy antimicrobial finish, NSF	8	80	_____
58	7005314290-00	Quantum	P74PX Post with Leveling Legs, 74"H, numbered grooves in 1" increments, includes (1) W-PLI & (1) W-PLB (pre-inserted), green epoxy antimicrobial finish, NSF	48	192	_____
59	7005314290-00	Quantum	1842P Wire Shelf, 42"W x 18"D, 600 - 800 lb. capacity, green epoxy antimicrobial finish, NSF	28	308	_____
59	7005314290-00	Quantum	1836P Wire Shelf, 36"W x 18"D, 600 - 800 lb. capacity, green epoxy antimicrobial finish, NSF	4	40	_____
59	7005314290-00	Quantum	P74PX Post with Leveling Legs, 74"H, numbered grooves in 1" increments, includes (1) W-PLI & (1) W-PLB (pre-inserted), green epoxy antimicrobial finish, NSF	32	128	_____
58	7005314290-00	Quantum Storage	PER PLAN WALK-IN COOLER SHELVING	1		_____
59	7005314290-00	Quantum Storage	PER PLAN WALK-IN FREEZER SHELVING	1		_____
6	7005314325-00	Southbend (Middleby)	P36A-FF HD Range, 36", 2 French Tops	1	682	_____
6	7005314325-00	Southbend (Middleby)	NOTE: 5" flue riser, standard	1		_____
6	7005314325-00	Southbend (Middleby)	Natural Gas	1		_____
6	7005314325-00	Southbend (Middleby)	1167782 1" gas pressure regulator (shipped loose) Natural gas - preset @ 6" - maximum capacity 600,000 BTU	1	1	_____
6	7005314325-00	Southbend (Middleby)	115v/60/1-ph, 5.9 amps, cord & plug	1		_____
6	7005314325-00	Southbend (Middleby)	Castors, 2 locking & 2 standard, in lieu of legs	1		_____
16A	7005314332-00	T&S Brass	B-0131-ADF12-BC Pre-Rinse Faucet Assembly, with Add On Faucet	1	13.2	_____
17A	7005314332-00	T&S Brass	B-0290 Wall / Splash Mount Faucet	1	8	_____
17C	7005314332-00	T&S Brass	B-0133-12ACB8ST Pre-Rinse Faucet Assembly, with Add On Faucet	1	13.65	_____
50B	7005314332-00	T&S Brass	B-0665-BSTP Service Faucet	1	8.33	_____
22A	7005314350-00	Thunder Group	SEJ60000 Rice / Grain Cooker	3	73.41	_____
15A	7005314349-00	Thunderbird	ARM-30 Planetary Mixer	1	467	_____



# BUILD

## Receiving Report

01/29/2025

### Design • Equipment • Contract

**Project:**

JING - Scottsdale RECEIVING  
10605 N Scottsdale Road  
Scottsdale , AZ 85254

**Ship To:**

Edward Don Woodridge  
Andrew Keaggy  
20408 Bashan Drive  
Ashburn, VA 20147

Item	PO Number	Mfr	Model & Description	Qty	Weight	
15A	7005314349-00	<b>Thunderbird</b>	115v/60/1-ph, 20.0 amps, 6 ft cord & plug, standard	1		_____
21B	7005314293-00	<b>USR Brands</b>	SD46 Ice Cream Novelty Merchandiser	1	105	_____
1	7005314292-00	<b>Venancio USA</b>	PSP182G-CB Range, Stock Pot, Gas	1	222	_____
1	7005314292-00	<b>Venancio USA</b>	Natural gas (specify altitude when above 2,000 feet)	1		_____
4	7005314292-00	<b>Venancio USA</b>	PFR50G-CB Gas Floor Fryer	4	1132	_____
4	7005314292-00	<b>Venancio USA</b>	Natural gas (specify altitude when above 2,000 feet)	4		_____
4	7005314292-00	<b>Venancio USA</b>	Tank cover, for PFR40G-CB & PFR50G-CB fryers	4		_____
4	7005314292-00	<b>Venancio USA</b>	(4) 6" swivel casters with front locking brakes	4		_____
4	7005314292-00	<b>Venancio USA</b>	Fryer joining strip for Prime 40/50 LBS	1		_____
4	7005314292-00	<b>Venancio USA</b>	SPLASH Splash Guard	6		_____
5	7005314292-00	<b>Venancio USA</b>	PRO36G-ST Range, 36", 6 Open Burners	1	529	_____
5	7005314292-00	<b>Venancio USA</b>	Natural gas (specify altitude when above 2,000 feet)	1		_____
5	7005314292-00	<b>Venancio USA</b>	(4) 6" swivel casters with front locking brakes	1		_____
33	7005314342-00	<b>Winholt</b>	WL-55 Locker, 5 tier 1 Col	3	147	_____