

Date	PO Number
06/16/2025	SL26921

Freight Billing:

Manufacturer:	Bill To:	Ship To:	Buyer:
Accurex	Southern California Restaurant	Firerock Country Club - Fountain	Southern California Restaurant
PO Box 410	Design Group	Hills, AZ PO's	Design Group
Schofield, WI 54476-0410	171 Saxony Road, Ste. 103	16000 E. Firerock Country Club Dr	Gail Garvin-Golley
(800)333-1400	Encinitas, CA 92024	Fountain Hills, AZ 85268	171 Saxony Road, Ste. 103
	(760) 436-3598		Encinitas, CA 92024
			(760) 436-3598

Date Required:Ship Via:FOB Point:Terms:06/01/2025Vendor's choiceDestination2% 15, NET 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Do not proceed without approved shop drawings. Please send drawings to Scott Lang and Todd Krafchin

Item	Qty	Description
F71	1 ea	Accurex Model No. CUSTOM
		EXHAUST HOOD ASSEMBLY & CONTROLS
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.
F71A	1 ea	Accurex Model No. CUSTOM
		ACCUREX KITCHEN CONTROLS - VARIABLE VOLUME
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General
		Conditions and approved Shop Drawings. All equipment must have
	4.14	NSF, UL, ETL, AGA labels as applicable. Accurex Model No. CUSTOM
F74	1 lt	FIRE SUPPRESSION SYSTEM
	1 lt	GAS VALVE
	1 ii	Shall be custom fabricated per KEC plans, Specifications, General
	1 6	Conditions and approved Shop Drawings. All equipment must have
		NSF, UL, ETL, AGA labels as applicable.
F93	1 ea	Accurex Model No. CUSTOM
		EXHAUST HOOD ASSEMBLY & CONTROLS
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General
		Conditions and approved Shop Drawings. All equipment must have
		NSF, UL, ETL, AGA labels as applicable.
F93A	1 ea	Accurex Model No. CUSTOM
		ACCUREX KITCHEN CONTROLS - VARIABLE VOLUME
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General
		Conditions and approved Shop Drawings. All equipment must have
		NSF, UL, ETL, AGA labels as applicable.

PO Number: SL26921 06/16/2025

Item	Qty	Description	00/10/20
F96	1 ea	Accurex Model No. CUSTOM	
		FIRE SUPPRESSION SYSTEM	
	1 ea	GAS VALVE	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
INST4	1 ea	Accurex	
		Fire System Hook Up - Install & Inspection Performed During Normal Business Hours (M-F) - (1) Trip for Install & (1) Trip for Inspection - System is Pre-piped Only if No Hookup Cost is Included, see below for Excluded Parts - Fire System Parts Excluded in Line Item Price: - Wall Mount: Tank(s) / Enclosure(s) / Ansulex / Cartridge(s) / Release(s) / Test Links / Wire Rope / RPS - U.C Ansulex / Cartridge(s) / Test Links / Wire Rope / RPS x1 Based on Non-Seismic, Non-Union and Non-Prevailing wage labor, during normal working hours with reasonable access. Excludes all electrical, plumbing and final connections.	
		Permits and final one time fire test included. No portable fire	
	1 ea	extinguishers included, by others unless otherwise noted. Fire System Hook Up - Install & Inspection Performed During Normal Business Hours (M-F) - (1) Trip for Install & (1) Trip for Inspection - System is Pre-piped Only if No Hookup Cost is Included, see below for Excluded Parts - Fire System Parts Excluded in Line Item Price: - Wall Mount: Tank(s) / Enclosure(s) / Ansulex / Cartridge(s) / Release(s) / Test Links / Wire Rope / RPS - U.C Ansulex / Cartridge(s) / Test Links / Wire Rope / RPS x1 Based on Non-Seismic, Non-Union and Non-Prevailing wage labor, during normal working hours with reasonable access. Excludes all electrical, plumbing and final connections. Permits and final one time fire test included. No portable fire extinguishers included, by others unless otherwise noted.	
			PO By AutoQuotes
		Signature: Date:	·



Date	PO Number
06/16/2025	SL27360

Freight Billing:

Manufacturer:	Bill To: Ship To:		Buyer:	
Advance Tabco	Southern California Restaurant	СКІ	Southern California Restaurant	
325 Wireless Blvd	Design Group	Jen Wilson	Design Group	
Hauppauge, NY 11788-3973	171 Saxony Road, Ste. 103	13326 N. Dysart Rd Suite 160	Gail Garvin-Golley	
(631) 242-4800	Encinitas, CA 92024	Surprise, AZ 85379	171 Saxony Road, Ste. 103	
	(760) 436-3598	714-745-0539	Encinitas, CA 92024	
			(760) 436-3598	

Date Required:Ship Via:FOB Point:Terms:07/01/2025Vendor's ChoiceFactory3% 30, Net 40

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description
F5	1 ea	Advance Tabco Model No. 7-PS-81 Hand Sink, wall mounted, 14" wide x 10" front-to-back x 5" deep bowl, 20 gauge 304 stainless steel, heavy duty electronic faucet, lever drain with overflow, P-trap, soap & towel dispenser, wall bracket, NSF, cCSAus
	1 ea	Model: K-08 Low-flow aerator 0.5gpm, fits 55/64-27 male or 15/16-27 female thread on spout, conforms to California AB 1953
	1 ea	Model: K-425 Thermostatic Mixing Valve, for knee pedal, foot pedal and electronic hand sinks and valves
	1 ea	Model: 7-PS-17 Welded Side Splash, 7-3/4"H (installed height), both sides, for hand sinks with 14" wide x 10" front-to-back bowl, splash mounted faucets
F22	1 ea	Advance Tabco Model No. MX-GL-302 Equipment Stand, with utensil rack, 30"W x 24"D x 24"H, 14/304 stainless steel top, galvanized adjustable undershelf & legs, adjustable plastic bullet feet, NSF
	1 st	Model: TA-25 Casters, 5", swivel, with rubber wheels (set of 4) (2 with brakes)
F26	1 ea	Advance Tabco Model No. 7-PS-81 Hand Sink, wall mounted, 14" wide x 10" front-to-back x 5" deep bowl, 20 gauge 304 stainless steel, heavy duty electronic faucet, lever drain with overflow, P-trap, soap & towel dispenser, wall bracket, NSF, cCSAus
	1 ea	Model: K-08 Low-flow aerator 0.5gpm, fits 55/64-27 male or 15/16-27 female thread on spout, conforms to California AB 1953
	1 ea	Model: K-425 Thermostatic Mixing Valve, for knee pedal, foot pedal and electronic hand sinks and valves
	1 ea	Model: 7-PS-17 Welded Side Splash, 7-3/4"H (installed height), both sides, for hand sinks with 14" wide \times 10" front-to-back bowl, splash

Item	Qty	Description	
		mounted faucets	
F65	1 ea	Advance Tabco Model No. 7-PS-81	
		Hand Sink, wall mounted, 14" wide x 10" front-to-back x 5" deep bowl, 20 gauge 304 stainless steel, heavy duty electronic faucet, lever drain with overflow, P-trap, soap & towel dispenser, wall bracket, NSF, cCSAus	
	1 ea	Model: K-08 Low-flow aerator 0.5gpm, fits 55/64-27 male or 15/16-27 female thread on spout, conforms to California AB 1953	
	1 ea	Model: K-425 Thermostatic Mixing Valve, for knee pedal, foot pedal and electronic hand sinks and valves	
	1 ea	Model: 7-PS-17 Welded Side Splash, 7-3/4"H (installed height), both sides, for hand sinks with 14" wide x 10" front-to-back bowl, splash mounted faucets	
F165	1 ea	Advance Tabco Model No. D-24-WSIBL2-X	
		Special Value Ice & Water Unit, drop-in, single service, 18" x 21" overall (ice bin 18" x 13.5" x 12"), 1" diameter drain, stainless steel sliding removable cover, includes filler faucet, drip pan drain 1" dia., water cold 1/2" I.P.S., cut out size 15-1/4" x 20-5/8", 50-lb ice capacity, NSF	
	1 ea	Standard Faucet Note: Conforms to NSF 61/9 lead free requirements. Notice for use in California: WARNING - This faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer, or birth defects or other reproductive harm. For more information visit www.p65Warnings.ca.gov	
F200	1 ea	Advance Tabco Model No. 7-PS-81	
		Hand Sink, wall mounted, 14" wide x 10" front-to-back x 5" deep bowl, 20 gauge 304 stainless steel, heavy duty electronic faucet, lever drain with overflow, P-trap, soap & towel dispenser, wall bracket, NSF, cCSAus	
	1 ea	Model: K-08 Low-flow aerator 0.5gpm, fits 55/64-27 male or 15/16-27 female thread on spout, conforms to California AB 1953	
	1 ea	Model: K-425 Thermostatic Mixing Valve, for knee pedal, foot pedal and electronic hand sinks and valves	
	1 ea	Model: 7-PS-17 Welded Side Splash, 7-3/4"H (installed height), both sides, for hand sinks with 14" wide x 10" front-to-back bowl, splash mounted faucets	
			PO By AutoQuotes
		Signature: Date:	



Date	PO Number
06/16/2025	SL27361

Manufacturer:	Bill To:	Ship To:	Buyer:
AllPoints Foodservice Parts &	Southern California Restaurant	СКІ	Southern California Restaurant
Supplies	Design Group	Jen Wilson	Design Group
607 W. Dempster St.	171 Saxony Road, Ste. 103	13326 N. Dysart Rd Suite 160	Gail Garvin-Golley
Mount Prospect, IL 60056-4585	Encinitas, CA 92024	Surprise, AZ 85379	171 Saxony Road, Ste. 103
(847)966-9700	(760) 436-3598	714-745-0539	Encinitas, CA 92024
			(760) 436-3598
Date Required:	Ship Via: FOB	Point: Terms:	Freight Billing:

 Date Required:
 Ship Via:
 FOB Point:
 Terms:

 07/01/2025
 PPD/ADD
 Factory
 1 / 15 Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

AllPoints Foodservice Parts & Supplies Model No. 141-2158/38202 Model: 1412158 Bobrick® Paper Towel Dispenser, small, 10-3/4"W x 4"D x 7" H, surface mount, knob latch, dispenses 200 C-fold or 275 multifold paper towels, stainless steel with satin finish AllPoints Foodservice Parts & Supplies Model No. 1412158/38202	
4"D x 7" H, surface mount, knob latch, dispenses 200 C-fold or 275 multifold paper towels, stainless steel with satin finish	
AllPoints Foodservice Parts & Supplies Model No. 1412158/38202	
···	
Model: 1412158 Bobrick® Paper Towel Dispenser, small, 10-3/4"W x 4"D x 7" H, surface mount, knob latch, dispenses 200 C-fold or 275 multifold paper towels, stainless steel with satin finish	
AllPoints Foodservice Parts & Supplies Model No. 1412158/38202	
Model: 1412158 Bobrick® Paper Towel Dispenser, small, 10-3/4"W x 4"D x 7" H, surface mount, knob latch, dispenses 200 C-fold or 275 multifold paper towels, stainless steel with satin finish	
AllPoints Foodservice Parts & Supplies Model No. 1412158/38202	
Model: 1412158 Bobrick® Paper Towel Dispenser, small, 10-3/4"W x 4"D x 7" H, surface mount, knob latch, dispenses 200 C-fold or 275 multifold paper towels, stainless steel with satin finish	
	PO By AutoQuotes
	AllPoints Foodservice Parts & Supplies Model No. 1412158/38202 Model: 1412158 Bobrick® Paper Towel Dispenser, small, 10-3/4"W x 4"D x 7" H, surface mount, knob latch, dispenses 200 C-fold or 275 multifold paper towels, stainless steel with satin finish AllPoints Foodservice Parts & Supplies Model No. 1412158/38202 Model: 1412158 Bobrick® Paper Towel Dispenser, small, 10-3/4"W x 4"D x 7" H, surface mount, knob latch, dispenses 200 C-fold or 275

Signature:		Date:	
------------	--	-------	--



Date	PO Number
06/16/2025	SL27354

Manufacturer:	Bill To:	Ship To:	Buyer:
Alto-Shaam	Southern California Restaurant	CKI	Southern California Restaurant
W164 N9221 Water Street	Design Group	Jen Wilson	Design Group
PO Box 450	171 Saxony Road, Ste. 103	13326 N. Dysart Rd Suite 160	Gail Garvin-Golley
Menomonee Falls, WI	Encinitas, CA 92024	Surprise, AZ 85379	171 Saxony Road, Ste. 103
53052-0450	(760) 436-3598	714-745-0539	Encinitas, CA 92024
(262) 251-3800			(760) 436-3598
Date Required:	Ship Via: FOB	Point: Terms:	Freight Billing:

Date Required:Ship Via:FOB Point:Terms:07/01/2025PPD/ADDFactory5% 10, Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Mark for: Firerock CC

Item	Qty	Description	
F43	1 ea	Alto-Shaam Model No. 750-S	
		Halo Heat® Low Temp Holding Cabinet, on/off simple controller with	
		adjustable thermostat, indicator light, capacity (10) 12" x 20" pans,	
		(2) chrome plated side racks, (3) wire shelves, stainless steel	
		exterior, 2-1/2" casters; 2 rigid, 2 swivel with brakes, EcoSmart®,	
		cULus, UL EPH ANSI/NSF 4, CE, IPX3, TUV-NORD, EAC, N11942, ENERGY STAR®	
	1 ea	NOTE: Subject to Manufacturer's Terms & Conditions. See Documents	
		Section	
	1 ea	120v/60/1-ph, 9.0 amps, 1.1kW, 5 ft. cord, NEMA 5-15P, standard	
	1 ea	Solid door, hinged on right, standard	
F66	1 ea	Alto-Shaam Model No. 750-S	
		Halo Heat® Low Temp Holding Cabinet, on/off simple controller with	
		adjustable thermostat, indicator light, capacity (10) 12" x 20" pans,	
		(2) chrome plated side racks, (3) wire shelves, stainless steel	
		exterior, 2-1/2" casters; 2 rigid, 2 swivel with brakes, EcoSmart®,	
		cULus, UL EPH ANSI/NSF 4, CE, IPX3, TUV-NORD, EAC, N11942, ENERGY STAR®	
	1 ea	NOTE: Subject to Manufacturer's Terms & Conditions. See Documents	
		Section	
	1 ea	120v/60/1-ph, 9.0 amps, 1.1kW, 5 ft. cord, NEMA 5-15P, standard	
	1 ea	Solid door, hinged on right, standard	
	1 ea	Pass-thru design, price per cavity	
			PO By AutoQuotes

PO By AutoQuote:

Signature:	Date:	



6-16-25

Date	PO Number
06/16/2025	SL27353

Manufacturer:	Bill To:	Ship To:	Buyer:
Cambro	Southern California Restaurant	СКІ	Southern California Restaurant
5801 Skylab Road	Design Group	Jen Wilson	Design Group
Huntington Beach, CA 92647-2051	171 Saxony Road, Ste. 103	13326 N. Dysart Rd Suite 160	Gail Garvin-Golley
(714)848-1555 4380	Encinitas, CA 92024	Surprise, AZ 85379	171 Saxony Road, Ste. 103
	(760) 436-3598	714-745-0539	Encinitas, CA 92024
			(760) 436-3598
Date Required:	Ship Via: FOB	Point: Terms:	Freight Billing:

Date Required:Ship Via:FOB Point:Terms:07/01/2025PPD/ADDFactory1% 10, Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description	
F57	1 ea	Cambro Model No. ADCSC8PKG480 S-Series Dish Caddy, 27"W x 27"D x 31-3/4"H, compact, adjustable (8) CamLever towers, (2) molded in top handles, recessed handles all sides, minimum dish size 5-3/4", maximum dish size 8-3/4", 50 lb. capacity, 360° maneuvering, includes vinyl cover with identification pocket, (4) 5" non-marking casters: (2) each rigid & each swivel with brake, one piece molded body, polyethylene, speckled gray, NSF (ships in 2 cartons)	s on 00
			PO By AutoQuotes
		Signature:	Date:



6-16-25

Date	PO Number
06/16/2025	SL26904

Manufacturer:	Bill To:	Ship To:	Buyer:
Commercial Kitchen Solutions,	Southern California Restaurant	Firerock Country Club - Fountain	Southern California Restaurant
Inc.	Design Group	Hills, AZ PO's	Design Group
13326 N. Dysart #160	171 Saxony Road, Ste. 103	16000 E. Firerock Country Club Dr	Gail Garvin-Golley
Surprise, AZ 85379	Encinitas, CA 92024	Fountain Hills, AZ 85268	171 Saxony Road, Ste. 103
714-745-0539	(760) 436-3598		Encinitas, CA 92024
			(760) 436-3598

Date Required:Ship Via:FOB Point:Terms:Freight Billing:06/01/2025Factory

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description	
STAG	1 lt	Commercial Kitchen Solutions, Inc. Model No. STAGING	
		Receiving, storage, staging and loading of all buyout items	
	1 ea	Receive incoming freight	
	1 ea	Warehouse equipment and inventory management. (3 months storage included)	
DEL	1 lt	Commercial Kitchen Solutions, Inc. Model No. DELIVERY	
		Delivery to the project site. Equipment must be delivered at one time	
		on one truck load to the project site.	
	1 ea	Pull equipment from warehouse and load onto truck.	
	1 ea	26' Box Truck local delivery (within 60 miles)	
		Delivery hours 7am - 3pm Monday - Friday	
		Delivery is based on per truck/per trip flat rate	
			PO By AutoQuotes
		Signature: Date:	



Terms:

•	00	Numbe	2.5

Freight Billing:

Date	PO Number
06/16/2025	SL27376

Manufacturer:	Bill To:	Ship To:	Buyer:
Continental Refrigerator	Southern California Restaurant	СКІ	Southern California Restaurant
539 Dunksferry Road	Design Group	Jen Wilson	Design Group
Bensalem, PA 19020-5908	171 Saxony Road, Ste. 103	13326 N. Dysart Rd Suite 160	Gail Garvin-Golley
(215) 244-1400	Encinitas, CA 92024	Surprise, AZ 85379	171 Saxony Road, Ste. 103
	(760) 436-3598	714-745-0539	Encinitas, CA 92024
			(760) 436-3598

FOB Point:

Date Required: Ship Via: 07/01/2025 **Vendors Choice** Factory 2% 10, Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description
F35	1 ea	Continental Refrigerator Model No. SW27N-FB
		Work Top Refrigerator, Front Breather, 27"W, 7.4 cu ft capacity, one-
		section, stainless steel flat top, (1) field rehingeable door, stainless
		steel front & end panels, aluminum interior, 3-3/4" casters, rear mounted self-contained refrigeration, R290 Hydrocarbon refrigerant,
		1/5 hp, cETLus, NSF, ENERGY STAR®
	1 ea	Standard warranty (for the United States & Canada Only): 7 year
		parts, labor, and compressor
	1 ea	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard
	1 ea	Door hinged on left
F39	1 ea	Continental Refrigerator Model No. D32N12M-FB-D
		Designer Line Mighty Top Sandwich Unit, Front Breather, 32"W, one-
		section, (12) 1/6 size x 4" deep pans with 8" cutting board, (2)
		drawers, accommodates (1) 12 x 20 x 6 pan per drawer or (1) 1/2 x 6
		pan & (2) 1/3 x 6 pans per drawer capacity (supplied by others),
		stainless steel top, front, sides & interior, electronic control with digital display, hi-low alarm, 3-3/4" casters, rear mounted self-
		contained refrigeration, automatic hot gas condensate evaporator,
		R290 hydrocarbon refrigerant, 1/5 HP, cETLus, NSF
	1 ea	Standard warranty (for the United States & Canada Only): 7 year
		parts, labor, and compressor
	1 ea	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard
F42	1 ea	Continental Refrigerator Model No. PA60N
		Pizza Prep Table, 60"W, two-section, 19.0 cu ft capacity, forced air,
		300 series stainless steel work top with 19" poly cutting board, (2)
		full & (1) half-height field rehingeable doors, hot gas condensate
		evaporator, stainless steel front & end panels, aluminum
		interior, electronic control, off cycle defrost, side-mounted
		refrigeration, reversing condenser fan, R290 Hydrocarbon

Item	Qty	Description	06/16/202
		refrigerant, 1/3 HP, cETLus, NSF	
	1 ea	Standard warranty (for the United States & Canada Only): 7 year	
		parts, labor, and compressor	
	1 ea	115v/60/1-ph, 7.4 amps, cord, NEMA 5-15P, standard	
	1 ea	Condensing unit on the right, standard	
	1 ea	Two drawers, each holds (2) 12 x 20 x 6 pans per drawer, in lieu of one full door (per door - larger door section only)	
	1 ea	NOTE: Please specify location of large drawers: MIDDLE	
	1 ea	5" Swivel Casters standard	
		Change per plans 6/9/25	
F46	1 ea	Continental Refrigerator Model No. D72N30M-FB-D	
		Designer Line Mighty Top Sandwich Unit, Front Breather, 72"W, three-section, (30) 1/6 size x 4" deep pans with 8" cutting board, (6) drawers, accommodates (1) 12 x 18 x 6 pan per drawer or (1) 1/2 x 6 pan & (1) 1/3 x 6 pans per drawer capacity (supplied by others), stainless steel top, front, sides & interior, electronic control with digital display, hi-low alarm, 3-3/4" casters, rear mounted self-contained refrigeration, automatic hot gas condensate evaporator, R290 hydrocarbon refrigerant, 1/3 HP, cETLus, NSF	
	1 ea	Standard warranty (for the United States & Canada Only): 7 year parts, labor, and compressor	
	1 ea	115v/60/1-ph, 6.1 amps, cord, NEMA 5-15P, standard	
	1 ea	(00HFL) Stainless steel flat cover - with hinges	
F68	1 ea	Continental Refrigerator Model No. SW32N-FB	
		Work Top Refrigerator, Front Breather, 32"W, 9.0 cu ft capacity, one-section, stainless steel flat top, (1) field rehingeable door, stainless steel front & end panels, aluminum interior, 3-3/4" casters, rear mounted self-contained refrigeration, R290 Hydrocarbon refrigerant, 1/5 hp, cETLus, NSF, ENERGY STAR®	
	1 ea	Standard warranty (for the United States & Canada Only): 7 year parts, labor, and compressor	
	1 ea	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	
	1 ea	Door hinged on right, standard	
		INTERNAL NOTE: Quoted for model SW32N-FB which is an	
		undercounter refrigerator with a door. Schedule and specs call out SW32N-FB-D which has drawers. Elevations show a unit with a door	
		not drawers. Please verify which type is needed, with a door or	
		drawers.	
F105	1 ea	Continental Refrigerator Model No. D36GN	
		Refrigerator Griddle Stand, one-section, (2) drawers - accommodates	
		(1) 12" x 20" x 6" & (1) 6" x 20" x 6", stainless steel top with drip	
		guard marine edge, stainless steel exterior & interior, electronic control with digital display, hi-low alarm, high/low temperature	
		alarm, self-contained refrigeration, R290 hydrocarbon refrigerant,	
		1/5 HP, 10' cord, cETLus, NSF, ENERGY STAR®	
	1 ea	Standard warranty (for the United States & Canada Only): 7 year parts, labor, and compressor	
	1 ea	115v/60/1-ph, 2.5 amps, cord, NEMA 5-15P, standard	
	1 ea	Condensing unit on the left	
	1 ea	Casters, 3" diameter, 4"H overall, standard	
	1 ea	Integral heat shield	
F115	1 ea	Continental Refrigerator Model No. SWF27N-FB	
		Work Top Freezer, Front Breather, 27"W, 7.4 cu ft capacity, one-section, stainless steel flat top, (1) field rehingeable door, stainless steel front & end panels, aluminum interior, 3-3/4" casters, rear mounted self-contained refrigeration, R290 Hydrocarbon refrigerant,	
	1 00	1/4 HP, cETLus, NSF Standard warranty (for the United States & Canada Only): 7 year	
	1 ea	Standard warranty (for the United States & Canada Only): 7 year	

Item	Qty	Description	06/16/202
		parts, labor, and compressor	
	1 ea	115v/60/1-ph, 4.8 amps, cord, NEMA 5-15P, standard	
	1 ea	Door hinged on right, standard	
F116	1 ea	Continental Refrigerator Model No. D72N30M-FB-D	
		Designer Line Mighty Top Sandwich Unit, Front Breather, 72"W, three-	
		section, (30) 1/6 size x 4" deep pans with 8" cutting board, (6)	
		drawers, accommodates (1) 12 x 18 x 6 pan per drawer or (1) 1/2 x 6	
		pan & (1) 1/3 x 6 pans per drawer capacity (supplied by others),	
		stainless steel top, front, sides & interior, electronic control with digital display, hi-low alarm, 3-3/4" casters, rear mounted self-	
		contained refrigeration, automatic hot gas condensate evaporator,	
		R290 hydrocarbon refrigerant, 1/3 HP, cETLus, NSF	
	1 ea	Standard warranty (for the United States & Canada Only): 7 year	
		parts, labor, and compressor	
	1 ea	115v/60/1-ph, 6.1 amps, cord, NEMA 5-15P, standard	
	1 ea	(00HFL) Stainless steel flat cover - with hinges	
F118	1 ea	Continental Refrigerator Model No. D72N30M-FB-D	
		Designer Line Mighty Top Sandwich Unit, Front Breather, 72"W, three-	
		section, (30) 1/6 size x 4" deep pans with 8" cutting board, (6)	
		drawers, accommodates (1) $12 \times 18 \times 6$ pan per drawer or (1) $1/2 \times 6$ pan & (1) $1/3 \times 6$ pans per drawer capacity (supplied by others),	
		stainless steel top, front, sides & interior, electronic control with	
		digital display, hi-low alarm, 3-3/4" casters, rear mounted self-	
		contained refrigeration, automatic hot gas condensate evaporator,	
		R290 hydrocarbon refrigerant, 1/3 HP, cETLus, NSF	
	1 ea	Standard warranty (for the United States & Canada Only): 7 year	
	1 00	parts, labor, and compressor	
	1 ea 1 ea	115v/60/1-ph, 6.1 amps, cord, NEMA 5-15P, standard (00HFL) Stainless steel flat cover - with hinges	
F134	1 ea	Continental Refrigerator Model No. SW48N-FB	
1154	1 64	Work Top Refrigerator, Front Breather, 48"W, 13.4 cu ft capacity,	
		two-section, stainless steel flat top, (2) field rehingeable doors,	
		stainless steel front & end panels, aluminum interior, 3-3/4" casters,	
		rear mounted self-contained refrigeration, R290 Hydrocarbon	
		refrigerant, 1/5 hp, cETLus, NSF, ENERGY STAR®	
	1 ea	Standard warranty (for the United States & Canada Only): 7 year	
	1 00	parts, labor, and compressor 115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	
	1 ea 1 ea	Left Door hinged on left & right door hinged on right, standard	
F163	1 ea	Continental Refrigerator Model No. SW27N-FB	
1103	1 60	Work Top Refrigerator, Front Breather, 27"W, 7.4 cu ft capacity, one-	
		section, stainless steel flat top, (1) field rehingeable door, stainless	
		steel front & end panels, aluminum interior, 3-3/4" casters, rear	
		mounted self-contained refrigeration, R290 Hydrocarbon refrigerant,	
		1/5 hp, cETLus, NSF, ENERGY STAR®	
	1 ea	Standard warranty (for the United States & Canada Only): 7 year	
	1	parts, labor, and compressor	
	1 ea	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	
F202	1 ea	Door hinged on left	
F202	1 ea	Continental Refrigerator Model No. SW27N-FB Work Top Refrigerator, Front Breather, 27"W, 7.4 cu ft capacity, one-	
		section, stainless steel flat top, (1) field rehingeable door, stainless	
		steel front & end panels, aluminum interior, 3-3/4" casters, rear	
		mounted self-contained refrigeration, R290 Hydrocarbon refrigerant,	
		1/5 hp, cETLus, NSF, ENERGY STAR®	
	1 ea	Standard warranty (for the United States & Canada Only): 7 year	
		parts, labor, and compressor	
	1 ea	115v/60/1-ph, 2.46 amps, cord, NEMA 5-15P, standard	

Item	Qty	Description	
	1 ea	Door hinged on left	
F212	1 ea	Continental Refrigerator Model No. D2RNGD	
		Designer Line Refrigerator, reach-in, two-section, 50.0 cu. ft., self-contained refrigeration, aluminum exterior & interior, stainless steel front, standard depth cabinet, full-height glass doors, cylinder locks, electronic control with digital display, hi-low alarm, 6" stainless steel legs, R290 hydrocarbon refrigerant, 1/3 HP, cETLus, NSF	
	1 ea	Standard warranty (for the United States & Canada Only): 7 year parts, labor, and compressor	
	1 ea	115v/60/1-ph, 9.0 amps, cord, NEMA 5-15P, standard	
	1 ea	Left door hinged on left & right door hinged on right, standard	
	1 ea	6" stainless steel adjustable legs standard	
	1 ea	Shelf, epoxy coated, plated steel with clips	
			PO By AutoQuotes
		Signature: Date:	



6-16-25

Date	PO Number	
06/16/2025	SL26905	

Manufacturer:	Bill To:	Ship To:	Buyer:
Custom Stainless Installation	Southern California Restaurant	Firerock Country Club - Fountain	Southern California Restaurant
Arizona, Inc.	Design Group	Hills, AZ PO's	Design Group
13326 N. Dysart Road #160	171 Saxony Road, Ste. 103	16000 E. Firerock Country Club Dr	Gail Garvin-Golley
Surprise, AZ 85379	Encinitas, CA 92024	Fountain Hills, AZ 85268	171 Saxony Road, Ste. 103
	(760) 436-3598		Encinitas, CA 92024
			(760) 436-3598

Date Required: Ship Via: **FOB Point:** Freight Billing: Terms:

Factory

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Mark fo	or: Fireroc Qty	k CC Description
INST1	1 ea	Custom Stainless Installation Arizona, Inc. Model No. INSTALL
114311	1 00	Installation of all buy-out and custom stainless equipment.
		1. Unload equipment from delivery trucks
		2. Assemble, set in place all buy-out and custom stainless equipment
		as indicated in the contract documents.
		3. Protect all equipment from damage. If there is any damage shown
		prior to unloading the equipment, please notify SCRD immediately.
		4. Any box that seems damaged, please open and inspect prior to
		truck leaving. if damage in concealed, please notify SCRD
		immediately. 5. Coordination with respective trades to facilitate final mechanical
		hook-up of the specified equipment as required.
		6. Based on Non-Seismic, Non-Union and Non-Prevailing wage labor
		unless otherwise noted.
		7. Work shall be preformed during normal working hours
		8. GC to provide reasonable access to the building
		9. Installers are to provide there own truck, tools necessary to
		preform the work required as per the contract drawings.
		10. Safety meetings shall be preformed and a weekly basis unless
		noted
		11. All welds must be cleaned
		12. Remove all paper and materials prior to completion of project or
		as directed
		13. Perform job walk prior to completion of project with SCRD
		employee.
		14. Complete all necessary punch list items indicated
		SDRC Excludes all electrical, plumbing and final connections.
	1 ea	Install s/s wall flashing per floor plan, schedule and elevations.

PO Number: SL26905 06/16/2025

Item	Qty	Description	00/10/20
INST3	1 ea	Custom Stainless Installation Arizona, Inc. Model No. HOOD INSTA Installation of Exhaust Hoods.	LL
		 Unload equipment from delivery trucks and check for any dama Install per code requirements. Include all hanger rods and material to compete installation. Coordination with respective trades to facilitate final mechani hook-up of the specified equipment as required. GC to provide reasonable access to building. All work to be preformed during normal working hours Based on Non-Seismic, Non-Union and Non-Prevailing wage labor	cal
		Excludes all electrical, plumbing and final connections. Installation of exhaust ductwork, exhaust and supply fans By G.C.	on PO By AutoQuotes
		Signature:	Date:



Date	PO Number	
06/16/2025	SL27355	

Freight Billing:

Manufacturer:	Bill To:	Ship To:	Buyer:
Dormont Manufacturing	Southern California Restaurant	CKI	Southern California Restaurant
6015 Enterprise Drive	Design Group	Jen Wilson	Design Group
Export, PA 15632-8969	171 Saxony Road, Ste. 103	13326 N. Dysart Rd Suite 160	Gail Garvin-Golley
(724) 733-4800	Encinitas, CA 92024	Surprise, AZ 85379	171 Saxony Road, Ste. 103
	(760) 436-3598	714-745-0539	Encinitas, CA 92024
			(760) 436-3598

Date Required:Ship Via:FOB Point:Terms:07/01/2025Vendors ChoiceFactory3% 15, Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description
F81A	1 kt	Dormont Manufacturing Model No. 1675KITS48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) Swivel MAX®, (1) full port valve, (1) elbow, coiled restraining cable with hardware, 167,000 BTU/hr minimum flow capacity, limited lifetime warranty
F83	1 kt	Dormont Manufacturing Model No. 1675KITS48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) Swivel MAX®, (1) full port valve, (1) elbow, coiled restraining cable with hardware, 167,000 BTU/hr minimum flow capacity, limited lifetime warranty
F87A	1 kt	Dormont Manufacturing Model No. 1675KITS48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) Swivel MAX®, (1) full port valve, (1) elbow, coiled restraining cable with hardware, 167,000 BTU/hr minimum flow capacity, limited lifetime warranty
F99A	1 kt	Dormont Manufacturing Model No. 16125KITS48 Dormont Blue Hose™ Moveable Gas Connector Kit, 1-1/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) Swivel MAX®, (1) full port valve, (1) elbow, coiled restraining cable with hardware, 482,000 BTU/hr, limited lifetime warranty
F101	1 kt	Dormont Manufacturing Model No. 1675KITS48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) Swivel MAX®, (1) full port valve, (1) elbow, coiled restraining cable with hardware, 167,000

Item	Qty	Description	
		BTU/hr minimum flow capacity, limited lifetime warranty	
F106A	1 kt	Dormont Manufacturing Model No. 1675KITS48	_
		Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia. 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) Swivel MAX®, (1) full port valve, (1) elbow, coiled restraining cable with hardware, 167,000 BTU/hr minimum flow capacity, limited lifetime warranty	•
F110	1 kt	Dormont Manufacturing Model No. 16100KITS48	_
		Dormont Blue Hose™ Moveable Gas Connector Kit, 1" inside dia., 4 long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) Snap Fast™ QD, (1) Swivel MAX®, (1) full por valve, (1) elbow, coiled restraining cable with hardware, 310,000 BTU/hr minimum flow capacity, limited lifetime warranty	
			PO By AutoQuotes
		Signature: D	vate:



6-16-25

Date	PO Number
06/16/2025	SL27352

Manufacturer:	Bill To:	Ship To:	Buyer:
Edlund	Southern California Restaurant	СКІ	Southern California Restaurant
319 Queen City Park Road	Design Group	Jen Wilson	Design Group
Burlington, VT 05401	171 Saxony Road, Ste. 103	13326 N. Dysart Rd Suite 160	Gail Garvin-Golley
(802) 862-9661	Encinitas, CA 92024	Surprise, AZ 85379	171 Saxony Road, Ste. 103
	(760) 436-3598	714-745-0539	Encinitas, CA 92024
			(760) 436-3598
Date Required:	Ship Via: FOB	Point: Terms:	Freight Billing:

Date Required:Ship Via:FOB Point:Terms:07/01/2025PPD/ADDFactorySEFA/ Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description	
F33	1 ea	Edlund Model No. S-11	
		Can Opener, manual, 16" bar length, dishwasher safe, rust proof, stainless steel, with cast stainless steel base, NSF certified	
	1 ea	5 year limited warranty, standard	
			PO By AutoQuotes
		Signature: Date:	



Date	PO Number
06/16/2025	SL27351

Freight Billing:

Manufacturer:	Bill To:	Ship To:	Buyer:
Fisher	Southern California Restaurant	CKI	Southern California Restaurant
1900 South O Street	Design Group	Jen Wilson	Design Group
Tulare, CA 93275-0060	171 Saxony Road, Ste. 103	13326 N. Dysart Rd Suite 160	Gail Garvin-Golley
800-421-6162	Encinitas, CA 92024	Surprise, AZ 85379	171 Saxony Road, Ste. 103
	(760) 436-3598	714-745-0539	Encinitas, CA 92024
			(760) 436-3598

Date Required:Ship Via:FOB Point:Terms:07/01/2025Vendors ChoiceFactory3% 10 Days; Net 30 Days

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description	
F12	1 ea	Fisher Model No. 27500	
		Pot Filler Faucet, wall mount, single wall control valve, with swivel hose adapter, wall hook, 60" hose, 360° turning radius	
F28	1 ea	Fisher Model No. 64710	
		Faucet, backsplash mount, 8" centers, 10" swing spout, lever handles, 1/2" ceramic disk cartridges, EZ install adapters, 1" male NPT inlets, brass	
	1 ea	Model: 10006 Supply Line, 1/2" F x 1/2" M, 36" long, stainless steel	
	1 ea	Model: 2400-2103 Elbow, 1/2" F x 1/2" F, 90°, brass	
F31	2 ea	Fisher Model No. 22322	
		DrainKing Waste Valve, flat strainer, overflow body, 14 x 16 tube & elbow, 12 GPM drain rate, cast red brass body	
F52	1 ea	Fisher Model No. 81930	
		Inlet Fitting Assembly, (3) gaskets, 1/2" inlet, brass	
F53	1 ea	Fisher Model No. 22349	
		DrainKing Waste Valve, locking basket strainer, 12 GPM drain rate, cast red brass body	
F54	1 ea	Fisher Model No. 13330	
		Pre-Rinse Unit, spring style, backsplash mount, 8" centers, 21" riser, 36" hose, 1.15 GPM Ultra-Spray™ PLUS spray valve with built-in spray handle clip & dish guard bumper, lever handles with color coded indexes, includes wall bracket, 1/2" NPT male inlets, brass, ADA Compliant	
	1 ea	Model: 64211 Elbows, (2) 1/2", brass	
F61	2 ea	Fisher Model No. 64710	
		Faucet, backsplash mount, 8" centers, 10" swing spout, lever handles, 1/2" ceramic disk cartridges, EZ install adapters, 1" male NPT inlets, brass	

Item	Qty	Description	
	2 ea	Model: 10006 Supply Line, 1/2" F x 1/2" M, 36" long, stainless steel	
	2 ea	Model: 2400-2103 Elbow, 1/2" F x 1/2" F, 90°, brass	
F62	3 ea	Fisher Model No. 22322	
		DrainKing Waste Valve, flat strainer, overflow body, 14 x 16 tube &	
		elbow, 12 GPM drain rate, cast red brass body	
F75	1 ea	Fisher Model No. 27500	
		Pot Filler Faucet, wall mount, single wall control valve, with swivel hose adapter, wall hook, 60" hose, 360° turning radius	
F114	1 ea	Fisher Model No. 53740	
		Faucet, deck mount, 4" centers, 6" swing spout, lever handles with color coded indexes, 1/2" male inlets, stainless steel, ADA Compliant	
	1 ea	10 year warranty against defects in materials or workmanship, standard	
	1 ea	Model: 10006 Supply Line, 1/2" F x 1/2" M, 36" long, stainless steel	
F122	1 ea	Fisher Model No. 53740	
		Faucet, deck mount, 4" centers, 6" swing spout, lever handles with color coded indexes, 1/2" male inlets, stainless steel, ADA Compliant	
	1 ea	10 year warranty against defects in materials or workmanship, standard	
	1 ea	Model: 10006 Supply Line, 1/2" F x 1/2" M, 36" long, stainless steel	
F132	1 ea	Fisher Model No. 53740	
		Faucet, deck mount, 4" centers, 6" swing spout, lever handles with color coded indexes, 1/2" male inlets, stainless steel, ADA Compliant	
	1 ea	10 year warranty against defects in materials or workmanship, standard	
	1 ea	Model: 10006 Supply Line, 1/2" F x 1/2" M, 36" long, stainless steel	
F137	1 ea	Fisher Model No. 11170	
		Banquet Room Glass Filler, deck-mounted, single control valve, vertical riser with flex hose, gooseneck spring, glass filler valve, insulated handle, with wall bracket	
		•	PO By AutoQuotes
		Standard and	
		Signature: Date:	



Date	PO Number	
06/16/2025	SL27299	

Manufacturer:	Bill To:	Ship To:	Buyer:
Glastender, Inc.	Southern California Restaurant	СКІ	Southern California Restaurant
5400 N. Michigan Rd.	Design Group	Jen Wilson	Design Group
Saginaw, MI 48604-9700	171 Saxony Road, Ste. 103	13326 N. Dysart Rd Suite 160	Gail Garvin-Golley
989-752-4275	Encinitas, CA 92024	Surprise, AZ 85379	171 Saxony Road, Ste. 103
	(760) 436-3598	714-745-0539	Encinitas, CA 92024
			(760) 436-3598

Date Required:Ship Via:FOB Point:Terms:07/01/2025Vendors ChoiceFactory1% 10 Net 30

Freight Billing:

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Mark for: Firerock CC

Item	Qty	Description
F152	1 ea	Glastender, Inc. Model No. F1SL24
		Froster, one zone, side serviced, low profile, 24"W, one-section,
		17.5"W door opening, self-contained refrigeration, LED interior
		lighting, front venting, stainless steel interior & exterior sub-top, (3)
		adjustable shelves per door, R290 Hydrocarbon refrigerant, 1/3 HP,
		NSF Standard 7, cETLus, ETL-Sanitation, ETL Verified (NOTE: Made to order, not returnable)
	1 ea	NOTE: This is a manufactured to order unit and is NOT returnable.
	1 ea	1 year parts & labor warranty, 5 year compressor warranty (NOTE:
		applies to units sold and installed within the US & Canada)
	1 ea	120v/60/1-ph, 5.0 amps, cord, NEMA 5-15P, standard
	1 ea	(L) Refrigeration compartment on left side
	1 ea	Refrigeration compartment cover finish: Stainless steel
	1 ea	Door style: Stainless steel
	1 ea	Door hinge location: Left
	1 ea	Signature handle
	1 ea	No finished top - stainless steel sub-top, standard
	1 ea	Back finish: Galvanized steel, standard
	1 ea	Left side finish: Black vinyl-clad, standard
	1 ea	Right side finish: Black vinyl-clad, standard
	1 ea	Bright White (7,000k), standard
	1 ea	No legs or casters, standard
F153	1 ea	Glastender, Inc. Model No. C1FL72-UC
		Cooler, one zone, front serviced, undercounter, 72"W, three-section,
		16"W door opening, self-contained refrigeration, 14.33 cu. ft.
		interior capacity, LED interior lighting, front venting, stainless steel
		interior, stainless steel finished top, (2) adjustable shelves per door,

stainless pull tab handles with locks, R290 Hydrocarbon refrigerant,

PO Number: SL27299 06/16/2025

Item	Qty	Description	06/16/202
		1/4 HP, NSF Standard 7 for open food storage, cETLus, ETL-Sanitation,	
		ETL Verified (NOTE: Made to order, not returnable)	
	1 ea	NOTE: This is a manufactured to order item and is NOT returnable	
	1 ea	1 year parts & labor warranty, 5 year compressor warranty (NOTE:	
	_	applies to units sold and installed within the US & Canada)	
	1 ea	120v/60/1-ph, 7.0 amps, cord, NEMA 5-15P, standard	
	1 ea	(L) Refrigeration compartment on left side	
	1 ea	Refrigeration compartment cover finish: Stainless steel, standard	
	1 ea	Door style, first: Stainless steel, standard Door hinge location, first: Left	
	1 ea	5	
	1 ea 1 ea	Stainless pull-tab handle Door style, Second: Stainless steel, standard	
	1 ea	Door hinge location, first: Left	
	1 ea	Stainless pull-tab handle	
	1 ea	Door style, third: Stainless steel, standard	
	1 ea	Door hinge location, first: Left	
	1 ea	Stainless pull-tab handle	
	1 ea	Back finish: Galvanized steel, standard	
	1 ea	Left side finish: Stainless steel, standard	
	1 ea	Right side finish: Stainless steel, standard	
	1 ea	Bright White (7,000k), standard	
	1 ea	6"legs	
F216	1 ea	Glastender, Inc. Model No. C1SB20	
		Cooler, one zone, side serviced, bar profile, 20"W, one-section, 12"W	
		door opening, self-contained refrigeration, LED interior lighting, front	
		venting, stainless steel interior, R290 Hydrocarbon refrigerant, 1/8	
		HP, NSF Standard 7 for open food storage, cETLus, ETL-Sanitation, ETL	
	1 ea	Verified (NOTE: Made to order, not returnable) NOTE: This is a manufactured to order unit and is NOT returnable	
	1 ea	The C1SB20 can NOT hold a standard size keg, but it can hold up to	
	1 64	(2) 1/6 kegs. For (2) 1/6 kegs, one keg must have a low profile keg tap	
		(05001026). A 5# CO2 bottle (05000636) with tank mount regulator	
		(RKL-TC) will NOT fit with (2) 1/6 kegs. See draft system accessories.	
	1 ea	1 year parts & labor warranty, 5 year compressor warranty (NOTE:	
		applies to units sold and installed within the US & Canada)	
	1 ea	120v/60/1-ph, 2.75 amps, cord, NEMA 5-15P, standard	
	1 ea	Standard 34° to 40°F operation	
	1 ea	(L) Refrigeration compartment on left side	
	1 ea	Refrigeration compartment cover finish: Stainless steel	
	1 ea	Door style, first: Stainless steel glass	
	1 ea	Door hinge location: Left Shelving style: (3) adjustable shelves standard	
	1 ea 1 ea	Shelving style: (3) adjustable shelves, standard Signature handle	
	1 ea	No finished top - stainless steel sub-top, standard	
	1 ea	Back finish: Galvanized steel, standard	
	1 ea	Left side finish: Black vinyl-clad, standard	
	1 ea	Right side finish: Black vinyl-clad, standard	
	1 ea	Bright White (7,000k), standard	
	1 ea	No legs or casters, standard	
		NOTE: QUOTED WITH STAINLESS STEEL REFRIGERATION COMPARTMENT	
		TO MATCH STAINLESS STEEL GLASS DOOR. VERIFICATION REQUIRED.	
F217	1 ea	Glastender, Inc. Model No. C1SB20	
		Cooler, one zone, side serviced, bar profile, 20"W, one-section, 12"W	
		door opening, self-contained refrigeration, LED interior lighting, front	
		venting, stainless steel interior, R290 Hydrocarbon refrigerant, 1/8	
		HP, NSF Standard 7 for open food storage, cETLus, ETL-Sanitation, ETL	

PO Number: SL27299 06/16/2025

Item	Qty	Description	
		Verified (NOTE: Made to order, not returnable)	
	1 ea	NOTE: This is a manufactured to order unit and is NOT returnable	
	1 ea	The C1SB20 can NOT hold a standard size keg, but it can hold up to	
		(2) 1/6 kegs. For (2) 1/6 kegs, one keg must have a low profile keg tap	
		(05001026). A 5# CO2 bottle (05000636) with tank mount regulator	
	4	(RKL-TC) will NOT fit with (2) 1/6 kegs. See draft system accessories.	
	1 ea	1 year parts & labor warranty, 5 year compressor warranty (NOTE: applies to units sold and installed within the US & Canada)	
	1 00	120v/60/1-ph, 2.75 amps, cord, NEMA 5-15P, standard	
	1 ea	Standard 34° to 40°F operation	
	1 ea	(R) Refrigeration compartment on right side	
	1 ea 1 ea	Refrigeration compartment on right side Refrigeration compartment cover finish: Stainless steel	
	1 ea	Door style, first: Stainless steel glass	
	1 ea	Door hinge location: Right	
	1 ea	Shelving style: (3) adjustable shelves, standard	
	1 ea	Signature handle	
	1 ea	No finished top - stainless steel sub-top, standard	
	1 ea	Back finish: Galvanized steel, standard	
	1 ea	Left side finish: Black vinyl-clad, standard	
	1 ea	Right side finish: Black vinyl-clad, standard	
	1 ea	Bright White (7,000k), standard	
	1 ea	No legs or casters, standard	
	I Ca	NOTE: QUOTED WITH STAINLESS STEEL REFRIGERATION COMPARTMENT	
		TO MATCH STAINLESS STEEL GLASS DOOR. VERIFICATION REQUIRED.	
F230	1 ea	Glastender, Inc. Model No. MF36-S2	
. 250	1 00	Underbar Glass Froster, 36"W x 24"D, self-contained refrigeration,	
		12°F (-11°C) to 35°F (2°C) temperature range, (1) top sliding door,	
		includes (2) shelves & bottom rack, automatic condensate	
		evaporator, automatic & manual defrost cycles, stainless steel	
		interior & exterior, stainless steel top, R290 Hydrocarbon	
		refrigerant, 1/3 HP, cETLus, ETL-Sanitation, ETL Verified	
	1 ea	1 year parts & labor warranty, 5 year compressor warranty	
	1 ea	120v/60/1-ph, 6.0 amps, NEMA 5-15P, standard	
	1 st	Model: C-4X2-7/8 Casters, 2-7/8", for front-serviced coolers (set of four)	
			PO By AutoQuotes

Signature:	Date:_	



Date	PO Number
06/16/2025	SL27350

Manufacturer:	Bill To:	Ship To:	Buyer:
Globe (Middleby) 2153 Dryden Rd. Dayton, OH 45439-1739 937-299-5493	Southern California Restaurant Design Group 171 Saxony Road, Ste. 103 Encinitas, CA 92024 (760) 436-3598	CKI Jen Wilson 13326 N. Dysart Rd Suite 160 Surprise, AZ 85379 714-745-0539	Southern California Restaurant Design Group Gail Garvin-Golley 171 Saxony Road, Ste. 103 Encinitas, CA 92024 (760) 436-3598
Date Required:	Ship Via: FOB	Point: Terms:	Freight Billing:

Date Required:Ship Via:FOB Point:Terms:07/01/2025PPD/ADDFactory1% 10, Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

tem	Qty	Description	
13	1 ea	Globe (Middleby) Model No. SP40	
		(QUICK SHIP) Planetary Mixer, floor model, 42 qt. (40 liter) capacity,	
		3-speed (fixed), #12 attachment hub, includes: stainless steel	
		removable bowl guard with built-in ingredient chute, 40 qt. stainless	
		steel bowl, aluminum spiral dough hook, stainless steel wire whip &	
		aluminum flat beater, interlocked bowl lift, gear driven motor,	
		thermal overload protection, front-mounted touchpad controls with	
		60-minute digital timer & last batch recall, non-slip rubber feet, cast iron body, 2 HP, cord, NSF, cETLus (Ships within 1-2 days)	
	1 ea		
	1 ea	Quick Ship items have limited configurations & that standard configuration may not apply. Contact factory for details	
	1 ea	2 year parts & labor warranty (1 year parts only warranty on	
		agitator and hub accessories, no labor provided) (excludes wear items), standard	
	1 ea	208v/60/3-ph, 7.0 amps, NEMA L15-20P	
	1 ea	Model: XBTRUCK-40 Bowl Truck, heavy-duty, with handle, for SP40 40	
		quart mixer	
			PO By AutoQuot

Signature:	Date:
------------	-------



Date	PO Number
06/16/2025	SI 27349

Manufacturer:	Bill To:	Ship To:	Buyer:
Hatco	Southern California Restaurant	Metal Works Custom	Southern California Restaurant
635 South 28th Street	Design Group	Fabrication, LLC	Design Group
Milwaukee, WI 53215-1298	171 Saxony Road, Ste. 103	1429 E. Hadley Street	Gail Garvin-Golley
(414) 671-6350	Encinitas, CA 92024	Phoenix, AZ 85034	171 Saxony Road, Ste. 103
	(760) 436-3598	(602) 462-1111	Encinitas, CA 92024
			(760) 436-3598

Date Required:Ship Via:FOB Point:Terms:07/01/2025Vendors ChoiceFactory1% 10, Net 30

Freight Billing:

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description
F124	1 ea	Hatco Model No. GRAHL-48D3
		Glo-Ray® Infrared Strip Heater, 48" W, high wattage, tubular metal
		heater rod with lights, double heater rod housing 3" spacing,
		aluminum construction, 2440 watts, NSF, cULus, Made in USA
	1 ea	NOTE: Sale of this product must comply with Hatco's Minimum
		Resale Price Policy; consult order acknowledgement for details
	1 ea	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350
	1 ea	One year on-site parts & labor warranty, plus one additional year
		parts only warranty on all Glo-Ray metal sheathed elements
	1 ea	120/208v/60/1-ph
	1 ea	Model: REM INF Remote infinite control, additional switch is
		required with tandem element, shipped loose (max. 12.2 amp)
		(available at time of purchase only)
	1 ea	Model: IND.LGT-REM Indicator Light (Remote only) (available at time
		of purchase only) per circuit
	1 ea	Model: LEADS10 6'-10' Extended Electrical Leads (available at time of
		purchase only)
	1 ea	Model: STANDARD Clear Anodized Aluminum housing, finish,
	4	standard (available at time of purchase only)
	1 ea	Model: ADJ ANGLE-D Adjustable angle bracket, (2) pair
F126	1 ea	Hatco Model No. GRAHL-48D3
		Glo-Ray® Infrared Strip Heater, 48" W, high wattage, tubular metal
		heater rod with lights, double heater rod housing 3" spacing,
		aluminum construction, 2440 watts, NSF, cULus, Made in USA
	1 ea	NOTE: Sale of this product must comply with Hatco's Minimum
		Resale Price Policy; consult order acknowledgement for details
	1 ea	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350
	1 ea	One year on-site parts & labor warranty, plus one additional year

Item	Qty	Description	
		parts only warranty on all Glo-Ray metal sheathed elements	
	1 ea	120/208v/60/1-ph	
	1 ea	Model: REM INF Remote infinite control, additional switch is required with tandem element, shipped loose (max. 12.2 amp) (available at time of purchase only)	
	1 ea	Model: IND.LGT-REM Indicator Light (Remote only) (available at time of purchase only) per circuit	
	1 ea	Model: LEADS10 6'-10' Extended Electrical Leads (available at time of purchase only)	
	1 ea	Model: STANDARD Clear Anodized Aluminum housing, finish, standard (available at time of purchase only)	
	1 ea	Model: ADJ ANGLE-D Adjustable angle bracket, (2) pair	
			PO By AutoQuotes
		Signature: Date:	



Date	PO Number
06/16/2025	

Manufacturer:	Bill To:	Ship To:	Buyer:
Hatco	Southern California Restaurant	Southern California Restaurant	Southern California Restaurant
635 South 28th Street	Design Group	Design Group	Design Group
Milwaukee, WI 53215-1298	171 Saxony Road, Ste. 103	171 Saxony Road, Ste. 103	Gail Garvin-Golley
(414) 671-6350	Encinitas, CA 92024	Encinitas, CA 92024	171 Saxony Road, Ste. 103
	(760) 436-3598	(760) 436-3598	Encinitas, CA 92024
			(760) 436-3598
Date Required:	Ship Via: FOB	Point: Terms:	Freight Billing:

Date Required: Ship Via: FOB Point: Terms: 07/01/2025 Vendors Choice Factory 1% 10, Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description
F67	8 ea	Hatco Model No. DL-500
		Decorative Heat Lamp, Standard, (1) bulb type (not included), 8-1/2"H
		x 6-1/8" diameter shade, 250 watt max, CE, cULus, UL EPH Classified,
		Made in USA
	1 ea	NOTE: Sale of this product must comply with Hatco's Minimum
		Resale Price Policy; consult order acknowledgement for details
	1 ea	NOTE: The decorative lamp & Luminaires are NOT returnable
	8 ea	120v/60/1-ph, 250 watt (Decorative lamp only) standard
	8 ea	Model: WHITE-CTD-120 Lamp Bulb, 250 Watt clear, coated
	8 ea	Model: CL-COAT Lamp Shade only, clear coated brushed metal (MUST
		select color/finish to the remainder of unit) (available at time of
		purchase only)
	8 ea	Model: SPECIFY MUST SPECIFY designer color selected from list of
		standard colors & indicated on order (available at time of purchase
	0	only)
	8 ea	Model: RT Mounting Style - Retractable mount to track adapter (specify cord & track color) - retractable Coiled cord mount to track
		adapter, adjusts from 33-3/8" to 71-7/8" (available at time of
		purchase only)
	8 ea	Model: L Switch Location - Lower (available at time of purchase only)
	8 ea	Model: DL-CORD-BK Black Cord, standard, (CL, CU, CT, RL mounts
	o ca	only) (available at time of purchase only)
	1 ea	Model: DL-TRACK-4W Track Mount Bar, 4', white
	1 ea	Model: DL-TRACKWHT Additional Track Installation & Modification
		Kit, white (including ceiling plate, live end fitting & cover (starter), &
		dead end fitting
	8 ea	Model: DL-ADAPT-WHITE White Track Adapter, (CT, RT, ST mounts
		only), standard
	1 ea	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350

Item	Qty	Description
F117	2 ea	Hatco Model No. HW-FUL
		Food Warmer, electric, countertop, (1) 1/1 pan capacity, wet/dry
		operation, thermostatic controls, stainless steel construction, 1200
		watts, 10.0 amps, CE, cULus, UL EPH Classified
	1 ea	NOTE: Sale of this product must comply with Hatco's Minimum
	_	Resale Price Policy; consult order acknowledgement for details
	1 ea	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350
	2 ea	One year parts & labor warranty, standard
	2 ea	120v/60/1-ph, 1200 watts, 10.0 amps, NEMA 5-15P (domestic voltage), standard
F125	3 ea	Hatco Model No. DL-600
1123	J Ca	Decorative Heat Lamp, Standard, (1) bulb type (not included), 8-1/2"H
		x 6-1/4" diameter shade, 250 watt max, CE, cULus, UL EPH Classified,
		Made in USA
	1 ea	NOTE: Sale of this product must comply with Hatco's Minimum
		Resale Price Policy; consult order acknowledgement for details
	1 ea	NOTE: The decorative lamp & Luminaires are NOT returnable
	3 ea	120v/60/1-ph, 250 watt (Decorative lamp only) standard
	3 ea	Model: WHITE-UCTD-120 Lamp Bulb, 250 Watt clear, uncoated
	3 ea	Model: CL-COAT Lamp Shade only, clear coated brushed metal (MUST
		select color/finish to the remainder of unit) (available at time of
	_	purchase only)
	3 ea	Model: SPECIFY MUST SPECIFY designer color selected from list of
		standard colors & indicated on order (available at time of purchase only)
	3 ea	Model: R Mounting Style - Retractable (specify cord color) -
	J Ca	retractable Coiled cord mount, adjusts from 31" to 69-1/2"
		(available at time of purchase only)
	3 ea	Model: L Switch Location - Lower (available at time of purchase only)
	3 ea	Model: DL-CORD-BK Black Cord, standard, (CL, CU, CT, RL mounts
		only) (available at time of purchase only)
	3 ea	Model: WHITE-UCTD-120 Lamp Bulb, 250 Watt clear, uncoated
	1 ea	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350
F208	1 ea	Hatco Model No. IWRM-C1-1317-06
		Palletti® Countertop Induction Warmer, single-burner, digital
		temperature display/control panel, standby key, PST (Pan Safe
		Technology) automatic shut-off & pan detection, black glass
		composite top, black housing, includes (1) 72" cord, cULus, UL EPH Classified
	1 ea	NOTE: Sale of this product must comply with Hatco's Minimum
	1 60	Resale Price Policy; consult order acknowledgement for details
	1 ea	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350
	1 ea	2 year replacement warranty, standard
	1 ea	120v/60/1-ph, 600 watts, 5.0 amps, NEMA 5-15P (domestic voltage),
		standard
		PO By AutoQuotes



6-16-25

Date	PO Number	
06/16/2025	SL27348	

Manufacturer:	Bill To:	Ship To:	Buyer:
Jade Range (Middleby) A Middleby Company 2650 Orbiter Street Brea, CA 92821-6265	Southern California Restauran Design Group 171 Saxony Road, Ste. 103 Encinitas, CA 92024	t CKI Jen Wilson 13326 N. Dysart Rd Suite 160 Surprise, AZ 85379	Southern California Restaurant Design Group Gail Garvin-Golley 171 Saxony Road, Ste. 103
(714) 961-2400	(760) 436-3598	714-745-0539	Encinitas, CA 92024 (760) 436-3598
Date Required:	Ship Via: FO	B Point: Terms:	Freight Billing:

Date Required:Ship Via:FOB Point:Terms:07/01/2025PPD/ADDFactory1% 10 Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Signature: _____

Item	Qty	Description
F97	1 ea	Jade Range (Middleby) Model No. JTPR-12, SIG
		Titan™ Spreader Cabinet, 12", open cabinet base, stainless steel
		construction, 6" adjustable legs, CSAus, NSF
	1 ea	NOTE: All units are fully welded with heavy duty construction,
		stainless steel sides, front and top are standard
	1 ea	Two years part & labor warranty
		*** SIGNATURE SERIES ***
	1 ea	Model: IS-12 Intermediate shelf for cabinet, 12", for Titan™ & Bistro™
	1 ea	(set) four 6" adjustable legs - standard
F112	1 ea	Jade Range (Middleby) Model No. JTPR-12, SIG
		Titan™ Spreader Cabinet, 12", open cabinet base, stainless steel
		construction, 6" adjustable legs, CSAus, NSF
	1 ea	NOTE: All units are fully welded with heavy duty construction,
		stainless steel sides, front and top are standard
	1 ea	Two years part & labor warranty
	1 ea	Model: IS-12 Intermediate shelf for cabinet, 12", for Titan™ & Bistro™
	1 ea	Set of four casters (2 with brakes)
		*** SIGNATURE SERIES ***
	1 ea	(set) four 6" adjustable legs - standard
		PO By AutoQuotes



Date	PO Number
06/16/2025	SL27347

Manufacturer:	Bill To:	Ship To:	Buyer:
John Boos 3601 S. Banker Str. P.O. Box 609 Effingham, IL 62401-2899 (888) 431-2667	Southern California Restaurant Design Group 171 Saxony Road, Ste. 103 Encinitas, CA 92024 (760) 436-3598	CKI Jen Wilson 13326 N. Dysart Rd Suite 160 Surprise, AZ 85379 714-745-0539	Southern California Restaurant Design Group Gail Garvin-Golley 171 Saxony Road, Ste. 103 Encilotas, CA 92024
Date Required:	Ship Via: FOB	Point: Terms:	(760) 436-3598 Freight Billing:

Date Required:Ship Via:FOB Point:Terms:07/01/2025PPD/ADDFactory2% 10, Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description
F7	1 ea	John Boos Model No. ST4R5-3072SSK Work Table, 72"W x 30"D, 14/300 stainless steel top with 5" backsplash, with Stallion Safety Edge front, 90° turndown on sides, box channel understructure with sound deadening tape, stainless steel legs & adjustable undershelf, adjustable bullet feet, NSF, CSA-Sanitation, KD
F8	3 ea	John Boos Model No. BHS1272-16/304 Shelf, wall-mounted, 72"W x 12"D x 9-1/2"H overall size, 1-1/2" rear up-turn, Stallion Safety Edge front, 16/300 stainless steel, NSF, KD
F15	1 ea	John Boos Model No. DSB07-X Work Table, baker's top, 60"W x 30"D, 1-3/4" thick top with 4" coved riser on back & both ends, Northern Hard Rock Maple, stainless steel legs, side & rear adjustable bracing, bullet feet, NSF, KD (Available in Effingham)
F16	3 ea	John Boos Model No. BHS1260-16/304 Shelf, wall-mounted, 60"W x 12"D x 9-1/2"H overall size, 1-1/2" rear up-turn, Stallion Safety Edge front, 16/300 stainless steel, NSF, KD
F47	1 ea	John Boos Model No. ST4R5-3624SSK Work Table, 24"W x 36"D, 14/300 stainless steel top with 5" backsplash, with Stallion Safety Edge front, 90° turndown on sides, box channel understructure with sound deadening tape, stainless steel legs & adjustable undershelf, adjustable bullet feet, NSF, CSA-Sanitation, KD
	1 ea	Model: X-0115Y Modified as noted, PER SKETCH (for special notations)
	1 ea	Model: X-0207F 36" right end backsplash, stainless steel (up to 5" in height) (modification)
F58	1 ea	John Boos Model No. BHS1842-TS-X

Item	Qty	Description	06/16/202
		Dishrack Sorting Shelf, 42"W x 18"D x 12-1/4"H, wall mounted, slanted, tubular, includes brackets, 16/300 stainless steel, NSF (Available in Effingham and Nevada)	
F63	1 ea	John Boos Model No. BHS1296PR-16/304	
		Shelf, wall mount with pot rack, $96"W \times 12"D \times 9-1/2"H$ overall size, $1-1/2"H$ rear up-turn, Stallion Safety Edge front, includes (8) stainless steel hooks, $16/300$ stainless steel, KD, NSF	
	1 ea	Model: HOOK-SS-DBL Pot Hook, double prong, stainless steel	
F64	2 ea	John Boos Model No. BHS1296-16/304 Shelf, wall-mounted, 96"W x 12"D x 9-1/2"H overall size, 1-1/2" rear up-turn, Stallion Safety Edge front, 16/300 stainless steel, NSF, KD	
F166	1 ea	John Boos Model No. PB-DISINK101405-X	
		Pro-Bowl Drop-In Sink, 1-compartment, 12-1/8"W x 18-1/2"D x 5" overall size, (1) 10"W x 14" front-to-back x 5" deep bowl, deck mount faucet holes with 4" centers, 3-1/2" drain opening with basket drain, stainless steel construction, (faucet not included), NSF, CSA-Sanitation (Available in Effingham and Nevada)	
	1 ea	Model: PBF-4-D-LF-X Economy Faucet, deck mount, 3-1/2" gooseneck spout, 4" centers, 1/4 turn ceramic cartridges, color coded hot/cold indicators, integral check valve, 1/2" NPT, chrome finish, NSF, cCSAus (WRIST BLADES NOT AVAILABLE) (LEAD FREE FAUCET) (Available in Effingham and Nevada)	
	1 kt	Model: PB-DMMK Deck Mount Faucet Mounting Kit, includes (2) 1/2" supply nipples, (2) retainer nuts, (2) lock washers and (2) rubber washers	
	1 ea	Model: X-0414C Over flow hole, rear centered (modification)	
	1 ea	Model: PB-PT1.50V P-Trap 1-1/2" & tail pipe, with overflow	
	1 ea	Model: PB-NPL1.5 P-Trap sink drain adapter, 1-1/2" NPT male for 1-1/2" tail pipe, connects P-Trap to lever waste	
			PO By AutoQuotes

Signature:	Date:
------------	-------



Date	PO Number
06/16/2025	SL27336

Manufacturer:	Bill To:	Ship To:	Buyer:
Krowne 100 Haul Rd. Wayne, NJ 07470 (973)305-3300	Southern California Restaurant Design Group 171 Saxony Road, Ste. 103 Encinitas, CA 92024 (760) 436-3598	CKI Jen Wilson 13326 N. Dysart Rd Suite 160 Surprise, AZ 85379 714-745-0539	Southern California Restaurant Design Group Gail Garvin-Golley 171 Saxony Road, Ste. 103 Encinitas, CA 92024 (760) 436-3598
Date Required:	Ship Via: FOB	Point: Terms:	Freight Billing:

Date Required:Ship Via:FOB Point:Terms:07/01/2025Vendors ChoiceFactory1% 10, Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description
F140	1 ea	Krowne Model No. SGT-100 Krowne Drop-In Soda Gun Holder, 4.75"W x 6.25"D, integrated perforated drip tray with dedicated 1" drain, 304 stainless steel construction, includes rubber grommet to fit all Wunder-Bar® & Schroeder® soda guns, NSF
F141	1 ea	Krowne Model No. KR24-S18 Royal Series Underbar Drainboard with open cabinet base, 18"W x 24"D, embossed drainboard top, open front cabinet base, stainless steel top, front, & sides, stainless steel legs with adjustable thermoplastic bullet feet, NSF (Midshelf optional, not standard)
	1 ea	6-1/2" High Backsplash, standard
	1 ea	Model: KR-SS18 Royal Series Shelf, for 18"W storage cabinet, stainless steel
F143	1 ea	Krowne Model No. KR24-MS38R-10 Royal Series 8" Elixir Mixology Multi-Station, built-in 10-circuit cold plate, 38"W, 30" ice bin on right, 92 lbs. ice capacity, (2) ice bin dividers, removable garnish station with integrated cover, (8) garnish cup capacity, insulated bottle well, (10) elixir bottle capacity (bottles not included), (10) liquor bottle capacity, built-in speed rail, 1/2" drain, NSF, ETL-Sanitation
F1.4.4	1 ea	6-1/2" High Backsplash, standard
F144	1 ea	Krowne Model No. KR24-ML8 Royal Series Underbar Liquor Display, freestanding, space maximizing design, 8"W x 24"D, (5) bottle steps with guard rails, (10) bottle capacity, stainless steel top, front, & sides, galvanized steel back & bottom, NSF
	1 ea	This unit is built to order and cannot be returned
	1 ea	6-1/2" High Backsplash, standard
F145	1 ea	Krowne Model No. KR24-MS14

		Royal Series Underbar Speed Unit, 14"W x 24"D, 10" x 14" x 7" deep sink bowl, splash mount Royal Series faucet, high performance pushdown glass rinser faucet with pressure regulator, 6" diameter tool well with faucet, removable perforated top, stainless steel top &	
		front, stainless steel legs with adjustable thermoplastic bullet feet, NSF	
	1 ea	6-1/2" High Backsplash, standard	
	1 ea	Model: 22-600L Aerator, 55/64-27 female thread, 0.5 GPM	
	1 ea	Model: 30-153 Perforated Drain Basket for Bar Sink, fits all 10" x 12" x 7" sink bowls, 5" deep, with stainless steel handles, stainless steel	
	1 ea	Model: 21-443L Krowne Royal Series E-Z Install Water Line Kit, wall	
		mount, 22" long	
F146	1 ea	Krowne Model No. KR24-T12	
		Royal Series Underbar Trash Station, 12"W x 24"D (to match speedrail), opening in top for trash disposal, fits slim jim (up to 30"	
		high), lift-up front door, stainless steel front & sides, no legs, NSF	
		(TRASH RECEPTACLE NOT INCLUDED)	
	1 ea	Model: SJ-TC Trash Can, gray, 23 gallon, 30"H x 11"W x 20"D	
F147	1 ea	Krowne Model No. KR24-S18 Royal Series Underbar Drainboard with open cabinet base, 18"W x	
		24"D, embossed drainboard top, open front cabinet base, stainless	
		steel top, front, & sides, stainless steel legs with adjustable	
		thermoplastic bullet feet, NSF (Midshelf optional, not standard)	
	1 ea	6-1/2" High Backsplash, standard	
	1 ea	Model: KR-SS18 Royal Series Shelf, for 18"W storage cabinet, stainless steel	
F151	1 ea	Krowne Model No. KR24-BD24	
		Royal Series Underbar Beer Drainer, 24"W x 24"D, 26" working	
		height, tubing chase at rear, removable perforated insert, stainless	
		steel top, front, & sides, galvanized back & bottom, stainless steel legs with adjustable thermoplastic bullet feet, NSF	
F154	1 ea	Krowne Model No. KR24-MS32R-10	
		Royal Series 8" Elixir Mixology Multi-Station, built-in 10-circuit cold	
		plate, 32"W, 24" ice bin on right, 74 lbs. ice capacity, ice bin divider,	
		removable garnish station with integrated cover, (6) garnish cup capacity, insulated bottle well, (10) elixir bottle capacity (bottles not	
		included), (9) liquor bottle capacity, built-in speed rail, 1/2" drain,	
		NSF, ETL-Sanitation	
	1 ea	6-1/2" High Backsplash, standard	
	1 ea 1 ea	Model: KR-502 Royal Series 15" deep, liner on ice station Model: KR-113 Royal Series Stainless Steel Divider, for 15" deep ice	
	1 60	bins	
	1 ea	Model: KR-514 Royal Series Drop-In Elixir Bottle Divider, fits 8" ice	
		bin, (10) bottle capacity	_
F155	1 ea	Krowne Model No. KR24-T12 Royal Series Underbar Trash Station, 12"W x 24"D (to match	
		speedrail), opening in top for trash disposal, fits slim jim (up to 30"	
		high), lift-up front door, stainless steel front & sides, no legs, NSF	
		(TRASH RECEPTACLE NOT INCLUDED)	
<u></u>	1 ea	Model: SJ-TC Trash Can, gray, 23 gallon, 30"H x 11"W x 20"D	
F156	1 ea	Krowne Model No. KR24-ML8 Royal Series Underbar Liquor Display, freestanding, space	
		maximizing design, 8"W x 24"D, (5) bottle steps with guard rails, (10)	
		bottle capacity, stainless steel top, front, & sides, galvanized steel	
	1	back & bottom, NSF	
	1 ea 1 ea	This unit is built to order and cannot be returned 6-1/2" High Backsplash, standard	
F158	1 ea	Krowne Model No. KR24-MS14	

Item	Qty	Description	06/16/202
		Royal Series Underbar Speed Unit, 14"W x 24"D, 10" x 14" x 7" deep sink bowl, splash mount Royal Series faucet, high performance pushdown glass rinser faucet with pressure regulator, 6" diameter tool well with faucet, removable perforated top, stainless steel top & front, stainless steel legs with adjustable thermoplastic bullet feet, NSF	
	1 ea	6-1/2" High Backsplash, standard	
	1 ea	Model: 22-600L Aerator, 55/64-27 female thread, 0.5 GPM	
	1 ea	Model: 30-153 Perforated Drain Basket for Bar Sink, fits all 10" x 12" x 7" sink bowls, 5" deep, with stainless steel handles, stainless steel	
	1 ea	Model: 21-443L Krowne Royal Series E-Z Install Water Line Kit, wall mount, 22" long	
F159	1 ea	Krowne Model No. KR24-C30L	
		Royal Series Underbar Corner Drainboard, free standing, 30"W x 24"D x 36-1/2"H O.A., left end return, embossed top with 1" drain, stainless steel top, front, & sides, stainless steel legs with adjustable thermoplastic bullet feet, NSF	
	1 ea	6-1/2" High Backsplash, standard	
F160	1 ea	Krowne Model No. KR24-12ST	
		Royal Series Underbar Hand Sink Unit, free standing, 12"W x 24"D x 36-1/2"H.O.A. (to match speedrail depth), 10"W x 12"D front-to-back x 7" deep sink bowl, splash mount Royal Series faucet, built-in soap & towel dispenser, stainless steel top, front, & sides, stainless steel legs with adjustable thermoplastic bullet feet, NSF	
	1 ea	6-1/2" High Backsplash, standard	
	1 ea	Model: 22-600L Aerator, 55/64-27 female thread, 0.5 GPM	
	1 ea	Model: 21-443L Krowne Royal Series E-Z Install Water Line Kit, wall mount, 22" long	
F161	1 ea	Krowne Model No. KR24-C30R	
		Royal Series Underbar Corner Drainboard, free standing, 30"W x 24"D x 36-1/2"H O.A., right end return, embossed top with 1" drain, stainless steel top, front, & sides, stainless steel legs with adjustable	
	1 02	thermoplastic bullet feet, NSF 6-1/2" High Backsplash, standard	
F168	1 ea 1 ea	Krowne Model No. D2712-10	
1100	1 64	Krowne like Bin, drop-in, 10-circuit cold plate, 27"W x 20"D O.A., 73 lbs ice capacity, 10" deep stainless steel liner, fully insulated, stainless steel top, includes stainless steel sliding cover, NSF (25-1/4" x 18-1/4" cutout required)	
	1 ea	Model: SGT-100 Krowne Drop-In Soda Gun Holder, 4.75"W x 6.25"D, integrated perforated drip tray with dedicated 1" drain, 304 stainless steel construction, includes rubber grommet to fit all Wunder-Bar® & Schroeder® soda guns, NSF	
F223	1 ea	Krowne Model No. KR24-12ST	
		Royal Series Underbar Hand Sink Unit, free standing, 12"W x 24"D x 36-1/2"H.O.A. (to match speedrail depth), 10"W x 12"D front-to-back x 7" deep sink bowl, splash mount Royal Series faucet, built-in soap & towel dispenser, stainless steel top, front, & sides, stainless steel legs with adjustable thermoplastic bullet feet, NSF	
	1 ea	6-1/2" High Backsplash, standard	
	1 ea	Model: 22-600L Aerator, 55/64-27 female thread, 0.5 GPM	
	1 ea	Model: 21-443L Krowne Royal Series E-Z Install Water Line Kit, wall mount, 22" long	
F224	1 ea	Krowne Model No. KR24-C18L	
		Royal Series Underbar Corner Drainboard, free standing, 18"W x 24"D x 36-1/2"H O.A., left end return, embossed top with 1" drain, stainless steel top, front, & sides, stainless steel legs with adjustable thermoplastic bullet feet, NSF	

Item	Qty	Description	06/16/202
	1 ea	6-1/2" High Backsplash, standard	
F226	1 ea	Krowne Model No. KR24-MS32R-10	
		Royal Series 8" Elixir Mixology Multi-Station, built-in 10-circuit cold	
		plate, 32"W, 24" ice bin on right, 74 lbs. ice capacity, ice bin divider,	
		removable garnish station with integrated cover, (6) garnish cup	
		capacity, insulated bottle well, (10) elixir bottle capacity (bottles not	
		included), (9) liquor bottle capacity, built-in speed rail, 1/2" drain, NSF, ETL-Sanitation	
	1 ea	6-1/2" High Backsplash, standard	
	1 ea	Model: KR-502 Royal Series 15" deep, liner on ice station	
	1 ea	Model: KR-113 Royal Series Stainless Steel Divider, for 15" deep ice	
	2 00	bins	
	1 ea	Model: KR-514 Royal Series Drop-In Elixir Bottle Divider, fits 8" ice	
		bin, (10) bottle capacity	
F227	1 ea	Krowne Model No. KR24-ML8	_
		Royal Series Underbar Liquor Display, freestanding, space	
		maximizing design, 8"W x 24"D, (5) bottle steps with guard rails, (10)	
		bottle capacity, stainless steel top, front, & sides, galvanized steel	
	1	back & bottom, NSF	
	1 ea	This unit is built to order and cannot be returned	
<u></u>	1 ea	6-1/2" High Backsplash, standard Krowne Model No. KR24-MS14	
F228	1 ea	Royal Series Underbar Speed Unit, 14"W x 24"D, 10" x 14" x 7" deep	
		sink bowl, splash mount Royal Series faucet, high performance push-	
		down glass rinser faucet with pressure regulator, 6" diameter tool	
		well with faucet, removable perforated top, stainless steel top &	
		front, stainless steel legs with adjustable thermoplastic bullet feet,	
		NSF	
	1 ea	6-1/2" High Backsplash, standard	
	1 ea	Model: 22-600L Aerator, 55/64-27 female thread, 0.5 GPM	
	1 ea	Model: 30-153 Perforated Drain Basket for Bar Sink, fits all 10" x 12" x 7" sink bowls, 5" deep, with stainless steel handles, stainless steel	
	1 ea	Model: 21-443L Krowne Royal Series E-Z Install Water Line Kit, wall	
	1 64	mount, 22" long	
F229	1 ea	Krowne Model No. KR24-T12	
	- 00	Royal Series Underbar Trash Station, 12"W x 24"D (to match	
		speedrail), opening in top for trash disposal, fits slim jim (up to 30"	
		high), lift-up front door, stainless steel front & sides, no legs, NSF	
		(TRASH RECEPTACLE NOT INCLUDED)	
	1 ea	Model: SJ-TC Trash Can, gray, 23 gallon, 30"H x 11"W x 20"D	
F232	1 ea	Krowne Model No. KR24-C30R	
		Royal Series Underbar Corner Drainboard, free standing, 30"W x	
		24"D x 36-1/2"H O.A., right end return, embossed top with 1" drain, stainless steel top, front, & sides, stainless steel legs with adjustable	
		thermoplastic bullet feet, NSF	
	1 ea	6-1/2" High Backsplash, standard	
F234	1 ea	Krowne Model No. KR24-S24	
		Royal Series Underbar Drainboard with open cabinet base, 24"W x	
		24"D, embossed drainboard top, open front cabinet base, stainless	
		steel top, front, & sides, stainless steel legs with adjustable	
		thermoplastic bullet feet, NSF (Midshelf optional, not standard)	
	1 ea	6-1/2" High Backsplash, standard	
	1 ea	Model: KR-SS24 Royal Series Shelf, for 24"W storage cabinet,	
F225	1	stainless steel	
F235	1 ea	Krowne Model No. KR24-S24	
		Royal Series Underbar Drainboard with open cabinet base, 24"W x 24"D, embossed drainboard top, open front cabinet base, stainless	
		steel top, front, & sides, stainless steel legs with adjustable	

Item	Qty	Description		
	1 ea	thermoplastic bullet feet, NSF (Midshelf optional, not standard 6-1/2" High Backsplash, standard	1)	
	1 ea	Model: KR-SS24 Royal Series Shelf, for 24"W storage cabinet, stainless steel		
				PO By AutoQuotes
		Signature:	Date:	



Date	PO Number
06/16/2025	SL27346

Manufacturer:	Bill To:	Ship To:	Buyer:
Manitowoc	Southern California Restaurant	СКІ	Southern California Restaurant
Pentair Commercial Ice LLC	Design Group	Jen Wilson	Design Group
P.O. 7410697	171 Saxony Road, Ste. 103	13326 N. Dysart Rd Suite 160	Gail Garvin-Golley
Chicago, IL 60674-0697	Encinitas, CA 92024	Surprise, AZ 85379	171 Saxony Road, Ste. 103
920-682-0161	(760) 436-3598	714-745-0539	Encinitas, CA 92024
			(760) 436-3598

Date Required:Ship Via:FOB Point:Terms:Freight Billing:07/01/2025PPD/ADDFactory1% 10, Net 30FREE FREIGHT

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description
F1	1 ea	Manitowoc Model No. IYT1900A
		Indigo NXT™ Series Ice Maker, cube-style, air-cooled, self-contained
		condenser, 48"W x 24"D x 29-1/2"H, production capacity up to 1965
		lb/24 hours at 70°/50° (1535 lb AHRI certified at 90°/70°), easyTouch display with 13 different language options, date/time stamp display,
		automatic reminder/alert icon, one touch asset information,
		automatic detection of accessories, continuous operating status,
		programmable production options (time, weight, day or night), one
		touch cleaning with displayed instructions, Alpha-San anti-
		microbial protection, acoustical ice sensing probe, self-diagnostic
		technology, DuraTech™ exterior, half-dice size cubes, R410 refrigerant, NSF, cULus, CE
	1 ea	Model: WARRANTY-ICE-SC 3 year parts & labor (Machine), 5 year
	1 60	parts & labor (Evaporator), 5 year parts & 3 years labor
		(Compressor), standard (nc)
	1 ea	(-261E) 208-230v/60/1-ph, 20.1 amps, standard
F2	1 ea	Manitowoc Model No. LB1448
		Large upright storage bin (FIFO) first ice in, first ice out. 48" W x 34"
		D x 67" H, stainless steel front and sides, polyethylene liner, 1337
		lbs. application capacity, 45 cu. ft of internal volume of capacity.
	1	AHRI and NSF certified
	1 ea	3 year parts & labor warranty, std
	1 ea	Limited lifetime warranty on polyethylene liner
	1 ea	Model: K00463 Ice Scoop, 85 oz (5.3 lbs.) capacity, thumb & knuckle guard, rubber handle, internal or external bin mounting (compatible
		with D Bins), cast aluminum, NSF
	1 ea	Model: K00461 External Scoop Holder, wall or bin mount, metal
		frame with plastic shield, NSF
	1 ea	Model: K0034900 Ice Deflector, for 48" Indigo ice machines on LB-

PO Number: SL27346 06/16/2025

Item	Qty	Description		
		Style bins, or on non Manitowoc bins (universal)		
	1 ea	Model: K00482 External Scoop Holder Extension, for K-00461		
		(required if using with LB-style and F-style bins), NSF		
F4	1 ea	Manitowoc Model No. AR-40000-P		
		Arctic Pure® Plus Primary Water Filter Assembly, includes head, shroud, hardware, mounting assembly, & (1) filter cartridge, 40,00 gallon capacity, 1,001-2,500 lbs./ice per day)	
F213	1 ea	Manitowoc Model No. IYT0900A	_	
		Indigo NXT™ Series Ice Maker, cube-style, air-cooled, self-containe condenser, 30"W x 24-1/2"D x 26-1/2"H, production capacity up to 865 lb/24 hours at 70°/50° (750 lb AHRI certified at 90°/70°), easyTouch display with 13 different language options, date/time stamp display, automatic reminder/alert icon, one touch asset information, automatic detection of accessories, continuous operating status, programmable production options (time, weight, day or night), one touch cleaning with displayed instructions, Alph San anti-microbial protection, acoustical ice sensing probe, self-diagnostic technology, DuraTech™ exterior, half-dice size cubes, R410A refrigerant, NSF, cULus, CE, ENERGY STAR®		
	1 ea	Model: WARRANTY-ICE-SC 3 year parts & labor (Machine), 5 year parts & labor (Evaporator), 5 year parts & 3 years labor (Compressor), standard (nc)		
	1 ea	(-261) 208-230v/60/1-ph, 9.5 amps		
F214	1 ea	Manitowoc Model No. D570		
		Ice Bin, 30"W x 34"D x 50"H, with side-hinged front-opening door, side grips, 532 lbs. application capacity, AHRI certified 17.9 cu. ft., for top-mounted ice maker, Duratech exterior, NSF		
	1 ea	Model: WARRANTY-BIN/DISP 3 year parts & labor warranty, standa (nc)	rd	
	1 ea	Legs, 6" adjustable stainless steel, standard		
	1 ea	Model: K00463 Ice Scoop, 85 oz (5.3 lbs.) capacity, thumb & knuckl guard, rubber handle, internal or external bin mounting (compatib with D Bins), cast aluminum, NSF		
F215	1 ea	Manitowoc Model No. AR-10000-P		
		Arctic Pure® Plus Primary Water Filter Assembly, includes head, shroud, hardware, mounting assembly, & (1) filter cartridge, 15,00 gallon capacity, 0-600 lbs./ice per day)	
			PO By A	utoQuotes
		Signature: Da	te:	



Date	PO Number
06/16/2025	SL27345

Manufacturer:	Bill To:	Ship To:	Buyer:
Mars Air Systems 14716 South Broadway Gardena, CA 90248-1894 (310) 532-1555	Southern California Restaurant Design Group 171 Saxony Road, Ste. 103 Encinitas, CA 92024 (760) 436-3598	CKI Jen Wilson 13326 N. Dysart Rd Suite 160 Surprise, AZ 85379 714-745-0539	Southern California Restaurant Design Group Gail Garvin-Golley 171 Saxony Road, Ste. 103 Encinitas, CA 92024 (760) 436-3598
Date Required:	Ship Via: FOB	Point: Terms:	Freight Billing:

Date Required:Ship Via:FOB Point:Terms:07/01/2025Vendors ChoiceDestinationNet 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description
F92	1 ea	Mars Air Systems Model No. LPV236-1UA-OB
		LoPro Series 2 air curtain for 36"W door, galvanized steel cabinet
		with Obsidian Black powder coat finish, (1) 1/6 HP motor,
		115v/60/1-ph, cETLus
	1 ea	5 year warranty, standard
	1 ea	1 year warranty for all parts (except filters), standard
	1 ea	Mechanical switches
	1 ea	Door Limit Switch, indoor, plunger/roller type, remote mounted
	1 ea	Model: 99-014 Door limit switch, plunger/roller type for indoor
		applications, single pole double throw, 1 HP max, 250v, 20.0 amps,
		NEMA 1 (remote mounted)
	1 ea	Brackets
	1 ea	Transom mounting brackets
	1 st	Model: B0042 Transom mounting bracket kit for LPV2 units, steel with Obsidian Black finish (set of 2)
F127	1 ea	Mars Air Systems Model No. LPV236-1UA-OB
		LoPro Series 2 air curtain for 36"W door, galvanized steel cabinet
		with Obsidian Black powder coat finish, (1) 1/6 HP motor,
		115v/60/1-ph, cETLus
	1 ea	5 year warranty, standard
	1 ea	1 year warranty for all parts (except filters), standard
	1 ea	Mechanical switches
	1 ea	Door Limit Switch, indoor, plunger/roller type, remote mounted
	1 ea	Model: 99-014 Door limit switch, plunger/roller type for indoor
		applications, single pole double throw, 1 HP max, 250v, 20.0 amps,
		NEMA 1 (remote mounted)
	1 ea	Brackets
	1 ea	Transom mounting brackets

PO Number: SL27345 06/16/2025

Item	Qty	Description		
	1 st	Model: B0042 Transom mounting bracket kit for LPV2 ur with Obsidian Black finish (set of 2)	nits, steel	
				PO By AutoQuotes
		Signature:	Date:	



Date	PO Number
06/16/2025	SL26906

Manufacturer:	Bill To:	Ship To:	Buyer:
Metal Works Custom	Southern California Restaurant	Firerock Country Club - Fountain	Southern California Restaurant
Fabrication, LLC	Design Group	Hills, AZ PO's	Design Group
1429 E. Hadley Street	171 Saxony Road, Ste. 103	16000 E. Firerock Country Club Dr	Gail Garvin-Golley
Phoenix, AZ 85034	Encinitas, CA 92024	Fountain Hills, AZ 85268	171 Saxony Road, Ste. 103
(602) 462-1111	(760) 436-3598		Encinitas, CA 92024
			(760) 436-3598

Date Required:Ship Via:FOB Point:Terms:Freight Billing:06/01/2025Factory

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Do not proceed without approved shop drawings. Please send drawings to Scott Lang and Todd Krafchin

Item	Qty	Description
SS1	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS CORNER GUARD (13)
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.
SS2	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS
		WALL END CAP (9)
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General
		Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.
SS3	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS
		40 QT. MIXER UTENSIL RACK
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General
		Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.
SS4	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS
		PREP SINK
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General
		Conditions and approved Shop Drawings. All equipment must have
		NSF, UL, ETL, AGA labels as applicable.
SS5	2 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS
	2	WALL SHELF
	2 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have
		NSF, UL, ETL, AGA labels as applicable.
SS6	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS

Item	Qty	Description	06/16/202
		DESSERT COUNTER	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General	
		Conditions and approved Shop Drawings. All equipment must have	
		NSF, UL, ETL, AGA labels as applicable.	
SS7	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
		EQUIPMENT PLATFORMS / CURBS	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General	
		Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS8	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
330	ı ca	MICROWAVE SHELF (CONCEALED BRACKETS)	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General	
		Conditions and approved Shop Drawings. All equipment must have	
		NSF, UL, ETL, AGA labels as applicable.	
SS11	2 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS	_
		WALL SHELF (CONCEALED BRACKETS)	
	2 ea	Shall be custom fabricated per KEC plans, Specifications, General	
		Conditions and approved Shop Drawings. All equipment must have	
6643		NSF, UL, ETL, AGA labels as applicable.	
SS12	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS PANTRY COUNTER	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General	
		Conditions and approved Shop Drawings. All equipment must have	
		NSF, UL, ETL, AGA labels as applicable.	
SS13	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
		EQUIPMENT PLATFORMS / CURBS	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General	
		Conditions and approved Shop Drawings. All equipment must have	
SS14	1 ea	NSF, UL, ETL, AGA labels as applicable. Metal Works Custom Fabrication, LLC Model No. STAINLESS	
3314	1 64	PIZZA COUNTER	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General	
	2 00	Conditions and approved Shop Drawings. All equipment must have	
		NSF, UL, ETL, AGA labels as applicable.	
SS15	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
		EQUIPMENT PLATFORMS / CURBS	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General	
		Conditions and approved Shop Drawings. All equipment must have	
		NSF, UL, ETL, AGA labels as applicable.	
SS17	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
	1 00	PANTRY / DESSERT PASS SHELF Shall be custom fabricated per KEC plans, Specifications, General	
	1 ea	Conditions and approved Shop Drawings. All equipment must have	
		NSF, UL, ETL, AGA labels as applicable.	
SS18	2 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
		WALL SHELF (CONCEALED BRACKETS)	
	2 ea	Shall be custom fabricated per KEC plans, Specifications, General	
		Conditions and approved Shop Drawings. All equipment must have	
		NSF, UL, ETL, AGA labels as applicable.	
SS19	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
		SOILED DISHTABLE ASSEMBLY	
	1 ea	Stainless steel scrap basket	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General	
		Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS22	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
JJ22	Ι ΙΙ	WALL FLASHING (SKULLERY AREA)	
		WALL LASTING (SKOLLLKI AKLA)	

Item	Qty	Description	06/16/202
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS23	2 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS VENT COWL EXTENSION	
	2 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS24	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS CLEAN DISHTABLE ASSEMBLY	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS25	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS POT SINK ASSEMBLY	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS26	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS PREP WORK TABLE	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS27	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
	1 ea	PREP WORK TABLE Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS28	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS OVERSHELF & UTENSIL RACK	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS29	2 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS FRYER SIDE SPLASH	
	2 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS30	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS EQUIPMENT BUMPER	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS31	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS EXHAUST HOOD TRIM & INSTALLATION HARDWARE	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS32	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS WALL FLASHING (PREP COOKLINE)	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS33	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS EXHAUST HOOD TRIM & INSTALLATION HARDWARE	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General	

Item	Qty	Description	06/16/2025
		Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS34	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS WALL FLASHING (MAIN COOK LINE)	_
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS37	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS EQUIPMENT BUMPER	_
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS38	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS TRASH RECEPTACLE & CHUTE	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS41	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
	1 ea	CHEF'S COUNTER W/ HAND SINK Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shap Descriptor. All apprisons at the second secon	
		Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS42	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
	1 ea	EQUIPMENT PLATFORMS / CURBS Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS43	2 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS WALL SHELF	
	2 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS44	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS CHEF'S COUNTER	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS45	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS EQUIPMENT PLATFORMS / CURBS	_
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS46	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS TRASH RECEPTACLE & CHUTE	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS47	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS CHEF'S COUNTER W/ HAND SINK	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS48	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS EQUIPMENT PLATFORMS / CURBS	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	

Item	Qty	Description	06/16/202
SS50	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
		EXPO COUNTER	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General	
		Conditions and approved Shop Drawings. All equipment must have	
		NSF, UL, ETL, AGA labels as applicable.	
SS51	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
	_	EQUIPMENT PLATFORMS / CURBS	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General	
		Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS52	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
0002	- 50	CHEF'S PASS SHELF ASSEMBLY	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General	
		Conditions and approved Shop Drawings. All equipment must have	
		NSF, UL, ETL, AGA labels as applicable.	
SS54	2 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
		TRAY RACK	
	2 ea	Shall be custom fabricated per KEC plans, Specifications, General	
		Conditions and approved Shop Drawings. All equipment must have	
	2	NSF, UL, ETL, AGA labels as applicable.	
SS55	3 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS WALL SHELF	
	2 02		
	3 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have	
		NSF, UL, ETL, AGA labels as applicable.	
SS56	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
		BEVERAGE COUNTER W/ HAND SINK	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General	
		Conditions and approved Shop Drawings. All equipment must have	
		NSF, UL, ETL, AGA labels as applicable.	
SS57	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
		EQUIPMENT PLATFORMS / CURBS	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General	
		Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS58	3 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
3330	J ca	WALL SHELF	
	3 ea	Shall be custom fabricated per KEC plans, Specifications, General	
	0 04	Conditions and approved Shop Drawings. All equipment must have	
		NSF, UL, ETL, AGA labels as applicable.	
SS61	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
		SERVICE BAR DRIP TRAY	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General	
		Conditions and approved Shop Drawings. All equipment must have	
		NSF, UL, ETL, AGA labels as applicable.	
SS62	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
	1 00	UNDERBAR DRAINBOARD	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have	
		NSF, UL, ETL, AGA labels as applicable.	
SS63	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
	-	BACK BAR COUNTER BODY	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General	
		Conditions and approved Shop Drawings. All equipment must have	
		NSF, UL, ETL, AGA labels as applicable.	
SS64	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS	

Item	Qty	Description	06/16/202
		BAR SCUPPER RAIL	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS65	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS WALL FLASHING & TRIM (BAR DIE)	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS66	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS BEVERAGE COUNTER	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS67	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS EQUIPMENT PLATFORMS / CURBS	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS68	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS TRASH RECEPTACLE & CHUTE	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS100	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS CORNER GUARD (4)	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS101	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS BEVERAGE COUNTER	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS102	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS EQUIPMENT PLATFORMS / CURBS	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS103	3 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS WALL SHELF	
	3 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS104	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS WORK TABLE	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS105	3 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS WALL SHELF	
	3 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS106	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS BACK BAR COUNTER BODY	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General	

Item	Qty	Description	06/16/202
		Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS107	1 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS SERVICE COUNTER BODY	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS108	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
		EQUIPMENT PLATFORMS / CURBS	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS111	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS BAR SCUPPER RAIL	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS113	1 lt	Metal Works Custom Fabrication, LLC Model No. STAINLESS WALL FLASHING (BAR DIE)	
	1 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS114	3 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
		WALL SHELF (CONCEALED BRACKETS)	
	3 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
SS115	2 ea	Metal Works Custom Fabrication, LLC Model No. STAINLESS	
		WALL SHELF (CONCEALED BRACKETS)	
	2 ea	Shall be custom fabricated per KEC plans, Specifications, General Conditions and approved Shop Drawings. All equipment must have NSF, UL, ETL, AGA labels as applicable.	
			PO By AutoQuotes

Signature:	Date:



Date	PO Number
06/16/2025	SL27337

Manufacturer:	Bill To:	Ship To:	Buyer:
Metro	Southern California Restaurant		Southern California Restaurant
651 N. Washington St. Wilkes Barre, PA 18705	Design Group 171 Saxony Road, Ste. 103	Jen Wilson 13326 N. Dysart Rd Suite 160	Design Group Gail Garvin-Golley
570-825-2741	Encinitas, CA 92024	Surprise, AZ 85379	171 Saxony Road, Ste. 103
	(760) 436-3598	714-745-0539	Encinitas, CA 92024
			(760) 436-3598
Date Required:	Ship Via: FOB	Point: Terms:	Freight Billing:

07/01/2025 PPD/ADD Factory 1% 10 Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description	
F128	4 ea	Metro Model No. D2020N Quick Ship - Dish Rack Dolly, platform design, single stack, designe for 20" x 20" racks, 5"Heavy duty, non-marking, resilient tread swiv casters, corner bumpers, all aluminum construction, without handless and the construction of the constru	el
F205	3 ea	Metro Model No. D2020N Quick Ship - Dish Rack Dolly, platform design, single stack, designe for 20" x 20" racks, 5"Heavy duty, non-marking, resilient tread swiv casters, corner bumpers, all aluminum construction, without handlesses.	el
			PO By AutoQuotes
		Signature: Da	te:



Date	PO Number
06/16/2025	

Manufacturer:	Bill To:	Ship To:	Buyer:
Micro Matic USA 2386 Simon Ct. Brooksville, FL 34604-0751 352-544-1081	Southern California Restauran Design Group 171 Saxony Road, Ste. 103 Encinitas, CA 92024 (760) 436-3598	t CKI Jen Wilson 13326 N. Dysart Rd Suite 160 Surprise, AZ 85379 714-745-0539	Southern California Restaurant Design Group Gail Garvin-Golley 171 Saxony Road, Ste. 103 Encinitas, CA 92024 (760) 436-3598
Date Required:	Ship Via: FO	B Point: Terms:	Freight Billing:

Date Required:Ship Via:FOB Point:Terms:07/01/2025PPD/ADDFactory2% 10 / net 30 days

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description		
F148A	1 ea	Micro Matic USA Model No. CUSTOM DRIP TROUGH		
F219	1 ea	Micro Matic USA Model No. CUSTOM DRIP TROUGH		
				PO By AutoQuotes
		Signature:	Date:	



Date	PO Number
06/16/2025	SL27344

Manufacturer:	Bill To:	Ship To:	Buyer:
New Age 16788 E Hwy 36 PO Box 520 Norton, KS 67654	Southern California Restaurant Design Group 171 Saxony Road, Ste. 103 Encinitas, CA 92024	CKI Jen Wilson 13326 N. Dysart Rd Suite 160 Surprise, AZ 85379	Southern California Restaurant Design Group Gail Garvin-Golley 171 Saxony Road, Ste. 103
(785) 877-5121	(760) 436-3598	714-745-0539	Encinitas, CA 92024 (760) 436-3598
Date Required:	Ship Via: FOB	Point: Terms:	Freight Billing:

Date Required:Ship Via:FOB Point:Terms:07/01/2025PPD/ADDFactory1% 10, Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description	
F177	3 ea	New Age Model No. 98037 Keg Dolly, one piece, octagon shape, 17-1/4" x 17-1/4", transports one keg up to 16-3/4" dia., aluminum, (4) 3" platform casters, Made in USA, (standard factory lead time)	
	3 ea	Lifetime warranty against rust & corrosion, 5 year workmanship and material defects warranty, standard	
			PO By AutoQuotes
		Signature: Date:	



Date	PO Number
06/16/2025	\$1,27343

Manufacturer:	Bill To:	Ship To:	Buyer:
Olympic 3263 Elam Farms Pkwy	Southern California Restaurant Design Group	CKI Jen Wilson	Southern California Restaurant Design Group
Murfreesboro, TN 37127	171 Saxony Road, Ste. 103 Encinitas, CA 92024	13326 N. Dysart Rd Suite 160 Surprise, AZ 85379	Gail Garvin-Golley 171 Saxony Road, Ste. 103
	(760) 436-3598	714-745-0539	Encinitas, CA 92024 (760) 436-3598
Date Required:	Ship Via: FOB	Point: Terms:	Freight Billing:

Date Required:Ship Via:FOB Point:Terms:07/01/2025PPD/ADDFactory1% 10, Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

209 1 It Olympic Model No. 4-TIER, GREEN EPOXY The following Shelving to consist of: 4 ea Model: J2136K The open wire design of these carbon-steel shelves minimizes dust accumulation and allows a free circulation of air, greater visibility of stored items and greater light penetration. Olympic wire shelving can change as quickly as your needs change. Shelf wires run front to back, allowing you to slide items on and off shelves smoothly. Shelves can be adjusted at 1" (25mm) intervals along the entire length of the post. Green-Guard Epoxy finish with chromate substrate. Olympic Green-Guard Epoxy coated shelves and posts carry a 10-year limited warranty against rust and corrosion. NSF 4 ea Model: J74UK Posts have circular grooves at 1" (25mm) intervals. A tapered split sleeve snaps together around each post. Tapered openings in the shelf corners slide over the tapered split sleeves providing a positive lock. Shelf is assembled in minutes without the use of any special tools. Shelves can be adjusted at 1" (25mm) intervals along the entire length of the post. Bolt levelers compensate for surface irregularities on stationary posts. Posts also available for mobile application. Green-Guard Epoxy finish with chromate substrate. Olympic Green-Guard Epoxy coated shelves and posts	
minimizes dust accumulation and allows a free circulation of air, greater visibility of stored items and greater light penetration. Olympic wire shelving can change as quickly as your needs change. Shelf wires run front to back, allowing you to slide items on and off shelves smoothly. Shelves can be adjusted at 1" (25mm) intervals along the entire length of the post. Green-Guard Epoxy finish with chromate substrate. Olympic Green-Guard Epoxy coated shelves and posts carry a 10-year limited warranty against rust and corrosion. NSF 4 ea Model: J74UK Posts have circular grooves at 1" (25mm) intervals. A tapered split sleeve snaps together around each post. Tapered openings in the shelf corners slide over the tapered split sleeves providing a positive lock. Shelf is assembled in minutes without the use of any special tools. Shelves can be adjusted at 1" (25mm) intervals along the entire length of the post. Bolt levelers compensate for surface irregularities on stationary posts. Posts also available for mobile application. Green-Guard Epoxy finish with chromate substrate. Olympic Green-Guard Epoxy coated shelves and posts	
tapered split sleeve snaps together around each post. Tapered openings in the shelf corners slide over the tapered split sleeves providing a positive lock. Shelf is assembled in minutes without the use of any special tools. Shelves can be adjusted at 1" (25mm) intervals along the entire length of the post. Bolt levelers compensate for surface irregularities on stationary posts. Posts also available for mobile application. Green-Guard Epoxy finish with chromate substrate. Olympic Green-Guard Epoxy coated shelves and posts	
carry a 10-year limited warranty against rust and corrosion. NSF 4 ea Model: J5B Stem/Swivel-Brake Caster, 5" dia.,1-1/4" face, resilient	
rubber tread, 200 lb. load capacity (priced per each), NSF	

Signature:	Date:	



Date	PO Number	
06/16/2025	SL27369	

Manufacturer:	Bill To:	Ship To:	Buyer:
Pitco Frialator (Middleby)	Southern California Restaurant	СКІ	Southern California Restaurant
P O Box 501	Design Group	Jen Wilson	Design Group
Concord, NH 033020501	171 Saxony Road, Ste. 103	13326 N. Dysart Rd Suite 160	Gail Garvin-Golley
6032256684	Encinitas, CA 92024	Surprise, AZ 85379	171 Saxony Road, Ste. 103
	(760) 436-3598	714-745-0539	Encinitas, CA 92024
			(760) 436-3598
Date Required:	Ship Via: FOB	Point: Terms:	Freight Billing:

Date Required:Ship Via:FOB Point:Terms:07/01/2025PPD/ADDFactory1% 10, Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Signature:

Mark for: Firerock CC

F87	1 ea	Pitco Frialator (Middleby) Model No. SG14RS-1FD Solstice™ Prepackaged Fryer System with Solstice™ Solo Filter System, High Power, gas, (1) 40-50 lb. oil capacity full tank, millivolt control, stainless steel tank, front & sides, under-fryer drawer	
		filtration, 10" adjustable legs, 122,000 BTU (-F), NSF, CE, CSA Flame, CSA Star, AuGA	
	1 ea	1 year parts and labor warranty from the date of installation up to a maximum of 15 months from the date of manufacture (with appropriate documentation), standard	
	1 ea	Natural gas	
	1 ea	Millivolt Thermostat, standard	
	1 ea	115v/60/1-ph, 5.6 amps	
	1 ea	Contact factory for cord information	
	1 ea	Model: P6072145 Basket, (2) oblong/twin size, 13-1/2" x 6-1/2" x 5-3/4" deep, long handle, regular mesh (shipped std (n/c) with models "T" SG14, SG14R, SSH55, SE14, SE14X, SE14B, SG14T, 35+, 45+, fryer batteries shipped with (1) per fryer	
	4 ea	Model: B3902303 Casters, 10", rigid, (each) locking, for fryers with Solo Filter (excludes Mega Fryers and ROV)	
			PO By AutoQuotes

Southern California Restaurant Design Group



Date	PO Number	
06/16/2025	SL27300	

Manufacturer:	Bill To:	Ship To:	Buyer:
Structural Concepts	Southern California Restaurant		Southern California Restaurant
888 E Porter Rd Muskegon, MI 49441	Design Group 171 Saxony Road, Ste. 103	Jen Wilson 13326 N. Dysart Rd Suite 160	Design Group Gail Garvin-Golley
231-798-8888	Encinitas, CA 92024	Surprise, AZ 85379	171 Saxony Road, Ste. 103
	(760) 436-3598	714-745-0539	Encinitas, CA 92024 (760) 436-3598
Date Required:	Ship Via: FOB	Point: Terms:	Freight Billing:

Date Required:Ship Via:FOB Point:Terms:07/01/2025PPD/ADDFactory2% 20, Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description
F221	1 ea	Structural Concepts Model No. BD3632
		Oasis® Self-Service Refrigerated Case, 36-1/4"W, (1) self-closing
		swinging front clear glass door, Breeze with EnergyWise self-
		contained refrigeration, (4) metal removable and adjustable shelves,
		LED shelf lights, condensate pan, powder coated exterior, casters with levelers, R290 Hydrocarbon refrigerant, cETLus, ETL-Sanitation
	1 ea	Warranty: 1 year parts & labor warranty, 5 year compressor warranty, standard
	1 ea	NOTE: If GFCI is required, a GFCI breaker MUST be used in lieu of a GFCI receptacle
	1 ea	Exterior Color: Powder coated SCC Standard Silversan Black (FDA compliant), standard
	1 ea	Interior Color: Powder coated SCC Standard Silversan Black (FDA compliant), standard
	1 ea	Base Support: Casters with levelers (self-cont.), standard
	1 ea	End Panels: Full with stainless steel mirror interior, standard
	1 ea	Price Tag Molding: 1" Price tag molding (matches interior color), standard
	1 ea	Shelving: Metal shelves (4), lighted (LED), standard
	1 ea	Lights: LED 4000K with frosted lens, standard
	1 ea	Refrigeration: Breeze~E (Type-II) self-contained refrigeration, standard
	1 ea	Electrical Connection: 6' Straight blade power cord (base exit), standard
	1 ea	Thermometer: Digital fahrenheit thermometer, standard
	1 ea	Vinyl Graphics: None, standard
F222	1 ea	Structural Concepts Model No. BD3632
		Oasis® Self-Service Refrigerated Case, 36-1/4"W, (1) self-closing

PO Number: SL27300 06/16/2025

00,10,	Description	Qty	Item
	swinging front clear glass door, Breeze with EnergyWise self- contained refrigeration, (4) metal removable and adjustable shelves, LED shelf lights, condensate pan, powder coated exterior, casters with levelers, R290 Hydrocarbon refrigerant, cETLus, ETL-Sanitation		
	Warranty: 1 year parts & labor warranty, 5 year compressor warranty, standard	1 ea	
	NOTE: If GFCI is required, a GFCI breaker MUST be used in lieu of a GFCI receptacle	1 ea	
	Exterior Color: Powder coated SCC Standard Silversan Black (FDA compliant), standard	1 ea	
	Interior Color: Powder coated SCC Standard Silversan Black (FDA compliant), standard	1 ea	
	Base Support: Casters with levelers (self-cont.), standard	1 ea	
	End Panels: Full with stainless steel mirror interior, standard	1 ea	
	Price Tag Molding: 1" Price tag molding (matches interior color), standard	1 ea	
	Shelving: Metal shelves (4), lighted (LED), standard	1 ea	
	Lights: LED 4000K with frosted lens, standard	1 ea	
	Refrigeration: Breeze~E (Type-II) self-contained refrigeration, standard	1 ea	
	Electrical Connection: 6' Straight blade power cord (base exit), standard	1 ea	
	Thermometer: Digital fahrenheit thermometer, standard	1 ea	
	Vinyl Graphics: None, standard	1 ea	
	Model: ADDITIONAL WARRANTY REGISTER YOUR CASE WITH STRUCTURAL CONCEPTS TO RECEIVE AN ADDITIONAL 6 MONTH WARRANTY. DETAILS CAN BE FOUND IN THE PACKET SHIPPED WITH THE CASE	1 ea	
PO By AutoQuo			
	Signature: Date:		



Field Purchase Order

6-16-25

Date	PO Number	
06/16/2025	SL27340	

Manufacturer:	Bill To:	Ship To:	Buyer:
1236 North 18th Street Design Group Jen Wilson		Southern California Restaurant Design Group Gail Garvin-Golley	
Sheboygan, WI 53081 920-457-4851	Encinitas, CA 92024 (760) 436-3598	Surprise, AZ 85379 714-745-0539	171 Saxony Road, Ste. 103 Encinitas, CA 92024 (760) 436-3598
Date Required:	Ship Via: FOB	Point: Terms:	Freight Billing:

Date Required:Ship Via:FOB Point:Terms:07/01/2025PPD/ADDFactorySEFA - 1% 10, Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Item	Qty	Description	
F237	7 ea	Vollrath Model No. 5950280	
		Mirage® Induction Buffet Warmer, countertop, 16-1/16"W x 16-	
		1/16"D x 3-1/16"H, black tempered ceramic glass top with natural	
		base, hold only or warming only, (4) power levels, LED indicator	
		lights on control panel, connect up to (3) units together with 30" inter-connect cord & only run one power cord, 120v/50/60/1-ph,	
		300W, 2.5 amps, cord with NEMA 5-15P, cULus, NSF, FCC, imported	
		(Refer to vollrathfoodservice.com for full warranty policy)	
	7 ea	1 year parts & labor warranty	
	7 ea	Model: 4644080 Non-Slip Mats for Induction Buffet Warmers, 9" x	
		8", black silicone, mats are safe up to 480°F (249C) (Refer to	
		vollrathfoodservice.com for full warranty policy)	
F238	3 ea	Vollrath Model No. V903001	
		Stainless steel cooling plate, full size. 20 7/8" L x 12 3/4" W. Place in	
		freezer overnight for hours of cold service. Use with the full-size	
		clear acrylic roll top lid (V904300, sold separately) for added safety	
		& cold containment. (Refer to vollrathfoodservice.com for full	
		warranty policy)	202 4
			PO By AutoQuotes
		Signature: Date:	



Field Purchase Order

6-16-25

Date	PO Number	
06/16/2025	SL27339	

Manufacturer:	Bill To:	Ship To:	Buyer:
Vulcan	Southern California Restaurant	СКІ	Southern California Restaurant
325 W. Main Street, Suite 900	Design Group	Jen Wilson	Design Group
Louisville, KY 40202	171 Saxony Road, Ste. 103	13326 N. Dysart Rd Suite 160	Gail Garvin-Golley
(502)778-2791	Encinitas, CA 92024	Surprise, AZ 85379	171 Saxony Road, Ste. 103
	(760) 436-3598	714-745-0539	Encinitas, CA 92024
			(760) 436-3598

Date Required:Ship Via:FOB Point:Terms:Freight Billing:07/01/2025Vendors ChoiceDestination1/2% 10, Net 30FREE FREIGHT

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Mark for: Firerock CC

Signature:

Item	Qty	Description
F99	1 ea	Vulcan Model No. V1FT36S
		V Series Heavy Duty Range, gas, 36", radial fin French top, standard oven, includes (1) oven rack, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 95,000 BTU, CSA, NSF
	1 ea	1 year limited parts & labor warranty, standard
	1 ea	Natural gas (specify elevation if over 2,000 ft.)
	1 ea	Model: PRESREG-NA11/4 1-1/4" NPT pressure regulator (Natural gas)
	1 ea	1-1/4" rear gas connection, standard
	1 ea	Rear gas connection: cap & cover, both ends
	1 ea	Model: CASTERS-RR4 Casters, 5" (set of 4) (2 with locks)
		PO By AutoQuo
		Pi

Southern	California	Restaurant	Design (Group



Signature:

Field Purchase Order

6-16-25

Date	PO Number
06/16/2025	SL27342

Manufacturer:	Bill To:	Ship To:	Buyer:
Webstaurant.com Southern California Restaurant Ck		СКІ	Southern California Restaurant
	Design Group	Jen Wilson	Design Group
	171 Saxony Road, Ste. 103	13326 N. Dysart Rd Suite 160	171 Saxony Road, Ste. 103
	Encinitas, CA 92024	Surprise, AZ 85379	Encinitas, CA 92024
	(760) 436-3598	714-745-0539	(760) 436-3598
Date Required:	Ship Via: FOE	Point: Terms:	Freight Billing:

Date Required: Ship Via: FOB Point: Terms: From 17/01/2025 Factory

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Item	Qty	Description
F14	3 ea	Webstaurant.com Model No. FG360088WHT ProSave® Ingredient Bin, 2-3/4 cu. ft., 13-1/8"W x 29-1/4"D x 28"H, mobile, slant front with sliding lid, 32 oz scoop, seamless construction, 3" extra wide casters front fixed & rear swivel, white base/clear lid, USDA, FDA, NSF, Made in USA (CANNOT BREAK CASE)
F27	5 ea	Webstaurant.com Model No. 1971258 Slim Jim® Container, 16 gallon, 22"L x 11"W x 25"H, with venting channels, molded-in handles, general purpose waste, open type without lid, high-impact plastic construction, gray, Made in USA
F27A	7 ea	Webstaurant.com Model No. 1980602 Slim-Jim® Trolley, 23.9"L x 14.7"W x 8.4"H, accommodates 3540 & 3541 containers, 120 lb. max capacity, black, Made in USA
F113	2 ea	Model: B-40 Bobrick Liquid Soap Dispenser, 40 oz. capacity, 5-1/2" x 3-1/2" x 6-1/2" H, surface mounted, vandal resistant, concealed mounting brackets, corrosion resistant valve, high impact plastic
F121	2 ea	Model: B-40 Bobrick Liquid Soap Dispenser, 40 oz. capacity, 5-1/2" x 3-1/2" x 6-1/2" H, surface mounted, vandal resistant, concealed mounting brackets, corrosion resistant valve, high impact plastic
F131	1 ea	Model: B-40 Bobrick Liquid Soap Dispenser, 40 oz. capacity, 5-1/2" x 3-1/2" x 6-1/2" H, surface mounted, vandal resistant, concealed mounting brackets, corrosion resistant valve, high impact plastic
F167	1 ea	Model: B-40 Bobrick Liquid Soap Dispenser, 40 oz. capacity, 5-1/2" x 3-1/2" x 6-1/2" H, surface mounted, vandal resistant, concealed mounting brackets, corrosion resistant valve, high impact plastic
		PO By AutoQuote

Southern California Restaurant Design Group



Field Purchase Order

6-16-25

Date	PO Number
06/16/2025	SL27338

Manufacturer:	Bill To:	Ship To:	Buyer:
Wells (Middleby) 265 Hobson St. Smithville, TN 615-5597-1561	Southern California Restaurant Design Group 171 Saxony Road, Ste. 103 Encinitas, CA 92024 (760) 436-3598	Metal Works Custom Fabrication, LLC 1429 E. Hadley Street Phoenix, AZ 85034 (602) 462-1111	Southern California Restaurant Design Group Gail Garvin-Golley 171 Saxony Road, Ste. 103 Encinitas, CA 92024 (760) 436-3598
Date Required:	Ship Via: FOB	Point: Terms:	Freight Billing:

Date Required:Ship Via:FOB Point:Terms:07/01/2025PPD/ADDFactory1% 10, Net 30

PO Instructions

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

Mark for: Firerock CC

Signature:

Item	Qty	Description
F123	2 ea	Wells (Middleby) Model No. SS-10TDUI
		Food Warmer, top-mount, built-in, electric, for 11 quart round insert,
		drain, wet/dry operation, thermostatic control, fully insulated, stainless steel construction, Wellslok, cULus, NSF
	2 ea	Limited 1 year parts & 1 year labor warranty, standard
	2 ea	Note: Must specify voltage and phase
	2 ea	120v/60/1-ph, 825 watts, direct
	2 kt	Model: 20385 Drain Valve Extension Kit, extension from drain to counter front with remote handle (for use with "D" models only) excluding DM models
F139	1 ea	Wells (Middleby) Model No. RW-26HD
		Heavy Duty Food Warming Drawer Unit, built-in, two drawers, capacity approximately 8 dozen rolls/drawer, humidity and thermostat controls, stainless steel construction, cULus, CE
	1 ea	1 year parts & labor warranty, standard
	1 ea	Note: Must specify voltage and phase
	1 ea	120v/60/1-ph, 900 watt, 7.5 amps, direct
		PO By AutoQuotes



1% 10, Net 30

Date	PO Number
06/16/2025	SL26987

PREPAID & ADD

Manufacturer:	Bill To:	Ship To:	Buyer:
Wood Stone 1801 W. Bakerview Rd. Bellingham, WA 98226-9105 (360) 650-1111	Southern California Restaurant Design Group 171 Saxony Road, Ste. 103 Encinitas, CA 92024 (760) 436-3598	16000 E. Firerock Country Club Dr Fountain Hills, AZ 85268	Design Group
Date Required:	Ship Via: FOB	Point: Terms:	Freight Billing:

PO Instructions

06/15/2025

This Purchase Order incorporates by reference Johnson-Lancaster's standard Purchase Order Terms and Conditions as published on www.Johnson-Lancaster.com.

Factory

Please direct any program or pricing discrepancies related to this order to J-L's Director of Purchasing: RachelG@Johnson-Lancaster.com

Please confirm receipt of po and ship date. Send acknowledgement to gail@socalrestaurantdesigngroup.com

PPD/ADD

Do not fabricate without approved drawings. Please send drawings to Todd Krafchin and Scott Lang for approval.

ltem	Qty	Description	
F44	1 ea	Wood Stone Model No. WS-TS-5-RFG-W	
		Traditional Series 5' Stone Hearth Oven, radiant gas flame in dome	
		with option to burn wood, ready for tile or stucco application on	
		site, 52" diameter hearth, (16) 8", (12) 10", (8) 12" or (5) 16" pizza	
		capacity, monolithic cast-ceramic floor and dome create "deep heat sink", angle iron stand, 10" OD flue collar, ETL-Sanitation, 105,000	
		BTU (contact factory for price)	
	1 ea	Model: RECEIVING AND INSTALL RESPONSIBILITIES YOU are	
		responsible for receiving, unloading, and installing the equipment.	
	This includes hiring and scheduling the necessary equipment and		
	staff for offloading upon delivery. Heavy-duty equipment is typically		
	required due to the weight and size of the ovens. Special rigging services and equipment may be needed for installation. For the		
		required equipment for unloading the truck GO TO:	
		https://woodstone-corp.com/unloading-moving/ or call the factory.	
		WE typically have the Truckers call the Site Contact 24-48 hours	
		before delivery so that the site can arrange for any special	
		equipment to be on site when the oven(s) arrive.	
		ALL INSTALLATION Including receiving, warehousing, consolidation,	
		delivery, assembly, set in place, leveling, final connections,	
1 ea	_	decorative facades, and testing is BY OTHERS.	
	1 ea	Model: SHIPPING FOB Bellingham, Washington 98226. Wood Stone	
		transfers ownership of the goods to the buyer once freight has been loaded on the truck in Bellingham.	

Regarding Freight Estimates: We strive to get you the best value and

Item Qty Description

pricing on freight from our preferred carriers with experience with our specialized equipment. Estimates are not binding as final dimensions and weights will affect the final shipping cost, as well as any special handling, expediting or delivery address changes. Prices may change due to carrier availability and other factors at the time of shipment. For this reason, do not list freight amounts on your Purchase Order.

1 ea Model: TECHNICAL START-UP FOR OVENS Technical Start Up by Wood Stone Authorized Service Agent for OVENS Included. This includes basic inspection of completed mechanical hook-ups to the oven, verification of incoming gas pressure to the oven, verification of burner pressures and proper function of oven components, verification that ventilation is functioning, and a check of basic oven function.

This technical startup does not include initial oven heat-up (which should be performed by customer after the technical start-up), in depth ventilation troubleshooting, certification of duct materials or compliance to ventilation codes, ventilation air balancing, or operational training. This covers labor for work on the oven only; any corrections to external piping, electrical, ventilation is by others. Corrections for improper modifications to the oven are not covered under this start-up. Return trips to verify installation corrections, or due to installation or customer not being ready are not covered. No liability for oven issues or damages, including as a result of improper oven installation or ventilation, is assumed by Wood Stone as a result of this technical start-up. Wood Stone Start-up does not include travel over 50 miles or two hours, overtime, and holiday charges which shall be at the expense of the purchaser.

- 1 ea Model: WARRANTY One year parts and labor. See the Installation Manuals for more details. All Installation Manuals are available on our website: www.woodstone-corp.com, under Resources / Tool Kit.
- 1 ea Natural Gas
- 1 ea 120v/50/60/1-ph, 1.1 amps, direct wire
- 1 ea NOTE: This is an Unfinished Oven Tile or Stucco finish done on site BY OTHERS, Factory prepared for field facade application
- 1 ea Flame located BACK, standard
- 1 ea Model: STANDARD-ARCH Standard Arch, most versatile option for flame visibility and chef accessibility
- 1 ea Model: WS-GSV-012 Exhaust #012 fan for use with direct connection, includes fan speed control, max. 800 CFM @ 0.10" W.C., 1.4 amps
- 1 ea Model: WS-GSV-012-ADP-10 Fan adapter, 10" round to #012 fan. Needed to attach directly to a round duct system. NOT NEEDED if using an exhaust fan curb (By Others).
- 1 ea Model: WS-TL-SET-WOOD-M Medium Tool Set, for wood ovens, includes (1) utility peel, (1) medium brush set, (1) T-style natural fiber brush, (1) bubble hook and (1) particle shovel, For Models: 4355, MS4, MS5,TS5, 6045, 8645, 9660, 11260
- 1 ea Model: WS-TL-LP-16-M Loading Peel, for 16" pies and smaller, light aluminum head and medium handle, overall length 50"
- 1 ea Model: WS-TL-AD Ash dolly with padlock
- 1 ea Model: WS-TL-WHC Wood handling cart
- 1 ea Model: 0-5-BOX-SS Storage Box, old style, NO IR burner, for 5' oven, stainless steel (contact factory for price)

PO By AutoQuotes