



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
0007		GLOBAL INDUSTRIAL	Lockers, CLEAR VIEW (5-TIER)	1	
0007		GLOBAL INDUSTRIAL	B2318156 Global Clear View Locker Five Tier 12x15x12 - 5 Doors Assembled - Tan Depth: 15 inches Compartment Height: 12 inches Width: 12 inches Compartment Depth: 15 inches Compartment Width: 12 inches Height: 66 inches Weight: 59 lbs Product Details Configuration: 1 Wide Lock Type Padlock Hasp & Built-in Lock Latch Number of Compartments: 5 Tier Type: Five Tier Locker Type Steel Locker - See-Thru Door Material: Steel/Polycarbonate Manufacturers Part Number: B2318156	31	1829
0007		GLOBAL INDUSTRIAL	FIELD MODIFICATION K.E.C. Installer to cut off legs in the field and mount to wall to meet local health department codes for food service facilities.	1	
0020D		Custom Fab	STAINLESS Hood Trim	1	
0020D		Custom Fab	Hangar Rods supplied by Hood Installer	1	
0023		Pitco (Middleby)	SG14-S Gas Floor Fryer	4	800
0023		Pitco (Middleby)	Startup program, for first serial number (submit on request at least 5 business days in advance on Pitco website, https://www.pitco.com/startup_request) (NET)	1	
0023		Pitco (Middleby)	Startup program, for each additional serial number at same location (submit on request at least 5 business days in advance on Pitco website, https://www.pitco.com/startup_request) (NET) priced per each	3	
0023		Pitco (Middleby)	Gas to be determined	1	
0023		Pitco (Middleby)	P6072145 Basket, (2) oblong/twin size, 13-1/2" x 6-1/2" x 5-3/4" deep, long handle, regular mesh (shipped std (n/c) with models "T" SG14, SG14R, SSH55, SE14, SE14X, SE14B, SG14T, 35+, 45+, fryer batteries shipped with (1) per fryer	4	
0023		Pitco (Middleby)	A5077706 Splash Guard, 12", reversible (L/R)	6	
0023		Pitco (Middleby)	B3901504 Casters, 9" adjustable swivel (set of 4)	4	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			non-lock rear & lock front casters, solstice supreme, SG, SE, VF and flat bottom fryers, pasta cookers, rethermalizers, BNB		
0023		Pitco (Middleby)	CHANNEL STRIP Joiner strip, to combine fryers in the field, N/C when ordered with equipment.	1	
0023A		Dormont	1675KITS48 Safety System Moveable Gas Connector	4	24.44
0025		Custom Fab	STAINLESS Fryer Bumpers	3	
0027		CFS Brands	Ticket Rails for Expo/Apps/Boba	1	
0027		CFS Brands	CK6536A San Jamar - Slide Check Rack, 36"L x 3/4"W x 2"H, glass marbles for smooth sliding, anodized aluminum (bagged with header card)	2	2.82
0027		CFS Brands	CK6548A San Jamar - Slide Check Rack, 48"L x 3/4"W x 2"H, glass marbles for smooth sliding, anodized aluminum (bagged with header card)	1	1.84
0027		CFS Brands	CK6560A San Jamar - Slide Check Rack, 60"L x 3/4"W x 2"H, glass marbles for smooth sliding, anodized aluminum (bagged with header card)	2	4.68
0030D		Custom Fab	STAINLESS Hood Trim	1	
0030D		Custom Fab	Hangar Rods supplied by Hood Installer	1	
0031		LTRestEq	PD-HKSMG-CB36(C) 36" GAS CABINET STEAMER	1	510
0031		LTRestEq	55426 HD Wood Crating and Palatized Fee	1	
0039		Custom	CUSTOM Equipment Stand & Freezer Base (REMOTE)	1	
0039		Custom	To Include: (4) Drawers	1	
0039		Custom	Base Will Be Pre-Piped, Wired and Foamed in Place		
0039		Custom	To be mounted on 4 inch high concrete curb (curb by others)	1	
0039A		Custom	Included as part of item #39	2	
0040		Custom Fab	STAINLESS Work Table with Plate Warming	2	
0041		Hatco	GRAIH-18 Heat Lamp	4	40
0041		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1	
0041		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1	
0041		Hatco	120v/60/1-ph	4	
0041		Hatco	NO CONTROL No control included, REMOTE	4	
0041		Hatco	SWITCHES PROVIDED IN LIEU OF CONTROL BOX		
0041		Hatco	REM INF Remote infinite control, additional switch	4	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			is required with tandem element, shipped loose (max. 12.2 amp) (available at time of purchase only)		
0041		Hatco	HTLEADS10 6' - 10' Extended Electrical Leads (available at time of purchase only)	4	
0041.1		Hatco	R.02.19.017.00 Switch	4	
0042		Custom	CUSTOM Refrigerated Wall Cabinet (REMOTE)	2	
0042		Custom	To Include: (1) Door Unit Will Be Pre-Piped, Wired and Foamed in Place	2	
0042A		Custom	Included as part of item #42	2	
0044		Custom Fab	STAINLESS Wall Shelf @ Cookline	1	
0045		Custom	CUSTOM CHEF'S COUNTER W/REFER BASE & UTILITY SINKS (REMOTE)	1	
0045		Custom	To Include: (18) Drawers and (3) Doors Base Will Be Pre-Piped, Wired and Foamed in Place	1	
0045		Custom	NOTE: SEISMIC HANGING STRUCTURE IF REQUIRED (TO BE PROVIDED BY OTHERS).	1	
0045A		Custom	Included as part of item #45	1	
0045B		Custom	Included as part of item #45	8	
0046		Custom	To be provided and included as part of the Chef's Counter, item #45	1	
0046		Custom	Included as part of item #45	1	
0047		T&S Brass	B-0211 Wall / Splash Mount Faucet	1	2.64
0048		T&S Brass	B-1146 Wall / Splash Mount Faucet	2	8
0049		T&S Brass	B-2703 Deck Mount Faucet	3	15.75
0050		Hatco	GRAIHL-48D3 Heat Lamp	3	105
0050		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1	
0050		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1	
0050		Hatco	120/208v/60/1-ph	3	
0050		Hatco	NO CONTROL No control included, REMOTE SWITCHES PROVIDED IN LIEU OF CONTROL BOX	3	
0050		Hatco	REM INF 2 (2) Remote infinite control in lieu of standard built-in toggle, shipped loose (max. 12.2 amp each) price for two (available at time of purchase only)	3	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
0050		Hatco	Note: INCLUDES THE STANDARD TOGGLE FOR LAMP CONTROL	3	
0050		Hatco	HTLEADS10 6' - 10' Extended Electrical Leads (available at time of purchase only)	3	
0050.1		Hatco	R.02.19.017.00 Switch	3	
0052		Town	56919NF Rice / Grain Warmer	2	42
0053		Wells (Middleby)	MOD-500TDM Hot Food Well Unit, Drop-In, Electric	1	191
0053		Wells (Middleby)	Note: Must specify voltage and phase	1	
0053		Wells (Middleby)	208/240v/60/1-ph or 3-ph, 1.24/1.65 kW per well, field wired (field convertible) (nc)	1	
0053		Wells (Middleby)	72" Wiring (thermostatically controlled warmers) per well	5	
0054		Panasonic	NE-1054F Microwave Oven	1	40
0055		Hatco	GRAIHL-54 Heat Lamp	2	48
0055		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1	
0055		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1	
0055		Hatco	120v/60/1-ph	2	
0055		Hatco	NO CONTROL No control included, REMOTE SWITCHES PROVIDED IN LIEU OF CONTROL BOX	2	
0055		Hatco	REM INF Remote infinite control, additional switch is required with tandem element, shipped loose (max. 12.2 amp) (available at time of purchase only)	2	
0055		Hatco	HTLEADS10 6' - 10' Extended Electrical Leads (available at time of purchase only)	2	
0055.1		Hatco	R.02.19.017.00 Switch	2	
0056		Hatco	GRAIHL-42 Heat Lamp	2	40
0056		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1	
0056		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1	
0056		Hatco	120v/60/1-ph	2	
0056		Hatco	NO CONTROL No control included, REMOTE SWITCHES PROVIDED IN LIEU OF CONTROL BOX	2	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
0056		Hatco	REM INF Remote infinite control, additional switch is required with tandem element, shipped loose (max. 12.2 amp) (available at time of purchase only)	2	
0056		Hatco	HTLEADS10 6' - 10' Extended Electrical Leads (available at time of purchase only)	2	
0056.1		Hatco	R.02.19.017.00 Switch	2	
0057		Hatco	GRAIHL-48 Heat Lamp	4	88
0057		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1	
0057		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1	
0057		Hatco	120v/60/1-ph	4	
0057		Hatco	NO CONTROL No control included, REMOTE SWITCHES PROVIDED IN LIEU OF CONTROL BOX	4	
0057		Hatco	REM INF Remote infinite control, additional switch is required with tandem element, shipped loose (max. 12.2 amp) (available at time of purchase only)	4	
0057		Hatco	HTLEADS10 6' - 10' Extended Electrical Leads (available at time of purchase only)	4	
0057.1		Hatco	R.02.19.017.00 Switch	4	
0060D		Custom Fab	STAINLESS Hood Trim	1	
0060D		Custom Fab	Hangar Rods supplied by Hood Installer	1	
0062		Groen	DH-60C Kettle, Gas, Tilting	1	810
0062		Groen	Start-up Program, included at customer's request (See start-up request form document)	1	
0062		Groen	Natural gas	1	
0062		Groen	ELEV0-2000 For elevation between 0 and 2000 (When order is placed, all equipment with elevation specified will be assigned a different Part# by the factory)	1	
0062		Groen	115v/60/1-ph, 5.0 amps, std.	1	
0062		Groen	2" Tangent draw-off (TDO)	1	
0062		Groen	Etch Marks, 5 gallon increments	1	
0062		Groen	159147 Hinged Cover Kit (no. 41), for 60 gallon floor model kettles (factory installed)	1	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
0062		Groen	153193 Flanged feet, set of 4	1	
0062A		Dormont	1650KITS48 Blue Hose Gas Connector Kit	1	4.12
0063		Groen	DH-40C Kettle, Gas, Tilting	1	640
0063		Groen	Natural gas	1	
0063		Groen	ELEVO-2000 For elevation between 0 and 2000 (When order is placed, all equipment with elevation specified will be assigned a different Part# by the factory)	1	
0063		Groen	115v/60/1-ph, 5.0 amps, std.	1	
0063		Groen	2" Tangent draw-off (TDO)	1	
0063		Groen	159143 Hinged Cover Kit (no. 41), for 40 gallon tilting kettle, factory installed	1	
0063		Groen	153193 Flanged feet, set of 4	1	
0063A		Dormont	1650KITS48 Blue Hose Gas Connector Kit	1	4.12
0064		RATIONAL	ICP 20-FULL NG 208/240V 1 PH(LM100GG)-QS Combi Oven, Gas	2	1872
0064		RATIONAL	NOTE: All discounts subject to approval by manufacturer	2	
0064		RATIONAL	CAP Chef Assistance Program, a RATIONAL certified Chef conducts 4 hours/location specialized application training with personnel, no charge	2	
0064		RATIONAL	9999.2002 Pre-Installation Site Consultation, provides an installation consultation to ensure the site has proper space and connections for gas, electric, drain & water, one (1) Consultation is needed for every four (4) cooking systems, includes 100 miles (200 miles round trip). (see attached installation flyer for details) THIS ITEM IS NON- DISCOUNTABLE, USA ONLY (NET)	1	
0064		RATIONAL	9999.2212 RCI RATIONAL Certified Installation, new certified installation for each gas floor iCombi, 100 miles (200 round-trip) included. (See attached installation flyer for details) THIS ITEM IS NON- DISCOUNTABLE, USA ONLY (NET)	2	
0064		RATIONAL	9999.2003 Second Installation Trip – only with RATIONAL Certified Installation when separate dates are required. Includes up to 4 cooking systems in one kitchen. Includes 100 miles (200 miles round-trip). THIS ITEM IN NON-	1	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
0064		RATIONAL	DISCOUNTABLE, USA ONLY (NET) 8720.1561US Installation Kit, for gas iCombi/SCC/CMP 102G (208-240/60Hz/1ph); gas iCombi/SCC/CMP 201G (120/60Hz/1ph); gas iCombi/SCC/CMP 202G (208-240/60Hz/1ph) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)	2	66	
0064		RATIONAL	56.01.535 Active Green Cleaner Tabs, for all iCombi Pro/Classic, 150 pieces/bucket (minimum order quantity- 2 ea, unless ordered with a unit) (NET)	4	51.48	
0064		RATIONAL	56.00.562 Care Tabs, bucket of 150 packets for all iCombi Pro/Classic models and SelfCooking Center® units from 10/2008, with CareControl - Serial SG, SH or SI series (minimum order quantity: 2pcs, unless ordered with a unit) (NET)	4	59.6	
0064		RATIONAL	6010.2101 Gastronorm Grid Shelf, 2/1 size, 25-5/8" x 20-7/8", stainless steel	20	95.4	
0064.1		Dormont	16100KITS48 Blue Hose Gas Connector Kit	2	18.04	
0064A		RATIONAL	60.22.496 Equipment Stand, Oven	2	198.42	
0065		Thunder Group	RER55ASN Rice / Grain Cooker	2	90	
0065A		Dormont	1650KITS48 Blue Hose Gas Connector Kit	2	8.24	
0066		Custom Fab	STAINLESS Tiered Equipment Stand	1		
0066		Custom Fab	On Legs	1		
0067		T&S Brass	B-2892-QDSV Faucet, Kettle / Pot Filler	2	22.4	
0068		Jade (Middleby)	JSP-182 Range, Stock Pot, Gas	1	165	
0068		Jade (Middleby)	NOTE: All units are fully welded with heavy duty construction, stainless steel sides, front and top are standard	1		
0068		Jade (Middleby)	Gas type to be specified	1		
0068		Jade (Middleby)	3/4" Rear connection, standard	1		
0068		Jade (Middleby)	3/4" Gas regulator supplied with range	1		
0068A		Dormont	1675KITS48 Safety System Moveable Gas Connector	1	6.11	
0070		Custom Fab	STAINLESS Island Prep Table w/Prep Sinks	1		
0070		Custom Fab	Includes sink covers; Faucets and lever wastes by others	1		
0070A		Fisher	22322 Drain, Lever / Twist Waste	2	20	
0072		Custom Fab	STAINLESS Island Prep Table w/Prep Sinks	1		
0072		Custom Fab	Includes sink covers; Faucets and lever wastes by others	1		



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
0072A		Fisher	22322 Drain, Lever / Twist Waste	4	40	
0074		SIRMAN	2132205010236T Meat Grinder	1	315	
0074		SIRMAN	LF1533030I2S Grinder Plate, 1/8" (3mm), stainless steel, for TC 32 LF1533030I2S	1		
0074		SIRMAN	LF1533045I2S Grinder Plate, 3/16" (4.5mm), stainless steel, for TC 32 F1533045I2S	1		
0075		SIRMAN	40807206TF Meat Mixer	1	380	
0076		Custom Fab	STAINLESS Work Table @ Meat Mixing	1		
0077		Custom Fab	STAINLESS Island Worktable Shelves	1		
0079		GLOBAL INDUSTRIAL	B1597078 Dunnage Rack, Vented	1	10	
0080D		Custom Fab	STAINLESS Hood Trim	1		
0080D		Custom Fab	Hangar Rods supplied by Hood Installer	1		
0082		Custom Fab	STAINLESS Ticket Rail for Dumplings	1		
0085		Custom	STAINLESS Counter w/Refrigerated Base (Remote)	1		
0085		Custom	With Refrigerated Base Remote Refrigeration To Include: (3) Drawers With Plate Shelf (1) ICMLC-1200 BTU Coil with Solenoid and ETC Base Will Be Pre-Piped, Wired and Foamed in Place	1		
0085A		Custom	Included as part of item #85	1		
0088		Custom	CUSTOM Counter with Overshelf	1		
0088		Custom	To be mounted on 4 inch high concrete curb (curb by others)	1		
0089		Custom Fab	STAINLESS 3-Compartment Basket Wash Sinks	1		
0089		Custom Fab	Faucets and lever wastes by others	1		
0089A		Fisher	22322 Drain, Lever / Twist Waste	3	30	
0090		Custom	CUSTOM Freezer Pan (REMOTE)	1		
0090		Custom	3-Section Night Cover included	1		
0090		Custom	Part of item #88	1		
0091		Utility Refrig	DTF-F-60-SS-4S-D-X Reach-In Freezer CURB MOUNTED (REMOTE)	1	570	
0091		Utility Refrig	HLR HINGING: L R	1		
0091		Utility Refrig	140-137-0SS Shelf, Stainless Steel	4		
0091		Utility Refrig	140-137-0SS Additional Shelf, Stainless Steel	4		
0091		Utility Refrig	480-731-000 Control, Digital Temperature, Refrigerator/Freezer, Green Buttons, Blue Display	1		
0091		Utility Refrig	480-123-000 Solenoid, Valve, For Use on	1		



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
0091		Utility Refrig	Refrigerators and Freezers U11-S00-213.1 U11-S00-213.1S/S Bottom for 60" Wide Reach-in Models	1	
0092		Utility Refrig	DTF-PT-R-60-SS-4G-4S-D-X Pass-Thru Refrigerator CURB MOUNTED (REMOTE)	1	570
0092		Utility Refrig	HLL/LR HINGING: L L (KITCHEN/CONTROL SIDE) / L R (SERVING SIDE)	1	
0092		Utility Refrig	140-137-OSS Shelf, Stainless Steel	4	
0092		Utility Refrig	140-138-OSS Shelf, Stainless Steel	4	
0092		Utility Refrig	480-123-000 Solenoid, Valve, For Use on Refrigerators and Freezers	1	
0092		Utility Refrig	480-731-000 Control, Digital Temperature, Refrigerator/Freezer, Green Buttons, Blue Display	1	
0092		Utility Refrig	U11-S00-213.2 U11-S00-213.2 S/S Bottom for R- 60/F-60 Models Remote Reach ins / Pass Thru with Drain	1	
0092		Utility Refrig	200-805-A00 Light, LED Strip 47" Long High Intensity, Low Profile, CENTER, Frosted Lens	1	
0093		Custom Fab	STAINLESS Work Table @ Dough Prep	1	
0094		Cambro	IBS20148 Ingredient Bin	2	56
0096		T&S Brass	B-0592-CR Faucet, Kettle / Pot Filler	1	4.2
0097		Sottoriva	CP4M Dough Sheeter	1	
0097		Sottoriva	FRT01 Factory Air Freight to Food Makers - included	1	
0099		Custom Fab	STAINLESS Wall Shelf @ Dough Prep	1	
0101		Utility Refrig	DTF-R-50-SS-2G-D-X Reach-In Refrigerator CURB MOUNTED (REMOTE)	1	510
0101		Utility Refrig	HLR HINGING: L R	1	
0101		Utility Refrig	140-135-OSS Shelf, Stainless Steel	4	
0101		Utility Refrig	140-136-OSS Shelf, Stainless Steel	4	
0101		Utility Refrig	480-731-000 Control, Digital Temperature, Refrigerator/Freezer, Green Buttons, Blue Display	1	
0101		Utility Refrig	480-123-000 Solenoid, Valve, For Use on Refrigerators and Freezers	1	
0101		Utility Refrig	200-805-A00 Light, LED Strip 47" Long High Intensity, Low Profile, CENTER, Frosted Lens	1	
0101		Utility Refrig	U11-S00-212.1 U11-S00-212.1 Stainless Steel Bottom For R-50/F-50 Models	1	
0102		Utility Refrig	R-25-SS-2G-D-X Reach-In Refrigerator	1	365



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
0102		Utility Refrig	Note: If freight quote is needed, please Contact Factory	1	
0102		Utility Refrig	115v/60/1-ph, no cord & plug, hardwired, standard	1	
0102		Utility Refrig	Door hinged on right, standard	1	
0102		Utility Refrig	6" adjustable heavy duty legs, standard	1	
0103		Utility Refrig	DTF-CHR-50-2S-D-EM Undercounter Refrigerator	1	365
0103		Utility Refrig	EML COMPRESSOR: LEFT	1	
0103		Utility Refrig	HLR HINGING: L R	1	
0103		Utility Refrig	300-412-000 Leg, Seismic (Each)	6	
0103		Utility Refrig	140-135-OSS Shelf, Stainless Steel	1	
0103		Utility Refrig	140-136-OSS Shelf, Stainless Steel	1	
0103		Utility Refrig	CH/LH EM Stainless Steel Back for Self-Contained Counter High and Low Height Models	2	
0103		Utility Refrig	GALVANIZED SUBTOP GALVANIZED SUBTOP ONLY-MARBLE WORKTOP BY OTHERS	1	
0104		Commercial Custom Seating, Inc.	MARBLE TOP FOR DUMPLING TABLE	1	
0104		Commercial Custom Seating, Inc.	Galvanized Sub-Top for mounting onto item #103 (item #103 by others)	1	
0105		Commercial Custom Seating, Inc.	PREP TABLE Dumpling Table	4	
0105		Commercial Custom Seating, Inc.	Expanded PVC in lieu of plywood for mounting stone top	4	
0105		Commercial Custom Seating, Inc.	CRATE CRATING & PALLET	4	
0106		Commercial Custom Seating, Inc.	MARBLE TOP FOR DUMPLING TABLES & COUNTER	4	
0111B		Custom Fab	STAINLESS Hood Trim	1	
0111B		Custom Fab	Hangar Rods supplied by Hood Installer	1	
0112		Custom Fab	STAINLESS Soiled Dishtable/Soak, Dump Sinks and Double Slant Rack	1	
0112		Custom Fab	Faucets and lever wastes by others	1	
0112A		Fisher	22209 Drain, Lever / Twist Waste	5	22.5
0113		Salvajor	S914 Waste Collector	1	145
0113		Salvajor	Collector top is available to ship to the fabricator in advance of unit (additional shipping charges will apply). Please provide instructions on order	1	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
0113		Salvajor	Domestic factory authorized start up within 75 mile radius of an authorized service agency, standard	1	
0113		Salvajor	Domestic factory authorized demo, standard	1	
0113		Salvajor	208v/60/3-ph, 3.2 amps	1	
0113		Salvajor	980211 Seismic Flange for Support Leg (3 included)	1	3
0114		T&S Brass	B-0133-B Pre-Rinse Faucet Assembly	2	23.1
0115		T&S Brass	B-0211 Wall / Splash Mount Faucet	1	2.64
0116		Custom Fab	STAINLESS Clean Dish Table	1	
0117		Custom Fab	STAINLESS Wall Shelf @ Clean Dish Table	2	
0119		Hobart	SDPE-11 Salad / Vegetable Dryer, Electric	1	88
0124		Custom Fab	Part of item #116	1	
0124		Custom Fab	Faucets and lever wastes by others	1	
0124A		Fisher	22322 Drain, Lever / Twist Waste	3	30
0125		T&S Brass	B-0133-ADF12-B Pre-Rinse Faucet Assembly, with Add On Faucet	1	14
0126		T&S Brass	B-0231 Wall / Splash Mount Faucet	6	33.96
0127		Custom Fab	STAINLESS Wall Shelf @ Pot Washing	2	
0128		Custom Fab	STAINLESS Pot Rack	1	
0129		Fisher	75397 Hose Reel	2	
0129A		Fisher	1801 Hose Reel	2	72.5
0137		Perlick	SDBR48 Back Bar Cabinet, Refrigerated	1	264
0137		Perlick	WARNING: The materials used in this product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	1	
0137		Perlick	Refrigeration line connections are located inside the cabinet on the left had side of evaporator coil	1	

Refrigeration lines can enter the cabinet from either the left or right hand side end wall knockout

Cabinet comes standard with a left line cover, a right line cover is available upon request

This cabinet is part of an engineered refrigeration system that must be installed by a local refrigeration contractor to local codes & site



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			conditions		
			This remote refrigerator includes a choice of factory installed expansion valve. Solenoids, liquid & suction lines MUST BE provided by the refrigeration contractor even if the condensing unit is purchased from Perlick		
			All remote refrigeration is built to order and is non-returnable		
0137		Perlick	120v/60/1-ph, 1.6 amps, hardwired	1	
0137		Perlick	730 Second year extended parts & labor warranty for refrigeration products (NET)	1	
0137		Perlick	Standard refrigerator	1	
0137		Perlick	404A, R507, R502 & R402A expansion valve	1	
0137		Perlick	Condensing unit for 404A refrigerant to be provided by others	1	
0137		Perlick	Stainless steel top finish	1	
0137		Perlick	Stainless steel, unfinished, both sides, standard	1	
0137		Perlick	Shelving style, first: (3) flat shelves	1	
0137		Perlick	Shelving style, second: (3) flat shelves	1	
0137		Perlick	Crisp White LED	1	
0137		Perlick	No legs or casters	1	
0138		Perlick	SDBR96 Back Bar Cabinet, Refrigerated	1	447
0138		Perlick	WARNING: The materials used in this product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	1	
0138		Perlick	Refrigeration line connections are located inside the cabinet on the left had side of evaporator coil	1	

Refrigeration lines can enter the cabinet from either the left or right hand side end wall knockout

Cabinet comes standard with a left line cover, a right line cover is available upon request

This cabinet is part of an engineered refrigeration



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			system that must be installed by a local refrigeration contractor to local codes & site conditions		
			This remote refrigerator includes a choice of factory installed expansion valve. Solenoids, liquid & suction lines MUST BE provided by the refrigeration contractor even if the condensing unit is purchased from Perlick		
			All remote refrigeration is built to order and is non-returnable		
0138		Perlick	120v/60/1-ph, 2.5 amps, cord connected	1	
0138		Perlick	730 Second year extended parts & labor warranty for refrigeration products (NET)	1	
0138		Perlick	Standard refrigerator	1	
0138		Perlick	404A, R507, R502 & R402A expansion valve	1	
0138		Perlick	Condensing unit for 404A refrigerant to be provided by others	1	
0138		Perlick	Stainless steel top finish	1	
0138		Perlick	Stainless steel, unfinished, both sides, standard	1	
0138		Perlick	Shelving style, first: (3) flat shelves	1	
0138		Perlick	Shelving style, second: (3) flat shelves	1	
0138		Perlick	Shelving style, third: (3) flat shelves	1	
0138		Perlick	Shelving style, fourth: (3) flat shelves	1	
0138		Perlick	Crisp White LED	1	
0138		Perlick	No legs or casters	1	
0139		Cambro	DRY STORAGE (5-TIER/VENTED/84"H/STATIONARY)	1	
0139		Cambro	EXU183684V5480 Camshelving® Elements XTRA Stationary Starter Unit, 18"W x 36"L x 84"H, 5-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (5) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (10) Universal Traverses & (5) bags of 4 dovetails (10 left, 10 right), speckled gray, 800 lbs. capacity per shelf /2,400 lbs. max capacity, NSF (NOTE: This is a new product line. It is	1	65.97



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
0139		Cambro	NOT compatible with original Elements Series products.) EXA183684V5480 Camshelving® Elements XTRA Stationary Add-On Unit, 18"W x 36"L x 84"H, 5-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (5) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (2) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (10) Universal Traverses & (5) bags of 4 dovetails (10 left, 10 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	3	164.13	
0139		Cambro	EXU184284V5480 Camshelving® Elements XTRA Stationary Starter Unit, 18"W x 42"L x 84"H, 5-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (5) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (10) Universal Traverses & (5) bags of 4 dovetails (10 left, 10 right), speckled gray, 800 lbs. capacity per shelf /2,400 lbs. max capacity, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	4	285.24	
0139		Cambro	EXA184284V5480 Camshelving® Elements XTRA Stationary Add-On Unit, 18"W x 42"L x 84"H, 5-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (5) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (2) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (10) Universal Traverses & (5) bags of 4 dovetails (10 left, 10 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	8	480.4	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
0139		Cambro	Series products.) EXSK1842V5480 Camshelving® Elements XTRA Universal Shelf Kit, 18"W x 42"L, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes vented shelf plates for 5 shelves with Camguard® antimicrobial protection, (10) traverses & (5) bags of 8 dovetails (20 each A & B), speckled gray, NSF listed components, Made in USA (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	1	43.05	
0139		Cambro	EXU184884V5480 Camshelving® Elements XTRA Stationary Starter Unit, 18"W x 48"L x 84"H, 5-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (5) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (10) Universal Traverses & (5) bags of 4 dovetails (10 left, 10 right), speckled gray, 800 lbs. capacity per shelf /2,400 lbs. max capacity, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	2	152.92	
0139		Cambro	EXA184884V5480 Camshelving® Elements XTRA Stationary Add-On Unit, 18"W x 48"L x 84"H, 5-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (5) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (2) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (10) Universal Traverses & (5) bags of 4 dovetails (10 left, 10 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	3	195.6	
0139		Cambro	EXU185484V5480 Camshelving® Elements XTRA Stationary Starter Unit, 18"W x 54"L x 84"H, 5-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (5) vented reinforced	1	82.24	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (10) Universal Traverses & (5) bags of 4 dovetails (10 left, 10 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)			
0139		Cambro	CSDS18H6480 Camshelving® Dunnage Stand Support, fits Premium, original Elements AND Elements XTRA Series Shelving, 18"W x 6-1/2"H, recommended for units 54" or longer with weight loads over 600 lbs., speckled gray, NSF listed components	1	2.69	
0139		Cambro	EXCC5480 Camshelving® Elements XTRA Corner Connector Set, speckled gray (5) sets of left & right (NOTE: For every ECC10580 – 10 sets on the original quote, please double the quantity of this product (5 sets) on this updated quote.) (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	2	7.98	
0150		Hoshizaki	KM-1340MRJZ Ice Maker, Cube-Style	4	1156	
0150A		Hoshizaki	HS-5030 Ice Maker, Parts & Accessories	4	48	
0150B		Hoshizaki	HS-5606 Remote Condenser Unit, Parts & Accessories	4		
0150C		Hoshizaki	URC-14FZ Remote Condenser Unit	4		
0150C		Hoshizaki	Always pair Z model ice machines with Z model remote condenser	4		
0152		New Age	TUBE SHELVING (INVERTED)	1		
0152		New Age	97287 Shelf, wall-mounted, inverted, 60"W x 20"D, 12 gauge aluminum construction, NSF, Made in USA, (standard factory lead time)	2	42	
0152		New Age	97286 Shelf, wall-mounted, inverted, 48"W x 20"D, 12 gauge aluminum construction, NSF, Made in USA, (standard factory lead time)	5	90	
0152		New Age	97285 Shelf, wall-mounted, inverted, 36"W x 20"D, 12 gauge aluminum construction, NSF, Made in USA, (standard factory lead time)	3	39.9	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
0153		Cambro	GENERAL WIC SHELVING (4-TIER/VENTED/72"H/STATIONARY)	1	
0153		Cambro	EXA183072V4480 Camshelving® Elements XTRA Stationary Add-On Unit, 18"W x 30"L x 72"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (2) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	1	39.54
0153		Cambro	EXU183672V4480 Camshelving® Elements XTRA Stationary Starter Unit, 18"W x 36"L x 72"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), speckled gray, 800 lbs. capacity per shelf /2,400 lbs. max capacity, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	2	111.02
0153		Cambro	EXA183672V4480 Camshelving® Elements XTRA Stationary Add-On Unit, 18"W x 36"L x 72"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (2) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements	1	45.72



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
0153		Cambro	Series products.) EXSK1836V4480 Camshelving® Elements XTRA Universal Shelf Kit, 18"W x 36"L, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes vented shelf plates for 4 shelves with Camguard® antimicrobial protection, (8) traverses & (4) bags of 8 dovetails (16 each A & B), speckled gray, NSF listed components, Made in USA (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	2	66.1	
0153		Cambro	EXU184272V4480 Camshelving® Elements XTRA Stationary Starter Unit, 18"W x 42"L x 72"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), speckled gray, 800 lbs. capacity per shelf /2,400 lbs. max capacity, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	4	239.8	
0153		Cambro	EXA184272V4480 Camshelving® Elements XTRA Stationary Add-On Unit, 18"W x 42"L x 72"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (2) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	3	150.45	
0153		Cambro	EXSK1842V4480 Camshelving® Elements XTRA Universal Shelf Kit, 18"W x 42"L, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes vented shelf plates for 4 shelves with	1	35.17	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
0153		Cambro	Camguard® antimicrobial protection, (8) traverses & (4) bags of 8 dovetails (16 each A & B), speckled gray, NSF listed components, Made in USA (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.) EXU184872V4480 Camshelving® Elements XTRA Stationary Starter Unit, 18"W x 48"L x 72"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), speckled gray, 800 lbs. capacity per shelf /2,400 lbs. max capacity, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	3	192.87
0153		Cambro	EXA184872V4480 Camshelving® Elements XTRA Stationary Add-On Unit, 18"W x 48"L x 72"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (2) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	3	163.5
0153		Cambro	EXCC4480 Camshelving® Elements XTRA Corner Connector Set, speckled gray (4) sets of left & right (NOTE: For every ECC8580 – 8 sets on the original quote, please double the quantity of this product (4 sets) on this updated quote.) (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	10	32.6
0154		Cambro	DUMPLING WIC SHELIVING (4-TIER/VENTED/72"H/STATIONARY)	1	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
0154	_____	Cambro	EXU243072V4480 Camshelving® Elements XTRA Stationary Starter Unit, 24"W x 30"L x 72"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	1	57.54	_____
0154	_____	Cambro	EXU243672V4480 Camshelving® Elements XTRA Stationary Starter Unit, 24"W x 36"L x 72"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	2	130.48	_____
0154	_____	Cambro	EXA243672V4480 Camshelving® Elements XTRA Stationary Add-On Unit, 24"W x 36"L x 72"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (2) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), speckled gray, 800 lbs. capacity per shelf /2,400 lbs. max capacity, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	6	329.88	_____
0154	_____	Cambro	EXU244272V4480 Camshelving® Elements XTRA	1	70.96	_____



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			Stationary Starter Unit, 24"W x 42"L x 72"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)			
0154		Cambro	EXSK2448V1480 Camshelving® Elements XTRA Universal Shelf Kit, 24"W x 48"L, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: vented shelf plates for 1 shelf with Camguard® antimicrobial protection, (2) traverses & (1) bag of 4 dovetails (2 left, 2 right), speckled gray, NSF listed components, Made in USA (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	2	28	
0154		Cambro	EXPK2472480 Camshelving® Elements XTRA Post Kit, 24"W x 72"H, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (2) non-corrosive composite stationary posts with leveling feet installed, (1) reinforced polypropylene top post connector, (1) reinforced polypropylene bottom post connector, (4) reinforced nylon wedges in a bag & instructions, 2 post kits are required for one Camshelving Elements XTRA unit & 1 for add-on unit, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	1	11.75	
0154		Cambro	Lifetime warranty against corrosion and rust	1		
0155		Cambro	WALK-IN FREEZER SHELVING (4-TIER/VENTED/72"H/STATIONARY)	1		
0155		Cambro	EXU244272V4480 Camshelving® Elements XTRA Stationary Starter Unit, 24"W x 42"L x 72"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced	5	354.8	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
0155		Cambro	polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.) EXA244272V4480 Camshelving® Elements XTRA Stationary Add-On Unit, 24"W x 42"L x 72"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (2) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), speckled gray, 800 lbs. capacity per shelf /2,400 lbs. max capacity, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	4	242.76
0155		Cambro	EXSK2442V4480 Camshelving® Elements XTRA Universal Shelf Kit, 24"W x 42"L, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes vented shelf plates for 4 shelves with Camguard® antimicrobial protection, (8) traverses & (4) bags of 8 dovetails (16 each A & B), speckled gray, NSF listed components, Made in USA (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	1	45.89
0155		Cambro	EXU243672V4480 Camshelving® Elements XTRA Stationary Starter Unit, 24"W x 36"L x 72"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), 800 lbs.	1	65.24



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
0155	_____	Cambro	capacity per shelf /2,400 lbs. max capacity, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.) EXA243672V4480 Camshelving® Elements XTRA Stationary Add-On Unit, 24"W x 36"L x 72"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (2) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), speckled gray, 800 lbs. capacity per shelf /2,400 lbs. max capacity, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	5	274.9	_____
0155	_____	Cambro	EXCC4480 Camshelving® Elements XTRA Corner Connector Set, speckled gray (4) sets of left & right (NOTE: For every ECC8580 – 8 sets on the original quote, please double the quantity of this product (4 sets) on this updated quote.) (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	5	16.3	_____
0156	_____	Cambro	BEER COOLER SHELVING (4-TIER/VENTED/72"H/STATIONARY)	1		_____
0156	_____	Cambro	EXU186072V4480 Camshelving® Elements XTRA Stationary Starter Unit, 18"W x 60"L x 72"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	1	73.65	_____
0156	_____	Cambro	EXA186072V4480 Camshelving® Elements XTRA	1	63.86	_____



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			Stationary Add-On Unit, 18"W x 60"L x 72"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (2) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)		
0156		Cambro	EXSK1854V1480 Camshelving® Elements XTRA Universal Shelf Kit, 18"W x 54"L, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: vented shelf plates for 1 shelf with Camguard® antimicrobial protection, (2) traverses & (1) bag of 4 dovetails (2 left, 2 right), speckled gray, NSF listed components, Made in USA (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	4	52.84
0156		Cambro	EXSK2460V1480 Camshelving® Elements XTRA Universal Shelf Kit, 24"W x 60"L, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: vented shelf plates for 1 shelf with Camguard® antimicrobial protection, (2) traverses & (1) bag of 4 dovetails (2 left, 2 right), speckled gray, NSF listed components, Made in USA (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	6	108.9
0156		Cambro	EXPK2472480 Camshelving® Elements XTRA Post Kit, 24"W x 72"H, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (2) non-corrosive composite stationary posts with leveling feet installed, (1) reinforced polypropylene top post connector, (1) reinforced polypropylene bottom post connector, (4) reinforced nylon wedges in a bag & instructions, 2 post kits are required for one Camshelving Elements XTRA unit & 1 for add-on unit, speckled gray, NSF (NOTE: This is a new	3	35.25



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
0156		Cambro	product line. It is NOT compatible with original Elements Series products.) EXCC4480 Camshelving® Elements XTRA Corner Connector Set, speckled gray (4) sets of left & right (NOTE: For every ECC8580 – 8 sets on the original quote, please double the quantity of this product (4 sets) on this updated quote.) (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	2	6.52	
0156A		Micro Matic	KD300 Keg Dolly	12	43.2	
0157		Quantum	M2448-69SECP-2 Security Unit	3		
0158		Cambro	DISH WASHING SHELVING (5-TIER/VENTED/78"H/MOBILE)	1		
0158		Cambro	EXMU183670V5480 Camshelving® Elements XTRA Mobile Unit, 18"W x 36"L x 70-1/4"H, 5-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (5) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (10) Universal Traverses & (5) bags of 4 dovetails (10 left, 10 right), (4) premium swivel casters with total locking brake, 900 lbs. max capacity, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	2	138.7	
0158		Cambro	EXMU184270V5480 Camshelving® Elements XTRA Mobile Unit, 18"W x 42"L x 70-1/4"H, 5-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (5) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (10) Universal Traverses & (5) bags of 4 dovetails (10 left, 10 right), (4) premium swivel casters with total locking brake, 900 lbs. max capacity, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	2	147.2	
0158		Cambro	EXMU184870V5480 Camshelving® Elements XTRA Mobile Unit, 18"W x 48"L x 70-1/4"H, 5-tier, withstands temperature from -36°F (-38°C) to 190°F	3	235.32	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			(88°C), includes: (5) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (10) Universal Traverses & (5) bags of 4 dovetails (10 left, 10 right), (4) premium swivel casters with total locking brake, 900 lbs. max capacity, speckled gray, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)		
0158		Cambro	Lifetime warranty against corrosion and rust	1	
0159		Cambro	CD2020110 Rack Dolly	3	50.55
0160		Channel	DUNNAGE RACKS (6"H)	1	
0160		Channel	ADE2060 Dunnage Rack, Tubular Dunnage Rack, Promo Series, 60"W x 20"D x 12"H, Aluminum Construction, (2,000) lb. distributed weight capacity per shelf, Made in USA, NSF, 13lbs. (ITEM WEIGHT ONLY)	3	39
0160		Channel	/6 Accessories, 6" Height, Made in USA (no charge)	3	
0166		Hoshizaki	B-1500SS Ice Bin for Ice Machines	2	720
0166		Hoshizaki	Universal top kit included	2	
0167		Custom Fab	STAINLESS Ice Scoop Holder	2	
0167		Custom Fab	Ice scoop by others	2	
0168		San Jamar	Ice Buckets	1	
0168		San Jamar	SI6000 Saf-T-Ice® Tote, 6 gallon, polycarbonate, rubber handle, with tri-grip feature, includes Saf-T-Ice® HACCP hanger for elevation to waist level, NSF	2	6.53
0168.1		San Jamar	Ice Cart	1	
0168.1		San Jamar	SICART60 Saf-T-Ice® Cart, transports up to (2) 6 gallon Saf-T-Ice® totes (SI6000), NSF	1	10.25
0173		Custom Fab	STAINLESS Underbar Work Table	1	
0174		Micro Matic	MMPP4302 Draft Beer System Power Pack	1	157
0174		Micro Matic	CDI652-BF Barriermaster Flavorlock Trunk Line, 5/16" I.D., (6) products with (2) glycol lines, color-coded tubing, aluminum foil cold transfer wrap, NSF	160	
0174		Micro Matic	60703 Polar Flo Propylene Glycol - 1 Gallon	5	
0174		Micro Matic	PPR-362448 Power Pack Rack, 36"W x 24"D x 48"H, (2) fixed shelves (1500 Lb. capacity per shelf),	1	28



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			welded aluminum construction, 1-1/2" square tubular uprights & cross braces, adjustable feet, NSF (fully assembled)		
0174		Micro Matic	ST1236-31 Liquid Thermometer, for walk-in coolers, mounting bracket, NSF	1	
0174		Micro Matic	MV044 Check Valve Tee, 1/4" x 1/4" x 3/8"	1	
0174		Micro Matic	942B-PP Premium Plus High Pressure Double Gauge Gas Regulator, CO2 primary	1	
0174		Micro Matic	942BN-PP Premium Plus High Pressure Double Gauge Gas Regulator, nitrogen primary	1	
0174		Micro Matic	MM200-60-40-LD Pro-Line Gas Blender, Double Blend: 60% CO2 & 40% N2 (Ales & Lagers) & 25% CO2 & 75% N2 (Stouts) with Leak Detector	1	
0174		Micro Matic	RAD-0102-6 CO2 Storage Safety System, (3) alarms, (1) main sensing unit, (1) remote display unit, 25 ft. cable, mounting brackets & screws, multilingual signage	1	
0174		Micro Matic	CM-1027 Amber strobe kit, includes: (2) strobes, (2) 6 ft. ethernet cables, (2) safety orange lens caps & (2) mounting brackets	1	
0174		Micro Matic	RPK-2-PP Premium+ Secondary Regulator Panel, 2 Products with Pro-Max and 3/8" Hoses	2	44
0174		Micro Matic	RPK-1-PP Premium+ Secondary Regulator Panel, 1 Products with Pro-Max and 3/8" Hoses	2	22
0174		Micro Matic	IK-5 Dispense System Installation Kit, 5/16", glycol cooled, includes: 30-stepless clamps (123SL), 30-stepless clamps (140SL), 10 - 5/16" 304 Stainless Steel Tail Piece (526ES-304), 10 - stainless steel splicer, 1/4" x 3/16" (SSS-BE), 8 - stainless steel splicer 3/8" x 3/8" (SSS-C2), 2 - stainless steel elbow 3/8" x 3/8" (SSE-C2), 4-stainless steel U-bend, 3" L (SSU-C2), 1-braided vinyl hose, 3/8" I.D. (550WD600C), 20-pre-wrapped glycol lines (CDI-GLY-4), 1-2" barrier tape (CDI-TAPE-2), 1-2" foil tape (ES-2FT), 1-2" foam insulation tape (ES-IT30), 1- 2" moisture tape (ES-ST), 1- 1-7/8" O/D x 1/2" wall (ES-FR178), 1- 1/2" I.D. x 1/2" wall (ES-I1L), 1 - Python Jacket Cutting Tool (EZK-17), 8 - Trunk Line Mounting Clip (CDI-CLIP), 10 - stepless clamps	1	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			(898), 10 ft - Barrier Master Flavourlock Tubing 1/4" ID (548BF), 20 - stepless clamps (105SL), 5 - spiral beer line restrictor 1/4" (11518), 1 - instructions for restrictor kits (12674), 30 - stepless clamps (170SL)		
0174		Micro Matic	PRO-MAX-DB PRO-MAX Drain Bottle	1	
0174		Micro Matic	SSE-E2 Elbow, 5/16" x 5/16", stainless steel	1	
0174		Micro Matic	548C600 1/4" I.D. Clear Vinyl Hose - 50' Coil	1	
0174		Micro Matic	7485BS D System Keg Coupler, chrome-plated brass body & 304 stainless steel probe, black	6	
0175		Micro Matic	METRO-T-6PSSKR Draft Beer / Wine Dispensing Tower	1	
0176		Micro Matic	DP-MET-T-24-Z Drip Trough (No Glass Rinser)	1	
0176		Micro Matic	1750352C In-Line Water Regulator, 15 PSI	1	
0176		Micro Matic	WD-025 3/8" In-line Flow Control Shut Off	1	
0176		Micro Matic	PI451214FS John Guest 3/8" x 1/2" BSP Fitting	1	
0176		Micro Matic	1238-055 John Guest 3/8" Stem x 3/8" Barb Elbow	1	
0177		Glastender	MF48-B Glass Froster	1	280
0177		Glastender	120v/60/1-ph, 6.0 amps, NEMA 5-15P, standard	1	
0182		Curtis	COR1B Hot Water Dispenser	1	50
0182		Curtis	Due to consistent increases in tariff charges, effective November 1, 2019, our tariff recovery fees will increase slightly on most equipment.	1	
0182A		Custom Fab	STAINLESS Dispenser Riser Stand Bracker	1	
0184		Custom Fab	STAINLESS Beverage Counter w/Hand Sink & Dump Sink	1	
0184		Custom Fab	Faucet by others	1	
0185		Custom Fab	STAINLESS Work Table @ Apps Station	1	
0185		Custom Fab	On Legs	1	
0186		T&S Brass	B-1141 Deck Mount Faucet	2	8
0187		T&S Brass	B-0207 Pantry Faucet	1	2.9
0188		Advance Tabco	D-30-IBL-7 Drop-In Ice Bin	1	107
0188A		Micro Matic	DP-120D-20 Drip Tray	2	
0188B		T&S Brass	B-1210-12 Glass Filler	2	7
0190		BUNN	26300.0001 Hot Water Dispenser	2	133.7
0190		BUNN	Equipment discount category net prices must be rounded to the nearest dollar	2	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
0191		Micro Matic	H2O-UCM-X-KIT (MODIFIED). Water Dispensing System (NO FILTER)	1	
0191		Micro Matic	**Undercounter water dispensing system modified to remove filtration**	1	
0193		Custom Fab	STAINLESS Counter With Dump Sink, Ice Bin & Drip Pan	1	
0193		Custom Fab	To be mounted on 4 inch high concrete curb (curb by others)	1	
0193		Custom Fab	Faucets by others	1	
0193A		Custom	To Include: (2) Hinged Doors Base Will Be Pre-Piped, Wired and Foamed in Place	1	
0193A		Custom	Included as part of item #193	1	
0193B		Custom	Included as part of item #193	2	
0193C		Custom	Included as part of item #193	1	
0193D		Custom	To Include: (1) Door Base Will Be Pre-Piped, Wired and Foamed in Place	1	
0193D		Custom	Included as part of item #193	1	
0193E		Custom	Included as part of item #193	1	
0194		Custom Fab	STAINLESS Ginger Plating Counter	1	
0194		Custom Fab	To be mounted on 4 inch high concrete curb (curb by others)	1	
0196		Custom Fab	STAINLESS Wall Shelf @ Service	1	
0196		Custom Fab	#184 = (2) at 8'-1" (1) at 2'-5" #193 = (2) at 11'-10" (1) at 3'-7" (1) at 2'-7" #194 = (2) at 5'-5" (1) at 5'-3" (1) at 4'-3" (1) at 4'-5" (2) at 3'-9" (1) at 3'-2" (1) at 2'-4" #206 = (1) at 4'-8"	1	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight
			(1) at 3'-7"		
			(2) at 3'-0"		
0198		Custom Fab	Part of Item #193	1	
0199		BUNN	26300.0001 Hot Water Dispenser	1	66.85
0199		BUNN	Equipment discount category net prices must be rounded to the nearest dollar	1	
0200		Custom Fab	STAINLESS Service Station Counter w/Overshelves	1	
0200		Custom Fab	To be mounted on 4 inch high concrete curb (curb by others)	1	
0203		Custom Fab	STAINLESS Wall Shelf @ Take-Out Station	6	
0204		Custom Fab	STAINLESS Take-Out Counter	1	
0205		Custom Fab	STAINLESS Wall-Mounted Folding Table	1	
0206		Custom Fab	STAINLESS Counter w/Refrigerated Base & Cold Rail	1	
0206		Custom Fab	To be mounted on 4 inch high concrete curb (curb by others)	1	
0206A		Custom	To Include: (2) Doors with Plate Shelf Base Will Be Pre-Piped, Wired and Foamed in Place	1	
0206A		Custom	Included as part of item #206	1	
0206B		Custom	Included as part of item #206	2	
0206C		Custom	Included as part of item #206	1	
0207		Custom Fab	STAINLESS Work Table @ Dumpling Station	1	
0208		Vollrath	59300 Induction Range, Countertop	2	25.8
0210		Glastender	DSR-48 Speed Rail / Rack	1	44
0211		Glastender	CBA-48-CP10 Ice Bin with Bottle Wells	1	200
0211		Glastender	7" High Backsplash, standard	1	
0211		Glastender	TC-BS Tubing chase, 2-3/8" by 4", centered in backplash	1	5
0212		Glastender	HSA-12-D Hand Sink	1	50
0212		Glastender	Faucet, backplash mounted, 4"OC, 3/8" hot & cold water connections required, standard	1	
0212		Glastender	LSA-D Splash, left end, 19" deep	1	4
0212		Glastender	RSA-D Splash, right end, 19" deep	1	4
0212		Glastender	Aerator, faucet, 2.0 GPM, standard	1	
0213		Glastender	MRS-12 Underbar Mixology Sink Unit	2	110
0213		Glastender	7" High Backsplash, standard	2	
0213		Glastender	NOTE: Must install backflow prevention device conforming to ANSI/ASSE 1022 or ANSI/ASSE 1024 to	2	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			meet plumbing code (not included)			
0213		Glastender	LSB-D Splash, left end, 24" deep	2	10	
0213		Glastender	RSB-D Splash, right end, 24" deep	2	10	
0213		Glastender	Aerator, faucet, 2.0 GPM, standard	2		
0213		Glastender	Faucet, backsplash mounted, 4"OC, 3/8" hot & cold water connections required, standard	2		
0214		Micro Matic	GR-UCM Glass Rinser	1		
0214		Micro Matic	1750352C In-Line Water Regulator, 15 PSI	1		
0214		Micro Matic	WD-025 3/8" In-line Flow Control Shut Off	1		
0214		Micro Matic	PI451214FS John Guest 3/8" x 1/2" BSP Fitting	1		
0214		Micro Matic	1238-055 John Guest 3/8" Stem x 3/8" Barb Elbow	1		
0215		Glastender	DBC-30-LD Drainboard	1	100	
0215		Glastender	7" High Backsplash, standard	1		
0216		Custom Fab	STAINLESS Underbar Drain Board	1		
0217		Custom Fab	STAINLESS Condiment Bracket at Jockey Box	2		
0219		Custom Fab	STAINLESS Work Table @ Dumpling Station	1		
0220		Custom Fab	STAINLESS S/S CORNER GUARDS & END CAPS	1		
0220		Custom Fab	18 GA S/S CONSTRUCTION	1		
0220.1		Custom Fab	STAINLESS MISC S/S TRIM	1		
0221		Custom Fab	STAINLESS Wall Flashing @ Wok Cooking	1		
0222		Custom Fab	STAINLESS Wall Flashing @ Cook Line	1		
0223		Custom Fab	STAINLESS Wall Flashing @ Prep Cooking	1		
0224		Custom Fab	STAINLESS Wall Flashing @ Dishroom	1		
0226		Custom Fab	STAINLESS Wall Flashing @ Dumpling Station	1		
0229		John Boos	PBHS-W-1410-KV1MB-SS-X Hand Sink	8	280	
0229		John Boos	Standard flyer accessories only, NO modifications to flyer items allowed or their accessories	8		
0233		Custom Fab	STAINLESS Monitor Post	6		
0236		New Age	1331 Bun / Sheet Pan Rack	8	464	
0236		New Age	5" platform type casters, std.	8		
0240		Cambro	UGNPR11F18480 Steam Table / Food Pan Rack	2	120	
0240		Cambro	Lifetime warranty against rust & corrosion, std	2		
0241		Custom Fab	STAINLESS Employee Kitchen Counter w/Utility Sink	1		
0241		Custom Fab	To be mounted on 4 inch high concrete curb (curb by others)	1		
0242		T&S Brass	B-1115 Wall / Splash Mount Faucet	1	5	



Receiving Report

04/04/2025

DIN_TAI_

Project:

Din Tai Fung - Scottsdale
7014 E CAMELBACK RD STE 608
based on KEC UPDATES set dated 12/20/2024
SCOTTSDALE, AZ 85251-1253

Ship To:

TriMark
Nikki Shishido
210 Commerce
Irvine, CA 92602
(949)474-1000
9494472731 (Contact)

Item	PO Number	Mfr	Model & Description	Qty	Weight	
0243		Panasonic	NE-1054F Microwave Oven	2	80	
0244		Commercial Custom Seating, Inc.	CUSTOM Dumpling Work Table w/Hand Sink	1		
0244		Commercial Custom Seating, Inc.	Expanded PVC in lieu of plywood for mounting stone top	1		
0244		Commercial Custom Seating, Inc.	Faucet by others	1		
0244		Commercial Custom Seating, Inc.	CRATE CRATING & PALLET	1		
0245		Commercial Custom Seating, Inc.	MARBLE TOP FOR DUMPLING WORK TABLE	1		
0246		Glastender	CBA-30R3-CP10 Ice Bin with Bottle Wells	1	165	
0246		Glastender	7" High Backsplash, standard	1		
0246		Glastender	TC-BS Tubing chase, 2-3/8" by 4", centered in backsplash	1	5	
0247		Glastender	DSR-30 Speed Rail / Rack	1	20	
0249		Custom Fab	STAINLESS Wall Shelf for Microwave	1		
0250		Hatco	GRSBF-36-S Heated Shelf Food Warmer	2	70	
0250		Hatco	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details	1		
0250		Hatco	NOTE: Includes 24/7 parts & service assistance, call 414-671-6350	1		
0250		Hatco	120v/60/1-ph, 950 watts, 7.9 amps, NEMA 5-15P (domestic voltage), standard	2		
0250		Hatco	NOTE: Recommended for use in metallic countertop, verify that the material is suitable for temperatures up to 200 degree F	2		
0250		Hatco	GRSBF-FLUSH-ITC Flush Mount ITC Control Box with lighted On/Off rocker switch and angled recessed controls – 6.813"W x 7.8135"H x 4.813"D (162 x 198 x 134 mm) (available at time of purchase only)	2		
0250		Hatco	STANDARD Stainless Steel Finish, flush mounted bezel, standard (available at time of purchase only)	2		
88804		Micro Matic	BEER INSTALLATION. Installation of Beer System	1		