

Design • Equipment • Contract

Project:

Mendocino Farms (Gainey) - Scottsdale, AZ.
8777 N. Scottsdale Rd
Suite 302
Scottsdale, AZ 85253

Ship To:

Edward Don Woodridge
Alexis Kunzweiler
c: 928-706-8171

Item	PO Number	Mfr	Model & Description	Qty	Weight	
200	173688-SOAK	1880 Hospitality	FF1824G Wire Shelving	2	12.45	_____
200	173688-SOAK	1880 Hospitality	FG007G Focus Foodservice - Post, 7"H, stationary, grooved at 1" increments, Sanigard™ anti-microbial protection, for wet or dry storage, zinc plated leveling feet, green epoxy finish, NSF	8	4.4	_____
6	173688-SOAK	1880 Hospitality	DSS Dry Storage Shelving	1		_____
6	173688-SOAK	1880 Hospitality	FF2472C Focus Foodservice - Wire Shelf, 600 lb. weight capacity, 24"W x 72"L, for dry storage, zinc plated steel wire, chromate finish, clear coat, NSF	15	318	_____
6	173688-SOAK	1880 Hospitality	FG086C Focus Foodservice - Post, 86"H, stationary, grooved at 1" increments, zinc plated leveling feet, for dry storage, chromate finish, NSF	12	51.9	_____
8/9	173688-SOAK	1880 Hospitality	DRS Dish Room Shelving	1		_____
8/9	173688-SOAK	1880 Hospitality	FF2472G Focus Foodservice - Wire Shelf, 600 lb. weight capacity, 24"W x 72"L, for wet or dry storage, zinc underplated steel wire, green epoxy coated finish, NSF	5	106	_____
8/9	173688-SOAK	1880 Hospitality	FG086G Focus Foodservice - Post, 86"H, stationary, grooved at 1" increments, Sanigard™ anti-microbial protection, for wet or dry storage, zinc plated leveling feet, green epoxy finish, NSF	4	19.6	_____
8/9	173688-SOAK	1880 Hospitality	FF2442G Focus Foodservice - Wire Shelf, 800 lb. weight capacity, 24"W x 42"L, for wet or dry storage, zinc underplated steel wire, green epoxy coated finish, NSF	5	65.63	_____
8/9	173688-SOAK	1880 Hospitality	FF1836G Focus Foodservice - Wire Shelf, 800 lb. weight capacity, 18"W x 36"L, for wet or dry storage, zinc underplated steel wire, green epoxy coated finish, NSF	5	43.5	_____
8/9	173688-SOAK	1880 Hospitality	FGN086G Focus Foodservice - Post, 86"H, mobile, grooved at 1" increments, Sanigard™ anti-microbial protection, for wet or dry storage, green epoxy finish, NSF	8	37.8	_____
8/9	173688-SOAK	1880 Hospitality	FSCAST5 Focus Foodservice - Caster Set, 5" (12.7 cm) dia., (2) swivel & (2) swivel with brake & bumper, adds 6"H to unit, 250 lbs. capacity per caster, heavy duty, non-marking tread, polyurethane, NSF (set of 4)	2	23.25	_____
15	173680-SOAK	AllPoints	111350 Drain, Sink	1	1.52	_____
16	173681-SOAK	BK Resources	BKHS-D-SS-SS Hand Sink	2	13	_____
4	173682-SOAK	Cambro	WICS Walk-in Cooler Shelving	1		_____
4	173682-SOAK	Cambro	EXU247284V5480 Camshelving® Elements XTRA Stationary Starter Unit, 24"W x 72"L x 84"H, 5-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (5) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (10) Universal Traverses &(5)	2	241.02	_____

**BUILD****Receiving Report**

08/05/2025

Design • Equipment • Contract**Project:**

Mendocino Farms (Gainey) - Scottsdale, AZ.
8777 N. Scottsdale Rd
Suite 302
Scottsdale, AZ 85253

Ship To:

Edward Don Woodridge
Alexis Kunzweiler
c: 928-706-8171

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			bags of 4 dovetails (10 left, 10 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, speckled gray, Made in USA, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)			
4	173682-SOAK	Cambro	EXA247284V5480 Camshelving® Elements XTRA Stationary Add-On Unit, 24"W x 72"L x 84"H, 5-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (5) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (2) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (10) Universal Traverses & (5) bags of 4 dovetails (10 left, 10 right), 800 lbs. capacity per shelf /2,400 lbs. max capacity, speckled gray, Made in USA, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	2	217.56	_____
4	173682-SOAK	Cambro	EXA243684V4480 Camshelving® Elements XTRA Stationary Add-On Unit, 24"W x 36"L x 84"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (2) composite posts with leveling feet installed, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), speckled gray, 800 lbs. capacity per shelf /2,400 lbs. max capacity, Made in USA, NSF (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.)	1	54.99	_____
4	173682-SOAK	Cambro	EXCC4480 Camshelving® Elements XTRA Corner Connector Set, speckled gray (4) sets of left & right (NOTE: For every ECC8580 – 8 sets on the original quote, please double the quantity of this product (4 sets) on this updated quote.) (NOTE: This is a new product line. It is NOT compatible with original Elements Series products.), Made in USA	1	3.26	_____
4	173682-SOAK	Cambro	CSDS24H6480 Camshelving® Dunnage Stand Support, fits Premium, original Elements AND Elements XTRA Series Shelving, 24"W x 6-1/2"H, recommended for units 54" or longer with weight loads over 600 lbs., speckled gray, NSF listed components, Made in USA	4	11.96	_____
38	173683-SOAK	CFS Brands	CK6536A Check Minder Ticket Holder / Rail	2	2.82	_____
49	173683-SOAK	CFS Brands	4073100 Mop Broom Holder	4	3.17	_____
22	173684-SOAK	Continental Refrigerator	D96GN Equipment Stand, Refrigerated Base	1	670	_____

**BUILD**

Design • Equipment • Contract

Receiving Report

08/05/2025

Project:

Mendocino Farms (Gainey) - Scottsdale, AZ.
 8777 N. Scottsdale Rd
 Suite 302
 Scottsdale, AZ 85253

Ship To:

Edward Don Woodridge
 Alexis Kunzweiler
 c: 928-706-8171

Item	PO Number	Mfr	Model & Description	Qty	Weight	
22	173684-SOAK	Continental Refrigerator	115v/60/1-ph, 4.5 amps, cord, NEMA 5-15P, standard	1		_____
22	173684-SOAK	Continental Refrigerator	Condensing unit on the right, standard	1		_____
22	173684-SOAK	Continental Refrigerator	6-515 Caster Plate Assembly, 3" H (4-7/16" overall height), with brakes	1		_____
60	173684-SOAK	Continental Refrigerator	2FN Reach-In Freezer	1	446	_____
60	173684-SOAK	Continental Refrigerator	115v/60/1-ph, 9.0 amps, cord, NEMA 5-15P, standard	1		_____
60	173684-SOAK	Continental Refrigerator	Left Door hinged on left & right door hinged on right, standard	1		_____
60	173684-SOAK	Continental Refrigerator	5" Casters, standard	1		_____
100	173695-SOAK	Crathco-UNIC	CS-3L-16-290 Beverage Dispenser, Electric (Cold)	1	101	_____
100	173695-SOAK	Crathco-UNIC	250-00130 Crathco Beverage - (LV0GM1FH) Preventative Maintenance Kit, 6-month schedule, for CS-3L-16, Simplicity® Bubbler® Triple Tall agitator model	1		_____
100	173695-SOAK	Crathco-UNIC	LV9R0199 Crathco Beverage – (LV9R0199) Crathco Cleaning kit, for Bubblers, includes (1) 16" soft bristled brush, (1) gallon jug for mixing	1		_____
100	173695-SOAK	Crathco-UNIC	LV9R0195 (LV9R0195) Crathco Stera-Sheen Green Label Sanitizing & Cleaning solution, 2 x 4 lbs jars	1		_____
101	173695-SOAK	Crathco-UNIC	CS-2D-16-290 Beverage Dispenser, Electric (Cold)	1	95	_____
101	173695-SOAK	Crathco-UNIC	0GM1FF Crathco Beverage - (LV0GM1FF) Preventative Maintenance Kit, 6-month schedule, for CS-2D-16, Simplicity® Bubbler® Twin Standard agitator model	1		_____
101	173695-SOAK	Crathco-UNIC	LV9R0199 Crathco Beverage – (LV9R0199) Crathco Cleaning kit, for Bubblers, includes (1) 16" soft bristled brush, (1) gallon jug for mixing	1		_____
101	173695-SOAK	Crathco-UNIC	LV9R0195 (LV9R0195) Crathco Stera-Sheen Green Label Sanitizing & Cleaning solution, 2 x 4 lbs jars	1		_____
34	173701-SOAK	Curtis	RTB Iced Tea Brewer	1	41	_____
34	173701-SOAK	Curtis	TARIFF SURCHARGE 089 Due to consistent increases in tariff charges, our tariff recovery fees will increase slightly on most equipment.	1		_____
90.2	173685-SOAK	Dormont	RDC24 Gas Valves & Fittings	1	3	_____
29	173708-SOAK	Everpure	EV929322 Water Filtration System, Parts & Accessories	1	14	_____
29	173708-SOAK	Everpure	EV969321 Replacement Cartridge: 4FC5 Water Filter Cartridge, 4FC5, (1) 4FC5 Fibredyne® II carbon block cartridge, reduces chlorine, taste & odors, inhibits bacterial growth, 15,000 gallons, 2.5 gpm, 5 micron, NSF 42 (EV969321)	2	4	_____
29	173708-SOAK	Everpure	EV953426 Replacement Cartridge: EC210 Prefilter	1	0.83	_____

**BUILD**

Design • Equipment • Contract

Receiving Report

08/05/2025

Project:

Mendocino Farms (Gainey) - Scottsdale, AZ.
8777 N. Scottsdale Rd
Suite 302
Scottsdale, AZ 85253

Ship To:

Edward Don Woodridge
Alexis Kunzweiler
c: 928-706-8171

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			Cartridge, EC210, (6) EC210 cartridges, sediment reduction, 10 micron (EV953426)			
18	173687-SOAK	Fisher	68217 Pre-Rinse Faucet Assembly	1	11.6	_____
19	173687-SOAK	Fisher	22349 Drain, Lever / Twist Waste	4	20	_____
20	173687-SOAK	Fisher	34470 Pre-Rinse Faucet Assembly, with Add On Faucet	1	15	_____
21	173687-SOAK	Fisher	13260 Wall / Splash Mount Faucet	1	5	_____
50	173687-SOAK	Fisher	82530 Service Faucet	1	7.6	_____
7	173687-SOAK	Fisher	35100 Deck Mount Faucet	2	9.5	_____
33	173694-SOAK	Globe (Middleby)	S13 Food Slicer, Electric	1	170	_____
33	173694-SOAK	Globe (Middleby)	SSK Globe Knife Blade, 13" diameter, stainless steel, FACTORY INSTALLED (pricing applies only at time of equipment purchase)	1		_____
33	173694-SOAK	Globe (Middleby)	S-FENCE Fence, for S-Series slicers	1	1	_____
33	173694-SOAK	Globe (Middleby)	S-VEGHOP Vegetable Hopper, for S-Series slicers	1	12	_____
55	173689-SOAK	GSW USA	ELS-6DR Locker	2	130	_____
102	173696-SOAK	Lancer	85-4420H-02 Ice Dispenser	1	170	_____
102.1	173696-SOAK	Lancer	82-4931 Adapter Kit	1		_____
103	173697-SOAK	Manitowoc	IYT0620A Ice Maker, Cube-Style	1	145	_____
103	173697-SOAK	Manitowoc	(-161) 115v/60/1-ph, 12.2 amps	1		_____
35	173697-SOAK	Manitowoc	IYT0450A Ice Maker, Cube-Style	1	170	_____
35	173697-SOAK	Manitowoc	(-161) 115v/60/1-ph, 11.9 amps	1		_____
36	173697-SOAK	Manitowoc	D570 Ice Bin for Ice Machines	1	115	_____
36	173697-SOAK	Manitowoc	Legs, 6" adjustable stainless steel, standard	1		_____
51	173698-SOAK	Mars Air Systems	LPV236-1UA-OB Air Curtain	1	36	_____
51	173698-SOAK	Mars Air Systems	Mechanical switches	1		_____
51	173698-SOAK	Mars Air Systems	Door Limit Switch, indoor, plunger/roller type, remote mounted	1		_____
51	173698-SOAK	Mars Air Systems	99-014 Door limit switch, plunger/roller type for indoor applications, single pole double throw, 1 HP max, 250v, 20.0 amps, NEMA 1 (remote mounted)	1		_____
90	173699-SOAK	Micro Matic	MDD58S-E-LT Draft Beer Cooler	1	302	_____
90	173699-SOAK	Micro Matic	AS-3CH Channel Bar Set, for models up to MDD68, (2) channel bars 25-1/4" long x 3"W, (2) 3" diameter wheels per channel, (1) locking wheel per channel, 4" mounted height, 1/2"-13 mounting bolt thread, includes: bolts, washers, locking washers	1		_____
23.1	173702-SOAK	Star (Middleby)	PGT14I Sandwich / Panini Grill	2	217	_____
23.1	173702-SOAK	Star (Middleby)	208/240v/50/60/1-ph, 2.7/3.6 kW, 13/15 amps, cord, NEMA 6-20P standard	2		_____
25E	173702-SOAK	Star (Middleby)	515TGF Griddle, Electric, Countertop	1	125	_____
25E	173702-SOAK	Star (Middleby)	(515TGF) 208/240v/60/1-ph, 3.0/4.0 kW, field wired, standard	1		_____
28	173702-SOAK	Star (Middleby)	DT14 Conveyor Toaster	1	102	_____
28	173702-SOAK	Star (Middleby)	(DT14-V02) 208v/50/60/1-ph, 4.8 kW, NEMA 6-30P,	1		_____

**BUILD**

Design • Equipment • Contract

Receiving Report

08/05/2025

Project:

Mendocino Farms (Gainey) - Scottsdale, AZ.
8777 N. Scottsdale Rd
Suite 302
Scottsdale, AZ 85253

Ship To:

Edward Don Woodridge
Alexis Kunzweiler
c: 928-706-8171

Item	PO Number	Mfr	Model & Description	Qty	Weight	
			standard			
90.1	173703-SOAK	T&S Brass	POSI-SET Gas Connector Hose Accessories	1	1.23	_____
27	173704-SOAK	True Mfg. - General Foodservice	TUC-48D-2-HC Undercounter Refrigerator	1	305	_____
27	173704-SOAK	True Mfg. - General Foodservice	Self-contained refrigeration standard	1		_____
27	173704-SOAK	True Mfg. - General Foodservice	Drawers left section; doors right section, standard	1		_____
27	173704-SOAK	True Mfg. - General Foodservice	Locks, factory installed, standard	1		_____
27	173704-SOAK	True Mfg. - General Foodservice	Castors, 1-1/2" (31-7/8" work surface height = LP)	1		_____
37	173704-SOAK	True Mfg. - General Foodservice	TFP-72-30M-D-6 Mega Top Sandwich / Salad Preparation Refrigerator	3	1905	_____
37	173704-SOAK	True Mfg. - General Foodservice	Self-contained refrigeration standard	3		_____
37	173704-SOAK	True Mfg. - General Foodservice	988663 Drain Pan, heated, 115 Volt, 160 Watt w/ cord and plug	3		_____
92	173705-SOAK	True Mfg. - Specialty Display	THAC-36-HC-LD Open Display Merchandiser	1	330	_____
92	173705-SOAK	True Mfg. - Specialty Display	Self-contained refrigeration standard	1		_____
92	173705-SOAK	True Mfg. - Specialty Display	Black exterior, standard	1		_____
92	173705-SOAK	True Mfg. - Specialty Display	Night Cover, for THAC-36, black (factory installed)	1		_____
92	173705-SOAK	True Mfg. - Specialty Display	2" (51 mm) Castors, set of 4	1		_____
24	173706-SOAK	TurboChef (Middleby)	HHC 1618, 36", VENTLESS Conveyor Oven, Electric	1	235	_____
24	173706-SOAK	TurboChef (Middleby)	208/240v/50/60/1-ph, 37.0amps, 6 foot cord (nominal), NEMA 6-50P, standard	1		_____
24	173706-SOAK	TurboChef (Middleby)	HCS-4387-1 Extension, 6" (15.2 cm), for HhC 1618 oven	2		_____
30	173707-SOAK	Vollrath	74110110 Induction rethermalizer	2	27	_____
31	173707-SOAK	Vollrath	5950145 Induction Range Warmer, Built-In / Drop-In	1	16.28	_____
32	173707-SOAK	Vollrath	59501 Induction Range, Built-In / Drop-In	1	16.36	_____
91	173707-SOAK	Vollrath	74701D Induction Rethermalizer, Built-In / Drop-In	2	24.72	_____
26	173709-SOAK	Waring	WCT805B Pop-Up Toaster	1	18.1	_____
52	173710-SOAK	Wells (Middleby)	MOD-100T Hot Food Well Unit, Drop-In, Electric	1	24	_____
52	173710-SOAK	Wells (Middleby)	120v/60/1-ph, 1.65 kW	1		_____