ASHLAND CONCRETE SYSTEMS LIMITED
Murang'a Industrial Park, Makenji, Thika, Kenya · P.O. Box 7256, Thika, Kenya
Tel: 0769 872 363


PRODUCT CATALOGUE

Concrete products from Thika, Kenya — exact sizes, quotation on request



10 concrete products, each listed with its exact length, width and height in millimetres. Prices are by quotation: tap any **Enquire on WhatsApp** link, or call **0769 872 363**, and tell us the product, quantity and your project location.

Product	Category	Size (L × W × H)
Ashland Cabro 60	Cabro & paving	200 × 100 × 60 mm
Ashland Cabro 80	Cabro & paving	200 × 100 × 80 mm
Ashland Uni 60	Cabro & paving	225 × 112.5 × 60 mm
Ashland Uni 80	Cabro & paving	225 × 112.5 × 80 mm
Ashland Pavers 60	Cabro & paving	250 × 144 × 60 mm
Ashland Pavers 90	Cabro & paving	250 × 144 × 90 mm
Ashland HB 150	Hollow blocks	400 × 150 × 200 mm
Ashland HB 230	Hollow blocks	400 × 230 × 200 mm
Ashland HB 300	Hollow blocks	400 × 300 × 200 mm
Ashland Road Kerb	Kerbs	800 × 140 × 250 mm



Cabro & paving

Concrete paving blocks and pavers.



Ashland Cabro 60

200	100	60
LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)

Rectangular concrete paving block, 60 mm thick.

Enquire on WhatsApp →



Ashland Cabro 80

200	100	80
LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)

Rectangular concrete paving block, 80 mm thick.

Enquire on WhatsApp →



Ashland Uni 60

225	112.5	60
LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)

Shaped concrete paving block with a wave profile, 60 mm thick.

Enquire on WhatsApp →



Ashland Uni 80

225	112.5	80
LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)

Shaped concrete paving block with a wave profile, 80 mm thick.

Enquire on WhatsApp →



Ashland Pavers 60

250	144	60
LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)

Angular-profile concrete paver, 60 mm thick.

Enquire on WhatsApp →



Ashland Pavers 90

250	144	90
LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)

Angular-profile concrete paver, 90 mm thick.

Enquire on WhatsApp →



Hollow blocks

Three-cell hollow concrete blocks in different widths.



Ashland HB 150

400	150	200
LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)

Three-cell hollow concrete block in the 150 mm width.

Enquire on WhatsApp →




Ashland HB 230

400	230	200
LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)

Three-cell hollow concrete block in the 230 mm width.

Enquire on WhatsApp →



Ashland HB 300

400	300	200
LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)

Three-cell hollow concrete block in the 300 mm width.

Enquire on WhatsApp →



Kerbs

Concrete kerb units for road and landscape edging.



Ashland Road Kerb

800	140	250
LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)

Long concrete kerb unit with a chamfered top edge for road and landscape edging.

Enquire on WhatsApp →

How to request a quotation

Step	What to do
1	Choose your product or products from this catalogue.
2	Tap **Enquire on WhatsApp** on the product, or message us on WhatsApp / call **0769 872 363**.
3	Tell us the quantity you need and your project location.
4	We reply with a quotation and availability.

Notes: dimensions are length × width × height in millimetres. Product images are for illustration. Prices are by quotation. Please confirm with us that a product is suitable for your project before ordering.

Ashland Concrete Systems Limited
Murang'a Industrial Park, Makenji, Thika, Kenya · P.O. Box 7256, Thika, Kenya
Telephone: 0769 872 363