

- URL : `https://api-hk.nxlink.ai/saas/cc/openapi/cdr/page`
- Method : `POST`
- Content-Type : `application/json`
- Authentication required: Yes`

Service Access Points

NXLink has deployed multiple service regions globally. Please select the corresponding service access point based on your business location. Different regions use different website domains and API gateway domains.

Code	Region	NXLink Website	API Gateway
APAC	Hong Kong	<code>https://app.nxlink.ai</code>	<code>https://api-hk.nxlink.ai</code>
AMER	Americas	<code>https://chl-nxlink.nxcloud.com</code>	<code>https://chl-api.nxlink.ai</code>
APAC(IDN)	Indonesia	<code>https://idn.nxlink.ai</code>	<code>https://api-idn.nxlink.ai</code>

Authentication Mechanism

For authentication rules, please refer to: [API Interface Call Agreement](#)

Request Parameters

header :

Parameter Name	Type	Required	Example Value	Description
accessKey	String	Y	Prefix starting with AK	The corresponding Access Key can be found in AI Hub under Integrations menu on the NXLINK platform.

Parameter Name	Type	Required	Example Value	Description
ts	String	Y	1655710885431	Timestamp of the current request (in milliseconds). The NX server allows a maximum time error of 60 seconds for client requests.
bizType	String	Y	8	Business type, fixed value "8"
action	String	Y	cc	Business operation, fixed value "cc"
sign	String	Y	6e9506557d1f289501d333ee2c365826	API parameter signature, Signature Algorithm

body :

Parameter Name	Type	Required	Example Value	Description
answered	Integer	N	0	Whether answered: 0 all, 1 not answered, 2 answered
direction	Integer	N	0	Call direction: 0 all, 1 inbound, 2 outbound, 3 AICC
startTime	Long	Y	1678894227239	Start time (timestamp)

Parameter Name	Type	Required	Example Value	Description
				p in seconds)
endTime	Long	Y	1678894227239	End time (timestamp in seconds)
name	String	N	"NX0001"	Employee account / Agent account
caller	String	N	"4444"	Caller number
callee	String	N	"4444"	Callee number
callId	String	N	"032f4f81cc7a4e5a902e41f511fbf0e9"	callId
orderId	String	N	"033f4f81cc7a4e5a902e41f511fbf010"	orderId
size	Integer	Y	100	Page size (maximum 100)
page	Integer	Y	1	Page number (starting from 1)

Request Example

body (application/json) parameters :

```
{
  "startTime": 1688140800,
  "endTime": 1690819200,
  "answered": true,
  "direction": 1,
  "name": "NX0001",
  "caller": "4444",
  "callee": "4444",
```

```
"orderId": "122222",  
"size": 100,  
"page": 1  
}
```

Response Parameters

Parameter Name	Type	Description
code	Integer	Result code
data	Object	Request result
msg	String	Description of result

Successful Request

- data parameters:

Parameter Name	Type	Description
agentName	String	Agent account, might be empty
agentNickName	String	Agent nickname, might be empty
answered	Boolean	Whether answered
answerTime	Long	Call answered time (timestamp in milliseconds)
callDuration	Integer	Call duration
callee	String	Callee number
caller	String	Caller number
callId	String	Call ID
orderId	String	Order ID
direction	Integer	Call direction, 0: inbound, 1: outbound, 2: AICC
dtmfKeys	String	DTMF keys, separated by commas if multiple
endTime	Long	Call end time (timestamp in milliseconds)
hangupBy	Integer	Hangup by, 0: agent, 1: user, 2: unknown
hangupCode	Integer	Hangup reason code
callStatus	String	Call status

Parameter Name	Type	Description
hangupReason	String	Hangup reason description
inQueueTime	Long	Queue entry time (timestamp in milliseconds)
leaveMsgUrl	String	Voicemail URL
orderId	String	Order ID
other	String	Pass-through information
intent	String	Intent name
outQueueTime	Long	Queue exit time (timestamp in milliseconds)
queueDuration	Integer	Queue duration (in seconds)
recordUrl	String	Recording URL
ringDuration	Integer	Ring duration (in seconds)
ringTime	Long	Ring start time (timestamp in milliseconds)
startTime	Long	Call start time (timestamp in milliseconds)
taskId	String	Task ID, displayed for AICC tasks (direction=2)
totalCustomerPrice	BigDecimal	Total cost
lineIp	String	Line IP
mediaIp	String	Media Ip Reserved, currently null
termSipCode	Integer	line return sipcode
hangupCause	String	line return hangupCause
mos	BigDecimal	The MOS value of speech quality

Response Example

Success Example

```
{
  "reqId": "a23738fb613d889026fa2c8f4e4378f1",
  "code": 0,
  "msg": "success",
  "data": [
    {
      "agentName": null,
      "agentNickName": null,

```

```
"answered": false,
"answerTime": 0,
"callDuration": 0,
"callee": "85235757580",
"caller": "85215236100",
"callId": "63b09b9a163616c6c009cb326",
"direction": 0,
"dtmfKeys": null,
"endTime": 1690442498901,
"hangupBy": 0,
"hangupCode": 1103,
"callStatus": "呼入未接",
"hangupReason": "用户排队放弃",
"inQueueTime": 1690442492861,
"leaveMsgUrl": null,
"orderId": "",
"other": null,
"intent": null,
"outQueueTime": 1690442498000,
"queueDuration": 5139,
"recordUrl": null,
"ringDuration": 6,
"ringTime": 1690442492000,
"startTime": 1690442492841,
"taskId": "",
"totalCustomerPrice": 0.035,
"linelp": "127.0.0.1",
"mediaIp": "",
"termSipCode": 487,
"hangupCause": "ORIGINATOR_CANCEL",
"mos": 4.4200
},
{
  "agentName": "NX094450006938",
  "agentNickName": "示例坐席",
  "answered": true,
  "answerTime": 1690423244000,
  "callDuration": 5,
  "callee": "85235757568",
  "caller": "85238531117",
  "callId": "6605fcd9563616c6c009c6240",
  "direction": 0,
  "dtmfKeys": null,
  "endTime": 1690423248124,
  "hangupBy": 1,
  "hangupCode": 1001,
  "callStatus": "正常结束",
  "hangupReason": "坐席挂断",
  "inQueueTime": 1690423237744,
  "leaveMsgUrl": null,
  "orderId": "",
  "other": null,
  "intent": null,
```

```

        "outQueueTime": 1690423244000,
        "queueDuration": 6,
        "recordUrl": "https://*****.mp3",
        "ringDuration": 7,
        "ringTime": 1690423237000,
        "startTime": 1690423237704,
        "taskId": "",
        "totalCustomerPrice": 0.035,
        "linelp": "127.0.0.1",
        "medialp": "",
        "termSipCode": 487,
        "hangupCause": "ORIGINATOR_CANCEL",
        "mos": 4.4200
    }
]
}

```

Failure Example

```

{
  "reqId": "FFDD1791E22F4D9DBA967C245C58E544",
  "code": 41000,
  "msg": "End date cannot be empty",
  "data": {}
}

```

Response Code Description

code	message	Resolution
0	Request successful	
88	Request failed	Please contact technical support to resolve the issue
99	System error	Please contact technical support to resolve the issue
1000~100X	Authentication failed	See the API Authentication section for details

Hangup Code Meanings

Hangup Code	Type	Description
1000	Inbound	Normal end
1001	Inbound	Normal end - Agent hung up

Hangup Code	Type	Description
1002	Inbound	Normal end - User hung up
1003	Inbound	Normal end - Voicemail
1004	Inbound	Normal end - Network interruption
10031	Inbound	Normal end - Voicemail - All agents busy
10032	Inbound	Normal end - Voicemail - No agent online
1101	Inbound	Missed call - Agent quickly hung up
1102	Inbound	Missed call - User quickly hung up
1103	Inbound	Missed call - User abandoned the queue
11031	Inbound	Missed call - User abandoned the queue - All agents busy
11032	Inbound	Missed call - User abandoned the queue - No agent online
1104	Inbound	Missed call - User exceeded queue timeout
11041	Inbound	Missed call - User exceeded queue timeout - All agents busy
11042	Inbound	Missed call - User exceeded queue timeout - No agent online
1105	Inbound	Missed call - No agent online
1106	Inbound	Missed call - All agents busy
1107	Inbound	Missed call - Blacklisted number
1108	Inbound	Missed call - User canceled
1109	Inbound	Incoming call forwarded to external number - external line hang-up
1110	Inbound	Incoming call forwarded to external number - Call exception
1111	Inbound	Incoming call forwarded to external number - User hung up
2000	Outbound	Normal end
2001	Outbound	Normal end - Agent hung up

Hangup Code	Type	Description
2002	Outbound	Normal end - User hung up
2003	Outbound	Normal end - Agent canceled
2004	Outbound	Normal end - Network interruption
2101	Outbound	Missed call - Agent quickly hung up
2102	Outbound	Missed call - User quickly hung up
2103	Outbound	Missed call - User rejected call
2104	Outbound	Missed call - Timeout
2105	Outbound	Missed call - Blacklisted number
2106	Outbound	Missed call - Call restriction number
2107	Outbound	Missed call - Call restriction (experience count)
2201	Outbound	Unable to connect - Call refused
2202	Outbound	Unable to connect - Temporarily unable to connect
2203	Outbound	Unable to connect - Line busy
2204	Outbound	Unable to connect - Call exception
2205	Outbound	Unable to connect - Unable to connect
2206	Outbound	Unable to connect - Agent cancel
3000	AICC	Normal end
3001	AICC	Transfer to human successful - Agent hung up
3002	AICC	Transfer to human successful - User hung up
3003	AICC	Transfer to human successful-Network interruption
3101	AICC	Transfer to human failed - Agent quickly hung up
3102	AICC	Transfer to human failed - User quickly hung up
3103	AICC	Transfer to human failed - User abandoned the queue
3104	AICC	Transfer to human failed - User exceeded queue timeout
31041	AICC	Transfer to human failed - User exceeded queue timeout - All agents busy

Hangup Code	Type	Description
31042	AICC	Transfer to human failed - User exceeded queue timeout - No agent online
3105	AICC	Transfer to human failed - No agent online
3106	AICC	Transfer to human failed - All agents busy
3107	AICC	Transfer to human failed - User canceled