

Department of Computer Engineering

Academic Term: First Term 2023-24

Class: T.E /Computer Sem – V / Software Engineering

Practical No:	7
Title:	Design using Object Oriented approach with emphasis on Cohesion and Coupling
Date of Performance:	12-09-2023
Roll No:	9768
Team Members:	BRYCE MIRANDA

Sr. No	Performance Indicator	Excellent	Good	Below Average	Total Score
1	On time Completion & Submission (01)	01 (On Time)	NA	00 (Not on Time)	
2	Theory Understanding(02)	02(Correct)	NA	01 (Tried)	
3	Content Quality (03)	03(All used)	02 (Partial)	01 (rarely followed)	
4	Post Lab Questions (04)	04(done well)	3 (Partially Correct)	2(submitted)	

Signature of the Teacher:

Lab Experiment 07

Experiment Name: Design Using Object-Oriented Approach with Emphasis on Cohesion and Coupling in Software Engineering

Objective: The objective of this lab experiment is to introduce students to the Object-Oriented (OO) approach in software design, focusing on the principles of cohesion and coupling. Students will gain practical experience in designing a sample software project using OO principles to achieve high cohesion and low coupling, promoting maintainable and flexible software.

Introduction: The Object-Oriented approach is a powerful paradigm in software design, emphasizing the organization of code into objects, classes, and interactions. Cohesion and Coupling are essential design principles that guide the creation of well-structured and modular software.

Lab Experiment Overview:

1. Introduction to Object-Oriented Design: The lab session begins with an introduction to the Object Oriented approach, explaining the concepts of classes, objects, inheritance, polymorphism, and encapsulation.
2. Defining the Sample Project: Students are provided with a sample software project that requires design and implementation. The project may involve multiple modules or functionalities.
3. Cohesion in Design: Students learn about Cohesion, the degree to which elements within a module or class belong together. They understand the different types of cohesion, such as functional, sequential, communicational, and temporal, and how to achieve high cohesion in their design.
4. Coupling in Design: Students explore Coupling, the degree of interdependence between modules or classes. They understand the types of coupling, such as content, common, control, and stamp coupling, and strive for low coupling in their design.
5. Applying OO Principles: Using the Object-Oriented approach, students design classes and identify their attributes, methods, and interactions. They ensure that classes have high cohesion and are loosely coupled.
6. Class Diagrams: Students create Class Diagrams to visually represent their design, illustrating the relationships between classes and their attributes and methods.
7. Design Review: Students conduct a design review session, where they present their Class Diagrams and receive feedback from their peers.
8. Conclusion and Reflection: Students discuss the significance of Object-Oriented Design principles, Cohesion, and Coupling in creating maintainable and flexible software. They reflect on their experience in applying these principles during the design process.

Learning Outcomes: By the end of this lab experiment, students are expected to:

- Understand the Object-Oriented approach and its core principles, such as encapsulation, inheritance, and polymorphism.
- Gain practical experience in designing software using OO principles with an emphasis on Cohesion and Coupling.


- Learn to identify and implement high cohesion and low coupling in their design, promoting modular and maintainable code.
- Develop skills in creating Class Diagrams to visualize the relationships between classes.
- Appreciate the importance of design principles in creating robust and adaptable software.

Pre-Lab Preparations: Before the lab session, students should review Object-Oriented concepts, such as classes, objects, inheritance, and polymorphism. They should also familiarize themselves with the principles of Cohesion and Coupling in software design.

Materials and Resources:

- Project brief and details for the sample software project
- Whiteboard or projector for creating Class Diagrams
- Drawing tools or software for visualizing the design

Conclusion: The lab experiment on designing software using the Object-Oriented approach with a focus on Cohesion and Coupling provides students with essential skills in creating well-structured and maintainable software. By applying OO principles and ensuring high cohesion and low coupling, students design flexible and reusable code, facilitating future changes and enhancements. The experience in creating Class Diagrams enhances their ability to visualize and communicate their design effectively. The lab experiment encourages students to adopt design best practices, promoting modular and efficient software development in their future projects. Emphasizing Cohesion and Coupling in the Object-Oriented approach empowers students to create high-quality software that meets user requirements and adapts to evolving needs with ease.



The "Good Fellows" website, which connects youth and elderly people, can have various shortcomings and potential areas for upgrades to enhance its functionality and user experience. Here are some common shortcomings and potential improvements:

Shortcomings:

Limited Features: The current version may have limited features. For example, it primarily focuses on sorting volunteers based on distance and chat functionality. It could benefit from additional features like event scheduling, volunteer ratings, or a marketplace for services and goods.

Usability Issues: The website may have usability issues, making it challenging for some users, particularly the elderly, to navigate. Improved user interface design and accessibility features can address this issue.

Limited User Base: The website might not have a sufficiently large user base, reducing the chances of finding suitable volunteers. Expanding the user base by marketing or partnerships with local communities can be a significant improvement.

Lack of User Engagement: Users may not be actively engaged in the platform due to the absence of incentives or gamification features. Introducing rewards, badges, or recognition systems for volunteers can improve user engagement.

Security and Privacy Concerns: Security and privacy may be a concern, especially for elderly users. Enhancing security measures and educating users about privacy settings can address these issues.

Scalability Issues: If the website becomes popular, it might face scalability issues. Upgrading the infrastructure and adopting a cloud-based solution can help handle increasing user traffic.

Potential Upgrades:

Enhanced Matching Algorithm: Improve the algorithm for matching volunteers and users. Consider using machine learning and AI to make more accurate matches based on preferences and compatibility.

User Profiles: Enhance user profiles with more information about skills, hobbies, and interests, enabling better matching.

Mobile App: Develop a mobile app to provide a more convenient and on-the-go experience for users and volunteers.

Community Forums: Add community forums or discussion boards for users to share experiences, ask questions, and connect with others beyond volunteering.

Feedback and Ratings: Implement a feedback and rating system for volunteers to build trust and reliability among users.

Event Calendar: Include an event calendar for users and volunteers to schedule activities and gatherings.

Language Support: Provide multilingual support to reach a more diverse audience.

Senior-Friendly Design: Improve website design and content to cater to the specific needs of elderly users. Consider larger fonts, clear navigation, and simplified interfaces.

Data Privacy Education: Offer tutorials and educational materials on data privacy and online safety for all users.

Partnerships: Establish partnerships with senior centers, retirement communities, and local organizations to expand the user base.

Volunteer Training: Offer online training and resources for volunteers, ensuring they are well-prepared to assist elderly users effectively.

Feedback Loops: Establish feedback loops with users to continuously improve the platform based on their suggestions and needs.

Upgrading the "Good Fellows" website should be an iterative process, with a focus on addressing the identified shortcomings and implementing new features and improvements to enhance the overall user experience and impact on the community.

POSTLABS:

a. Analyze a given software design and assess the level of cohesion and coupling, identifying potential areas for improvement.

To analyze the level of cohesion and coupling in a given software design and identify potential areas for improvement, we need to understand what cohesion and coupling mean in the context of software design.

Cohesion refers to how closely related the components (modules, classes, functions, etc.) within a software system are to each other in terms of their responsibilities and functionality. High cohesion means that elements within a module or component are tightly related and work together for a common purpose. Low cohesion suggests that the elements within a module have unrelated or loosely related responsibilities.

Coupling refers to the degree of dependence between different modules or components within a software system. Low coupling means that modules interact with each other minimally, while high coupling implies a significant level of interdependence between modules.

Here's how to assess and improve cohesion and coupling:

Assessing Cohesion:

1. **Functional Cohesion (High):** Components should have a single, well-defined purpose. If you find that components are mixing unrelated functionality, this indicates low cohesion. Consider breaking them into smaller, more focused components.
2. **Sequential Cohesion (Low):** If a module contains multiple functions or procedures that must be executed in a specific sequence, this indicates low cohesion. Consider separating the functions into distinct components to improve modularity.
3. **Communicational Cohesion (Medium):** If functions within a module work on the same data, but each function deals with a different subset of that data, you may have a case of communicational cohesion. This is not necessarily a problem but can be improved by organizing functions that work on related data into separate components.
4. **Procedural Cohesion (Medium):** If a module groups functions or procedures based on their execution order, even though their purposes may be unrelated, it exhibits procedural cohesion. You can improve this by organizing functions based on their related functionality.

Assessing Coupling:

1. **Low Coupling (Good):** A software system with low coupling isolates components, making them independent of each other. Communication between modules should be through well-defined interfaces. If there's a high degree of coupling, you might consider redesigning the system to reduce interdependence.
2. **Content Coupling (High):** Content coupling occurs when one component accesses the internal data of another. To reduce content coupling, use well-defined interfaces and encapsulation to hide the internal details of a component.

3. Common Coupling (Medium): Common coupling involves multiple components accessing the same shared data. While this is not necessarily problematic, ensure that shared data is handled safely to prevent data corruption and conflicts.

4. Control Coupling (Medium): Control coupling happens when one component influences the behavior of another through control parameters or flags. Reduce control coupling by using well-structured and well-documented interfaces.

Improvement Strategies:

1. Refactoring: If you find components with low cohesion, refactor them into smaller, more focused components, each with a single, well-defined purpose.

2. Encapsulation: Encapsulate data within components to reduce content coupling. Only expose necessary interfaces to other components.

3. Define Clear Interfaces: Ensure that components communicate through well-defined and documented interfaces, reducing the chance of unexpected dependencies.

4. Modularization: Break down the software into smaller, independent modules that can be developed, tested, and maintained separately.

5. Dependency Injection: Use dependency injection or inversion of control to decouple components and make them more testable and maintainable.

6. Use Design Patterns: Implement design patterns like the Singleton pattern to control the instantiation of classes or the Observer pattern for communication between components in a more decoupled manner.

The specific recommendations for improvement will depend on the details of the software design under consideration. The goal is to balance cohesion and coupling to achieve a design that is both modular and maintainable.

b. Apply Object-Oriented principles, such as encapsulation and inheritance, to design a class hierarchy for a specific problem domain.

Design a simple class hierarchy for a problem domain related to "Elderly connect website." In this hierarchy, we'll use Object-Oriented principles like encapsulation and inheritance to create a structured representation of various types of vehicles.

Class Hierarchy:

Base class representing a User

class User:

def __init__(self, username, password, age):

self.username = username

self.password = password

self.age = age

def login(self):

Implement login functionality here

```
pass
```

```
def logout(self):
```

```
# Implement logout functionality here
```

```
pass
```

```
# Subclass Volunteer inheriting from User
```

```
class Volunteer(User):
```

```
def __init__(self, username, password, age, skills, availability):
```

```
super().__init__(username, password, age)
```

```
self.skills = skills
```

```
self.availability = availability
```

```
def browse_volunteers(self):
```

```
# Implement browsing other volunteers here
```

```
pass
```

```
def initiate_chat(self, user):
```

```
# Implement chat initiation functionality here
```

```
pass
```

```
# Subclass ElderlyUser inheriting from User
```

```
class ElderlyUser(User):
```

```
def __init__(self, username, password, age, medical_conditions):
```

```
super().__init__(username, password, age)
```

```
self.medical_conditions = medical_conditions
```

```
def search_volunteers(self, criteria):
```

```
# Implement searching for volunteers based on criteria
```



```
pass
```

```
def start_chat(self, volunteer):
```

```
# Implement chat initiation functionality here
```

```
pass
```

```
# Example usage
```

```
volunteer1 = Volunteer("volunteer1", "password123", 25, ["cooking", "companionship"], "Weekends")
```

```
elderly_user1 = ElderlyUser("elderlyuser1", "securepwd", 70, ["diabetes"])
```

```
# Using methods inherited from the base User class
```

```
volunteer1.login()
```

```
volunteer1.logout()
```

```
# Using methods specific to Volunteer and ElderlyUser
```

```
volunteer1.browse_volunteers()
```

```
elderly_user1.search_volunteers(["cooking", "companionship"])
```

The User class represents the base class for all users, and it includes common attributes like username, password, and age. It also provides login and logout methods that can be implemented in subclasses.

The Volunteer class is a subclass of User and includes additional attributes specific to volunteers, such as skills and availability. It also has methods for browsing other volunteers and initiating chats.

The ElderlyUser class is another subclass of User and includes attributes specific to elderly users, such as medical_conditions. It has methods for searching for volunteers and starting chats.

You can further refine and expand this class hierarchy based on the specific requirements and features of the "Good Fellows" website. This is just a simplified example to demonstrate encapsulation and inheritance principles.

c. Evaluate the impact of cohesion and coupling on software maintenance, extensibility, and reusability in a real-world project scenario.

The concepts of cohesion and coupling have a significant impact on software maintenance, extensibility, and reusability in real-world project scenarios. Let's evaluate these impacts in more detail:

Cohesion:

Cohesion refers to how closely related the components within a software system are to each other in terms of their responsibilities and functionality.

- Impact on Maintenance:

- High cohesion leads to code that is easier to maintain. When related functionality is grouped together in a cohesive manner, it's easier to understand, update, and fix issues within a module or component.

- Low cohesion can make maintenance challenging, as unrelated or loosely related functions are scattered across the codebase. Changes to one part of the code might have unintended consequences in other parts.

- Impact on Extensibility:

- High cohesion simplifies extensibility. When a module is well-organized and its responsibilities are clear, adding new features or functionality is more straightforward.

- Low cohesion can hinder extensibility, as it may require refactoring or reorganizing the code to accommodate new features, potentially introducing new defects.

- Impact on Reusability:

- High cohesion enhances reusability. Well-structured, cohesive modules can be easily reused in other parts of the project or in different projects.

- Low cohesion reduces reusability, as it may be difficult to extract and reuse parts of a module without carrying along unnecessary dependencies or functionality.

Coupling:

Coupling refers to the degree of dependence between different modules or components within a software system.

- Impact on Maintenance:

- Low coupling makes maintenance easier. When modules are loosely connected, changes in one module are less likely to affect others, reducing the risk of unintended consequences.

- High coupling can complicate maintenance. Modifications to one module may necessitate changes in multiple other modules, increasing the chances of introducing defects.

- Impact on Extensibility:

- Low coupling simplifies extensibility. New features or components can be added with minimal impact on existing modules, promoting a modular and flexible architecture.

- High coupling can impede extensibility. Introducing new features may require extensive changes across the codebase, increasing the risk of regression issues.

- Impact on Reusability:

- Low coupling enhances reusability. Loosely coupled modules can be easily extracted and reused in other projects or within the same project without dragging along a web of dependencies.

- High coupling reduces reusability, as tightly interconnected modules are often difficult to reuse independently.

Real-world Scenario:

Consider a real-world scenario of a legacy e-commerce platform:

- Cohesion:

- Low cohesion: In the legacy code, the shopping cart logic is scattered across multiple modules with unrelated responsibilities. Maintenance is challenging, and introducing new payment methods is difficult.

- High cohesion: After refactoring, the shopping cart functionality is grouped into a single cohesive module. Maintenance becomes easier, and adding new features like multiple shipping addresses becomes more straightforward.

- Coupling:

- High coupling: The legacy code exhibits tight coupling between the user authentication module and the product recommendation module. Changing the authentication system could impact the recommendations and lead to unexpected behavior.

- Low coupling: In the refactored version, the authentication and recommendation modules are decoupled. This allows for more flexible changes to the authentication system without affecting recommendations.