
Ben Sottile


Set UID and Environmental Variable Challenge

Lab Task 2.1

Using printenv to print environmental variables




Using Export and Unset to set and unset an Environmental Variable MY_VAR




Lab 2.2 Passing Environment Variables from Parent Process to Child Process

1. Run code



Output

Saved to file



Output

XDG_VTNR=7

ORBIT_SOCKETDIR=/tmp/orbit-seed

 ${\tt XDG_SESSION_ID=c1}$

XDG_GREETER_DATA_DIR=/var/lib/lightdm-data/seed

 $TERMINATOR_UUID = urn: uuid: 3331e5d1-f09b-4529-b74b-58a27a2c17e2$

IBUS_DISABLE_SNOOPER=1

 ${\sf CLUTTER_IM_MODULE=xim}$

ANDROID_HOME=/home/seed/android/android-sdk-linux

 ${\sf GPG_AGENT_INFO=/home/seed/.gnupg/S.gpg-agent:0:1}$

TERM=xterm

SHELL=/bin/bash

DERBY_HOME=/usr/lib/jvm/java-8-oracle/db

QT_LINUX_ACCESSIBILITY_ALWAYS_ON=1

LD_PRELOAD=/home/seed/lib/boost/libboost_program_options.so.1.64.0:/home/seed/lib/boost/libboost_filesystem.so.1.64.0:/home/seed/lib/boost/libboost_system.so.1.64.0

WINDOWID=71303172

UPSTART SESSION=unix:abstract=/com/ubuntu/upstart-session/1000/1167

GNOME_KEYRING_CONTROL=

 ${\sf GTK_MODULES=gail:atk-bridge:unity-gtk-module}$

USER=seed

 $LS_COLORS=rs=0: di=01;34:ln=01;36:mh=00: pi=40;33: so=01;35: do=01;35: bd=40;33;01: cd=40;33;01: cr=40;31;01: mi=00: su=37;41: sg=30;43: ca=30;41: tw=30;42: ow=34;42: st=37;44: ex=01;32: *.tar=01;31: *.tgz=01;31: *.taz=01;31: *.taz=01;31: *.taz=01;31: *.taz=01;31: *.tz=01;31: *.$

QT_ACCESSIBILITY=1

LD_LIBRARY_PATH=/home/seed/source/boost_1_64_0/stage/lib:/home/seed/source/boost_1_64_0/stage/lib:

XDG_SESSION_PATH=/org/freedesktop/DisplayManager/Session0

XDG_SEAT_PATH=/org/freedesktop/DisplayManager/Seat0

SSH_AUTH_SOCK=/run/user/1000/keyring/ssh

DEFAULTS PATH=/usr/share/gconf/ubuntu.default.path

XDG_CONFIG_DIRS=/etc/xdg/xdg-ubuntu:/usr/share/upstart/xdg:/etc/xdg

DESKTOP_SESSION=ubuntu

PATH=/home/seed/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/sbin:/bin:/usr/games:/usr/local/games:.:/snap/bin:/usr/lib/jvm/java-8-oracle/bin:/usr/lib/jvm/java-8-oracle/jre/bin:/home/seed/android/android-sdk-linux/platform-tools:/home/seed/android/android-ndk/android-ndk-r8d:/home/seed/.local/bin

QT_IM_MODULE=ibus

QT_QPA_PLATFORMTHEME=appmenu-qt5

XDG_SESSION_TYPE=x11

PWD=/home/seed

JOB=gnome-session

XMODIFIERS=@im=ibus

JAVA_HOME=/usr/lib/jvm/java-8-oracle

GNOME_KEYRING_PID=

LANG=en_US.UTF-8

GDM_LANG=en_US

MANDATORY_PATH=/usr/share/gconf/ubuntu.mandatory.path

COMPIZ_CONFIG_PROFILE=ubuntu

IM_CONFIG_PHASE=1

GDMSESSION=ubuntu

SESSIONTYPE=gnome-session

GTK2_MODULES=overlay-scrollbar

SHLVL=1

HOME=/home/seed

XDG_SEAT=seat0

LANGUAGE=en_US

LIBGL_ALWAYS_SOFTWARE=1

 ${\tt GNOME_DESKTOP_SESSION_ID=this-is-deprecated}$

UPSTART_INSTANCE=

XDG_SESSION_DESKTOP=ubuntu

 ${\tt UPSTART_EVENTS} {=} {\sf started} \ {\sf starting}$

LOGNAME=seed

 $DBUS_SESSION_BUS_ADDRESS=unix:abstract=/tmp/dbus-mmJ5Ugb59D$

J2SDKDIR=/usr/lib/jvm/java-8-oracle

 $\label{local_decomposition} XDG_DATA_DIRS=/usr/share/ubuntu:/usr/share/gnome:/usr/local/share/:/usr/share/:/var/lib/snapd/desktop$

QT4_IM_MODULE=xim

LESSOPEN=| /usr/bin/lesspipe %s

INSTANCE=Unity

UPSTART_JOB=unity-settings-daemon

XDG_RUNTIME_DIR=/run/user/1000

DISPLAY=:0

XDG_CURRENT_DESKTOP=Unity

GTK_IM_MODULE=ibus

J2REDIR=/usr/lib/jvm/java-8-oracle/jre


LESSCLOSE=/usr/bin/lesspipe %s %s

XAUTHORITY=/home/seed/.Xauthority

COLORTERM=gnome-terminal

_=./code

Creating code



XDG_VTNR=7

ORBIT_SOCKETDIR=/tmp/orbit-seed

XDG_SESSION_ID=c1

XDG GREETER DATA DIR=/var/lib/lightdm-data/seed

TERMINATOR_UUID=urn:uuid:3331e5d1-f09b-4529-b74b-58a27a2c17e2

IBUS_DISABLE_SNOOPER=1

CLUTTER_IM_MODULE=xim

 ${\tt ANDROID_HOME=/home/seed/android/android-sdk-linux}$

GPG_AGENT_INFO=/home/seed/.gnupg/S.gpg-agent:0:1

TERM=xterm

SHELL=/bin/bash

DERBY_HOME=/usr/lib/jvm/java-8-oracle/db

QT LINUX ACCESSIBILITY ALWAYS ON=1

LD_PRELOAD=/home/seed/lib/boost/libboost_program_options.so.1.64.0:/home/seed/lib/boost/libboost_filesystem.so.1.64.0:/home/seed/lib/boost/libboost_system.so.1.64.0

WINDOWID=71303172

UPSTART SESSION=unix:abstract=/com/ubuntu/upstart-session/1000/1167

GNOME_KEYRING_CONTROL=

 ${\sf GTK_MODULES=gail:atk-bridge:unity-gtk-module}$

USER=seed

 $LS_COLORS=rs=0: di=01;34:ln=01;36:mh=00: pi=40;33: so=01;35: do=01;35: bd=40;33;01: cd=40;33;01: cr=40;31;01: mi=00: su=37;41: sg=30;43: ca=30;41: tw=30;42: ow=34;42: st=37;44: ex=01;32: *.tar=01;31: *.tgz=01;31: *.taz=01;31: *.taz=01;31: *.taz=01;31: *.taz=01;31: *.tz=01;31: *.$

QT_ACCESSIBILITY=1

LD_LIBRARY_PATH=/home/seed/source/boost_1_64_0/stage/lib:/home/seed/source/boost_1_64_0/st age/lib:

XDG_SESSION_PATH=/org/freedesktop/DisplayManager/Session0

XDG_SEAT_PATH=/org/freedesktop/DisplayManager/Seat0

SSH_AUTH_SOCK=/run/user/1000/keyring/ssh

DEFAULTS PATH=/usr/share/gconf/ubuntu.default.path

XDG_CONFIG_DIRS=/etc/xdg/xdg-ubuntu:/usr/share/upstart/xdg:/etc/xdg

DESKTOP_SESSION=ubuntu

PATH=/home/seed/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/sbin:/bin:/usr/games:/usr/local/games:.:/snap/bin:/usr/lib/jvm/java-8-oracle/bin:/usr/lib/jvm/java-8-oracle/jre/bin:/home/seed/android/android-sdk-linux/platform-tools:/home/seed/android/android-ndk/android-ndk-r8d:/home/seed/.local/bin

QT_IM_MODULE=ibus

QT_QPA_PLATFORMTHEME=appmenu-qt5

XDG_SESSION_TYPE=x11

PWD=/home/seed

JOB=gnome-session

XMODIFIERS=@im=ibus

JAVA_HOME=/usr/lib/jvm/java-8-oracle

GNOME_KEYRING_PID=

LANG=en_US.UTF-8

GDM_LANG=en_US

MANDATORY_PATH=/usr/share/gconf/ubuntu.mandatory.path

COMPIZ_CONFIG_PROFILE=ubuntu

IM_CONFIG_PHASE=1

GDMSESSION=ubuntu

SESSIONTYPE=gnome-session

GTK2_MODULES=overlay-scrollbar

SHLVL=1

HOME=/home/seed

XDG_SEAT=seat0

LANGUAGE=en_US

LIBGL_ALWAYS_SOFTWARE=1

 ${\tt GNOME_DESKTOP_SESSION_ID=this-is-deprecated}$

UPSTART_INSTANCE=

XDG_SESSION_DESKTOP=ubuntu


 ${\tt UPSTART_EVENTS} {=} {\sf started} \ {\sf starting}$

LOGNAME=seed


 $DBUS_SESSION_BUS_ADDRESS=unix:abstract=/tmp/dbus-mmJ5Ugb59D$


J2SDKDIR=/usr/lib/jvm/java-8-oracle

XDG_DATA_DIRS=/usr/share/ubuntu:/usr/share/gnome:/usr/local/share/:/usr/share/:/var/lib/snapd/de sktop QT4_IM_MODULE=xim LESSOPEN=| /usr/bin/lesspipe %s INSTANCE=Unity UPSTART_JOB=unity-settings-daemon XDG_RUNTIME_DIR=/run/user/1000 DISPLAY=:0 XDG_CURRENT_DESKTOP=Unity GTK_IM_MODULE=ibus J2REDIR=/usr/lib/jvm/java-8-oracle/jre LESSCLOSE=/usr/bin/lesspipe %s %s XAUTHORITY=/home/seed/.Xauthority COLORTERM=gnome-terminal _=./code3 Output for diff $[09/08/21] seed @VM: ^{\$} diff code3_output code_output$ 71c71 < _=./code3 > _=./code




<u>Task 3</u>
<u>Compiled but nothing was printed to console</u>





Task 3b program seems to print Environmental Variables



Output

XDG_VTNR=7

ORBIT_SOCKETDIR=/tmp/orbit-seed

 ${\tt XDG_SESSION_ID=c1}$

XDG_GREETER_DATA_DIR=/var/lib/lightdm-data/seed

TERMINATOR_UUID=urn:uuid:3331e5d1-f09b-4529-b74b-58a27a2c17e2

IBUS_DISABLE_SNOOPER=1

CLUTTER_IM_MODULE=xim

ANDROID_HOME=/home/seed/android/android-sdk-linux

GPG_AGENT_INFO=/home/seed/.gnupg/S.gpg-agent:0:1

TERM=xterm

SHELL=/bin/bash

DERBY_HOME=/usr/lib/jvm/java-8-oracle/db

QT_LINUX_ACCESSIBILITY_ALWAYS_ON=1

LD_PRELOAD=/home/seed/lib/boost/libboost_program_options.so.1.64.0:/home/seed/lib/boost/libboost_filesystem.so.1.64.0:/home/seed/lib/boost/libboost_system.so.1.64.0

WINDOWID=71303172

UPSTART SESSION=unix:abstract=/com/ubuntu/upstart-session/1000/1167

GNOME_KEYRING_CONTROL=

 ${\sf GTK_MODULES=gail:atk-bridge:unity-gtk-module}$

USER=seed

 $LS_COLORS=rs=0: di=01;34:ln=01;36:mh=00: pi=40;33: so=01;35: do=01;35: bd=40;33;01: cd=40;33;01: cr=40;31;01: mi=00: su=37;41: sg=30;43: ca=30;41: tw=30;42: ow=34;42: st=37;44: ex=01;32: *.tar=01;31: *.tgz=01;31: *.taz=01;31: *.taz=01;31: *.taz=01;31: *.taz=01;31: *.tz=01;31: *.$

QT_ACCESSIBILITY=1

LD_LIBRARY_PATH=/home/seed/source/boost_1_64_0/stage/lib:/home/seed/source/boost_1_64_0/st age/lib:

XDG_SESSION_PATH=/org/freedesktop/DisplayManager/Session0

XDG_SEAT_PATH=/org/freedesktop/DisplayManager/Seat0

SSH_AUTH_SOCK=/run/user/1000/keyring/ssh

DEFAULTS PATH=/usr/share/gconf/ubuntu.default.path

XDG_CONFIG_DIRS=/etc/xdg/xdg-ubuntu:/usr/share/upstart/xdg:/etc/xdg

DESKTOP_SESSION=ubuntu

PATH=/home/seed/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/sbin:/bin:/usr/games:/usr/local/games:.:/snap/bin:/usr/lib/jvm/java-8-oracle/bin:/usr/lib/jvm/java-8-oracle/jre/bin:/home/seed/android/android-sdk-linux/platform-tools:/home/seed/android/android-ndk/android-ndk-r8d:/home/seed/.local/bin

QT_IM_MODULE=ibus

QT_QPA_PLATFORMTHEME=appmenu-qt5

XDG_SESSION_TYPE=x11

PWD=/home/seed

JOB=gnome-session

XMODIFIERS=@im=ibus

JAVA_HOME=/usr/lib/jvm/java-8-oracle

GNOME_KEYRING_PID=

LANG=en_US.UTF-8

GDM_LANG=en_US

MANDATORY_PATH=/usr/share/gconf/ubuntu.mandatory.path

COMPIZ_CONFIG_PROFILE=ubuntu

IM_CONFIG_PHASE=1

GDMSESSION=ubuntu

SESSIONTYPE=gnome-session

GTK2_MODULES=overlay-scrollbar

SHLVL=1

HOME=/home/seed

XDG_SEAT=seat0

LANGUAGE=en_US

LIBGL_ALWAYS_SOFTWARE=1

 ${\tt GNOME_DESKTOP_SESSION_ID=this-is-deprecated}$

UPSTART_INSTANCE=

XDG_SESSION_DESKTOP=ubuntu

UPSTART_EVENTS=started starting

LOGNAME=seed

 $DBUS_SESSION_BUS_ADDRESS=unix:abstract=/tmp/dbus-mmJ5Ugb59D$

J2SDKDIR=/usr/lib/jvm/java-8-oracle

 $\label{local_decomposition} XDG_DATA_DIRS=/usr/share/ubuntu:/usr/share/gnome:/usr/local/share/:/usr/share/:/var/lib/snapd/desktop$

QT4_IM_MODULE=xim

LESSOPEN=| /usr/bin/lesspipe %s

INSTANCE=Unity

UPSTART_JOB=unity-settings-daemon

XDG_RUNTIME_DIR=/run/user/1000

DISPLAY=:0

XDG_CURRENT_DESKTOP=Unity

GTK_IM_MODULE=ibus

J2REDIR=/usr/lib/jvm/java-8-oracle/jre


LESSCLOSE=/usr/bin/lesspipe %s %s

XAUTHORITY=/home/seed/.Xauthority

COLORTERM=gnome-terminal

_=./task3b

Task 4: Environment Variables and system()



Expanded Text

[09/08/21]seed@VM:~\$ task4

LESSOPEN=| /usr/bin/lesspipe %s

GNOME_KEYRING_PID=

USER=seed

LANGUAGE=en_US

UPSTART_INSTANCE=

J2SDKDIR=/usr/lib/jvm/java-8-oracle

XDG_SEAT=seat0

XDG_SESSION_TYPE=x11

COMPIZ_CONFIG_PROFILE=ubuntu

ORBIT_SOCKETDIR=/tmp/orbit-seed

 $\label{local_local_local_local_local} LD_LIBRARY_PATH=/home/seed/source/boost_1_64_0/stage/lib:/home/seed/source/boos$

SHLVL=1

LIBGL_ALWAYS_SOFTWARE=1

J2REDIR=/usr/lib/jvm/java-8-oracle/jre

HOME=/home/seed

QT4_IM_MODULE=xim

DESKTOP_SESSION=ubuntu

QT_LINUX_ACCESSIBILITY_ALWAYS_ON=1

GTK_MODULES=gail:atk-bridge:unity-gtk-module

XDG_SEAT_PATH=/org/freedesktop/DisplayManager/Seat0

INSTANCE=Unity

DBUS_SESSION_BUS_ADDRESS=unix:abstract=/tmp/dbus-mmJ5Ugb59D

COLORTERM=gnome-terminal

GNOME_KEYRING_CONTROL=

QT_QPA_PLATFORMTHEME=appmenu-qt5

MANDATORY_PATH=/usr/share/gconf/ubuntu.mandatory.path

IM_CONFIG_PHASE=1

SESSIONTYPE=gnome-session

UPSTART_JOB=unity-settings-daemon

LOGNAME=seed

 $\mathsf{GTK_IM_MODULE} \!=\! \mathsf{ibus}$

WINDOWID=71303172

_=./task4

DEFAULTS_PATH=/usr/share/gconf/ubuntu.default.path

 ${\tt XDG_SESSION_ID=c1}$

TERM=xterm

 ${\tt GNOME_DESKTOP_SESSION_ID=this-is-deprecated}$

GTK2_MODULES=overlay-scrollbar

PATH=/home/seed/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/sbin:/usr/games:/usr/local/games:../snap/bin:/usr/lib/jvm/java-8-oracle/bin:/usr/lib/jvm/java-8-oracle/db/bin:/usr/lib/jvm/java-8-oracle/jre/bin:/home/seed/android/android-sdk-linux/tools:/home/seed/android/android-sdk-linux/platform-tools:/home/seed/android/android-ndk/android-ndk-r8d:/home/seed/.local/bin

DERBY_HOME=/usr/lib/jvm/java-8-oracle/db

GDM_LANG=en_US

XDG_SESSION_PATH=/org/freedesktop/DisplayManager/Session0

XDG RUNTIME DIR=/run/user/1000

DISPLAY=:0

IBUS_DISABLE_SNOOPER=1

 $\label{libboost} LD_PRELOAD=/home/seed/lib/boost/libboost_program_options.so. 1.64.0:/home/seed/lib/boost/libboost_filesystem.so. 1.64.0:/home/seed/lib/boost/libboost_system.so. 1.64.0:/home/seed/lib/boost/libboost_system.so. 1.64.0:/home/seed/lib/boost/libboost_system.so. 1.64.0:/home/seed/lib/boost_system.so. 1.64.0:/home/se$

LANG=en_US.UTF-8

XDG_CURRENT_DESKTOP=Unity

 $LS_COLORS=rs=0: di=01;34: ln=01;36: mh=00: pi=40;33: so=01;35: do=01;35: bd=40;33;01: cd=40;33;01: cr=40;31;01: mi=00: su=37;41: sg=30;43: ca=30;41: tw=30;42: ow=34;42: st=37;44: ex=01;32: *.tar=01;31: *.tgz=01;31: *.taz=01;31: *.taz=01;31: *.taz=01;31: *.taz=01;31: *.tz=01;31: *.tz=01;31:$

XMODIFIERS=@im=ibus

XDG_SESSION_DESKTOP=ubuntu

XAUTHORITY=/home/seed/.Xauthority

XDG_GREETER_DATA_DIR=/var/lib/lightdm-data/seed

SSH_AUTH_SOCK=/run/user/1000/keyring/ssh

TERMINATOR_UUID=urn:uuid:3331e5d1-f09b-4529-b74b-58a27a2c17e2

SHELL=/bin/bash

QT_ACCESSIBILITY=1

GDMSESSION=ubuntu

LESSCLOSE=/usr/bin/lesspipe %s %s

UPSTART_EVENTS=started starting

GPG_AGENT_INFO=/home/seed/.gnupg/S.gpg-agent:0:1

UPSTART_SESSION=unix:abstract=/com/ubuntu/upstart-session/1000/1167

XDG_VTNR=7

 ${\sf QT_IM_MODULE=ibus}$

PWD=/home/seed

JAVA_HOME=/usr/lib/jvm/java-8-oracle

 ${\tt CLUTTER_IM_MODULE=xim}$

ANDROID_HOME=/home/seed/android/android-sdk-linux

XDG_CONFIG_DIRS=/etc/xdg/xdg-ubuntu:/usr/share/upstart/xdg:/etc/xdg


 $XDG_DATA_DIRS=/usr/share/ubuntu:/usr/share/gnome:/usr/local/share/:/usr/share/:/var/lib/snapd/desktop$

JOB=gnome-session

Task 5

Part 1 Prints Process and environmental Variables

Commented [BS1]:



Output

XDG_VTNR=7

ORBIT_SOCKETDIR=/tmp/orbit-seed

 ${\tt XDG_SESSION_ID=c1}$

XDG_GREETER_DATA_DIR=/var/lib/lightdm-data/seed

TERMINATOR_UUID=urn:uuid:3331e5d1-f09b-4529-b74b-58a27a2c17e2

IBUS_DISABLE_SNOOPER=1

CLUTTER_IM_MODULE=xim

ANDROID_HOME=/home/seed/android/android-sdk-linux

GPG_AGENT_INFO=/home/seed/.gnupg/S.gpg-agent:0:1

TERM=xterm

SHELL=/bin/bash

DERBY_HOME=/usr/lib/jvm/java-8-oracle/db

QT_LINUX_ACCESSIBILITY_ALWAYS_ON=1

LD_PRELOAD=/home/seed/lib/boost/libboost_program_options.so.1.64.0:/home/seed/lib/boost/libboost_filesystem.so.1.64.0:/home/seed/lib/boost/libboost_system.so.1.64.0

WINDOWID=71303172

UPSTART SESSION=unix:abstract=/com/ubuntu/upstart-session/1000/1167

GNOME_KEYRING_CONTROL=

GTK_MODULES=gail:atk-bridge:unity-gtk-module

USER=seed

 $LS_COLORS=rs=0: di=01;34:ln=01;36:mh=00: pi=40;33: so=01;35: do=01;35: bd=40;33;01: cd=40;33;01: cr=40;31;01: mi=00: su=37;41: sg=30;43: ca=30;41: tw=30;42: ow=34;42: st=37;44: ex=01;32: *.tar=01;31: *.tgz=01;31: *.taz=01;31: *.taz=01;31: *.taz=01;31: *.taz=01;31: *.tz=01;31: *.$

QT_ACCESSIBILITY=1

LD_LIBRARY_PATH=/home/seed/source/boost_1_64_0/stage/lib:/home/seed/source/boost_1_64_0/st age/lib:

XDG_SESSION_PATH=/org/freedesktop/DisplayManager/Session0

XDG_SEAT_PATH=/org/freedesktop/DisplayManager/Seat0

SSH_AUTH_SOCK=/run/user/1000/keyring/ssh

DEFAULTS PATH=/usr/share/gconf/ubuntu.default.path

XDG_CONFIG_DIRS=/etc/xdg/xdg-ubuntu:/usr/share/upstart/xdg:/etc/xdg

DESKTOP_SESSION=ubuntu

PATH=/home/seed/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/sbin:/bin:/usr/games:/usr/local/games:.:/snap/bin:/usr/lib/jvm/java-8-oracle/bin:/usr/lib/jvm/java-8-oracle/jre/bin:/home/seed/android/android-sdk-linux/platform-tools:/home/seed/android/android-ndk/android-ndk-r8d:/home/seed/.local/bin

QT_IM_MODULE=ibus

QT_QPA_PLATFORMTHEME=appmenu-qt5

XDG_SESSION_TYPE=x11

PWD=/home/seed

JOB=gnome-session

XMODIFIERS=@im=ibus

JAVA_HOME=/usr/lib/jvm/java-8-oracle

GNOME_KEYRING_PID=

LANG=en_US.UTF-8

GDM_LANG=en_US

MANDATORY_PATH=/usr/share/gconf/ubuntu.mandatory.path

COMPIZ_CONFIG_PROFILE=ubuntu

IM_CONFIG_PHASE=1

GDMSESSION=ubuntu

SESSIONTYPE=gnome-session

GTK2_MODULES=overlay-scrollbar

SHLVL=1

HOME=/home/seed

XDG_SEAT=seat0

LANGUAGE=en_US

LIBGL_ALWAYS_SOFTWARE=1

 ${\tt GNOME_DESKTOP_SESSION_ID=this-is-deprecated}$

UPSTART_INSTANCE=

XDG_SESSION_DESKTOP=ubuntu

 ${\tt UPSTART_EVENTS} {=} {\sf started} \ {\sf starting}$

LOGNAME=seed

 $DBUS_SESSION_BUS_ADDRESS=unix:abstract=/tmp/dbus-mmJ5Ugb59D$

J2SDKDIR=/usr/lib/jvm/java-8-oracle

 $\label{local_decomposition} XDG_DATA_DIRS=/usr/share/ubuntu:/usr/share/gnome:/usr/local/share/:/usr/share/:/var/lib/snapd/desktop$

QT4_IM_MODULE=xim

LESSOPEN=| /usr/bin/lesspipe %s

INSTANCE=Unity

UPSTART_JOB=unity-settings-daemon

XDG_RUNTIME_DIR=/run/user/1000

DISPLAY=:0

XDG_CURRENT_DESKTOP=Unity

GTK_IM_MODULE=ibus

J2REDIR=/usr/lib/jvm/java-8-oracle/jre


LESSCLOSE=/usr/bin/lesspipe %s %s

XAUTHORITY=/home/seed/.Xauthority


COLORTERM=gnome-terminal

_=./task5

Part2 Set PATH,LD_LIBRARY_PATH,variableOfChoice (coolestDude) for export



Make program Set UID Program and Run



coolestDude made it to the program.

Code Output Full

[09/10/21]seed@VM:~\$ task5

XDG_VTNR=7

coolestDude=Ben Sottile

 ${\tt XDG_SESSION_ID=c1}$

XDG_GREETER_DATA_DIR=/var/lib/lightdm-data/seed

CLUTTER_IM_MODULE=xim

SESSION=ubuntu

ANDROID HOME=/home/seed/android/android-sdk-linux

GPG_AGENT_INFO=/home/seed/.gnupg/S.gpg-agent:0:1

TERM=xterm-256color

VTE_VERSION=4205

SHELL=/bin/bash

DERBY_HOME=/usr/lib/jvm/java-8-oracle/db

QT_LINUX_ACCESSIBILITY_ALWAYS_ON=1

WINDOWID=71310677

UPSTART SESSION=unix:abstract=/com/ubuntu/upstart-session/1000/1167

GNOME_KEYRING_CONTROL=

GTK_MODULES=gail:atk-bridge:unity-gtk-module

USER=seed

 $LS_COLORS=rs=0: di=01;34:ln=01;36:mh=00: pi=40;33: so=01;35: do=01;35: bd=40;33;01: cd=40;33;01: or=40;31;01: mi=00: su=37;41: sg=30;43: ca=30;41: tw=30;42: ow=34;42: st=37;44: ex=01;32:*.tar=01;31:*.tgz=01;31:*.arc=01;31:*.taz=01;31:*.lha=01;31:*.lka=01;31:*.lzh=01;$

QT_ACCESSIBILITY=1

XDG_SESSION_PATH=/org/freedesktop/DisplayManager/Session0

XDG_SEAT_PATH=/org/freedesktop/DisplayManager/Seat0

SSH_AUTH_SOCK=/run/user/1000/keyring/ssh

DEFAULTS_PATH=/usr/share/gconf/ubuntu.default.path

XDG_CONFIG_DIRS=/etc/xdg/xdg-ubuntu:/usr/share/upstart/xdg:/etc/xdg

DESKTOP_SESSION=ubuntu

PATH=/home/seed/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/sbin:/bin:/usr/games:/usr/local/games:.:/snap/bin:/usr/lib/jvm/java-8-oracle/bin:/usr/lib/jvm/java-8-oracle/jre/bin:/home/seed/android/android-sdk-linux/platform-tools:/home/seed/android/android-ndk/android-ndk-r8d:/home/seed/.local/bin

QT_IM_MODULE=ibus

QT_QPA_PLATFORMTHEME=appmenu-qt5

XDG_SESSION_TYPE=x11

PWD=/home/seed

JOB=unity-settings-daemon

XMODIFIERS=@im=ibus

JAVA_HOME=/usr/lib/jvm/java-8-oracle

GNOME_KEYRING_PID=

LANG=en_US.UTF-8

GDM_LANG=en_US

 $MANDATORY_PATH=/usr/share/gconf/ubuntu.mandatory.path$

COMPIZ_CONFIG_PROFILE=ubuntu-lowgfx

IM_CONFIG_PHASE=1

GDMSESSION=ubuntu

SESSIONTYPE=gnome-session

GTK2_MODULES=overlay-scrollbar

SHLVL=1

HOME=/home/seed

XDG_SEAT=seat0

LANGUAGE=en_US

LIBGL_ALWAYS_SOFTWARE=1

 ${\tt GNOME_DESKTOP_SESSION_ID=this-is-deprecated}$

UPSTART_INSTANCE=

UPSTART_EVENTS=xsession started

XDG_SESSION_DESKTOP=ubuntu

LOGNAME=seed

COMPIZ_BIN_PATH=/usr/bin/

 $DBUS_SESSION_BUS_ADDRESS=unix:abstract=/tmp/dbus-mmJ5Ugb59D$

J2SDKDIR=/usr/lib/jvm/java-8-oracle

 $XDG_DATA_DIRS=/usr/share/ubuntu:/usr/share/gnome:/usr/local/share/:/usr/share/:/usr/share/ib/snapd/desktop$

QT4_IM_MODULE=xim

LESSOPEN=| /usr/bin/lesspipe %s

INSTANCE=

UPSTART_JOB=unity7

XDG_RUNTIME_DIR=/run/user/1000

DISPLAY=:0

XDG_CURRENT_DESKTOP=Unity

 $\mathsf{GTK_IM_MODULE=} ibus$

J2REDIR=/usr/lib/jvm/java-8-oracle/jre

LESSCLOSE=/usr/bin/lesspipe %s %s

XAUTHORITY=/home/seed/.Xauthority

_=./task5