

DiviForge v2.2.0 - Functional & Technical Documentation

Release date: 2026-07-06

Product: DiviForge

Plugin version: 2.2.0

Target platform: WordPress + Divi / Divi Builder

Primary package format: .dfg / .zip

1. Product vision

DiviForge is an AI-assisted workflow layer for building professional Divi pages from structured packages. A package contains the page structure, page-level CSS and supporting metadata. DiviForge converts that package into a draft WordPress page that can immediately be opened and refined in Divi.

The long-term direction is a complete AI development environment for Divi: prompt, generate, inspect, preview, import, version, update and reuse.

2. What changed in v2.2.0

Version 2.2.0 focuses on the import engine and fixes the most important workflow gap from v2.1.0.

Added

- New `DiviForge\_CSS\_Importer` class.
- Automatic import of `page.css` into Divi Page Custom CSS.
- CSS is now written to Divi meta key `\_et\_pb\_custom\_css`.
- DiviForge also keeps its own canonical CSS copy in `\_diviforge\_page\_css`.
- CSS import status, source, hash and timestamp are stored as metadata.
- New **Re-apply CSS** action after import.
- Import result panel with **Edit Page**, **Open in Divi** and **Re-apply CSS** buttons.
- Divi static CSS cache clearing hooks where available.
- Expanded package registry metadata.

Fixed

- `page.css` was previously stored only in `\_diviforge\_page\_css`, which Divi does not use for page-level custom CSS.
- Imported pages could therefore appear unstyled until CSS was manually copied into the Divi page settings.

3. Package specification v1.1

A first-generation DiviForge package should contain:

manifest.json	
layout.json	
page.css	
images/	optional
fonts/	optional, planned

preview/

optional, planned

Required files

`manifest.json`

Contains package metadata.

Recommended fields:

```
{
  "title": "Homepage Concept",
  "version": "1.0.0",
  "builder": "divi",
  "author": "DiviForge",
  "description": "AI-generated Divi page package"
}
```

`layout.json`

Contains the page structure: sections, rows, columns and modules.

`page.css`

Contains page-level CSS. In v2.2.0 this file is automatically written to Divi Page Custom CSS for the created or updated page.

4. Import workflow

```
Upload package
|
v
Inspect package structure
|
v
Read manifest.json
|
v
Read layout.json
|
v
Create/update draft WordPress page
|
v
Activate Divi Builder metadata
|
v
Convert layout.json to Divi shortcodes
|
v
Read page.css
|
v
Store CSS in DiviForge registry
|
v
Write CSS to Divi Page Custom CSS
|
v
Clear Divi static CSS cache where available
|
v
Show import result actions
```

5. CSS import architecture

Class

`includes/class-diviforge-css-importer.php`

Responsibilities

- Normalize imported CSS.
- Preserve valid CSS selectors and declarations.
- Remove unsafe PHP/script/style tags.
- Store canonical CSS for future re-apply/rollback.
- Write CSS to Divi Page Custom CSS.
- Store metadata for traceability.
- Clear Divi static CSS cache where possible.

Metadata written

<code>_diviforge_page_css</code>	canonical CSS copy
<code>_et_pb_custom_css</code>	Divi Page Custom CSS
<code>_diviforge_css_source</code>	package stored-css
<code>_diviforge_css_status</code>	applied missing
<code>_diviforge_css_applied_at</code>	timestamp
<code>_diviforge_css_hash</code>	sha256 hash of CSS
<code>_diviforge_css_target_meta</code>	<code>_et_pb_custom_css</code>

6. Package registry metadata

Each imported page receives metadata to connect it back to the imported package.

<code>_diviforge_version</code>
<code>_diviforge_package_hash</code>
<code>_diviforge_package_imported_at</code>
<code>_diviforge_package_title</code>
<code>_diviforge_package_filename</code>
<code>_diviforge_package_manifest</code>
<code>_diviforge_package_version</code>
<code>_diviforge_package_author</code>

This prepares DiviForge for future update, diff and rollback functionality.

7. Admin interface

Import Package

After import the user now sees:

- import success message
- layout status
- CSS status
- **Edit Page** button
- **Open in Divi** button
- **Re-apply CSS** button

Re-apply CSS

The Re-apply CSS action reads `_diviforge_page_css` and writes it again to `_et_pb_custom_css`. This is useful when Divi settings, cache or manual edits caused page CSS to disappear or become stale.

8. Security model

- Import requires a user that can edit pages.
- Admin actions use WordPress nonces.
- Re-apply CSS requires permission to edit the target page.
- CSS is normalized and stripped of PHP/script/style tags while preserving normal CSS syntax.
- ZIP processing requires ``ZipArchive``.

9. Current limitations

- Images inside ``images/`` are detected by the inspector but not yet automatically uploaded and remapped.
- Fonts are part of the package vision but are not yet imported.
- The layout importer is still intentionally simple and supports a basic subset of Divi modules.
- Preview rendering is planned but not included in this release.
- Rollback metadata is prepared, but full rollback is planned for a later version.

10. File structure

```
diviforge/
├── diviforge.php
├── includes/
│   ├── class-diviforge.php
│   ├── class-diviforge-package.php
│   ├── class-diviforge-importer.php
│   └── class-diviforge-css-importer.php
├── admin/
│   └── class-diviforge-admin.php
├── assets/
│   ├── css/admin.css
│   └── js/admin.js
├── docs/
├── examples/
└── packages/
```

11. Roadmap

v2.3 - Asset Import

- Upload ``images/`` to the WordPress media library.
- Replace local package image references with media URLs.
- Add missing asset warnings.
- Add package asset registry.

v2.4 - Layout Importer Expansion

- Better row and column structure handling.
- More Divi modules.
- Module classes, row classes and column classes.
- Safer shortcode generation.

v2.5 - Package Versioning

- Page/package history.
- Re-import layout.
- Re-import CSS.
- Rollback imported package.

v3.0 - DiviForge Studio

- Prompt Studio.
- Package Studio.
- Preview engine.
- Component library.
- Design system integration.
- Marketplace-ready package format.

12. Developer notes

The main functional fix is in `DiviForge_CSS_Importer::apply_to_page()`.

The key implementation detail is:

```
update_post_meta($post_id, '_diviforge_page_css', $css);
update_post_meta($post_id, '_et_pb_custom_css', $css);
```

The first meta key belongs to DiviForge. The second meta key is the Divi page-level custom CSS target.

13. Acceptance criteria for v2.2.0

- Uploading a package with `page.css` creates a draft page.
- The imported page has Divi Builder enabled.
- The page content is filled from `layout.json`.
- The CSS is visible in Divi Page Settings > Advanced > Custom CSS.
- The CSS is also stored in `\_diviforge\_page\_css`.
- The import result screen offers Edit Page, Open in Divi and Re-apply CSS.
- Re-apply CSS restores the stored CSS into Divi Page Custom CSS.