

TOTAL POINTS 6

1. If the predicted function is:

1 point

$$\hat{y} = b_0 + b_1x_1 + b_2x_2 + b_3x_3 + b_4x_4$$

The method is:

- ☐ Polynomial Regression
- ☒ Multiple Linear Regression

2. What is the maximum value of R^2 that can be obtained?

1 point

- ☐ 10
- ☒ 0
- ☐ 1

3. If \mathbf{X} is a dataframe with 100 rows and 5 columns, and \mathbf{y} is the target with 100 samples, and assuming all the relevant libraries and data have been imported, and the following line of code has been executed:

1 point

```
1 LR = LinearRegression()  
2  
3 LR.fit(X, y)  
4  
5 yhat = LR.predict(X)
```

How many samples does **yhat** contain?

- ☐ 500

☐ 1

3. If **X** is a dataframe with 100 rows and 5 columns, and **y** is the target with 100 samples, and assuming all the relevant libraries and data have been imported, and the following line of code has been executed:

1 point

```
1 LR = LinearRegression()  
2  
3 LR.fit(X, y)  
4  
5 yhat = LR.predict(X)
```

How many samples does **yhat** contain?

- ☐ 500
☐ 5
☒ 100

4. What value of **R²** (coefficient of determination) indicates your model performs best?

1 point

- ☐ -1
☒ 1
☐ 0

5. The larger the mean square error, the better your model has performed

1 point

- ☐ True
☒ False

6. Consider the following equation:

1 point

Model Development

Graded Quiz • 15 min

Due May 17, 12:29 PM IST

- ☐ -1
- ☒ 1
- ☐ 0

5. The larger the mean square error, the better your model has performed

1 point

- ☐ True
- ☒ False

6. Consider the following equation:

1 point

$$y = b_0 + b_1 x$$

What is the parameter b_0 (b subscript 0)?

- ☐ The predictor or independent variable
- ☐ The target or dependent variable
- ☒ The intercept
- ☐ The slope


☐ I, **Sanket Bhokare**, understand that submitting another's work as my own can result in zero credit for this assignment. Repeated violations of the Coursera Honor Code may result in removal from this course or deactivation of my Coursera account.

[Learn more about Coursera's Honor Code](#)



Save

Submit



Model Development

TOTAL POINTS 6

1. What does the following line of code do?

1 point

```
1 lm = LinearRegression()
```

- ☐ Fit a regression object lm
- ☒ Create a linear regression object
- ☐ Predict a value

2. What is the maximum value of R^2 that can be obtained?

1 point

- ☐ 10
- ☐ 0
- ☒ 1

3. We create a polynomial feature as follows "**PolynomialFeatures(degree=2)**"; what is the order of the polynomial?

1 point

- ☐ 0
- ☐ 1
- ☒ 2

4. Which statement is true about Polynomial linear regression?

1 point

4. Which statement is true about Polynomial linear regression?

1 point

- ☐ Polynomial linear regression is not linear in any way
- ☐ Although the predictor variables of Polynomial linear regression are not linear the relationship between the parameters or coefficients is linear
- ☐ Polynomial linear regression uses linear Wavelets

5. The larger the mean square error, the better your model has performed

1 point

- ☐ True
- ☒ False

6. Consider the following equation:

1 point

$$y = b_0 + b_1 x$$

What is the parameter **b₀** (b subscript 0)?

- ☐ The predictor or independent variable
- ☐ The target or dependent variable
- ☒ The intercept
- ☐ The slope


☒ I, **Sanket Bhokare**, understand that submitting another's work as my own can result in zero credit for this assignment. Repeated violations of the Coursera Honor Code may result in removal from this course or deactivation of my Coursera account.

[Learn more about Coursera's Honor Code](#)



Save

Submit



Model Development

TOTAL POINTS 6

1. If the predicted function is:

1 point

$$\hat{y} = b_0 + b_1x_1 + b_2x_2 + b_3x_3 + b_4x_4$$

The method is:

- ☐ Polynomial Regression
- ☒ Multiple Linear Regression

2. What is the maximum value of R^2 that can be obtained?

1 point

- ☐ 10
- ☐ 0
- ☒ 1

3. We create a polynomial feature as follows "**PolynomialFeatures(degree=2)**"; what is the order of the polynomial?

1 point

- ☐ 0
- ☐ 1
- ☒ 2

Model Development

TOTAL POINTS 6

1. If the predicted function is:

1 point

$$\hat{y} = b_0 + b_1x_1 + b_2x_2 + b_3x_3 + b_4x_4$$

The method is:

- ☐ Polynomial Regression
- ☒ Multiple Linear Regression

2. What is the maximum value of R^2 that can be obtained?

1 point

- ☐ 10
- ☐ 0
- ☒ 1

3. We create a polynomial feature as follows "**PolynomialFeatures(degree=2)**"; what is the order of the polynomial?

1 point

- ☐ 0
- ☐ 1
- ☒ 2

Model Development

Graded Quiz • 15 min

Due May 17, 12:29 PM IST


4. What value of R^2 (coefficient of determination) indicates your model performs best?

1 point

- ☐ -1
- ☒ 1
- ☐ 0

5. Consider the plot of one independent and one dependent variable. This is an example of what?


1 point



- ☒ Multiple Linear Regression
- ☐ Polynomial Regression
- ☐ Linear Regression

6. Consider the following equation:


1 point



Model Development

Graded Quiz • 15 min

Due May 17, 12:29 PM IST



- ☒ Multiple Linear Regression
- ☐ Polynomial Regression
- ☐ Linear Regression

6. Consider the following equation:

1 point

$$y = b_0 + b_1 x$$

What is the parameter b_0 (b subscript 0)?

- ☐ The predictor or independent variable
- ☐ The target or dependent variable
- ☒ The intercept
- ☐ The slope

☒ I, **Sanket Bhokare**, understand that submitting another's work as my own can result in zero credit for this assignment. Repeated violations of the Coursera Honor Code may result in removal from this course or deactivation of my Coursera account.

[Learn more about Coursera's Honor Code](#)



Save

Submit

