1 Center text

\$\centerline{Derive circle parametric equation}\$

Derive circle parametric equation

multiple line search(matrix block)	<pre>/\begin{bmatrix}*\\{-}\\end{bmatrix}</pre>
multiple line search	<pre>/\begin{bmatrix}*\\{-}\\end{bmatrix}</pre>

2 Greek Symbols

A α \alpha	$\mathrm{E}\;\epsilon$
Вβ	Ζζ
$\Gamma \gamma$	$E \eta$
Δδ	$\Theta \theta$
$\to \epsilon$	Iι

3 norm, dot, abs

\cdot	
\cdots	
\ddots	٠
\reflectbox{\$\ddots\$}	
\vdots	:
\vdots	i i
\frac{dy}{dx}	$\frac{dy}{dx}$
\dfrac{dy}{dx}	$\frac{dy}{dx}$
\frac{dy}{dx}	$\frac{dy}{dx} = \frac{d^2y}{dx^2}$
\dfrac{dy}{dx}	$\frac{dy}{dx} = \frac{d^2y}{dx^2}$
\vert \vec{u} \vert	$ \vec{v} $
\abs{\vec{u}}	$ \vec{v} $
\norm{\vec{u}}	$\ \vec{v}\ $
\vec{v}	$ \vec{v} $
\mathcal{V} \mathcal{W}	\mathcal{V} \mathcal{W}

$$\frac{\partial u}{\partial x} = h^2 \left(\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} + \frac{\partial^2 u}{\partial z^2} \right)$$

4 Table

10	20	30	40	50
0.8	28	38	48	58
28	38	48	58	68
0.7	108	118	128	99
98	108	118	128	88

```
\begin{tabular}{|c|c|c|c|}
\hline
10 & 20 & 30 & 40 & 50 \\ hline
0.8 & 28 & 38 & 48 & 58 \\ hline
28 & 38 & 48 & 58 & 68 \\ hline
0.7 & 108 & 118 & 128 & 99 \\ hline
```

```
98 & 108 & 118 & 128 & 88 \\ \hline \end{tabular}
```

$$f(n) = \begin{cases} n/2 & \text{if } n \text{ is even} \\ n+1 & \text{if } n \text{ is odd} \end{cases}$$

```
f(n) =
\begin{cases}
    n/2 \quad \text{ if } n \text{ is even} \\
    n+1 \quad \text{ if } n \text{ is odd} \\
\end{cases}
```

$$A = \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix}$$

A= \begin{bmatrix}
1 & 2 & 3\\
4 & 5 & 6\\
7 & 8 & 9
\end{bmatrix}

$$A = \left| \begin{array}{ccc} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{array} \right|$$


A= \left| \begin{array}{ccc}
1 & 2 & 3\\
4 & 5 & 6\\
7 & 8 & 9
\end{array} \right|

$$A = \begin{matrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{matrix}$$

A= \begin{matrix}
1 & 2 & 3\\
4 & 5 & 6\\
7 & 8 & 9
\end{matrix}

$$\left[\begin{array}{ccc|c} 1 & 2 & 3 & 1 \\ 4 & 5 & 6 & 2 \\ 7 & 8 & 10 & 5 \end{array}\right]$$

```
&\left[\begin{array}{ccc|c}
1 & 2 & 3 & 1\\
4 & 5 & 6 & 2\\
7 & 8 & 10 & 5\\
\end{array}\right]
```



```
\begin{tikzpicture}[yscale=-1]
   % 4x4 grid
    \draw (-2, 0) grid (6, 6);
   % origin point
   \draw [color=blue, fill=blue] (2, 4) circle (0.1);
    \draw [thick,->] (-2, 4) -- (7, 4);
   % y-axis
    \draw [thick,->] (2, 6) -- (2, -1);
   % origin label
    \node at (2, 4.5) {(0, 0)};
    \draw (2, 4) circle (2);
    \draw [color=red, fill=red] (2, 2) circle(0.1);
    \node at (2.5, 1.5)\{(0, r)\};
    \draw [color=red, fill=red] (-1, 4) circle(0.1);
    \node at (-0.5, 4.5)\{(t, 0)\};
    draw (2, 2) -- (-1, 4);
    \node at (0.5, 3.5)\{(x, y)\};
    \draw [color=black, fill=black] (0.24, 3.2) circle(0.1);
\end{tikzpicture}\\ \\
```

5 Small Subscript

```
https://tex.stackexchange.com/questions/262295/make-subscript-size-smaller-always
\documentclass{article}
\catcode'_=\active
\newcommand_[1]{\ensuremath{\sb{\scriptscriptstyle #1}}}
Original: $A_{\scriptstyle 1}^2$ \\
new: $A_{\scriptscriptstyle 1}^2$ \\
```

Original: A_1^2 new: A_1^2

6 Matrix dots

$$L_{k} = I + v_{k}e_{k}^{*} = \begin{bmatrix} 1 & & & \\ & \ddots & & \\ & & 1 & \\ & & l_{k+1,k} & \\ & & \vdots & \ddots & \\ & & l_{m,k} & & 1 \end{bmatrix}$$

```
L_k = I + v_k e_{k}^{*} = \begin{bmatrix}

1 & & & & & \( & \) & & & & \( & \) & & & & \( & \) & & & & \( & \) & & & & \( & \) & & & & \( & \) & & & & \( & \) & & & & \( & \) & & & & \( & \) & & & & \( & \) & & & \( & \) & & & \( & \) & & & \( & \) & & \( & \) & & & \( & \) & & & \( & \) & & & \( & \) & & & \( & \) & & & \( & \) & & & \( & \) & & & \( & \) & & & \( & \) & & \( & \) & & & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) & \( & \) &
```

7 Change the width and height of a page

```
%
\usepackage{geometry}
\geometry{paperwidth=18cm, paperheight=80cm}
```

8 Math Mode Text

```
x + y = zx + y = z
```

This is long text for math mode x, y, z

$$x + y = z$$
$$x + y = z$$

```
x + y &= z \\
x + y &= z \\
\intertext{This is long text for math mode $x, y, z$}
x + y &= z \\
x + y &= z \\
```

$$x + y = z$$

 $x + y = z$ (Where is x)
 $x + y = z$

x + y = z

```
x + y &= z \\
x + y &= z \tag{ Where is $x$} \\
x + y &= z \\
x + y &= z \\
```

```
x + y = z

x + y = z Where is x

x + y = z

x + y = z
```

```
x + y &= z \\
x + y &= z \quad \mbox{ Where is $x$} \\
x + y &= z \\
x + y &= z \\
```

9 Math mode inside verbatim

abc α , β , ϕ

The limit of function

$$\lim_{h \to 0} \frac{f(x+h) - f(x)}{h}$$

```
10 Set
```

 $\emptyset \cap \cup |$

- C++
- Java
- Haskell

```
\begin{itemize}
\item C++
\item Java
\item Haskell
\end{itemize}
```

- 1. C++
- 2. Java
- 3. Haskell

```
\begin{enumerate}
\item C++
\item Java
\item Haskell
\end{itemize}
```

11 Sphere Paremetric Equation

 $\mathcal{A} = \cup (U_{\alpha}, \beta)$

```
x = r \sin \alpha \cos \theta
y = r \sin \alpha
z = r \cos \alpha \sin \theta
(1)
```

```
\begin{equation}
\begin{aligned}
  x &= r \sin \alpha \cos \theta \\
  y &= r \sin \alpha \\
  z &= r \cos \alpha \sin \theta \\
  \end{aligned}
\end{equation} \\
```


12 Equataion Cases

$$f(\alpha, \theta) = \begin{cases} x(\alpha, \theta) = r \sin \alpha \cos \theta \\ y(\alpha, \theta) = r \sin \alpha \\ z(\alpha, \theta) = r \cos \alpha \sin \theta \end{cases}$$
 (2)

```
\begin{equation}
\begin{aligned}
  \begin{cases}
    x(\alpha, \theta) = r \sin \alpha \cos \theta \\
        y(\alpha, \theta) = r \sin \alpha \\
        z(\alpha, \theta) = r \cos \alpha \sin \theta \\
        \end{cases}
\end{aligned}
\end{equation}
```

13 Tikz Example

Draw Line



```
\draw (0,3,0) -- (1,3,0);

\draw [->] (0,2,0) -- (1,2,0);

\draw [<->] (0,1,0) -- (1,1,0);

\draw [thick] (0,0,0) -- (1,0,0);

\draw [dashed] (0,-1,0) -- (1,-1,0);

\draw [dotted] (0,-2,0) -- (1,-2,0);

\draw [red] (0,-3,0) -- (1,-3,0);

\draw [yellow, line width=4] (0,-4,0) -- (1,-4,0);

\draw [blue] (0, -5) rectangle (2, -7);

\draw [red, ultra thick] (3,0.5) circle [radius=0.5];

\draw [gray] (6,0) arc [radius=1, start angle=45, end angle= 120];
```

14 Cartesian Coordinates System

```
\begin{tikzpicture}[->]
\draw (0,0,0) -- (1,0,0);
```

```
\draw (0,0,0) -- (0,1,0);
\draw (0,0,0) -- (0,0,1);
\end{tikzpicture}
```