## Work Cited

- 1. McKinney, M.L. and J.L. Lockwood. 1999. Biotic homogenization: a few winners replacing many losers in the next mass extinction. Trends in Ecology Evolution 14: 450-453.
- 2. Marzluff, J.M., R. Bowman and R.E. Donnelly. 2001. Avian Ecology and Conservation in an Urbanizing World. Kluwer Academic Publishers, Norwell, MA.
- 3. Chace, J.F. and J.J. Walsh. 2006. Urban effects on native avifauna: a review. Landscape and urban planning 74: 46-69.
- 4. U.S. Census Bureau. 2012. Statistical abstracts of the United States. GPO, Washington, D.C., USA.
- 5. Czech, B., and P. R. Krausman. 1997. Distribution and causation of species endangerment in the United States. Science 277:11161117.
- 6. Lawler, J.J., D. J. Lewis, E. Nelson, A.J. Plantinga, S. Polasky, J.C. Withey, D.P. Helmers, S. Martinuzzi, D. Pennington, and V.C. Radeloff. 2014. Projected land-use change impacts on ecosystem services in the United States PNAS 111: 7492-7497.
- 7. Shochat, E. P.S. Warren, S.H. Faeth, N.E. McIntryre and D. Hope. 2006. From patterns to emerging processes in mechanistic urban ecology. Trends in Ecology and Evolution 21: 2-7.
- 8. Blair RB. 2001. Birds and butterflies along urban gradients in two ecoregions of the U.S. Pages. 3356. in Lockwood JL, McKinney ML, eds. Biotic Homogenization. Norwell (MA): Kluwer.
- 9. Shochat, E., S. Lerman, and E. Fernndez-Juricic. 2010. Birds in urban ecosystems: Population dynamics, community structure, biodiversity, and conservation. Urban Ecosystem Ecology: 7586.
- 10. Evans, B.S., T.B. Ryder, Reitsma, R., Hurlbert, A.H., and P.P. Marra. 2014. Characterizing avian survival along a rural-to-urban land use gradient. Ecology 96: 16311640.
- 11. Lancaster R.K. and W.E. Rees. 1979. Bird communities and the structure of urban habitats. Canadian Journal of Zoology. 57: 2358-2368.
- 12. Devictor, V., R. Julliard, D. Couvet, A. Lee, and F. Jiguet. 2007. Functional homogenization effect of urbanization on bird communities. Conservation Biology 21: 741-751.
- 13. Robb, G. N., R.A. McDonald, D.E. Chamberlain, and S. Bearhop. 2008. Food for

- thought: supplementary feeding as a driver of ecological change in avian populations. Frontiers in Ecology and the Environment 6: 476-484.
- 14. McCusker, C.E., M.P. Ward, and J.D. Brawn. 2010. Seasonal responses of avian communities to invasive bush honeysuckles (Lonicera spp.). Biological Invasions 12: 2459-2470.
- 15. Tallamy, D. W. 2004. Do alien plants reduce insect biomass? Conservation Biology 18: 1689-1692.
- 16. Blair, R.B. and E.M. Johnson. 2008. Suburban habitats and their role for birds in the urbanrural habitat network: points of local invasion and extinction? Landscape Ecology 23: 1157-1169.
- 17. Shochat, E., 2004. Credit or debit? Resource input changes population dynamics of city slicker birds. Oikos 106: 622626.
- 18. Raupp, M.J., P.M. Shrewsberry, and D.A. Herms. Ecology of Herbivorous Arthropods in Urban Landscapes. 2010. Annual Review of Entomology 55: 19-38.
- 19. Crossin, G.T., R.A. Phillips, C.R. Lattin, L.M. Romero, and T.D. Williams. 2013. Corticosterone mediated costs link current to future breeding. General and Comparative Endocrinology 193: 112-120.
- 20. Harms, N.J., G.D. Fairhurst, G.R. Bortolotti, J.E.G. Smits. 2010. Variation in immune function, body condition, and feather corticosterone in nestling Tree Swallows (Tachycineta bicolor) on reclaimed wetlands in the Athabasca oil sands, Alberta, Canada. Environmental Pollution 158: 841-848.
- 21. Koren, L.,S. Nakagawa, T.Burke, K.K. Soma, K.E. Wynne-Edwards, and E. Geffen. 2012. Featherconcentrations of testosterone, corticosterone, and cortisol are associated with over-winter survival in wild House Sparrows. Proceedings of the Royal Society B 279: 1560-1566.
- 22. Pearson, S., D. Levey, D., and C. Greenberg. 2003. Effects of elemental composition on the incorporation of dietary nitrogen and carbon isotopic signatures in an omnivorous songbird. Oecologia 135: 516-523.
- 23 Hobson, K.A. 1999. Stable-carbon and nitrogen isotope ratios of songbird feathers grown in two terrestrial biomes: implications for evaluating trophic relationships and breeding origins. Condor 101: 799-805.
- 24 Bearhop, S., R.W. Furness, G.M. Hilton, S.C. Votier, and S. Waldron. 2003. A forensic approach to understanding diet and habitat use from stable isotope analysis of (avian) claw material. Functional Ecology 17: 270-275.

- 25. del Rio, C.M., P. Sabat, R. Anderson-Sprecher, and S.P. Gonzalez. 2009. Dietary and isotopic specialization: the isotopic niche of three Cinclodes ovenbirds. Oecologia 161: 149-159.
- 26. Newsome, S.D, C. del Rio, S. Bearhop, and D.L. Phillips. 2007. A niche for isotopic ecology. Frontiers in Ecology and the Environment 5: 429-436.
- 27. Fairhurst, G.D., A.L. Bond, K.A. Hobson, and R.A. Ronconi. 2015. Feather-based measures of stable isotopes and corticosterone reveal a relationship between trophic position and physiology in a pelagic seabird over a 153-year period. Ibis 157: 273-28.
- 28. Evans, B.S., A.H. Hurlbert, and P.P. Marra. 2015b. Environmental filtering of avian communities along a rural-to-urban gradient in greater Washington, D.C. in The ecology of birds in the urban landscape: avian community composition, dispersal, and survival across the rural-to-urban gradient in metropolitan Washington DC (doctoral dissertation). pp. 3-38.
- 29. Rushing, C.S., T.B. Ryder, J.F. Saracco, and P.P. Marra. 2014. Assessing migratory connectivity for a long-distance migratory bird using multiple intrinsic markers. Ecological Applications 24: 445-456.
- 30. Bearhop, S., S. Waldron, S.C. Votier, and R.W. Furness. 2002. Factors that influence assimilation rates and fractionation of nitrogen and carbon stable isotopes in avian blood and feathers. Physiological and biochemical zoology 75: 451-458.
- 31. Hopkins, J.B. and J.M. Ferguson. 2012. Estimating the diets of animals using stable isotopes and a comprehensive Bayesian mixing model. PloS one 7: e28478.
- 32. Bortolotti, G. R., Marchant, T. A., Blas, J., German, T. (2008). Corticosterone in feathers is a long-term, integrated measure of avian stress physiology. Functional Ecology, 22(3), 494-500.
- 33. Carbajal, A., Tallo-Parra, O., Sabes-Alsina, M., Mular, I., and Lopez-Bejar, M. 2014. Feather corticosterone evaluated by ELISA in broilers: A potential tool to evaluate broiler welfare. Poultry science 93: 2884-2886.
- 34. Ryder, T.B., R. Reitsma, B. Evans, and P.P. Marra. 2010. Quantifying avian nest success along an urbanization gradient using citizen and scientist generated data. Ecological Applications 20:419426.
- 35. Belaire, J.A., C.J. Whelan, and E.S. Minor. 2014. Having our yards and sharing them too: The collective effects of yards on native bird species in an urban landscape. Ecological Applications 24: 2132-2143.

- 36. McCune, B. and J.B. Grace. 2002. Analysis of Ecological Communities. MjM Software, Gleneden Beach, Oregon, USA. pp. 233-256.
- 37. Plummer, M. 2015. rjags: Bayesian Graphical Models using MCMC. R package version 4-4. http://CRAN.R-project.org/package=rjags
- 38. Raftery, A.E. 1993. Bayesian model selection in structural equation models. Sage Focus Editions 154: 163-163.
- 39. Bearhop, S., C.E. Adams, S. Waldron, R.A. Fuller, and H MacLeod. 2004. Determining trophic niche width: a novel approach using stable isotope analysis. Journal of Animal Ecology 73: 1007-1012.