// MinTuts/Procedural Terrain.shader

```
Shader "MinTuts/Procedural Terrain" {
  SubShader {
    Pass {
      CGPROGRAM
       #pragma vertex
                         vert
       #pragma fragment frag
       #include "UnityCG.cginc"
       struct v2f {
          float4 pos : SV POSITION;
          float3 wpos : POSITION1;
        };
       v2f vert(float4 vertex : POSITION) {
          v2f o;
          o.pos = UnityObjectToClipPos(vertex);
          o.wpos = mul(unity_ObjectToWorld, vertex);
          return o;
        float4 frag(v2f i) : COLOR {
          float p = i.wpos.y * 0.015;
          float3 y = float3(p, p, p);
          return float4(y, 1);
      ENDCG
```

Next, we <u>call</u> **mul** - a function <u>built</u> <u>into</u> **HLSL**

We pass the UnityCG constant

unity_ObjectToWorld

We also <u>pass</u> our **vertex** input parameter

unity_ObjectToWorld is a transform
matrix

// MinTuts/Procedural Terrain.shader

```
Shader "MinTuts/Procedural Terrain" {
  SubShader {
    Pass {
      CGPROGRAM
       #pragma vertex
                         vert
       #pragma fragment frag
       #include "UnityCG.cginc"
       struct v2f {
          float4 pos : SV POSITION;
          float3 wpos : POSITION1;
        };
       v2f vert(float4 vertex : POSITION) {
          v2f o;
          o.pos = UnityObjectToClipPos(vertex);
          o.wpos = mul(unity_ObjectToWorld, vertex);
          return o;
        float4 frag(v2f i) : COLOR {
          float p = i.wpos.y * 0.015;
          float3 y = float3(p, p, p);
          return float4(y, 1);
      ENDCG
```

Next, we <u>call</u> **mul** - a function <u>built</u> into **HLSL**

We pass the UnityCG constant

unity_ObjectToWorld

We also <u>pass</u> our **vertex** input parameter

unity_ObjectToWorld is a transform
matrix

Multiplying unity_ObjectToWorld and vertex our <u>local/object</u> space coordinates are <u>transformed</u> to <u>world</u> space coordinates