## MATH 152 - PYTHON LAB 7

**Directions**: Use Python to solve each problem. (Template link)

1. Euler found the sum of the p-series with p = 4:

$$\sum_{n=1}^{\infty} \frac{1}{n^4} = \frac{\pi^4}{90}$$

- (a) Find the partial sum  $s_{10}$  of the series  $\sum_{n=1}^{\infty} \frac{1}{n^4}$ . Estimate the error in using  $s_{10}$  as an approximation to the sum of the series.
- (b) A variation of the Remainder Estimate tells us that:

$$s_n + \int_{n+1}^{\infty} f(x) \, dx \le s \le s_n + \int_{n}^{\infty} f(x) \, dx$$

Use n = 10 to give an improved estimate of the sum.

- (c) Compare your estimates in part (b) with Euler's estimate.
- (d) Find a value of n so that  $s_n$  is within  $10^{-6}$  of the sum.
- 2. Given the series  $\sum_{n=2}^{\infty} n^2 e^{-n}$  and the function  $f(x) = x^2 e^{-x}$ :
  - (a) Compute  $\int f(x) dx$  and  $\int_{1}^{\infty} f(x) dx$ .
  - (b) In a print statement, state your conclusion about the convergence or divergence of the series based on your answer to a).
  - (c) Compute  $s_{10}, s_{50}, s_{100},$  and s.
  - (d) Use the Remainder Estimate for the Integral Test to estimate  $s s_{100}$ . Compare the actual value of  $s s_{100}$ . Does the actual error fall in the expected range?
  - (e) According to the Remainder Estimate, how many terms are needed to sum the series to within  $10^{-10}$ ? Compute the sum to confirm  $|s s_N| < 10^{-10}$ . (NOTE: To expedite the computation, convert the terms to floating point before summing)

(NOTE: #3 on the next page)

- 3. Given the series  $\sum_{n=1}^{\infty} \frac{n \sin^2(n)}{1+n^3}$ :
  - (a) Let  $a_n = \frac{n \sin^2(n)}{1 + n^3}$ . Define a series  $b_n$  with which to compare it.
  - (b) Plot the first 50 terms of  $a_n$  and  $b_n$  on the same graph to determine which is larger. If the graph is not clear, use the logical test  $a_n < b_n$  to test the logical value comparing each term.
  - (c) Determine whether  $\sum_{n=1}^{\infty} b_n$  converges or not, and state whether any conclusion can be made about the convergence of  $\sum_{n=1}^{\infty} a_n$  as a result.
  - (d) If (c) is conclusive, skip to (e). If (c) is inconclusive, determine whether  $\frac{a_n}{b_n}$  converges or not, and state your conclusion about the convergence of  $\sum_{n=1}^{\infty} a_n$ . (NOTE: If you still cannot conclude anything, start over with a different  $b_n$ !)
  - (e) Repeat parts (a) (d) for  $a_n = \frac{e^n + 1}{ne^n + 1}$