




UDP Bandw	Best Case	Worst Case
Linear	18.8	16.2
Ring	18.8	18.1
Mesh	18.4	18
Star	18.7	17.4
Tree	18.5	17.1
Hybrid	18.5	17.3




TCP Bandw	Best Case	Worst Case
Linear	1.14	0.287
Ring	1.31	0.355
Mesh	1.29	0.689
Star	1.32	0.378
Tree	1.26	0.312
Hybrid	1.24	0.44




UDP Latenc	Best Case	Worst Case
Linear	118.7	338.3
Ring	118.3	212.8




Mesh	115.1	173.8
Star	118.5	205.2
Tree	116.5	262.8
Hybrid	117.2	211.6




TCP Latenc	Best Case	Worst Case
Linear	165.2	467.7
Ring	161.3	288.5
Mesh	159.7	242.5
Star	157.7	309.1
Tree	163.7	408.9
Hybrid	163.6	283




Packet Loss	Best Case	Worst Case
Linear	2.20%	6.10%
Ring	2%	3.90%
Mesh	2.20%	3.10%
Star	2.40%	3.70%
Tree	2.20%	4.70%




Hybrid 2.10% 4.10%



Jitter (ms)	Best Case	Worst Case
Linear	1.379	2.032
Ring	1.74	2.236
Mesh	1.557	2.748
Star	1.48	2.002
Tree	1.669	2.388
Hybrid	1.89	1.902






UDP Bandwidth	Best Case	Worst Case
Linear	9.31	7.93
Ring	9.21	8.8
Mesh	8.6	8.3
Star	9.7	9.01
Tree	9.67	9.65
Hybrid	9.05	8.83




TCP Bandw	Best Case	Worst Case
Linear	1.21	0.206
Ring	1.032	0.355
Mesh	1.09	0.472
Star	1.19	0.502
Tree	1.11	0.293
Hybrid	1.33	0.321


UDP Latenc	Best Case	Worst Case
Linear	62.8	200
Ring	59.1	223
Mesh	62.8	126
Star	60.6	155
Tree	80.4	167
Hybrid	62.8	167




TCP Latenc	Best Case	Worst Case
Linear	76.9	500
Ring	87.4	125
Mesh	74.1	200
Star	69	200
Tree	83.5	335
Hybrid	63.1	200




Packet Loss	Best Case	Worst Case
Linear	9.10%	9.20%
Ring	90%	91.20%
Mesh	89.20%	91.20%
Star	91.00%	92.00%
Tree	9.00%	9.00%
Hybrid	91.00%	91.00%




Jitter (ms)	Best Case	Worst Case
Linear	1.379	2.032
Ring	1.74	2.236
Mesh	1.557	2.748
Star	1.48	2.002
Tree	1.669	2.388
Hybrid	1.89	1.902




UDP Bandwidth	Best Case	Worst Case
Ring	97.8	95.6
Mesh	97.5	96.7
Star	97.7	95.6
Hybrid	97.8	94.5




TCP Bandw	Best Case	Worst Case
Ring	1.34	0.472
Mesh	1.3	0.975
Star	1.28	0.472
Hybrid	1.33	0.321




UDP Latenc	Best Case	Worst Case
Ring	52.9	111
Mesh	52.6	83.3
Star	52.6	201
Hybrid	52.6	143




TCP Latenc	Best Case	Worst Case
Ring	52.5	167
Mesh	62.5	100
Star	62.5	333
Hybrid	62.5	250



Packet Loss	Best Case	Worst Case
Ring	2%	4.00%
Mesh	2.00%	3.00%
Star	2.00%	4.00%
Hybrid	2.00%	5.00%





Jitter (ms)	Best Case	Worst Case
Ring	0.094	0.059
Mesh	0.081	0.062
Star	0.05	0.012
Hybrid	0.125	0.084

