

0.1 Programming

Development was done with Borland C++ 3.1 (but the language used was C) which by default ran in EGA mode 3 offering a screen 80 characters wide and 25 characters tall.

John Carmack took care of the runtime code. John Romero programmed many of the tools (TED5 map editor, IGRAB asset packer, MUSE sound packer). Jason Blochowiak wrote important subsystems of the game (Input manager, Sound manager, User manager).

Borland's solution was an all-in-one package. The IDE, `BC.EXE`, despite some instabilities allowed crude multi-windows code editing with pleasant syntax highlights. The compiler and linker were also part of the package under `BCC.EXE` and `TLINK.EXE`¹.

```

/*
=====
=
= main
=
=====
*/

static char    *EntryParmStrings[] = {"detour",nil};

void main (void)
{
    boolean LaunchedFromShell = false;
    short i;

    for (i = 1;i < _argc;i++)
    {
        switch (US_CheckParm(_argv[i],EntryParmStrings))
        {
            case 0:
                LaunchedFromShell = true;
        }
    }
}
513:11

```

Figure 1: Borland C++ 3.1 editor

¹Source: Borland C++ 3.1 User Guide.

There was no need to enter command-line mode however. The IDE allowed to create a project, build, run and debug.






Figure 2: Compiling Keen Dreams with Borland C++ 3.1

Another way to improve screen real estate was to use "high resolution" 50x80 text mode.



The comments still fit perfectly on screen since only the vertical resolution is doubled.



The file KD_MAIN.C opened in both modes demonstrates the readability/visibility trade-off.

```

File Edit Search Run Compile Debug Project Options Window Help
KD_MAIN.C 5-[+/-]
/*
=====
=
= main
=
=====
*/

static char    *EntryParmStrings[] = {"detour",nil};

void main (void)
{
    boolean LaunchedFromShell = false;
    short i;

    for (i = 1;i < _argc;i++)
    {
        switch (US_CheckParm(_argv[i],EntryParmStrings))
        {
            case 0:
                LaunchedFromShell = true;
        }
    }
}
513:11
F1 Help F2 Save F3 Open Alt-F9 Compile F9 Make F10 Menu

```

```

File Edit Search Run Compile Debug Project Options Window Help
KD_MAIN.C 4-[+/-]
/*
=====
=
= main
=
=====
*/

static char    *EntryParmStrings[] = {"detour",nil};

void main (void)
{
    boolean LaunchedFromShell = false;
    short i;

    for (i = 1;i < _argc;i++)
    {
        switch (US_CheckParm(_argv[i],EntryParmStrings))
        {
            case 0:
                LaunchedFromShell = true;
                break;
        }
    }

    if (!LaunchedFromShell)
    {
        clrscr();
        puts("You must type START at the DOS prompt to run KEEN DREAMS.");
        exit(0);
    }

    InitGame();
    DemoLoop(); // DemoLoop calls Quit when everything is done
    Quit("Demo loop exited???");
}
-
530:4
F1 Help Alt-F8 Next Msg Alt-F7 Prev Msg Alt-F9 Compile F9 Make F10 Menu

```

0.2 Graphic Assets

All graphic assets were produced by Adrian Carmack. All of the work was done with Deluxe Paint (by Brent Iverson, Electronic Arts) and saved in ILBM² files (Deluxe Paint proprietary format). All assets were hand drawn with a mouse.



Figure 3: Deluxe Paint was used to draw all assets in the game.

0.2.1 Assets Workflow

After the graphic assets were generated, a tool (IGRAB) packed all ILBMs together in an archive and generated a header table file (KDR-format) and C header file with asset IDs. The engine references an asset directly by using these IDs.

²InterLeaved BitMap.




Figure 4: Asset creation pipeline for graphics items

```

////////////////////////////////////
//
// Graphics .H file for .KDR
// IGRAB-ed on Fri Sep 10 11:18:07 1993
//
////////////////////////////////////

typedef enum {
    #define CTL_STARTUPPIC          4
    #define CTL_HELPUPPIC          5
    #define CTL_DISKUPPIC          6
    #define CTL_CONTROLSUPPIC      7
    #define CTL_SOUNDUPPIC         8
    #define CTL_MUSICUPPIC         9
    #define CTL_STARTDNPIC        10
    #define CTL_HELPDNPIC         11
    #define CTL_DISKDNPIC         12
    #define CTL_CONTROLSDNPIC     13
    ...
    #define BOOBUSWALKR4SPR        366
    #define BOOBUSJUMPSR          367
}

```

In the engine code, asset usage is hard-coded via an enum. This enum is an offset into the HEAD table which contains an offset in the DATA archive. The HEAD table files are stored in the \static folder as *.KDR files.

0.2.2 Assets file structure

Figure 5 shows the structure of the `KDREAMS.EGA` asset file.

pictable[]	STRUCTPIC
picmtable[]	STRUCTPICM
spritetable[]	STRUCTSPRITE
font	STARTFONT
pictures	STARTPICS
mask pictures	STARTPICSM STARTSPRITES
sprites	
tile-8	STARTTILE8
mask tile-8	STARTTILE8M STARTTILE16
tile-16	
mask tile-16	STARTTILE16M

Figure 5: File structure of `KDREAMS.EGA` asset file.

The `pictable[]` contains the width and height in bytes for each picture in the asset file. Note that a width of 5 bytes means a width of 40 pixels on the screen. The same structure

is applied for mask pictures.

picture index	width	height
0	5	32
1	5	32
2	5	32
3	5	32
4	5	32
5	5	32
6	5	32
7	5	32
...
64	5	24

Table 1: content of pictable[].

The spritetable[] contains, beside width and height, also information on the sprite center, hit boundaries and number of bitshifted sprites, which will be explained later (section ?? on page ??).

The font segment contains a table for the height (same for all characters) and width of the font, as well as a reference where the character data is located.

```
// ID_VW.H

typedef struct
{
    int height;
    int location[256];
    char width[256];
} fontstruct;
```




Figure 7: Picture asset data.




Figure 8: Sprite asset data.




Figure 9: Background (Tile16) and foreground (masked Tile16) assets data.


0.3 Maps

Maps were created using an in-house editor called TED5, short for Tile Editor. Over the years TED5 had improvements and the same tool is later used for creating maps of both side-scrolling games and top-down games like *Wolfenstein 3D*.

TED5 is not stand-alone; in order to start, it needs an asset archive and the associated header (as described in the graphic asset workflow Figure 4 on page 6). This way, texture IDs are directly encoded in the map.




Trivia : The suffix, "vD.IP", was put in by the Rise of the Triad team in 1994. It stood for "Developers of Incredible Power".



TED5 allows placement of tiles on layers called "planes". In Commander Keen, there are three type of planes:

- Background plane
- Foreground plane, which is a mask over the background plane
- Information plane, containing location of actors and special places

A level is created by placing tiles on each of these three layers. Each foreground and background tile could be enriched with additional tile information. It controls how everything interacts with tiles, like tile clipping, "deadly" tiles and animated tiles.



Just like IGRAB, the TED5 tool generated a header file (KDR-format), a compressed *.MAP file containing the levels and a dictionary to decode the Huffman compression.

0.3.1 Map file header

The header structure is part of the engine code and is rather straight forward. The header offset and header size refer to the location and size in the KDREAMS.MAP file.

```
typedef struct
{
    unsigned RLEWtag;           // RLE flag
    long headeroffsets[100];
    byte headersize[100];      // headers are very small
    byte tileinfo[];
} mapfiletype;
```

A maximum of 100 maps is supported in the game. The tileinfo[] data contains information for tile interaction.




Figure 10: File structure of MAPHEAD . KDR header file.

For background tile animation two information tables are defined: **tile animation** and **tile animation speed**. The tile animation refers which tile, relative to this tile, the tile will animate to. So in case of tile #90 (see Table 2), the next animation tile is #91 (+1), followed by #92 (+1) and #93 (+1). After tile #93 (-3) the sequence is going back to tile #90. The animation speed is expressed in TimeCount, which is the number of ticks before the next tile is displayed.

index	tile animation	tile animation speed
0	0	0
1	0	0
...
57	1	32
58	-1	24
...
90	1	8
91	1	8
92	1	8
93	-3	8
...

Table 2: Background tile animation.

The foreground tiles contain, beside tile animation (similar like background tiles), also clipping and 'inside' tile information.

The clipping tables contain how Commander Keen is clipped against foreground tiles. 'Inside' tile information is used to climb on a pole and mimics Commander Keen going through a floor opening ('inside' the tile). In section ?? (see page ??) both the clipping and 'inside' logic is further explained.

index	clip north	clip east	clip south	clip west	inside tile
...
238	0	1	5	0	0
239	0	0	0	0	0
240	0	0	5	0	0
241	0	0	0	0	128
242	1	1	1	1	128
243	1	0	1	0	0
244	0	0	2	0	0
...

Table 3: Foreground tile clipping and 'inside' tile information.

0.3.2 Map file structure

The structure of `KDREAMS.MAP` is explained in Figure 11. For each map there is a small header containing the width, height and name of the map as well as a reference pointer to each of the three planes. Each plane exists out of a map of tile numbers for foreground, background and info.

```
typedef struct
{
    long        planestart[3];
    unsigned    planelength[3];
    unsigned    width,height;
    char        name[16];
} maptype;
```




Figure 11: File structure of `KDREAMS.MAP` file.

0.4 Audio

0.4.1 Sounds

The original Commander Keen Trilogy did only support the default PC Speaker. Only with the introduction of Commander Keen Dreams the team decided to support sound cards.

Trivia : Apogee, the publisher of Ideas from the Deep, didn't publish any game with AdLib support until *Dark Ages* in 1991. And even then it still had pc speaker music.

As mentioned in Chapter ??, audio hardware was highly fragmented. Commander Keen supported three sound cards and the default PC speaker, which meant generating assets multiple times for each and packing them together with an in-house tool called MUSE into an AUDIOT archive (an id software proprietary format):



Figure 12: MUSE splash screen.

id Software intended for Keen Dreams to have music and digital effects support for the SoundBlaster & Sound Source devices. In fact, Bobby Prince composed the song "You've Got to Eat Your Vegetables!!" for the game's introduction. However, Softdisk Publishing wanted Keen Dreams to fit on a single 360K floppy disk, and in order to do this, id Software had to scrap the game's music at the last minute. The team didn't even have time to remove the music setup menu.



Figure 13: Setup music menu in Keen Dreams, although there is no music in the game.

Trivia : The song "You've Got to Eat Your Vegetables!!" would finally make its debut in Commander Keen IV: Secret of the Oracle.

As a consequence, only two sets of each audio effect are shipped with the game:

1. For PC Speaker
2. For AdLib

0.4.2 Sound effects

All sound effects are done by Robert Prince. In the early days of the OPL soundcards, the "gold standard" sequencing software was Sequencer Plus Gold ("SPG") by Voyetra.

The reason for this was it had an OPL instrument/instrument bank editor. To rough out compositions, Robert used Cakewalk ("CW").




Figure 14: Music and sound effect pipeline as used by Bobby Prince.




Figure 15: Sequencer Plus Gold ("SPG") by Voyetra.

What goes in the AUDIOT archive is a music and sound effect format called IMF³. As it supports only the YM3812, it is tailored for the chip with zero abstraction layers. It consists of a stream of machine language commands with associated delays⁴.

The stream pilots the nine channels in the OPL2. A channel is able to simulate an instrument and play notes thanks to two oscillators, one playing the role of a modulator and the other the role of a carrier. There are many other ways to control a channel such as envelope, frequency or octave.

The way a channel is programmed is described in detail in Section ??, "??" on page ??.

³Id software Music File.

⁴IMF format is explained in detail on page ??




Figure 16: Architecture of a YM3812 channel.

Trivia : The YM3812's unmistakable sonority is due to its peculiar set of waveform transformers (they are right after the output of each oscillator in the drawing). Four waveforms are available on the OPL2: Sin ①, Abs-sin②, Pulse-sin ③, and Half-sin ④.




Figure 17: The four waveform transforms available.

0.5 Distribution

On December 14th, 1990 the first episode was released via Apogee. Episodes 1-5 are all published by Apogee Software. The game engine and first episode were given for free and encourages to be copied and distributed to a maximum number of people. To receive the other episodes, each player had to pay \$30 (for Episode 1-3) to *ideas from the Deep*.

Commander Keen in Keen Dreams was published as a retail title by Softdisk, as part of a settlement for using Softdisk resources to make their own game⁵.

⁵The settlement with Softdisk is explained in Appendix ??



Figure 18: Retail version of Commander Keen in Keen Dreams by Softdisk.

In 1990, the Internet was still in its infancy and the best medium was the 3½-inch floppy disk. The game shipped as follows:

The files can be divided in seven parts:

- KDREAMS.EXE: Game engine.
- KDREAMS.EGA: Contains all the assets (sprites, tiles) needed during the game.
- KDREAMS.AUD: Sound effect files.
- KDREAMS.MAP: Contains all levels layouts.
- KDREAMS.CMP: Introduction picture of the game, which is a compressed LBM image file.

- Softdisk Help Library files, which are text screens, shown when starting the game
 - START.EXE: Decompress and show user guide, and then start the game.
 - LOADSCN.EXE: Shows the closing screen when quitting the game. Decompresses the ENDSCN.SCN chunk in LAST.SHL
 - *.SHL: Text user guide assets.
- Several *.TXT files which can be read in DOS by typing the corresponding *.BAT file.

```

Directory of C:\KDREAMS\
.                <DIR>                16-05-2023  21:04
..               <DIR>                16-05-2023  20:52
BKGMND  SHL                285 16-05-2023  20:59
FILE_ID DIZ                508 16-05-2023  20:59
HELP    BAT                34 16-05-2023  20:59
HELPINFO TXT              1,038 16-05-2023  20:59
INSTRUCT SHL             2,763 16-05-2023  20:59
KDREAMS AUD              3,498 16-05-2023  20:59
KDREAMS CFG               656 16-05-2023  21:00
KDREAMS CMP             14,189 16-05-2023  20:59
KDREAMS EGA            213,045 16-05-2023  20:59
KDREAMS EXE            354,691 04-05-2023  19:40
KDREAMS MAP             65,673 16-05-2023  20:59
LAST    SHL             1,634 16-05-2023  20:59
LICENSE DOC              8,347 16-05-2023  20:59
LOADSCN EXE              9,959 16-05-2023  20:59
MENU    SHL               447 16-05-2023  20:59
NAME    SHL               21 16-05-2023  20:59
ORDER   SHL             1,407 16-05-2023  20:59
PRODUCTS SHL            4,629 16-05-2023  20:59
QUICK   SHL             3,211 16-05-2023  20:59
README  TXT             1,714 16-05-2023  20:59
START   EXE            17,446 16-05-2023  20:59
VENDOR  BAT               32 16-05-2023  20:59
VENDOR  DOC            11,593 16-05-2023  20:59
VENDOR  TXT              810 16-05-2023  20:59
  24 File(s)          717,630 Bytes.
   2 Dir(s)          262,111,744 Bytes free.

C:\KDREAMS>

```

Figure 19: All Keen Dreams files as they appear in DOS command prompt.

