

Breakr


Thinkful Full-time Bootcamp, Cohort 5: Week 8

November 18, 2016


team members:
Benjamin Soung
Dennell Lucero
Emily Monte Calvo



Breakr



Breakr



Breakr

Ideal Division of Labor:
Database/Backend: Benjamin
React Components: Dennell
Redux: Emily



Breakr

MVP:

- ~ Able to set minutes on a timer
- ~ Visual and sound alert when time is up
- ~ User Login - optional for the user



Breakr

Tech:

stack: MERN (MongoDB, Express, React, Node)

Major Dependencies: Bcrypt, Lodash, Mongoddb, Mongoose, Passport, React-notifications



Breakr

Database Structure:

Models: User.js

Express routes:
api/login, api/user

Component Structure:

App, Clock, CreateAccount, Login, Profile, Timer



Breakr

Biggest Technical Challenges:

- ~ Setting up the user model for the login with Bcrypt
- ~ Working with time, getting the timer to display seconds and minutes correctly
 - ~ Setting appropriate Redux actions
 - ~ Mocha testing for ES6



Breakr

Welcome to
Breakr

Username

Password

[Login](#) [Register](#) [Guest](#)

Sign Up!

Username

Password

Retype Password

[Create](#) [Cancel](#)

Breakr

Interval training for productivity.

Work Timer

Minutes Seconds

☐ Work ☐ Break

[Begin](#)

