



Nombre: Polo Orellana Brayan Simon

Frontend desplegado



Backend desplegado



Test aprobados

GitHub Actions workflow for `recetas-app` showing a successful run.

Summary

- Triggered via push 2 minutes ago
- Status: **Success**
- Total duration: **24s**
- Artifacts: **1**

Workflow

```
graph LR; Backend[Backend — Tests] --> Frontend[Frontend — Build]; Frontend --> Deploy[Deploy a Render];
```

Annotations

- Frontend — Build: Node.js 20 actions are deprecated. The following actions are running on Node.js 20 and may not work as expected: actions/checkout@v4, actions/setup-node@4, actions/upload-artifact@4. Actions will be forced to run with Node.js 24 by default start...
- Backend — Tests: Node.js 20 actions are deprecated. The following actions are running on Node.js 20 and may not work as expected: actions/checkout@v4, actions/setup-node@4. Actions will be forced to run with Node.js 24 by default start...

Test fallidos

GitHub Actions workflow for `recetas-app` showing a failed run.

Summary


- Triggered via push now
- Status: **Failure**
- Total duration: **20s**
- Artifacts: **1**

Workflow

```
graph LR; Backend[Backend — Tests] --> Frontend[Frontend — Build]; Frontend --> Deploy[Deploy a Render];
```

Annotations

- Backend — Tests: Process completed with exit code 1.
- Frontend — Build: Node.js 20 actions are deprecated. The following actions are running on Node.js 20 and may not work as expected: actions/checkout@v4, actions/setup-node@4, actions/upload-artifact@4. Actions will be forced to run with Node.js 24 by default start...
- Backend — Tests: Node.js 20 actions are deprecated. The following actions are running on Node.js 20 and may not work as expected: actions/checkout@v4, actions/setup-node@4. Actions will be forced to run with Node.js 24 by default start...



Enlaces de los servicios desplegados:

frontend -> <https://recetas-app-git-main-bspoloos-projects.vercel.app/>

Backend -> <https://recetas-app-84bc.onrender.com/>

Repositorio -> <https://github.com/bspoloo/recetas-app>

Preguntas

1. ¿Qué diferencia hay entre Integración Continua (CI) y Despliegue Continuo (CD)?

CI (Integración Continua) sirve para integrar y probar automáticamente el código cada vez que se hacen cambios.

CD (Despliegue Continuo) sirve para publicar automáticamente la aplicación después de que las pruebas pasan correctamente.

2. ¿Por qué el job deploy tiene la propiedad needs: [test-backend, build-frontend]?

Porque el deploy solo debe ejecutarse si primero pasan los tests del backend y el build del frontend. Así se evita desplegar código con errores.

3. ¿Qué son los Secrets de GitHub y por qué no se escriben directamente en el archivo YAML?

Los Secrets de GitHub son variables privadas para guardar información sensible, como tokens o claves API.

No se escriben directamente en el YAML para evitar exponer datos importantes públicamente.

4. **¿Qué pasaría si eliminamos la condición `if: github.ref == 'refs/heads/main'` del `job deploy`?**

El deploy se ejecutaría en cualquier rama o evento, incluso en pruebas o cambios no terminados, lo que podría causar despliegues accidentales.

5. **Explica con tus palabras qué ventaja tiene usar CI/CD en un proyecto de software real.**

CI/CD ayuda a automatizar pruebas, builds y despliegues, reduciendo errores manuales y haciendo que el desarrollo sea más rápido, seguro y organizado.