Pruebas de mi_primera_prueba.cy.js






lab-cypress
Not secure https://example.cypress.io/__/#/specs/runner?file=cypress/e2e/mi_primera_prueba.cy.js
Microsoft Edge is being controlled by automated test software.
mi_primera_prueba.cy.js
862ms
https://example.cypress.io/commands/actions?
1000x660
Studio Beta
Práctica Guiada: Interacción con Formularios
Escribe un correo y verifica el valor del input
TEST BODY
1 visit https://example.cypress.io/commands/actions
2 get .action-email
3 -type estudiante@usfx.bo
4 get .action-email
-assert expected <input#email1.form-control.action-email> to have value estudiante@usfx.bo
5
6 get .action-btn
7 -click
(form sub) --submitting form--
(page load) --page loaded--
(new url) https://example.cypress.io/commands/actions?
To focus on a DOM element, use the .focus() command.
cy.get('.action-focus').focus()
cy.get('.action-focus').should('have.class', 'focus')
.prev().should('have.attr', 'style', 'color: orange;')
Password
.blur()
To blur on a DOM element, use the .blur() command.
cy.get('.action-blur').type('About to blur')
cy.get('.action-blur').blur()
cy.get('.action-blur').should('have.class', 'error')
.prev().should('have.attr', 'style', 'color: red;')
Full Name
Juan Perez
.clear()
To clear on a DOM element, use the .clear() command.
cy.get('.action-clear').type('Clear this text')
cy.get('.action-clear').should('have.value', 'Clear this text')
cy.get('.action-clear').clear()
cy.get('.action-clear').should('have.value', '')
Describe:
Como estas todo bien y tu? xd
Search
ESP LAA
7:58 AM 3/6/2026


lab-cypress
Not secure https://example.cypress.io/__/#/specs/runner?file=cypress/e2e/mi_primera_prueba.cy.js
Microsoft Edge is being controlled by automated test software.
mi_primera_prueba.cy.js
862ms
https://example.cypress.io/commands/actions?
1000x660
Studio Beta
Práctica Guiada: Interacción con Formularios
Escribe un correo y verifica el valor del input
TEST BODY
1 visit https://example.cypress.io/commands/actions
2 get .action-email
3 -type estudiante@usfx.bo
4 get .action-email
-assert expected <input#email1.form-control.action-email> to have value estudiante@usfx.bo
5
6 get .action-btn
7 -click
(form sub) --submitting form--
(page load) --page loaded--
(new url) https://example.cypress.io/commands/actions?
cy.get('.action-form')
.find('[type="text"]').type('HALFOFF')
cy.get('.action-form').submit()
cy.get('.action-form').next().should('contain', 'Your form has been submitted!')
Coupon Code
HALFOFF
Submit
Your form has been submitted!
.click()
To click a DOM element, use the .click() command.
cy.get('.action-btn').click()
// You can click on 9 specific positions of an element:
// | topLeft top topRight |
// | left center right |
// | bottomLeft bottom bottomRight |
// clicking in the center of the element is the default
cy.get('#action-canvas').click()
cy.get('#action-canvas').click('topLeft')
Popover
This popover shows up on click
Click to toggle popover
Canvas to illustrate Click Positions
Search
ESP LAA
7:59 AM 3/6/2026


lab-cypress
Not secure https://example.cypress.io/__/#/specs/runner?file=cypress/e2e/mi_primera_prueba.cy.js
Microsoft Edge is being controlled by automated test software.
mi_primera_prueba.cy.js
862ms
https://example.cypress.io/commands/actions?
1000x660
Studio Beta
Práctica Guiada: Interacción con Formularios
Escribe un correo y verifica el valor del input
TEST BODY
1 visit https://example.cypress.io/commands/actions
2 get .action-email
3 -type estudiante@usfx.bo
4 get .action-email
-assert expected <input#email1.form-control.action-email> to have value estudiante@usfx.bo
6 get .action-btn
7 -click
(form sub) --submitting form--
(page load) --page loaded--
(new url) https://example.cypress.io/commands/actions?
// | bottomLeft bottom bottomRight |
// ----------
// clicking in the center of the element is the default
cy.get('#action-canvas').click()
cy.get('#action-canvas').click('topLeft')
cy.get('#action-canvas').click('top')
cy.get('#action-canvas').click('topRight')
cy.get('#action-canvas').click('left')
cy.get('#action-canvas').click('right')
cy.get('#action-canvas').click('bottomLeft')
cy.get('#action-canvas').click('bottom')
cy.get('#action-canvas').click('bottomRight')
// .click() accepts an x and y coordinate
// that controls where the click occurs :)
cy.get('#action-canvas')
cy.get('#action-canvas').click(80, 75) // click 80px on x coord and 75px on y coord
cy.get('#action-canvas').click(170, 75)
cy.get('#action-canvas').click(80, 165)
cy.get('#action-canvas').click(100, 185)
cy.get('#action-canvas').click(125, 190)
cy.get('#action-canvas').click(150, 185)
cy.get('#action-canvas').click(170, 165)
// click multiple elements by passing multiple: true
cy.get('.action-labels>.label').click({ multiple: true })
// Ignore error checking prior to clicking
cy.get('.action-opacity>.btn').click({ force: true })
click me and me and me and me and me and me
clicked
I'm being covered

Para Login:


File Edit Selection View Go Run Terminal Help
lab-cypress
EXPLORER
LAB-CYPRESS
cypress
e2e
1-getting-started
2-advanced-examples
~$uebas de mi.docx
carrito.cy.js
login.cy.js
mi_primera_prueba.cy.js
Pruebas de mi.docx
Pruebas de mi.pdf
fixtures
support
commands.js
e2e.js
node_modules
cypress.config.js
cypress.rar
package-lock.json
package.json
package.json
package-lock.json
mi_primera_prueba.cy.js
login.cy.js
carrito.cy.js
cypress > e2e > login.cy.js > ...
describe("Práctica Guiada: Interacción con Formularios", () => {
it("Escribe un correo y verifica el valor del input", () => {
// 1. Visitar la de saucedemo.com
cy.visit("https://www.saucedemo.com/");
// 2. Seleccionar el campo de email (usando su clase CSS) y escribir
cy.get("#user-name").type("standard_user");
// 3. Verificar que el campo realmente contiene el texto que escribimos
cy.get("#password").type("secret_sauce");
// 4. Hacer clic en un botón de la página para logearse
cy.get(".btn_action").click();
});
});
CHAT
SESSIONS
OUTLINE
TIMELINE
Launchpad
Live Share
Ln 17, Col 1 Spaces: 4 UTF-8 CRLF JavaScript Go Live Prettier


lab-cypress
Not secure https://www.saucedemo.com/__/#/specs/runner?file=cypress/e2e/login.cy.js
Microsoft Edge is being controlled by automated test software.
Search specs
cypress\e2e
1-getting-started
todo.cy.js
2-advanced-examples
actions.cy.js
aliasing.cy.js
assertions.cy.js
connectors.cy.js
cookies.cy.js
cypress_api.cy.js
files.cy.js
location.cy.js
misc.cy.js
navigation.cy.js
network_requests.cy.js
querying.cy.js
spies_stubs_clocks.cy.js
storage.cy.js
traversal.cy.js
utilities.cy.js
viewport.cy.js
waiting.cy.js
window.cy.js
carrito.cy.js
login.cy.js
mi_primera_prueba.cy.js
login.cy.js
00:04
1
Práctica Guiada: Interacción con Formularios
Escribe un correo y verifica el valor del input
TEST BODY
1 visit https://www.saucedemo.com/
2 get #user-name
3 -type standard_user
4 get #password
5 -type secret_sauce
(fetch) POST 401
https://events.backtrace.io/api/unique-events/submit?universe=UNIVERSE&token=TOKEN
(fetch) POST 401
https://events.backtrace.io/api/summed-events/submit?universe=UNIVERSE&token=TOKEN
6 get .btn_action
7 -click
(new url) https://www.saucedemo.com/inventory.html
https://www.saucedemo.com/inventory.html
1000x660
Studio Beta
Swag Labs
Products
Name (A to Z)
Sauce Labs Backpack
carry.allTheThings() with the sleek, streamlined Sly Pack that melds uncompromising style with unequaled laptop and tablet protection.
$29.99
Add to cart
Sauce Labs Bike Light
A red light isn't the desired state in testing but it sure helps when riding your bike at night. Water-resistant with 3 lighting modes, 1 AAA battery included.
$9.99
Add to cart
Search
ESP
LAA
8:24 AM
3/6/2026

Para el carrito:





Ventajas encontradas al usar esta herramienta y los desafíos superados:

- Automatiza todas las acciones como un robot, validando por su propia cuenta cada acción a tomar por el lado del front
- Cuenta con una pagina de pruebas local después de instalar el cypress
- El código para interactuar es demasiado simple, usando DOM de acuerdo a las clases CSS, o id de cada elemento

- La instalación es medio tardada porque tiene demasiadas dependencias