

Summary Data on Acid Cropland and Lime Requirements in Nigeria

GAIA

www.acidsoils.africa

Last Updated: November 19, 2024


Outlook

- 1 Introduction
- 2 Acidic Cropland
- 3 Additional Production
- 4 Yield Loss
- 5 Yield Response
- 6 Lime Requirement


Introduction

- The slide deck provides a **data-driven, ex-ante analysis** of soil acidity across **Nigeria**, evaluating the scale of affected areas, potential crop yield impacts, and the expected benefits of lime application for proactive soil remediation.
- **Highlights:**
 - **Acidic Cropland:** Identifies regions with high acidity levels impacting crop yields.
 - **Yield Loss:** Quantifies productivity losses in key crops due to acidic soils.
 - **Lime Requirements:** Estimates the lime amounts needed to improve soil health in these areas.
 - **Economic Potential:** Highlights estimated increases in production and production value from lime application.
- Provide policymakers, farmers, and stakeholders with actionable insights to prioritize areas with high potential for productivity gains and economic return from soil remediation.


Top 10 States in Nigeria with the highest acidic cropland



Top 10 States in Nigeria with the highest acidic cropland (Percentage of total cropland)



Total crop area in the top-10 most acidic States, not segregated by acidic cropland




- └ Total crop area distribution (ha)
- └ Total crop area in the top-10 most acidic States, not segregated by acidic cropland

Total crop area in the top-10 most acidic States, not segregated by acidic cropland (table)

States	Cassava	Maize	Other-Cereal	Other-Legume	Other-Non-food	Other-RTBs	Pearl millet	Sorghum
Akwa Ibom	165.38	45.68	-	0.16	0.80	17.38	-	-
Benue	410.29	121.25	-	369.94	9.80	156.01	52.17	117.09
Cross River	350.57	91.95	-	7.53	307.53	79.02	0.96	2.24
Delta	122.84	101.98	-	0.65	8.22	39.21	-	0.24
Enugu	253.22	62.96	-	5.92	0.03	160.64	0.27	0.77
Imo	218.45	61.77	-	0.31	0.47	30.58	-	-
Kaduna	238.46	444.82	0.18	551.92	27.08	118.56	387.41	344.25
Ondo	122.82	81.42	-	0.29	292.60	73.25	0.06	0.16
Osun	69.64	80.31	-	1.04	233.53	12.15	0.04	0.50
Taraba	233.59	320.93	-	225.03	15.03	125.98	97.26	154.53


Potential for additional production (tone) in top 10 acidic States in Nigeria



Potential for additional production (1000 tone) in top 10 acidic States in Nigeria(Table)

States	Cassava	Maize	Other-Legume	Other-Non-food	Other-RTBs	Sorghum	Pearl millet	Other-Cereal
Abia	27.37	64.25	1.95	0.03	45.46	0.01	-	-
Akwa Ibom	151.26	74.97	0.14	0.02	15.49	-	-	-
Anambra	14.82	16.46	0.04	-	20.95	0.78	-	-
Cross River	58.05	82.29	3.11	3.50	70.16	0.15	0.20	-
Delta	28.19	76.03	0.43	0.01	27.59	0.04	-	-
Imo	19.03	41.10	0.31	0.01	32.23	0.01	-	-
Ogun	46.19	42.67	0.53	0.99	4.85	0.01	-	-
Ondo	27.57	45.19	0.28	2.02	45.20	0.09	0.03	-
Rivers	47.44	31.72	2.17	0.09	55.89	-	-	-
Taraba	5.40	26.10	42.50	0.35	20.39	14.25	6.23	-



Potential for additional production value (US\$) in top 10 acidic States in Nigeria



Potential for additional production value (1000 US\$) in top 10 acidic States in Nigeria(Table)


States	Cassava	Maize	Other-Legume	Other-Non-food	Other-RTBs	Sorghum	Pearl millet	Other-Cereal
Abia	7306.5	17848.6	1084.1	23.1	13275.1	3.8	-	-
Akwa Ibom	40380.2	20825.4	74.2	13.7	4503.3	-	-	-
Anambra	3956.2	4571.6	25.4	0.3	6553.6	252.8	0.4	-
Cross River	15495.9	22860.1	1891.9	3045.6	20435.1	46.8	77.9	1.3
Delta	7524.5	21120.5	268.3	2.0	8978.4	11.3	-	-
Imo	5080.1	11418.4	186.6	1.4	9672.6	2.9	-	-
Ogun	12330.5	11854.6	324.4	883.7	1409.0	4.1	-	-
Ondo	7358.9	12552.5	163.6	1828.4	13149.1	28.5	9.9	-
Rivers	12664.4	8812.1	1195.0	5.4	16269.4	1.3	-	-
Taraba	1441.0	7251.5	25760.6	172.4	5959.0	4591.7	2388.1	0.8

Yield loss due to soil acidity for Maize and Sorghum in Nigeria




Yield response to lime application in Nigeria


Maize Yield Response (t/ha)



Sorghum Yield Response (t/ha)



Lime requirements (t) for acid soil remediation in Nigeria




Lime requirements (1000 t) for acid soil remediation in Nigeria (table)


States	Cassava	Maize	Other-Legume	Other-Non-food	Other-RTBs	Sorghum	Other-Cereal	Pearl millet
Abia	76.46	163.83	6.27	3.94	82.83	0.05	-	-
Akwa Ibom	308.66	174.08	0.65	1.85	66.25	-	-	-
Cross River	153.33	241.78	8.31	195.92	218.37	1.03	-	0.62
Delta	59.97	255.15	1.85	0.02	96.66	0.32	-	-
Enugu	-	62.91	10.20	0.01	168.83	0.18	-	0.02
Imo	33.33	154.09	1.01	0.03	77.52	0.01	-	-
Ogun	70.45	110.71	1.97	42.61	16.05	0.28	-	-
Ondo	49.00	127.42	0.59	122.51	117.28	0.27	-	0.12
Rivers	99.11	127.01	44.33	0.80	215.57	0.03	-	-
Taraba	14.76	127.24	132.91	4.70	58.84	73.50	0.01	37.65

Lime rate for Maize and Sorghum in Nigeria

Maize Lime Rate (t/ha)



Sorghum Lime Rate (t/ha)



Main assumptions and parameters

- Acidic cropland is defined as having acidity saturation levels above 10% of the Effective Cation Exchange Capacity (ECEC).
- Crop yields are unaffected by soil acidity until a specific acidity saturation threshold Target Acidity Saturation(TAS) is reached; beyond this threshold, yields decrease linearly, eventually reaching zero at high acidity levels.
- The TAS that separates maximum yield from yield decline is used as a critical value for making liming recommendations.
- Actual yields in acid tropical soils are a fraction of the potential yields in non-acidic soils, determined by the estimated yield loss due to acidity.
- Economic benefits from liming are calculated by multiplying the additional yield after soil remediation by median crop prices from sub-Saharan Africa (2016-2020 FAOSTAT data). The cost of liming is calculated using estimated lime application rates and a fixed lime price of 100 US\$/ton.
- The benefits of liming are assessed only for the year of application due to a lack of robust, large-scale data on long-term effects in sub-Saharan Africa.

For details, visit www.acidsoils.africa.