

Chapter 6, 10 & 11 Assignment

DATE: 04/07/2026 YEAR-TO-DATE SALES REPORT PAGE: 1
TIME: 11:37 RPT6000

Make the following changes:

NOTE: It's important to test after each slide and commit/push to GitHub

- **Slide 40**
CL-CHANGE-PERCENT-B REDEFINES ---9.9

- **Slide 41**
PIC \$\$\$\$,\$\$9.99-
REDEFINE BTL-CHANGE-PERCENT-R PIC +++9.9 PIC X(6)
- **Slide 42**
PACKED-DECIMAL AT GROUP LEVEL
- **Slide 43**
MOVE "N/A" TO CL-CHANGE-PERCENT-R
MOVE "OVRFLW" TO CL-CHANGE-PERCENT-R
- **Slide 44**
INITIALIZE BRANCH-TOTAL-THIS-YTD

Key Report Modifications from Chapter 10

- Setup a Table for SALESREP Names using an index instead of subscript for the following SALESREP numbers: 10, 11, 12, 14, 17, 21
- **Slide 11** for constant table value clause
- **Slide 27** for using index instead of subscript
- **Slide 38** for 325-MOVE-SALESREP-NAME
- For your new report alignment, update your report WORKING-STORAGE:

```

01  HEADING-LINE-1.
    05  FILLER          PIC X(7)    VALUE "DATE:  ".
    05  HL1-MONTH       PIC 9(2) .
    05  FILLER          PIC X(1)    VALUE "/".
    05  HL1-DAY         PIC 9(2) .
    05  FILLER          PIC X(1)    VALUE "/".
    05  HL1-YEAR        PIC 9(4) .
    05  FILLER          PIC X(26)   VALUE SPACE.
    05  FILLER          PIC X(20)   VALUE "YEAR-TO-DATE SALES R".
    05  FILLER          PIC X(31)   VALUE "EPORT".
    05  FILLER          PIC X(6)    VALUE "PAGE: ".
    05  HL1-PAGE-NUMBER PIC ZZZ9 .
    05  FILLER          PIC X(26)   VALUE SPACE.

01  HEADING-LINE-2.
    05  FILLER          PIC X(7)    VALUE "TIME:  ".
    05  HL2-HOURS       PIC 9(2) .
    05  FILLER          PIC X(1)    VALUE ":".
    05  HL2-MINUTES     PIC 9(2) .
    05  FILLER          PIC X(82)   VALUE SPACE.
    05  FILLER          PIC X(7)    VALUE "RPT6000".
    05  FILLER          PIC X(29)   VALUE SPACE.

01  HEADING-LINE-3.
    05  FILLER          PIC X(54)   VALUE SPACES.
    05  FILLER          PIC X(19)   VALUE "SALES          SALES".
    05  FILLER          PIC X(8)    VALUE SPACES.
    05  FILLER          PIC X(17)   VALUE "CHANGE          CHANGE".
    05  FILLER          PIC X(32)   VALUE SPACE.

01  HEADING-LINE-4.
    05  FILLER          PIC X(17)   VALUE "BRANCH    SALESREP".
    05  FILLER          PIC X(13)   VALUE SPACES.
    05  FILLER          PIC X(8)    VALUE "CUSTOMER".
    05  FILLER          PIC X(14)   VALUE SPACES.
    05  FILLER          PIC X(22)   VALUE "THIS YTD          LAST YTD".
    05  FILLER          PIC X(7)    VALUE SPACES.
    05  FILLER          PIC X(18)   VALUE "AMOUNT          PERCENT".
    05  FILLER          PIC X(31)   VALUE SPACE.

01  HEADING-LINE-5.
    05  FILLER          PIC X(6)    VALUE ALL '-'.

```

```

05 FILLER          PIC X(1)    VALUE SPACE.
05 FILLER          PIC X(13)   VALUE ALL '-'.
05 FILLER          PIC X(1)    VALUE SPACE.
05 FILLER          PIC X(26)   VALUE ALL '-'.
05 FILLER          PIC X(3)    VALUE SPACE.
05 FILLER          PIC X(11)   VALUE ALL '-'.
05 FILLER          PIC X(3)    VALUE SPACE.
05 FILLER          PIC X(11)   VALUE ALL '-'.
05 FILLER          PIC X(4)    VALUE SPACE.
05 FILLER          PIC X(11)   VALUE ALL '-'.
05 FILLER          PIC X(2)    VALUE SPACE.
05 FILLER          PIC x(7)    VALUE ALL '-'.
05 FILLER          PIC X(31)   VALUE SPACE.

01 CUSTOMER-LINE.
05 FILLER          PIC X(2)    VALUE SPACE.
05 CL-BRANCH-NUMBER PIC X(2) .
05 FILLER          PIC X(3)    VALUE SPACE.
05 CL-SALESREP-NUMBER PIC X(2) .
05 FILLER          PIC X(1)    VALUE SPACE.
05 CL-SALESREP-NAME  PIC X(10) .
05 FILLER          PIC X(1)    VALUE SPACE.
05 CL-CUSTOMER-NUMBER PIC X(5) .
05 FILLER          PIC X(1)    VALUE SPACE.
05 CL-CUSTOMER-NAME  PIC X(20) .
05 FILLER          PIC X(6)    VALUE SPACE.
05 CL-SALES-THIS-YTD PIC ZZ,ZZ9.99-.
05 FILLER          PIC X(4)    VALUE SPACE.
05 CL-SALES-LAST-YTD PIC ZZ,ZZ9.99-.
05 FILLER          PIC X(4)    VALUE SPACE.
05 CL-CHANGE-AMOUNT  PIC ZZ,ZZ9.99-.
05 FILLER          PIC X(2)    VALUE SPACE.
05 CL-CHANGE-PERCENT PIC +++9.9.
05 CL-CHANGE-PERCENT-R REDEFINES CL-CHANGE-PERCENT
                        PIC X(6) .
05 FILLER          PIC X(31)   VALUE SPACE.

01 SALESREP-TOTAL-LINE.
05 FILLER          PIC X(36)   VALUE SPACE.
05 FILLER          PIC X(16)   VALUE "SALESREP TOTAL".
05 STL-SALES-THIS-YTD PIC $$$,$$9.99-.
05 FILLER          PIC X(3)    VALUE SPACE.
05 STL-SALES-LAST-YTD PIC $$$,$$9.99-.
05 FILLER          PIC X(3)    VALUE SPACE.
05 STL-CHANGE-AMOUNT  PIC $$$,$$9.99-.
05 FILLER          PIC X(2)    VALUE SPACE.
05 STL-CHANGE-PERCENT PIC +++9.9.
05 STL-CHANGE-PERCENT-R REDEFINES STL-CHANGE-PERCENT
                        PIC X(6) .
05 FILLER          PIC X(31)   VALUE "***".

01 BRANCH-TOTAL-LINE.
05 FILLER          PIC X(36)   VALUE SPACE.
05 FILLER          PIC X(16)   VALUE "  BRANCH TOTAL".
05 BTL-SALES-THIS-YTD PIC $$$,$$9.99-.
05 FILLER          PIC X(3)    VALUE SPACE.
05 BTL-SALES-LAST-YTD PIC $$$,$$9.99-.
05 FILLER          PIC X(3)    VALUE SPACE.
05 BTL-CHANGE-AMOUNT  PIC $$$,$$9.99-.
05 FILLER          PIC X(2)    VALUE SPACE.
05 BTL-CHANGE-PERCENT PIC +++9.9.
05 BTL-CHANGE-PERCENT-R REDEFINES BTL-CHANGE-PERCENT
                        PIC X(6) .
05 FILLER          PIC X(31)   VALUE "***".

01 GRAND-TOTAL-LINE.
05 FILLER          PIC X(36)   VALUE SPACE.
05 FILLER          PIC X(14)   VALUE "  GRAND TOTAL".
05 GTL-SALES-THIS-YTD PIC $,$$$,$$9.99-.
05 FILLER          PIC X(1)    VALUE SPACE.
05 GTL-SALES-LAST-YTD PIC $,$$$,$$9.99-.
05 FILLER          PIC X(1)    VALUE SPACE.
05 GTL-CHANGE-AMOUNT  PIC $,$$$,$$9.99-.
05 FILLER          PIC X(2)    VALUE SPACE.
05 GTL-CHANGE-PERCENT PIC +++9.9.
05 GTL-CHANGE-PERCENT-R REDEFINES GTL-CHANGE-PERCENT
                        PIC X(6) .
05 FILLER          PIC X(31)   VALUE "****".

```

After you can prove that you can display the SALESREP name by hard coding the values, change the logic to load the SALESREP data from a file by making the following changes:

- Add a SALESREP file to your DATA dataset. NOTE: skipped SALESREP 10 to prove “UNKNOWN” logic works.

```
Marist > KC02606.CIS352.DATA2 > ≡ SALESREP
 1  09DJOHNSON
 2  11TSMITH
 3  12AJONES
 4  14KBAKER
 5  17STRACKER
 6  21FFRANKLIN
```

- Add a DD statement to your JCL similar to CUSTMAST for SALESREP
- Add a FILE-CONTROL statement for SALESREP
- Add a FD statement for your INPUT-SALESREP using unique names for your new data items.
Example:

```
01  SALESREP-MASTER-RECORD.
    10  MST-SALESREP-NUMBER      PIC 99.
    10  MST-SALESREP-NAME        PIC X(10).
    05  FILLER                   PIC X(118).
```

- Remove the hard coded values for the SALESREP names from your working storage. Set the OCCURS to 100 to allow for 100 names.
- Add a new SALESREP-EOF-SWITCH
- In paragraph 000
 - Initialize your SALESREP-TABLE
 - Open and Close the file INPUT-SALESREP file
 - Call 200-LOAD-SALESREP-TABLE.
- **Slide 33:** Code the paragraphs to load the data from the file INSTEAD of hard-coding the values in your WORKING-STORAGE:
 - 200-LOAD-SALESREP-TABLE.
 - 210-READ-SALESREP-RECORD.

Chapter 11 - How to use copy members

- Allocate like your COBOL dataset to create a new COPYLIB dataset
- **Slide 4:** Modify your JCL to include COBOL.SYSLIB

- **Slide 5:** Create two COPYLIB, one for CUSTMAST and the other one for SALESREP
 - Moving the 01 group into the new COPYLIB files
 - Add COPY statement below each FD.

Additional requirements:

1) Must use GitHub

- a. Invite me to your repository (dejohns2)
- b. Numerous commits which will prove who did work
- c. Use folders to organize your files in your repository.
- d. Balance work across code and README
 - i. Fully explain what the program does
 - ii. Embedded screenshots (stored in a subfolder)
 - iii. Bullet point list of what new concepts were used
 - iv. links to the author's profiles

2) Include either a peer-review or self-review

3) Attach the following files to your assignment: your Good, Bad, and Ugly (GBU) reflection written at a college level. Must include a proper heading: (name, date, and assignment) plus BOTH of your GitHub URLs