## **NAME**

CUTEST\_cdimen - CUTEst tool to get the number of variables and constraints involved.

#### **SYNOPSIS**

CALL CUTEST\_cdimen( status, input, n, m )

# **DESCRIPTION**

The CUTEST\_cdimen subroutine discovers how many variables and constraints are involved in the problem decoded from a SIF file by the script *sifdecoder*.

The problem under consideration is to minimize or maximize an objective function f(x) over all  $x \in R^n$  subject to general equations  $c_i(x) = 0$ ,  $(i \in 1, ..., m_E)$ , general inequalities  $c_i^l \le c_i(x) \le c_i^u$ ,  $(i \in m_E + 1, ..., m)$ , and simple bounds  $x^l \le x \le x^u$ . The objective function is group-partially separable and all constraint functions are partially separable.

#### **ARGUMENTS**

The arguments of CUTEST\_cdimen are as follows

```
status [out] - integer
```

the outputr status: 0 for a successful call, 1 for an array allocation/deallocation error, 2 for an array bound error, 3 for an evaluation error,

input [in] - integer

the unit number for the decoded data; the unit from which OUTSDIF.d is read,

n [out] - integer

the number of variables for the problem,

m [out] - integer

the total number of general constraints.

## **AUTHORS**

I. Bongartz, A.R. Conn, N.I.M. Gould, D. Orban and Ph.L. Toint

## **SEE ALSO**

CUTEst: a Constrained and Unconstrained Testing Environment with safe threads,

N.I.M. Gould, D. Orban and Ph.L. Toint,

Computational Optimization and Applications 60:3, pp.545-557, 2014.

CUTEr (and SifDec): A Constrained and Unconstrained Testing Environment, revisited,

N.I.M. Gould, D. Orban and Ph.L. Toint,

ACM TOMS, 29:4, pp.373-394, 2003.

CUTE: Constrained and Unconstrained Testing Environment,

I. Bongartz, A.R. Conn, N.I.M. Gould and Ph.L. Toint,

ACM TOMS, 21:1, pp.123-160, 1995.

cutest\_udimen(3M), sifdecoder(1).