

[Support Home](#) [GAB](#) [Callwrappers](#)

Last Published August 1st, 2025

Sales.UpdateOrderLinesByFile

This callwrapper supports updating order line data.

In this article

Passed Properties

Company (String)

CallingProgram (String)

Screenless (Boolean)

InputFileName (String)

Inbound Data for Line Updates

Special Formatting Rules

Sample Record Format

Process ID (Numeric)

Returned Properties

Status (Enum)

SalesOrderUpdateLog (.txt file)

Example

Technical Information

Passed Properties

Company (String)

The company the callwrapper is executing in.

CallingProgram (String)

The calling program.

Screenless (Boolean)

Indicates whether the core program should run in screenless mode or not. If true, ORD897 will not show screens during processing.

InputFileName (String)

Required. The relative name of the file, with file extension. For example, "Upload.txt". It must be a simple text based file, comma delimited.

Inbound Data for Line Updates

Field Name	Field Size	Notes	Example
Header or Line	1	Required. Value must be L.	L
Order Number	7	Required. Include leading zeroes.	0008925
Order Line Number	3	Required. Include leading zeroes.	003
Order Quantity	13 (up to four decimals)	Optional. When the sales order line contains a default price type, the line may be repriced if a quantity based price applies.	10, 123456789.2589
Unit Price	16 (up to six decimals)	Optional. Price type will be set to Quoted.	50, 50.25, 1234567890.123 456
Cost	16 (up to six decimals)	Optional. Cost per piece.	50, 50.25, 1234567890.123 456

Order Discount	5 (up to four decimals)	Optional. Discount rate for the sales order line.	0.2000 (20% discount)
Product Line	3	Optional. Must be a valid product line code. Changes may affect product line discount or GL account number.	PL1
Weight	10 (up to three decimals)	Optional. Total part weight for the sales order line.	50, 50.25, 250.358
Configurator Part	20	Optional. Replaces the existing part in the sales order line without performing any business logic associated with a line change.	F20TBDHW247BL
Configurator Part Location	2	Optional. Replaces the existing part location.	01
Configurator Part Description	50	Optional. Replaces the existing part description.	F-20-T B-DK HB-22-T W-24 BLUE

Contract pricing and Quantity Updates to BOM Parents are not supported.

Special Formatting Rules

Ensure that each field is followed by a comma with the following exceptions:

- **Two additional commas** after the Order Line Number.
- **Six additional commas** after the Cost.
- **Seven additional commas** after the Order Discount.

Sample Record Format

Updates Order 8925, Line 3, Quantity 125, Price 75.98, Cost, 26.7894, 10% order discount, Product Line FG1, Weight 250 (2 pounds per piece)

L,0008925,003,,,125,75.98,26.7894,,,,,,,,0.1000,,,,,,,,FG1,250,,,

Process ID (Numeric)

Optional: The program sets soft locks for orders being updated. If the script is executed from within the Sales Order Maintenance screen, the Process ID should be passed to the program. This ensures the program recognizes that the user has the order locked, allowing updates to be made to the order lines.

Returned Properties

Status (Enum)

Returns one of the following:

- 0- Success - Order data was successfully updated.
- 1- ParameterError - Invalid parameters.
- 2- Failure - Order data was not updated.
- 23 - NoRecords - No records match the provided data.
- 35 - FileError - File I/O error.
- 99 - Cancel - The operation was canceled.
- Other - Fail - Other failure has occurred.

SalesOrderUpdateLog (.txt file)

Written to the Files folder. The existing SalesOrderUpdateLog.txt file is renamed by appending the date and time to the end of the file name. Ex:

SalesOrderUpdateLog.txt2025022013002963

Field Name	Columns	Description	Example
------------	---------	-------------	---------

Record Type	1	Indicates if the record is for a line update (L) or applies to the entire order (H).	L, H
Order Number	2-8	Order number containing leading zeroes.	0008925
Order Line Number	9-12	Order line number containing leading zeroes and the trailing zero.	0030
Terminal Number	13-15	Terminal number from which the update is made.	101
Customer Ship To	16-22	Customer Ship to ID from the sales order line.	000001, TX01
Status (Boolean)	23	Status of the update: 0 for failed, 1 for successful	0, 1
Error Reference (Ref: ##)	14-30	Denotes specific error codes or number for error trapping, allowing different messages to be presented to the user if needed.	REF: 10
Message	32-259	Provides a detailed message or additional information.	Updating Order Line Successful

Example

[Copy](#)

```
F.Global.Callwrapper.New("Test", "Sales.UpdateOrderLinesByFile")
F.Global.Callwrapper.SetProperty("Test", "Screenless", 1)
F.Global.Callwrapper.SetProperty("Test", "InputFileName", "SOUPDLINES.TXT")
F.Global.CallWrapper.Run("Test")
F.Global.CallWrapper.GetProperty("Test", "Status", V.Local.sReturnCode)
F.Intrinsic.Control.If(V.Local.sReturnCode, =, "Success")
    F.Intrinsic.UI.Msgbox("Success")
F.Intrinsic.Control.Else
```

```
F.Intrinsic.UI.Msgbox("Line update Callwrapper failed")  
F.Intrinsic.Control.EndIf
```

Technical Information

Core program: ORD897

Full name: GSSEO.Callwrappers.Sales.UpdateOrderLinesByFile