Rajalakshmi Engineering College

Name: Sunetra B

Email: 241801282@rajalakshmi.edu.in

Roll no: 241801282 Phone: 9150958405

Branch: REC

Department: I AI & DS FD

Batch: 2028

Degree: B.E - AI & DS



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 3_COD_Question 3

Attempt : 2 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Sharon is developing a programming challenge for a coding competition. The challenge revolves around implementing a character-based stack data structure using an array.

Sharon's project involves a stack that can perform the following operations:

Push a Character: Users can push a character onto the stack.Pop a Character: Users can pop a character from the stack, removing and displaying the top character.Display Stack: Users can view the current elements in the stack.Exit: Users can exit the stack operations application.

Write a program to help Sharon to implement a program that performs the given operations.

Input Format

The input consists of integers corresponding to the operation that needs to be performed:

Choice 1: Push the character onto the stack. If the choice is 1, the following input is a space-separated character, representing the character to be pushed onto the stack.

Choice 2: Pop the character from the stack.

Choice 3: Display the characters in the stack.

Choice 4: Exit the program.

Output Format

The output displays messages according to the choice and the status of the stack:

- 1. If the choice is 1, push the given character to the stack and display the pushed character having the prefix "Pushed: ".
- 2. If the choice is 2, undo the character from the stack and display the character that is popped having the prefix "Popped: ".
- 3. If the choice is 2, and if the stack is empty without any characters, print "Stack is empty. Nothing to pop."
- 4. If the choice is 3, print the elements in the stack having the prefix "Stack elements: ".
- 5. If the choice is 3, and there are no characters in the stack, print "Stack is empty."
- 6. If the choice is 4, exit the program.
- 7. If any other choice is entered, print "Invalid choice"

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 2

4

Output: Stack is empty. Nothing to pop.

Answer

#include <stdio.h>

```
#include <stdbool.h>
#define MAX_SIZE 100
    char items[MAX_SIZE];
    int top = -1;
    void initialize() {
      top = -1;
    bool isFull() {
      return top == MAX_SIZE - 1;
    }
    bool isEmpty() {
      return top == -1;
    void push(char value) {
      if (top >= MAX_SIZE - 1) {
        printf("Stack Overflow ");
        return;
      items[++top] = value;
      printf("Pushed: %c ", value);
    }
    char pop() {
   if (top == -1) {
        printf("Stack is empty. Nothing to pop. ");
        return '\0';
      } else {
        char poppedValue = items[top--];
        printf("Popped: %c ", poppedValue);
        return poppedValue;
    }
    void display() {
      if (top == -1) {
       printf("Stack is empty.
   P else {
        printf("Stack elements: ");
```

241801282

```
for (int i = top; i >= 0; i--) {
             printf("%c ", items[i]);
      int main() {
        initialize();
        int choice;
        char value;
        while (true) {
          scanf("%d", &choice);
          switch (choice) {
             case 1:
               scanf(" %c", &value);
               push(value);
               break;
             case 2:
               pop();
               break;
             case 3:
               display();
               break;
             case 4:
return default:
prin*
               return 0;
               printf("Invalid choice\n");
        return 0;
```

Status: Correct Marks: 10/10

24,80,1282

241801282

24,180,1282

241801282

24,80,1282

24,80,1282

24,801,282