Sublime Text Cheatsheet (Mac)

Version 1.1, updated April 10, 2013

General

- 第十位+P Command Palette # + P Goto Anything # + R Goto Symbol ** + N New File #+ S Save File 第十分+S Save File As #+O Open File 第十W Close File 第十分+T Reopen Closed File #+1+N New Window
- 第十分+W Close Window
- #+K, #+B Show Sidebar
- ctrl + Show Console
- # + ctrl + F Enter Full Screen
- 第十ctrl + ① + F Enter Distraction Free Mode

Moving/editing

- #+Z Undo ₩+1 + Z Redo #+Y Repeat #+C Copy
- ctrl + Y Yank (inserts the text that's on top of the kill ring)
- # + X Cut
- \mathbb{H} + \mathbb{V} Paste 第十分+V Paste and Indent
- # + I Indent
- # Unindent
- 第十分+D Duplicate Line
- ctrl + ① + K Delete (kill) Line
- # + J Join Lines
- # + / Toggle Comment
- #+ Toggle Block Comment
- \(\mathbb{H}\) + \(\overline{\psi}\) Insert Line Before
- \# + ← Insert Line After
- \(\mathbb{H}\) + ← Delete to Beginning of Line
- ctrl + K Delete to End of Line
- ctrl + A Move to Beginning of Line
- ctrl + E Move to End of Line
- ctrl + P (revious) Move Up
- ctrl + F (orward) Move Right
- ctrl + N (ext) Move Down ctrl + B (ack) Move Left
- ctrl + T Transpose (swap two characters or words; buggy behaviour)
- $\mathbb{H} + \mathbb{T} + \mathbb{C}$ Close Tag
- ctrl + 1 + W Wrap Selection with Tag
- 第一K,第一U Convert Selected Text to Uppercase 第一K,第一L Convert Selected Text to Lowercase
- \H + \□ + \Q Wrap Paragraph at Ruler

- F5 Sort Lines
- F5 Sort Lines (Case Sensitive)
- ctrl + G Goto Line
- ctrl + M Jump to Matching Brackets (does not work with HTML/XML tags)
- ctrl + L Scroll to Selection (centers the screen to cursor)
- ctrl + ¬ + ↑ / ↓ Scroll Line Up/Down
- ctrl + Q Record Macro
- ctrl + 1 + Q Playback Macro

Selection

- # + U Undo
- 署+位+U Soft Redo
- 第十分+L Split Selection Into Lines (inserts multiple
- ctrl + 1 + 1 Add Previous/Next Line (inserts multiple cursors)
- Single Selection (when there are multiple selections; exits to visual mode first if you are in insert mode)
- # + A Select All
- # + D Expand Selection to Word
- # + L Expand Selection to Line
- # + 1 + A Expand Selection to Tag (HTML/XML)
- 署十位十 Expand Selection to Scope ctrl + 1 + M Expand Selection to Brackets
- 第十分+了 Expand Selection to Indentation

Search/replace

- #+F Find
- # + G Find Next 第十位+G Find Previous
- # + I Incremental Find
- \mathbb{H}+\subseteq+\mathbb{F}\ Replace Next
- #+\=\ Quick Find (searches for the word under the cursor)
- #+ctrl+G Quick Find All (selects all occurences of the word under the cursor)
- # + E Use Selection for Find
- 第十分+E Use Selection for Replace
- 署十分+F Find in Files (all open files)
- F4 Next Result (file search results)
- 1 + F4 Previous Result (file search results)

Folding

- \mathbb{H}+\subseteq+\textbf{\textstyle Fold (selection)}
- ## | Unfold ## | Unfold ## | Unfold All
- #+K, #+1 Fold All
- \mathbb{H} + \mathbb{K}, \mathbb{H} + \mathbb{2-9} \mathbb{Fold Level 2-9}
- 第十K, 第十T Fold Tag Attributes (HTML/XML)

Bookmarking

- #+K, #+ Set Mark
- 第十K,第十A Select to Mark
- \mathbb{H}+\mathbb{K},\mathbb{H}+\mathbb{W}\ Delete to Mark

- 第十K, 第十X Swap with Mark
- 第十K, 第十G Clear to Mark
- # + F2 Toggle Bookmark
- F2 Next Bookmark
- 1 + F2 Previous Bookmark
- ₩+1 + F2 Clear Bookmarks

Miscellaneous

- F6 Toggle Spell Check
- ctrl + F6 Next Misspelling
- ctrl + T + F6 Previous Misspelling
- # + B Build
- ctrl + Show Completions
- \mathbb{H} + \mathbb{T} + \mathbb{T} \ Special Characters

Vintage Mode

Most basic vim commands should work (command mode only obviously) and can be preceded with a count.

- Repeat
- d, count (optional), motion / dd / D Delete motion (e.g. a word) or delete line or delete line to end
- c, count (optional), motion / C Change motion or change until end of line (enters insert mode)
- y, count (optional), motion/yy Yank motion or vank (copy) Line
- p / P Paste yanked/deleted text after/before the cursor
- 0 / \$ Move to the beginning/end of a line
- g Most of g's power is not implemented in Vintage Mode. You can use the basic combinations gg and G to move to
- the top/bottom of the file. number, gg to move to that line.
- ga to display character encoding in the status bar.
- a / A Append to cursor/line (enters insert mode)
- i / I Insert before cursor/line (enters insert mode)
- w / W Move forward a Word/WORD (WORDs are whitespace-separated words)
- b / B Move backwards a Word/WORD
- e / E Move to the end of a Word/WORD f, character / F, character Find (character)
- forward/backwards on the current line
- r , character Replace character under cursor
- t / T 'till (forward/backward) Used in combination with motions like c or d. For example, d, t, { deletes
- everything until the next { character (on the current line).
- Open line below/above (enters insert mode)
- { / } Move to the beginning/end of a paragraph s / S or cc Substitute character/line (enters insert mode)
- H (igh)/M (id)/L (ow) Move cursor to the
- top/middle/bottom of the screen
- J Join Lines
- ZZ Close File
- × Delete character under cursor
- X Backspace
- V | V Enters Visual Mode/Visual Line Mode
- n / N Find next/previous occurrence of search > . > / < . < Indent/Unindent
- Swap Case
- q , character / 0 , character Record/play macro

Remapped commands

ctrl + S Show Sidebar

+ ctrl + K Swap Line Up

+ ctrl + J Swap Line Down

+ T + K Delete (kill) Line

Plug-ins

AdvancedNewFile

[H]+[N]New file from file/project directory (you can autocomplete directories)

E+ New file from file/project directory (adds an __init__.py file to each directory created)

Alignment

 $\textcircled{#}+\overrightarrow{\text{ctrl}}+\overrightarrow{\text{A}}$ Aligns a multi-line selection to indentation or a "=" character

BracketHighlighter

remapped 第十廿+B, 第十廿+S Select text between brackets

remapped 第十①+B, 第十①+[Fold text between brackets

remapped \frown + \uparrow / \downarrow Move between brackets

ColorPicker

 $\fill \fill \fil$

DashDoc

[ctr] + [H] Uses the current selection to search in Dash[1]

DocBlockr

//, *, *, or //, *, Creates a comment block. Provides type hinting in PHP if it precedes a function declaration.

EasyMotion

**E+*; , character Places labels on the character you typed. Type the corresponding label-character to move the cursor to that position.

Emmet

remapped ctrl + X Expand abbreviation (e.g. ul>li.listitem*6>a)

p, 2, 0, expands to padding: 20px

f, z, expands to font-size:

PlainTasks

SFTP

last commit

Most of the explanations are directly copied from http://wbond.net/sublime_packages/sftp/usage

#+ ctrl + U, #+ ctrl + F Upload the current file

+ ctrl + U , # + ctrl + C Upload changed files since

Remote Workflow

times and confirm actions before uploading the selected file or

folder. This will also delete files off of the remote server that do not exist locally.

器+ctrl+U, 第+ctrl+D Compare file modification times and confirm actions before downloading the selected file or folder. This will also delete files off of the local machine that do not exist remotely.

**E+ctrl+U, **E+ctrl+B Compare file modification times and confirm actions before uploading/downloading the selected file or folder. This will never delete files, and will always perform the action that causes the newest file to be present in both locations.

(第十ctrl+U), 第十ctrl+M Watch the file for modifications (from Sublime or other applications). When the file modification time changes, the file will be uploaded. 第十ctrl+U, 第十ctrl+W Open the server quick panel browser at the remote folder corresponding to the selected file or folder.

Server Workflow

Both Workflows

 \mathbb{H} +ctrl+U, \mathbb{H} +ctrl+S Show the SFTP activity panel \mathbb{H} +ctrl+U, \mathbb{H} +ctrl+X Stop the current SFTP/FTP server activity (connection, upload or download)

References

[1] Kapeli. Dash. http://kapeli.com/.