

Tables (43)

Name	Type	Schema
AppraisalGridType		CREATE TABLE AppraisalGridType (AppraisalGridTypeId INT PRIMARY KEY, AppraisalGridTypeName varchar(100))
AppraisalGridTypeId	INT	"AppraisalGridTypeId" INT
AppraisalGridTypeName	varchar(100)	"AppraisalGridTypeName" varchar(100)
AttributeCategory		CREATE TABLE AttributeCategory (AttributeCategoryId integer PRIMARY KEY NOT NULL, Name VARCHAR(50) NOT NULL, OrderValue INT NOT NULL DEFAULT(0))
AttributeCategoryId	integer	"AttributeCategoryId" integer NOT NULL
Name	VARCHAR(50)	"Name" VARCHAR(50) NOT NULL
OrderValue	INT	"OrderValue" INT NOT NULL DEFAULT (0)
AuroraCompsDbSource		CREATE TABLE AuroraCompsDbSource (SourceId INTEGER PRIMARY KEY NOT NULL, [Acreage] bit NULL, [Acres] float NULL, [ActiveAge] varchar(50) NULL, [Address1] varchar(50) NULL, [Address2] varchar(50) NULL, [Address3] varchar(50) NULL, [AddressProject] varchar(50) NULL, [Age] int NULL, [AgeCondition1] varchar(50) NULL, [AgeCondition2] varchar(50) NULL, [AgeNotes] varchar(50) NULL, [AgeYearBuilt] varchar(50) NULL, [AgentRemarks] varchar(300) NULL, [Amenities] varchar(50) NULL, [Appliances] varchar(50) NULL, [Area] int NULL, [Balcony] varchar(30) NULL, [Basement] bit NULL, [Basement1] varchar(50) NULL, [Basement2] varchar(50) NULL, [BasementFinished] bit NULL, [BasementPercentage] float NULL, [Baths] float NULL, [BathsFull] int NULL, [BathsHalf] int NULL, [BathsThreeQuarter] int NULL, [Bed1Dim] varchar(50) NULL, [Bed1Level] varchar(50) NULL, [Bed2Dim] varchar(50) NULL, [Bed2Level] varchar(50) NULL, [Bed3Dim] varchar(50) NULL, [Bed3Level] varchar(50) NULL, [Bed4Dim] varchar(50) NULL, [Bed4Level] varchar(50) NULL, [Bed5Dim] varchar(50) NULL, [Bed5Level] varchar(50) NULL, [Bed6Dim] varchar(50) NULL, [Bed6Level] varchar(50) NULL, [Beds] int NULL, [BlankSub1] varchar(50) NULL, [BlankSub2] varchar(50) NULL, [BlankSub3] varchar(50) NULL, [Block] varchar(20) NULL, [BrokerRemarks] varchar(300) NULL, [Builder] varchar(50) NULL, [BuildingType] varchar(50) NULL, [BuyerPriorSales1] varchar(100) NULL, [BuyerPriorSales2] varchar(100) NULL, [CarStorage1] varchar(50) NULL, [CarStorage2] varchar(50) NULL, [City] varchar(50) NULL, [CommentDescImprove1] varchar(300) NULL, [CommentDescImprove2] varchar(300) NULL, [CommentDescImprove3] varchar(300) NULL, [CommentDescImprove4] varchar(300) NULL, [CommentDescImprove5] varchar(300) NULL, [CommentLong1] varchar(300) NULL, [CommentOther1] varchar(50) NULL, [CommentOther2] varchar(50) NULL, [CommentOther3] varchar(50) NULL, [CommentOther4] varchar(50) NULL,

Name	Type	Schema
		[CommentOther5] varchar(50) NULL, [CommentOther6] varchar(50) NULL, [CommentOther7] varchar(50) NULL, [CompCode] varchar(50) NULL, [CompFrom] varchar(50) NULL, [CompSent] bit NULL, [Construction] varchar(50) NULL, [ContractDate] datetime NULL, [ContractPrice] varchar(200) NULL, [Cooling] bit NULL, [CoolingSource] varchar(50) NULL, [CoolingType] varchar(50) NULL, [County] varchar(50) NULL, [Custom1] varchar(300) NULL, [Custom2] varchar(300) NULL, [Custom3] varchar(300) NULL, [Custom4] varchar(300) NULL, [Custom5] varchar(300) NULL, [DataSource1] varchar(50) NULL, [DataSource2] varchar(50) NULL, [DateAdded] datetime NULL, [DateForecast] varchar(50) NULL, [DateInspected] datetime NULL, [DateModified] datetime NULL, [DateSaleTime1] varchar(50) NULL, [DateSaleTime2] varchar(50) NULL, [Deck] varchar(50) NULL, [DesignAppeal1] varchar(50) NULL, [DesignAppeal2] varchar(50) NULL, [DesignConstructionQuality] varchar(50) NULL, [DesignInternalAppeal] varchar(50) NULL, [DesignNuisances1] varchar(50) NULL, [DesignNuisances2] varchar(50) NULL, [DesignNuisances3] varchar(50) NULL, [DesignQuality] varchar(50) NULL, [DinRmDim] varchar(50) NULL, [DinRmLevel] varchar(50) NULL, [DiningAreas] int NULL, [DiningRoom] varchar(50) NULL, [Directions] varchar(300) NULL, [DiscountPts] float NULL, [DOM] int NULL, [Driveway] varchar(50) NULL, [EffectiveAge] varchar(50) NULL, [EffectiveDate] datetime NULL, [EffectiveDatePriorSales1] varchar(50) NULL, [EffectiveDatePriorSales2] varchar(50) NULL, [ElementarySchool] varchar(50) NULL, [EnergyEfficiencies1] varchar(50) NULL, [EnergyEfficiencies2] varchar(50) NULL, [ExteriorFeatures] varchar(50) NULL, [ExtraCompInfo1] varchar(50) NULL, [ExtraCompInfo10] varchar(50) NULL, [ExtraCompInfo2] varchar(50) NULL, [ExtraCompInfo3] varchar(50) NULL, [ExtraCompInfo4] varchar(50) NULL, [ExtraCompInfo5] varchar(50) NULL, [ExtraCompInfo6] varchar(50) NULL, [ExtraCompInfo7] varchar(50) NULL, [ExtraCompInfo8] varchar(50) NULL, [ExtraCompInfo9] varchar(50) NULL, [FamRmDim] varchar(50) NULL, [FamRmLevel] varchar(50) NULL, [FamilyRoom] varchar(50) NULL, [FeesMonthlyMaint] varchar(50) NULL, [FenPoolEtc] varchar(50) NULL, [Fence] varchar(50) NULL, [FencePool] varchar(50) NULL, [FencePoolsEtc] varchar(50) NULL, [FencePorchPatio1] varchar(50) NULL, [FencePorchPatio2] varchar(50) NULL, [FinanceConcessions1] varchar(50) NULL, [FinanceConcessions2] varchar(50) NULL, [FinanceConditions] varchar(50) NULL, [FinanceTerms1] varchar(50) NULL, [FinanceTerms2] varchar(50) NULL, [FinanceType]

Name	Type	Schema
		varchar(50) NULL, [FirePlaceEtc] varchar(50) NULL, [Fireplace] bit NULL, [FireplaceNum] varchar(200) NULL, [FireplaceType] varchar(50) NULL, [FloodZone] bit NULL, [FloorCovering] varchar(50) NULL, [FloorLocation] varchar(50) NULL, [FunctionalUtility] varchar(50) NULL, [Garage] bit NULL, [Garage1] varchar(50) NULL, [Garage2] varchar(50) NULL, [GarageType] varchar(50) NULL, [GeoCodeMatch] int NULL, [Heating] bit NULL, [HeatingSource] varchar(50) NULL, [HeatingType] varchar(50) NULL, [History2PriorSales1] varchar(100) NULL, [History2PriorSales2] varchar(100) NULL, [History2PriorSales3] varchar(100) NULL, [HistoryPriorSales1] varchar(100) NULL, [HistoryPriorSales2] varchar(100) NULL, [HistoryPriorSales3] varchar(100) NULL, [HistorySaleListingOffer] varchar(50) NULL, [HOA] bit NULL, [HOAAmount] varchar(200) NULL, [HOAIncludes] varchar(50) NULL, [InterestRate] float NULL, [InteriorFeatures] varchar(50) NULL, [Internet] bit NULL, [JrHighSchool] varchar(50) NULL, [KitchSub] varchar(30) NULL, [Kitchen] varchar(50) NULL, [KitchenDim] varchar(50) NULL, [KitchenFeatures1] varchar(50) NULL, [KitchenFeatures2] varchar(50) NULL, [KitchenLevel] varchar(50) NULL, [Landscape] varchar(50) NULL, [LastUsedDate] datetime NULL, [Latitude] float NULL, [LegalDesc] varchar(300) NULL, [Lender] varchar(50) NULL, [Levels] float NULL, [ListAgent] varchar(50) NULL, [ListAgentEmail] varchar(50) NULL, [ListAgentID] varchar(50) NULL, [ListAgentPhone] varchar(50) NULL, [ListBroker] varchar(50) NULL, [ListBrokerCode] varchar(50) NULL, [ListBrokerPhone] varchar(50) NULL, [ListDate] datetime NULL, [ListPrice] varchar(200) NULL, [LivRmDim] varchar(50) NULL, [LivRmLevel] varchar(50) NULL, [LivingAreas] int NULL, [Location1] varchar(50) NULL, [Location2] varchar(50) NULL, [LocationMapCode] varchar(50) NULL, [Longitude] float NULL, [Lot] varchar(20) NULL, [LotArea] bigint NULL, [LotDescription] varchar(50) NULL, [LotShape] varchar(50) NULL, [LotSize] varchar(50) NULL, [LotView] varchar(50) NULL, [ManufacturedHome] bit NULL, [MapsCo] varchar(50) NULL, [MiddleSchool] varchar(50) NULL, [ML] varchar(50) NULL, [MLSPropType] varchar(50) NULL, [MobileHomeAdditions] varchar(50) NULL, [MobileHomeExtras] varchar(50) NULL, [MobileHomeFurnishings] varchar(50) NULL, [MobileHomeMake] varchar(50) NULL, [MobileHomeTipout] varchar(50) NULL, [MobileUnitAPNumber] varchar(50) NULL, [MobileUnitDevelopedDensity] varchar(50) NULL, [MobileUnitSprinklered] varchar(50) NULL, [MobileUnitTenantAppeal] varchar(50) NULL, [MobileUnitTypeOfUnit] varchar(50) NULL, [Neighborhood] varchar(50) NULL, [NeighborhoodAppeal] varchar(50) NULL, [Notes1]

Name	Type	Schema
		varchar(300) NULL, [Notes2] varchar(300) NULL, [Notes3] varchar(300) NULL, [OriginalListDate] datetime NULL, [OriginalListPrice] varchar(200) NULL, [OtherFeatures] varchar(50) NULL, [OtherRoomDesc1] varchar(50) NULL, [OtherRoomDesc2] varchar(50) NULL, [OtherRoomDesc3] varchar(50) NULL, [OtherRoomDim1] varchar(50) NULL, [OtherRoomDim2] varchar(50) NULL, [OtherRoomDim3] varchar(50) NULL, [OtherRoomLevel1] varchar(50) NULL, [OtherRoomLevel2] varchar(50) NULL, [OtherRoomLevel3] varchar(50) NULL, [Owner] varchar(50) NULL, [Parcel] varchar(20) NULL, [Patio] varchar(50) NULL, [Phase] varchar(50) NULL, [Photos] varchar(200) NULL, [Pool] bit NULL, [PoolDim] varchar(50) NULL, [PoolEtc] varchar(50) NULL, [PoolType] varchar(50) NULL, [Porch] varchar(50) NULL, [Price] varchar(50) NULL, [PriceFinalList] varchar(50) NULL, [PricePerShare] varchar(50) NULL, [PricePerSqFt] varchar(200) NULL, [PriceRevDate] varchar(50) NULL, [PriceSale2] varchar(50) NULL, [Proj2000ID] varchar(50) NULL, [ProjectEtc] varchar(30) NULL, [ProjectRec] varchar(30) NULL, [ProjectSecurity1] varchar(50) NULL, [ProjectSecurity2] varchar(50) NULL, [ProjectSizePerUnits] varchar(50) NULL, [PropTypeID] int NULL, [PropertyID] int NULL, [PropertyInspected] varchar(50) NULL, [PropertyRights] varchar(50) NULL, [Range] varchar(50) NULL, [RecFacilities1] varchar(50) NULL, [RecFacilities2] varchar(50) NULL, [RecFacilities3] varchar(50) NULL, [ReceivedFrom] varchar(50) NULL, [ReceivedFromEmail] varchar(50) NULL, [RecreationRoom] varchar(50) NULL, [Remarks] varchar(300) NULL, [Remodel] varchar(30) NULL, [ReportName] varchar(50) NULL, [Reviewed] bit NULL, [ReviewedBy] varchar(50) NULL, [RoofStyle] varchar(50) NULL, [RoofType] varchar(50) NULL, [Rooms] float NULL, [SaleAgent] varchar(50) NULL, [SaleAgentEmail] varchar(50) NULL, [SaleAgentID] varchar(50) NULL, [SaleAgentPhone] varchar(50) NULL, [SaleBroker] varchar(50) NULL, [SaleBrokerCode] varchar(50) NULL, [SaleBrokerPhone] varchar(50) NULL, [SaleDate] datetime NULL, [SalePrice] varchar(200) NULL, [SchoolDistrict] varchar(50) NULL, [Sect] varchar(20) NULL, [SellerPriorSales1] varchar(100) NULL, [SellerPriorSales2] varchar(100) NULL, [Sewer] varchar(50) NULL, [Shared] bit NULL, [SiteAppeal] varchar(50) NULL, [SiteLotSize] varchar(50) NULL, [SiteSize] varchar(50) NULL, [SiteSizeView] varchar(50) NULL, [SiteTopography] varchar(50) NULL, [SiteView] varchar(50) NULL, [SiteView1] varchar(50) NULL, [SiteView2] varchar(50) NULL, [SourceInspectedNo] varchar(10) NULL, [SourceInspectedYes] varchar(10) NULL, [SqFt] bigint NULL, [SqFtBasement] int NULL,

Name	Type	Schema
		[SqFtBuilding] bigint NULL, [SqFtDisplay] varchar(50) NULL, [SqFtLevel1] int NULL, [SqFtLevel2] int NULL, [SqFtLevel3] int NULL, [SqFtSource] varchar(50) NULL, [SrHighSchool] varchar(50) NULL, [State] varchar(50) NULL, [Status] varchar(20) NULL, [Storage] varchar(50) NULL, [StreetDir] varchar(10) NULL, [StreetFraction] varchar(10) NULL, [StreetName] varchar(50) NULL, [StreetNum] bigint NULL, [StreetNumDisplay] varchar(20) NULL, [StreetNumTo] int NULL, [StreetPostDir] varchar(10) NULL, [StreetSuffix] varchar(20) NULL, [StreetType] varchar(20) NULL, [Style] varchar(50) NULL, [SubTypeID] int NULL, [Subdivision] varchar(50) NULL, [SubdivisionCode] varchar(50) NULL, [Subject] bit NULL, [SuiteNumber] varchar(50) NULL, [SuiteType] varchar(50) NULL, [TaxID] varchar(50) NULL, [TaxYear] int NULL, [Taxes] varchar(200) NULL, [Township] varchar(50) NULL, [UADBAssementAreaSF] bigint NULL, [UADBAssementExit] varchar(50) NULL, [UADBAssementFinishedSF] bigint NULL, [UADBBelowGradeBathrooms] int NULL, [UADBBelowGradeBedrooms] int NULL, [UADBBelowGradeOtherRooms] int NULL, [UADBBelowGradeRecRooms] int NULL, [UADCity] varchar(50) NULL, [UADContractDate] varchar(50) NULL, [UADContractDateKnown] bit NULL, [UADContractDateUnknown] bit NULL, [UADDataSources] varchar(50) NULL, [UADDOM] int NULL, [UADExpirationDate] varchar(50) NULL, [UADFinanceConcessions] varchar(50) NULL, [UADFinanceConcessionsAmt] varchar(200) NULL, [UADFinanceConcessionsOthDesc] varchar(50) NULL, [UADLocationFactor1] varchar(50) NULL, [UADLocationFactor1Desc] varchar(50) NULL, [UADLocationFactor2] varchar(50) NULL, [UADLocationFactor2Desc] varchar(50) NULL, [UADLocationOverall] varchar(50) NULL, [UADSettlementDate] varchar(50) NULL, [UADStatusType] varchar(50) NULL, [UADUnitNo] varchar(50) NULL, [UADViewFactor1] varchar(50) NULL, [UADViewFactor1Desc] varchar(50) NULL, [UADViewFactor2] varchar(50) NULL, [UADViewFactor2Desc] varchar(50) NULL, [UADViewOverall] varchar(50) NULL, [UADWithdrawalDate] varchar(50) NULL, [UnitPrice] varchar(50) NULL, [UnitPricePerGLA] varchar(50) NULL, [Upgrades] varchar(30) NULL, [Utilities] varchar(50) NULL, [Version] varchar(50) NULL, [Warranty] varchar(50) NULL, [Water] varchar(50) NULL, [WaterFront] bit NULL, [WaterFrontType] varchar(50) NULL, [YearBuilt] int NULL, [Zip] varchar(20) NULL, [ZipPlus4] varchar(4) NULL, FOREIGN KEY (SourceId) REFERENCES CompSource (SourceId))
SourceId	INTEGER	"SourceId" INTEGER NOT NULL
Acreage	bit	"Acreage" bit
Acres	float	"Acres" float

Name	Type	Schema
ActiveAge	varchar(50)	"ActiveAge" varchar(50)
Address1	varchar(50)	"Address1" varchar(50)
Address2	varchar(50)	"Address2" varchar(50)
Address3	varchar(50)	"Address3" varchar(50)
AddressProject	varchar(50)	"AddressProject" varchar(50)
Age	int	"Age" int
AgeCondition1	varchar(50)	"AgeCondition1" varchar(50)
AgeCondition2	varchar(50)	"AgeCondition2" varchar(50)
AgeNotes	varchar(50)	"AgeNotes" varchar(50)
AgeYearBuilt	varchar(50)	"AgeYearBuilt" varchar(50)
AgentRemarks	varchar(300)	"AgentRemarks" varchar(300)
Amenities	varchar(50)	"Amenities" varchar(50)
Appliances	varchar(50)	"Appliances" varchar(50)
Area	int	"Area" int
Balcony	varchar(30)	"Balcony" varchar(30)
Basement	bit	"Basement" bit
Basement1	varchar(50)	"Basement1" varchar(50)
Basement2	varchar(50)	"Basement2" varchar(50)
BasementFinished	bit	"BasementFinished" bit
BasementPercentage	float	"BasementPercentage" float
Baths	float	"Baths" float
BathsFull	int	"BathsFull" int
BathsHalf	int	"BathsHalf" int
BathsThreeQuarter	int	"BathsThreeQuarter" int
Bed1Dim	varchar(50)	"Bed1Dim" varchar(50)
Bed1Level	varchar(50)	"Bed1Level" varchar(50)
Bed2Dim	varchar(50)	"Bed2Dim" varchar(50)
Bed2Level	varchar(50)	"Bed2Level" varchar(50)
Bed3Dim	varchar(50)	"Bed3Dim" varchar(50)
Bed3Level	varchar(50)	"Bed3Level" varchar(50)
Bed4Dim	varchar(50)	"Bed4Dim" varchar(50)
Bed4Level	varchar(50)	"Bed4Level" varchar(50)
Bed5Dim	varchar(50)	"Bed5Dim" varchar(50)
Bed5Level	varchar(50)	"Bed5Level" varchar(50)
Bed6Dim	varchar(50)	"Bed6Dim" varchar(50)
Bed6Level	varchar(50)	"Bed6Level" varchar(50)
Beds	int	"Beds" int
BlankSub1	varchar(50)	"BlankSub1" varchar(50)
BlankSub2	varchar(50)	"BlankSub2" varchar(50)
BlankSub3	varchar(50)	"BlankSub3" varchar(50)
Block	varchar(20)	"Block" varchar(20)
BrokerRemarks	varchar(300)	"BrokerRemarks" varchar(300)
Builder	varchar(50)	"Builder" varchar(50)
BuildingType	varchar(50)	"BuildingType" varchar(50)
BuyerPriorSales1	varchar(100)	"BuyerPriorSales1" varchar(100)

Name	Type	Schema
BuyerPriorSales2	varchar(100)	"BuyerPriorSales2" varchar(100)
CarStorage1	varchar(50)	"CarStorage1" varchar(50)
CarStorage2	varchar(50)	"CarStorage2" varchar(50)
City	varchar(50)	"City" varchar(50)
CommentDescImprove1	varchar(300)	"CommentDescImprove1" varchar(300)
CommentDescImprove2	varchar(300)	"CommentDescImprove2" varchar(300)
CommentDescImprove3	varchar(300)	"CommentDescImprove3" varchar(300)
CommentDescImprove4	varchar(300)	"CommentDescImprove4" varchar(300)
CommentDescImprove5	varchar(300)	"CommentDescImprove5" varchar(300)
CommentLong1	varchar(300)	"CommentLong1" varchar(300)
CommentOther1	varchar(50)	"CommentOther1" varchar(50)
CommentOther2	varchar(50)	"CommentOther2" varchar(50)
CommentOther3	varchar(50)	"CommentOther3" varchar(50)
CommentOther4	varchar(50)	"CommentOther4" varchar(50)
CommentOther5	varchar(50)	"CommentOther5" varchar(50)
CommentOther6	varchar(50)	"CommentOther6" varchar(50)
CommentOther7	varchar(50)	"CommentOther7" varchar(50)
CompCode	varchar(50)	"CompCode" varchar(50)
CompFrom	varchar(50)	"CompFrom" varchar(50)
CompSent	bit	"CompSent" bit
Construction	varchar(50)	"Construction" varchar(50)
ContractDate	datetime	"ContractDate" datetime
ContractPrice	varchar(200)	"ContractPrice" varchar(200)
Cooling	bit	"Cooling" bit
CoolingSource	varchar(50)	"CoolingSource" varchar(50)
CoolingType	varchar(50)	"CoolingType" varchar(50)
County	varchar(50)	"County" varchar(50)
Custom1	varchar(300)	"Custom1" varchar(300)
Custom2	varchar(300)	"Custom2" varchar(300)
Custom3	varchar(300)	"Custom3" varchar(300)
Custom4	varchar(300)	"Custom4" varchar(300)
Custom5	varchar(300)	"Custom5" varchar(300)
DataSource1	varchar(50)	"DataSource1" varchar(50)
DataSource2	varchar(50)	"DataSource2" varchar(50)
DateAdded	datetime	"DateAdded" datetime
DateForecast	varchar(50)	"DateForecast" varchar(50)
DateInspected	datetime	"DateInspected" datetime
DateModified	datetime	"DateModified" datetime
DateSaleTime1	varchar(50)	"DateSaleTime1" varchar(50)
DateSaleTime2	varchar(50)	"DateSaleTime2" varchar(50)
Deck	varchar(50)	"Deck" varchar(50)
DesignAppeal1	varchar(50)	"DesignAppeal1" varchar(50)
DesignAppeal2	varchar(50)	"DesignAppeal2" varchar(50)
DesignConstructionQuality	varchar(50)	"DesignConstructionQuality" varchar(50)
DesignInternalAppeal	varchar(50)	"DesignInternalAppeal" varchar(50)

Name	Type	Schema
DesignNuisances1	varchar(50)	"DesignNuisances1" varchar(50)
DesignNuisances2	varchar(50)	"DesignNuisances2" varchar(50)
DesignNuisances3	varchar(50)	"DesignNuisances3" varchar(50)
DesignQuality	varchar(50)	"DesignQuality" varchar(50)
DinRmDim	varchar(50)	"DinRmDim" varchar(50)
DinRmLevel	varchar(50)	"DinRmLevel" varchar(50)
DiningAreas	int	"DiningAreas" int
DiningRoom	varchar(50)	"DiningRoom" varchar(50)
Directions	varchar(300)	"Directions" varchar(300)
DiscountPts	float	"DiscountPts" float
DOM	int	"DOM" int
Driveway	varchar(50)	"Driveway" varchar(50)
EffectiveAge	varchar(50)	"EffectiveAge" varchar(50)
EffectiveDate	datetime	"EffectiveDate" datetime
EffectiveDatePriorSales1	varchar(50)	"EffectiveDatePriorSales1" varchar(50)
EffectiveDatePriorSales2	varchar(50)	"EffectiveDatePriorSales2" varchar(50)
ElementarySchool	varchar(50)	"ElementarySchool" varchar(50)
EnergyEfficiencies1	varchar(50)	"EnergyEfficiencies1" varchar(50)
EnergyEfficiencies2	varchar(50)	"EnergyEfficiencies2" varchar(50)
ExteriorFeatures	varchar(50)	"ExteriorFeatures" varchar(50)
ExtraCompInfo1	varchar(50)	"ExtraCompInfo1" varchar(50)
ExtraCompInfo10	varchar(50)	"ExtraCompInfo10" varchar(50)
ExtraCompInfo2	varchar(50)	"ExtraCompInfo2" varchar(50)
ExtraCompInfo3	varchar(50)	"ExtraCompInfo3" varchar(50)
ExtraCompInfo4	varchar(50)	"ExtraCompInfo4" varchar(50)
ExtraCompInfo5	varchar(50)	"ExtraCompInfo5" varchar(50)
ExtraCompInfo6	varchar(50)	"ExtraCompInfo6" varchar(50)
ExtraCompInfo7	varchar(50)	"ExtraCompInfo7" varchar(50)
ExtraCompInfo8	varchar(50)	"ExtraCompInfo8" varchar(50)
ExtraCompInfo9	varchar(50)	"ExtraCompInfo9" varchar(50)
FamRmDim	varchar(50)	"FamRmDim" varchar(50)
FamRmLevel	varchar(50)	"FamRmLevel" varchar(50)
FamilyRoom	varchar(50)	"FamilyRoom" varchar(50)
FeesMonthlyMaint	varchar(50)	"FeesMonthlyMaint" varchar(50)
FenPoolEtc	varchar(50)	"FenPoolEtc" varchar(50)
Fence	varchar(50)	"Fence" varchar(50)
FencePool	varchar(50)	"FencePool" varchar(50)
FencePoolsEtc	varchar(50)	"FencePoolsEtc" varchar(50)
FencePorchPatio1	varchar(50)	"FencePorchPatio1" varchar(50)
FencePorchPatio2	varchar(50)	"FencePorchPatio2" varchar(50)
FinanceConcessions1	varchar(50)	"FinanceConcessions1" varchar(50)
FinanceConcessions2	varchar(50)	"FinanceConcessions2" varchar(50)
FinanceConditions	varchar(50)	"FinanceConditions" varchar(50)
FinanceTerms1	varchar(50)	"FinanceTerms1" varchar(50)
FinanceTerms2	varchar(50)	"FinanceTerms2" varchar(50)

Name	Type	Schema
FinanceType	varchar(50)	"FinanceType" varchar(50)
FirePlaceEtc	varchar(50)	"FirePlaceEtc" varchar(50)
Fireplace	bit	"Fireplace" bit
FireplaceNum	varchar(200)	"FireplaceNum" varchar(200)
FireplaceType	varchar(50)	"FireplaceType" varchar(50)
FloodZone	bit	"FloodZone" bit
FloorCovering	varchar(50)	"FloorCovering" varchar(50)
FloorLocation	varchar(50)	"FloorLocation" varchar(50)
FunctionalUtility	varchar(50)	"FunctionalUtility" varchar(50)
Garage	bit	"Garage" bit
Garage1	varchar(50)	"Garage1" varchar(50)
Garage2	varchar(50)	"Garage2" varchar(50)
GarageType	varchar(50)	"GarageType" varchar(50)
GeoCodeMatch	int	"GeoCodeMatch" int
Heating	bit	"Heating" bit
HeatingSource	varchar(50)	"HeatingSource" varchar(50)
HeatingType	varchar(50)	"HeatingType" varchar(50)
History2PriorSales1	varchar(100)	"History2PriorSales1" varchar(100)
History2PriorSales2	varchar(100)	"History2PriorSales2" varchar(100)
History2PriorSales3	varchar(100)	"History2PriorSales3" varchar(100)
HistoryPriorSales1	varchar(100)	"HistoryPriorSales1" varchar(100)
HistoryPriorSales2	varchar(100)	"HistoryPriorSales2" varchar(100)
HistoryPriorSales3	varchar(100)	"HistoryPriorSales3" varchar(100)
HistorySaleListingOffer	varchar(50)	"HistorySaleListingOffer" varchar(50)
HOA	bit	"HOA" bit
HOAAmount	varchar(200)	"HOAAmount" varchar(200)
HOAIncludes	varchar(50)	"HOAIncludes" varchar(50)
InterestRate	float	"InterestRate" float
InteriorFeatures	varchar(50)	"InteriorFeatures" varchar(50)
Internet	bit	"Internet" bit
JrHighSchool	varchar(50)	"JrHighSchool" varchar(50)
KitchSub	varchar(30)	"KitchSub" varchar(30)
Kitchen	varchar(50)	"Kitchen" varchar(50)
KitchenDim	varchar(50)	"KitchenDim" varchar(50)
KitchenFeatures1	varchar(50)	"KitchenFeatures1" varchar(50)
KitchenFeatures2	varchar(50)	"KitchenFeatures2" varchar(50)
KitchenLevel	varchar(50)	"KitchenLevel" varchar(50)
Landscape	varchar(50)	"Landscape" varchar(50)
LastUsedDate	datetime	"LastUsedDate" datetime
Latitude	float	"Latitude" float
LegalDesc	varchar(300)	"LegalDesc" varchar(300)
Lender	varchar(50)	"Lender" varchar(50)
Levels	float	"Levels" float
ListAgent	varchar(50)	"ListAgent" varchar(50)
ListAgentEmail	varchar(50)	"ListAgentEmail" varchar(50)

Name	Type	Schema
ListAgentID	varchar(50)	"ListAgentID" varchar(50)
ListAgentPhone	varchar(50)	"ListAgentPhone" varchar(50)
ListBroker	varchar(50)	"ListBroker" varchar(50)
ListBrokerCode	varchar(50)	"ListBrokerCode" varchar(50)
ListBrokerPhone	varchar(50)	"ListBrokerPhone" varchar(50)
ListDate	datetime	"ListDate" datetime
ListPrice	varchar(200)	"ListPrice" varchar(200)
LivRmDim	varchar(50)	"LivRmDim" varchar(50)
LivRmLevel	varchar(50)	"LivRmLevel" varchar(50)
LivingAreas	int	"LivingAreas" int
Location1	varchar(50)	"Location1" varchar(50)
Location2	varchar(50)	"Location2" varchar(50)
LocationMapCode	varchar(50)	"LocationMapCode" varchar(50)
Longitude	float	"Longitude" float
Lot	varchar(20)	"Lot" varchar(20)
LotArea	bigint	"LotArea" bigint
LotDescription	varchar(50)	"LotDescription" varchar(50)
LotShape	varchar(50)	"LotShape" varchar(50)
LotSize	varchar(50)	"LotSize" varchar(50)
LotView	varchar(50)	"LotView" varchar(50)
ManufacturedHome	bit	"ManufacturedHome" bit
MapsCo	varchar(50)	"MapsCo" varchar(50)
MiddleSchool	varchar(50)	"MiddleSchool" varchar(50)
ML	varchar(50)	"ML" varchar(50)
MLSPropType	varchar(50)	"MLSPropType" varchar(50)
MobileHomeAdditions	varchar(50)	"MobileHomeAdditions" varchar(50)
MobileHomeExtras	varchar(50)	"MobileHomeExtras" varchar(50)
MobileHomeFurnishings	varchar(50)	"MobileHomeFurnishings" varchar(50)
MobileHomeMake	varchar(50)	"MobileHomeMake" varchar(50)
MobileHomeTipout	varchar(50)	"MobileHomeTipout" varchar(50)
MobileUnitAPNNumber	varchar(50)	"MobileUnitAPNNumber" varchar(50)
MobileUnitDevelopedDensity	varchar(50)	"MobileUnitDevelopedDensity" varchar(50)
MobileUnitSprinklered	varchar(50)	"MobileUnitSprinklered" varchar(50)
MobileUnitTenantAppeal	varchar(50)	"MobileUnitTenantAppeal" varchar(50)
MobileUnitTypeOfUnit	varchar(50)	"MobileUnitTypeOfUnit" varchar(50)
Neighborhood	varchar(50)	"Neighborhood" varchar(50)
NeighborhoodAppeal	varchar(50)	"NeighborhoodAppeal" varchar(50)
Notes1	varchar(300)	"Notes1" varchar(300)
Notes2	varchar(300)	"Notes2" varchar(300)
Notes3	varchar(300)	"Notes3" varchar(300)
OriginalListDate	datetime	"OriginalListDate" datetime
OriginalListPrice	varchar(200)	"OriginalListPrice" varchar(200)
OtherFeatures	varchar(50)	"OtherFeatures" varchar(50)
OtherRoomDesc1	varchar(50)	"OtherRoomDesc1" varchar(50)
OtherRoomDesc2	varchar(50)	"OtherRoomDesc2" varchar(50)

Name	Type	Schema
OtherRoomDesc3	varchar(50)	"OtherRoomDesc3" varchar(50)
OtherRoomDim1	varchar(50)	"OtherRoomDim1" varchar(50)
OtherRoomDim2	varchar(50)	"OtherRoomDim2" varchar(50)
OtherRoomDim3	varchar(50)	"OtherRoomDim3" varchar(50)
OtherRoomLevel1	varchar(50)	"OtherRoomLevel1" varchar(50)
OtherRoomLevel2	varchar(50)	"OtherRoomLevel2" varchar(50)
OtherRoomLevel3	varchar(50)	"OtherRoomLevel3" varchar(50)
Owner	varchar(50)	"Owner" varchar(50)
Parcel	varchar(20)	"Parcel" varchar(20)
Patio	varchar(50)	"Patio" varchar(50)
Phase	varchar(50)	"Phase" varchar(50)
Photos	varchar(200)	"Photos" varchar(200)
Pool	bit	"Pool" bit
PoolDim	varchar(50)	"PoolDim" varchar(50)
PoolEtc	varchar(50)	"PoolEtc" varchar(50)
PoolType	varchar(50)	"PoolType" varchar(50)
Porch	varchar(50)	"Porch" varchar(50)
Price	varchar(50)	"Price" varchar(50)
PriceFinalList	varchar(50)	"PriceFinalList" varchar(50)
PricePerShare	varchar(50)	"PricePerShare" varchar(50)
PricePerSqFt	varchar(200)	"PricePerSqFt" varchar(200)
PriceRevDate	varchar(50)	"PriceRevDate" varchar(50)
PriceSale2	varchar(50)	"PriceSale2" varchar(50)
Proj2000ID	varchar(50)	"Proj2000ID" varchar(50)
ProjectEtc	varchar(30)	"ProjectEtc" varchar(30)
ProjectRec	varchar(30)	"ProjectRec" varchar(30)
ProjectSecurity1	varchar(50)	"ProjectSecurity1" varchar(50)
ProjectSecurity2	varchar(50)	"ProjectSecurity2" varchar(50)
ProjectSizePerUnits	varchar(50)	"ProjectSizePerUnits" varchar(50)
PropTypeID	int	"PropTypeID" int
PropertyID	int	"PropertyID" int
PropertyInspected	varchar(50)	"PropertyInspected" varchar(50)
PropertyRights	varchar(50)	"PropertyRights" varchar(50)
Range	varchar(50)	"Range" varchar(50)
RecFacilities1	varchar(50)	"RecFacilities1" varchar(50)
RecFacilities2	varchar(50)	"RecFacilities2" varchar(50)
RecFacilities3	varchar(50)	"RecFacilities3" varchar(50)
ReceivedFrom	varchar(50)	"ReceivedFrom" varchar(50)
ReceivedFromEmail	varchar(50)	"ReceivedFromEmail" varchar(50)
RecreationRoom	varchar(50)	"RecreationRoom" varchar(50)
Remarks	varchar(300)	"Remarks" varchar(300)
Remodel	varchar(30)	"Remodel" varchar(30)
ReportName	varchar(50)	"ReportName" varchar(50)
Reviewed	bit	"Reviewed" bit
ReviewedBy	varchar(50)	"ReviewedBy" varchar(50)

Name	Type	Schema
RoofStyle	varchar(50)	"RoofStyle" varchar(50)
RoofType	varchar(50)	"RoofType" varchar(50)
Rooms	float	"Rooms" float
SaleAgent	varchar(50)	"SaleAgent" varchar(50)
SaleAgentEmail	varchar(50)	"SaleAgentEmail" varchar(50)
SaleAgentID	varchar(50)	"SaleAgentID" varchar(50)
SaleAgentPhone	varchar(50)	"SaleAgentPhone" varchar(50)
SaleBroker	varchar(50)	"SaleBroker" varchar(50)
SaleBrokerCode	varchar(50)	"SaleBrokerCode" varchar(50)
SaleBrokerPhone	varchar(50)	"SaleBrokerPhone" varchar(50)
SaleDate	datetime	"SaleDate" datetime
SalePrice	varchar(200)	"SalePrice" varchar(200)
SchoolDistrict	varchar(50)	"SchoolDistrict" varchar(50)
Sect	varchar(20)	"Sect" varchar(20)
SellerPriorSales1	varchar(100)	"SellerPriorSales1" varchar(100)
SellerPriorSales2	varchar(100)	"SellerPriorSales2" varchar(100)
Sewer	varchar(50)	"Sewer" varchar(50)
Shared	bit	"Shared" bit
SiteAppeal	varchar(50)	"SiteAppeal" varchar(50)
SiteLotSize	varchar(50)	"SiteLotSize" varchar(50)
SiteSize	varchar(50)	"SiteSize" varchar(50)
SiteSizeView	varchar(50)	"SiteSizeView" varchar(50)
SiteTopography	varchar(50)	"SiteTopography" varchar(50)
SiteView	varchar(50)	"SiteView" varchar(50)
SiteView1	varchar(50)	"SiteView1" varchar(50)
SiteView2	varchar(50)	"SiteView2" varchar(50)
SourceInspectedNo	varchar(10)	"SourceInspectedNo" varchar(10)
SourceInspectedYes	varchar(10)	"SourceInspectedYes" varchar(10)
SqFt	bigint	"SqFt" bigint
SqFtBasement	int	"SqFtBasement" int
SqFtBuilding	bigint	"SqFtBuilding" bigint
SqFtDisplay	varchar(50)	"SqFtDisplay" varchar(50)
SqFtLevel1	int	"SqFtLevel1" int
SqFtLevel2	int	"SqFtLevel2" int
SqFtLevel3	int	"SqFtLevel3" int
SqFtSource	varchar(50)	"SqFtSource" varchar(50)
SrHighSchool	varchar(50)	"SrHighSchool" varchar(50)
State	varchar(50)	"State" varchar(50)
Status	varchar(20)	"Status" varchar(20)
Storage	varchar(50)	"Storage" varchar(50)
StreetDir	varchar(10)	"StreetDir" varchar(10)
StreetFraction	varchar(10)	"StreetFraction" varchar(10)
StreetName	varchar(50)	"StreetName" varchar(50)
StreetNum	bigint	"StreetNum" bigint
StreetNumDisplay	varchar(20)	"StreetNumDisplay" varchar(20)

Name	Type	Schema
StreetNumTo	int	"StreetNumTo" int
StreetPostDir	varchar(10)	"StreetPostDir" varchar(10)
StreetSuffix	varchar(20)	"StreetSuffix" varchar(20)
StreetType	varchar(20)	"StreetType" varchar(20)
Style	varchar(50)	"Style" varchar(50)
SubTypeID	int	"SubTypeID" int
Subdivision	varchar(50)	"Subdivision" varchar(50)
SubdivisionCode	varchar(50)	"SubdivisionCode" varchar(50)
Subject	bit	"Subject" bit
SuiteNumber	varchar(50)	"SuiteNumber" varchar(50)
SuiteType	varchar(50)	"SuiteType" varchar(50)
TaxID	varchar(50)	"TaxID" varchar(50)
TaxYear	int	"TaxYear" int
Taxes	varchar(200)	"Taxes" varchar(200)
Township	varchar(50)	"Township" varchar(50)
UADBasementAreaSF	bigint	"UADBasementAreaSF" bigint
UADBasementExit	varchar(50)	"UADBasementExit" varchar(50)
UADBasementFinishedSF	bigint	"UADBasementFinishedSF" bigint
UADBelowGradeBathrooms	int	"UADBelowGradeBathrooms" int
UADBelowGradeBedrooms	int	"UADBelowGradeBedrooms" int
UADBelowGradeOtherRooms	int	"UADBelowGradeOtherRooms" int
UADBelowGradeRecRooms	int	"UADBelowGradeRecRooms" int
UADCity	varchar(50)	"UADCity" varchar(50)
UADContractDate	varchar(50)	"UADContractDate" varchar(50)
UADContractDateKnown	bit	"UADContractDateKnown" bit
UADContractDateUnknown	bit	"UADContractDateUnknown" bit
UADDataSources	varchar(50)	"UADDataSources" varchar(50)
UADDOM	int	"UADDOM" int
UADExpirationDate	varchar(50)	"UADExpirationDate" varchar(50)
UADFinanceConcessions	varchar(50)	"UADFinanceConcessions" varchar(50)
UADFinanceConcessionsAmt	varchar(200)	"UADFinanceConcessionsAmt" varchar(200)
UADFinanceConcessionsOthDesc	varchar(50)	"UADFinanceConcessionsOthDesc" varchar(50)
UADLocationFactor1	varchar(50)	"UADLocationFactor1" varchar(50)
UADLocationFactor1Desc	varchar(50)	"UADLocationFactor1Desc" varchar(50)
UADLocationFactor2	varchar(50)	"UADLocationFactor2" varchar(50)
UADLocationFactor2Desc	varchar(50)	"UADLocationFactor2Desc" varchar(50)
UADLocationOverall	varchar(50)	"UADLocationOverall" varchar(50)
UADSettlementDate	varchar(50)	"UADSettlementDate" varchar(50)
UADStatusType	varchar(50)	"UADStatusType" varchar(50)
UADUnitNo	varchar(50)	"UADUnitNo" varchar(50)
UADViewFactor1	varchar(50)	"UADViewFactor1" varchar(50)
UADViewFactor1Desc	varchar(50)	"UADViewFactor1Desc" varchar(50)
UADViewFactor2	varchar(50)	"UADViewFactor2" varchar(50)
UADViewFactor2Desc	varchar(50)	"UADViewFactor2Desc" varchar(50)
UADViewOverall	varchar(50)	"UADViewOverall" varchar(50)

Name	Type	Schema
UADWithdrawalDate	varchar(50)	"UADWithdrawalDate" varchar(50)
UnitPrice	varchar(50)	"UnitPrice" varchar(50)
UnitPricePerGLA	varchar(50)	"UnitPricePerGLA" varchar(50)
Upgrades	varchar(30)	"Upgrades" varchar(30)
Utilities	varchar(50)	"Utilities" varchar(50)
Version	varchar(50)	"Version" varchar(50)
Warranty	varchar(50)	"Warranty" varchar(50)
Water	varchar(50)	"Water" varchar(50)
WaterFront	bit	"WaterFront" bit
WaterFrontType	varchar(50)	"WaterFrontType" varchar(50)
YearBuilt	int	"YearBuilt" int
Zip	varchar(20)	"Zip" varchar(20)
ZipPlus4	varchar(4)	"ZipPlus4" varchar(4)
AutoCorrectEntries		CREATE TABLE [AutoCorrectEntries] ([EntryID] Integer NOT NULL PRIMARY KEY AUTOINCREMENT, [Entry] varchar(255) NOT NULL, [CompleteEntry] varchar(255) NOT NULL, [UserGUID] uniqueidentifier NOT NULL)
EntryID	Integer	"EntryID" Integer NOT NULL
Entry	varchar(255)	"Entry" varchar(255) NOT NULL
CompleteEntry	varchar(255)	"CompleteEntry" varchar(255) NOT NULL
UserGUID	uniqueidentifier	"UserGUID" uniqueidentifier NOT NULL
Comp		CREATE TABLE Comp (CompID TEXT PRIMARY KEY, SubjectPropertyID TEXT, CompPropertyID TEXT, CompType TEXT, SalePrice REAL, DaysOnMarket INTEGER, EffectiveDate TEXT, FOREIGN KEY (SubjectPropertyID) REFERENCES Property (PropertyID), FOREIGN KEY (CompPropertyID) REFERENCES Property (PropertyID))
CompID	TEXT	"CompID" TEXT
SubjectPropertyID	TEXT	"SubjectPropertyID" TEXT
CompPropertyID	TEXT	"CompPropertyID" TEXT
CompType	TEXT	"CompType" TEXT
SalePrice	REAL	"SalePrice" REAL
DaysOnMarket	INTEGER	"DaysOnMarket" INTEGER
EffectiveDate	TEXT	"EffectiveDate" TEXT
CompField		CREATE TABLE [CompField]([CompFieldId] guid PRIMARY KEY NOT NULL, [CompFieldKey] [varchar] (50) NOT NULL, [DataTypeId] [int] NOT NULL, [Residential] [bit] NOT NULL DEFAULT (0), [Commercial] [bit] NOT NULL DEFAULT (0), [FriendlyName] [varchar] (50) NULL, DbFieldName varchar(50) NOT NULL, [Searchable] [bit] NOT NULL DEFAULT (1), [IsReadOnly] [bit] NOT NULL DEFAULT (0), [IntelligentQueryTypeId] [int] NULL, [IntelligentQueryLabel] [varchar] (50) NULL, [CompSourceDefinitionId] guid NULL, [DataLength] [int] NULL, [Format] [varchar] (100) NULL, FOREIGN KEY (CompSourceDefinitionId) REFERENCES CompSourceDefinition(CompSourceDefinitionId), FOREIGN KEY (DataTypeId) REFERENCES

Name	Type	Schema
		DataType(DataTypeId), FOREIGN KEY (IntelligentQueryTypeId) REFERENCES IntelligentQueryType(IntelligentQueryTypeId)
CompFieldId	guid	"CompFieldId" guid NOT NULL
CompFieldKey	varchar(50)	"CompFieldKey" varchar(50) NOT NULL
DataTypeId	int	"DataTypeId" int NOT NULL
Residential	bit	"Residential" bit NOT NULL DEFAULT (0)
Commercial	bit	"Commercial" bit NOT NULL DEFAULT (0)
FriendlyName	varchar(50)	"FriendlyName" varchar(50)
DbFieldName	varchar(50)	"DbFieldName" varchar(50) NOT NULL
Searchable	bit	"Searchable" bit NOT NULL DEFAULT (1)
IsReadOnly	bit	"IsReadOnly" bit NOT NULL DEFAULT (0)
IntelligentQueryTypeId	int	"IntelligentQueryTypeId" int
IntelligentQueryLabel	varchar(50)	"IntelligentQueryLabel" varchar(50)
CompSourceDefinitionId	guid	"CompSourceDefinitionId" guid
DataLength	int	"DataLength" int
Format	varchar(100)	"Format" varchar(100)
CompHistory		CREATE TABLE [CompHistory] ([CompHistoryId] Integer PRIMARY KEY AUTOINCREMENT NOT NULL, [CompId] Integer NOT NULL, [SourceId] Integer NOT NULL, [PropertyType] Integer NOT NULL, [PropertyId] guid NOT NULL, [P2ID] TEXT(34) COLLATE NOCASE NULL, [CompSlot] smallint NULL, [SignedDate] datetime NULL, [SignedAppraiserName] varchar(50) NULL, [SignedAppraiserPassportId] int NULL, [SignedSupervisorName] varchar(50) NULL, [SignedSupervisorPassportId] int NULL, [CompSourceType] smallint NULL, CXParentCompID bigint NULL, ReportFormCode varchar(50) NULL, ReportEffectiveDate varchar(200) NULL, SkipCXUploadVersion INTEGER NOT NULL DEFAULT (0), BorrowerName varchar(200) NULL, FOREIGN KEY (CompSourceType) REFERENCES CompSourceType (CompSourceType))
CompHistoryId	Integer	"CompHistoryId" Integer NOT NULL
CompId	Integer	"CompId" Integer NOT NULL
SourceId	Integer	"SourceId" Integer NOT NULL
PropertyType	Integer	"PropertyType" Integer NOT NULL
PropertyId	guid	"PropertyId" guid NOT NULL
P2ID	TEXT(34)	"P2ID" TEXT(34) COLLATE NOCASE
CompSlot	smallint	"CompSlot" smallint
SignedDate	datetime	"SignedDate" datetime
SignedAppraiserName	varchar(50)	"SignedAppraiserName" varchar(50)
SignedAppraiserPassportId	int	"SignedAppraiserPassportId" int
SignedSupervisorName	varchar(50)	"SignedSupervisorName" varchar(50)
SignedSupervisorPassportId	int	"SignedSupervisorPassportId" int
CompSourceType	smallint	"CompSourceType" smallint
CXParentCompID	bigint	"CXParentCompID" bigint
ReportFormCode	varchar(50)	"ReportFormCode" varchar(50)

Name	Type	Schema
ReportEffectiveDate	varchar(200)	"ReportEffectiveDate" varchar(200)
SkipCXUploadVersion	INTEGER	"SkipCXUploadVersion" INTEGER NOT NULL DEFAULT (0)
BorrowerName	varchar(200)	"BorrowerName" varchar(200)
CompImport		CREATE TABLE CompImport (CompImportId INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, CompSourceDefinitionId guid NOT NULL, SourceId varchar(100) NOT NULL, DateModified datetime DEFAULT (CURRENT_TIMESTAMP) NOT NULL, FOREIGN KEY (CompSourceDefinitionId) REFERENCES CompSourceDefinition(CompSourceDefinitionId))
CompImportId	INTEGER	"CompImportId" INTEGER NOT NULL
CompSourceDefinitionId	guid	"CompSourceDefinitionId" guid NOT NULL
SourceId	varchar(100)	"SourceId" varchar(100) NOT NULL
DateModified	datetime	"DateModified" datetime NOT NULL DEFAULT (CURRENT_TIMESTAMP)
CompNotes		CREATE TABLE [CompNotes] (CompNotesId INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, CompKey VARCHAR(50) NULL , CustomerNumber NUMERIC(18, 0) NULL , PassportId VARCHAR(255) NULL , Author TEXT NULL , Note TEXT NULL , Private BIT NOT NULL , DateCreated DATETIME DEFAULT CURRENT_TIMESTAMP NOT NULL , DateModified DATETIME DEFAULT CURRENT_TIMESTAMP NOT NULL)
CompNotesId	INTEGER	"CompNotesId" INTEGER NOT NULL
CompKey	VARCHAR(50)	"CompKey" VARCHAR(50)
CustomerNumber	NUMERIC(18, 0)	"CustomerNumber" NUMERIC(18, 0)
PassportId	VARCHAR(255)	"PassportId" VARCHAR(255)
Author	TEXT	"Author" TEXT
Note	TEXT	"Note" TEXT
Private	BIT	"Private" BIT NOT NULL
DateCreated	DATETIME	"DateCreated" DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP
DateModified	DATETIME	"DateModified" DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP
CompSource		CREATE TABLE CompSource (SourceId INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, CompId INTEGER NOT NULL, CompSourceDefinitionId guid NOT NULL, TotalRooms decimal NULL, ListPrice decimal NULL, SalePrice decimal NULL, GLA decimal NULL, ActualAge decimal NULL, YearBuilt int NULL, FullBaths int NULL, HalfBaths int NULL, Bedrooms int NULL, SiteArea decimal NULL, Neighborhood varchar(150) NULL, DateImported datetime NULL, DBVersionWhenImported integer NOT NULL DEFAULT(0), LastModified datetime NULL, FOREIGN KEY (CompId) REFERENCES Comp(CompId), FOREIGN KEY (CompSourceDefinitionId) REFERENCES CompSourceDefinition(CompSourceDefinitionId))
SourceId	INTEGER	"SourceId" INTEGER NOT NULL
CompId	INTEGER	"CompId" INTEGER NOT NULL
CompSourceDefinitionId	guid	"CompSourceDefinitionId" guid NOT NULL
TotalRooms	decimal	"TotalRooms" decimal
ListPrice	decimal	"ListPrice" decimal
SalePrice	decimal	"SalePrice" decimal
GLA	decimal	"GLA" decimal

Name	Type	Schema
ActualAge	decimal	"ActualAge" decimal
YearBuilt	int	"YearBuilt" int
FullBaths	int	"FullBaths" int
HalfBaths	int	"HalfBaths" int
Bedrooms	int	"Bedrooms" int
SiteArea	decimal	"SiteArea" decimal
Neighborhood	varchar(150)	"Neighborhood" varchar(150)
DateImported	datetime	"DateImported" datetime
DBVersionWhenImported	integer	"DBVersionWhenImported" integer NOT NULL DEFAULT (0)
LastModified	datetime	"LastModified" datetime
CompSourceDefinition		CREATE TABLE CompSourceDefinition ([CompSourceDefinitionId] guid PRIMARY KEY NOT NULL, [CompSourceDefinitionName] [varchar](50) NOT NULL, [TableName] [varchar](50) NOT NULL, [ImportTypeId] [int] NULL, [HasListValues] [bit] DEFAULT(0) NOT NULL, CustomScriptType varchar(300) NULL, FOREIGN KEY ([ImportTypeId]) REFERENCES [CompSourceDefinitionImportType] ([ImportTypeId]))
CompSourceDefinitionId	guid	"CompSourceDefinitionId" guid NOT NULL
CompSourceDefinitionName	varchar(50)	"CompSourceDefinitionName" varchar(50) NOT NULL
TableName	varchar(50)	"TableName" varchar(50) NOT NULL
ImportTypeId	int	"ImportTypeId" int
HasListValues	bit	"HasListValues" bit NOT NULL DEFAULT (0)
CustomScriptType	varchar(300)	"CustomScriptType" varchar(300)
CompSourceDefinitionImportSetting		CREATE TABLE CompSourceDefinitionImportSetting ([ImportSettingId] INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, [CompSourceDefinitionId] guid NOT NULL, [SettingKey] [varchar](50) NOT NULL, [SettingValue] [varchar](300) NOT NULL, FOREIGN KEY ([CompSourceDefinitionId]) REFERENCES [CompSourceDefinition] ([CompSourceDefinitionId]))
ImportSettingId	INTEGER	"ImportSettingId" INTEGER NOT NULL
CompSourceDefinitionId	guid	"CompSourceDefinitionId" guid NOT NULL
SettingKey	varchar(50)	"SettingKey" varchar(50) NOT NULL
SettingValue	varchar(300)	"SettingValue" varchar(300) NOT NULL
CompSourceDefinitionImportType		CREATE TABLE CompSourceDefinitionImportType ([ImportTypeId] [int] PRIMARY KEY NOT NULL, [ImportName] [varchar](50) NOT NULL)
ImportTypeId	int	"ImportTypeId" int NOT NULL
ImportName	varchar(50)	"ImportName" varchar(50) NOT NULL
CompSourcePhoto_XREF		CREATE TABLE [CompSourcePhoto_XREF]([SourceDefinitionId] guid NOT NULL, [SourceId] INTEGER NOT NULL, [PhotoId] guid NOT NULL, PRIMARY KEY (SourceDefinitionId, SourceId, PhotoId), FOREIGN KEY (SourceDefinitionId) REFERENCES CompSourceDefinition(CompSourceDefinitionId), FOREIGN KEY (SourceId) REFERENCES CompSource(SourceId))
SourceDefinitionId	guid	"SourceDefinitionId" guid NOT NULL

Name	Type	Schema
SourceId	INTEGER	"SourceId" INTEGER NOT NULL
PhotoId	guid	"PhotoId" guid NOT NULL
CompSourceSync		CREATE TABLE CompSourceSync (CompSourceSyncID INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL , CompHistoryID INT NOT NULL , SyncBegin DATETIME NOT NULL , SyncComplete DATETIME NOT NULL , SyncSuccessful BIT NOT NULL , SyncError TEXT NOT NULL, LastDataSyncTry DATETIME NOT NULL, DataSyncSuccessful BIT NOT NULL, DataSyncRetries INT NOT NULL, LastPhotoSyncTry DATETIME NOT NULL, PhotoSyncSuccessful BIT NOT NULL, PhotoSyncRetries INT NOT NULL)
CompSourceSyncID	INTEGER	"CompSourceSyncID" INTEGER NOT NULL
CompHistoryID	INT	"CompHistoryID" INT NOT NULL
SyncBegin	DATETIME	"SyncBegin" DATETIME NOT NULL
SyncComplete	DATETIME	"SyncComplete" DATETIME NOT NULL
SyncSuccessful	BIT	"SyncSuccessful" BIT NOT NULL
SyncError	TEXT	"SyncError" TEXT NOT NULL
LastDataSyncTry	DATETIME	"LastDataSyncTry" DATETIME NOT NULL
DataSyncSuccessful	BIT	"DataSyncSuccessful" BIT NOT NULL
DataSyncRetries	INT	"DataSyncRetries" INT NOT NULL
LastPhotoSyncTry	DATETIME	"LastPhotoSyncTry" DATETIME NOT NULL
PhotoSyncSuccessful	BIT	"PhotoSyncSuccessful" BIT NOT NULL
PhotoSyncRetries	INT	"PhotoSyncRetries" INT NOT NULL
CompSourceType		CREATE TABLE CompSourceType (CompSourceTypeId smallint PRIMARY KEY NOT NULL , Description VARCHAR(50) NOT NULL)
CompSourceTypeId	smallint	"CompSourceTypeId" smallint NOT NULL
Description	VARCHAR(50)	"Description" VARCHAR(50) NOT NULL
CompType		CREATE TABLE CompType ([CompTypeId] [int] PRIMARY KEY NOT NULL, [CompTypeName] [varchar] (50) NOT NULL)
CompTypeId	int	"CompTypeId" int NOT NULL
CompTypeName	varchar(50)	"CompTypeName" varchar(50) NOT NULL
CompUsage		CREATE TABLE CompUsage (CompUsageId BIGINT PRIMARY KEY NOT NULL , CompUsageType SMALLINT NULL , DateUsed DATETIME DEFAULT CURRENT_TIMESTAMP NOT NULL , CompKey VARCHAR(50) NOT NULL , AddressKey TEXT NULL , CustomerNumber NUMERIC(18, 0) NULL , PassportId INT NULL , PhotoKey TEXT NULL , CompNumber SMALLINT NULL , SignedDate DATETIME NOT NULL , CompType SMALLINT NULL , P2ID CHAR(34) NULL , AppraiserName TEXT NULL , SupervisorName TEXT NULL , SupervisorSignedDate DATETIME NULL)
CompUsageId	BIGINT	"CompUsageId" BIGINT NOT NULL
CompUsageType	SMALLINT	"CompUsageType" SMALLINT
DateUsed	DATETIME	"DateUsed" DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP
CompKey	VARCHAR(50)	"CompKey" VARCHAR(50) NOT NULL
AddressKey	TEXT	"AddressKey" TEXT
CustomerNumber	NUMERIC(18, 0)	"CustomerNumber" NUMERIC(18, 0)

Name	Type	Schema
PassportId	INT	"PassportId" INT
PhotoKey	TEXT	"PhotoKey" TEXT
CompNumber	SMALLINT	"CompNumber" SMALLINT
SignedDate	DATETIME	"SignedDate" DATETIME NOT NULL
CompType	SMALLINT	"CompType" SMALLINT
P2ID	CHAR(34)	"P2ID" CHAR(34)
AppraiserName	TEXT	"AppraiserName" TEXT
SupervisorName	TEXT	"SupervisorName" TEXT
SupervisorSignedDate	DATETIME	"SupervisorSignedDate" DATETIME
CompUsageCloudSync		CREATE TABLE CompUsageCloudSync (CompUsageCloudSyncID INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, EnteredStamp DATETIME NOT NULL DEFAULT (datetime(CURRENT_TIMESTAMP, 'localtime')), P2ID TEXT(34) NOT NULL, JsonBody TEXT NOT NULL, SyncBegin DATETIME NULL, LastSyncTry DATETIME NULL, LastSyncError TEXT NULL, SyncRetries INTEGER NULL, SyncComplete DATETIME NULL)
CompUsageCloudSyncID	INTEGER	"CompUsageCloudSyncID" INTEGER NOT NULL
EnteredStamp	DATETIME	"EnteredStamp" DATETIME NOT NULL DEFAULT (datetime(CURRENT_TIMESTAMP, 'localtime'))
P2ID	TEXT(34)	"P2ID" TEXT(34) NOT NULL
JsonBody	TEXT	"JsonBody" TEXT NOT NULL
SyncBegin	DATETIME	"SyncBegin" DATETIME
LastSyncTry	DATETIME	"LastSyncTry" DATETIME
LastSyncError	TEXT	"LastSyncError" TEXT
SyncRetries	INTEGER	"SyncRetries" INTEGER
SyncComplete	DATETIME	"SyncComplete" DATETIME
DataType		CREATE TABLE DataType ([DataTypeId] [int] PRIMARY KEY NOT NULL, [DataTypeName] [varchar] (50) NOT NULL)
DataTypeId	int	"DataTypeId" int NOT NULL
DataTypeName	varchar(50)	"DataTypeName" varchar(50) NOT NULL
EditSource		CREATE TABLE EditSource (EditSourceId integer PRIMARY KEY NOT NULL, Name varchar(50) NOT NULL)
EditSourceId	integer	"EditSourceId" integer NOT NULL
Name	varchar(50)	"Name" varchar(50) NOT NULL
GeographicArea		CREATE TABLE [GeographicArea] ([GeographicAreaId] integer PRIMARY KEY AUTOINCREMENT NOT NULL, [GeographicAreaDefinitionId] integer NOT NULL, FOREIGN KEY ([GeographicAreaDefinitionId]) REFERENCES [GeographicAreaDefinition] ([GeographicAreaDefinitionId]))
GeographicAreaId	integer	"GeographicAreaId" integer NOT NULL
GeographicAreaDefinitionId	integer	"GeographicAreaDefinitionId" integer NOT NULL
GeographicAreaDefinition		CREATE TABLE [GeographicAreaDefinition] ("GeographicAreaDefinitionId" integer PRIMARY KEY AUTOINCREMENT NOT NULL, "Title" varchar(100) NOT NULL COLLATE NOCASE)

Name	Type	Schema
GeographicAreaDefinitionId	integer	"GeographicAreaDefinitionId" integer NOT NULL
Title	varchar(100)	"Title" varchar(100) NOT NULL COLLATE NOCASE
GeographicAreaPoint		CREATE TABLE GeographicAreaPoint (GeographicAreaPointId INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, Latitude FLOAT NOT NULL, Longitude FLOAT NOT NULL, GeographicAreaId INTEGER NOT NULL, FOREIGN KEY(GeographicAreaId) REFERENCES GeographicArea(GeographicAreaId))
GeographicAreaPointId	INTEGER	"GeographicAreaPointId" INTEGER NOT NULL
Latitude	FLOAT	"Latitude" FLOAT NOT NULL
Longitude	FLOAT	"Longitude" FLOAT NOT NULL
GeographicAreaId	INTEGER	"GeographicAreaId" INTEGER NOT NULL
ImportDestinationType		CREATE TABLE ImportDestinationType (ImportDestinationTypeId INT NOT NULL PRIMARY KEY, Name varchar(100))
ImportDestinationTypeId	INT	"ImportDestinationTypeId" INT NOT NULL
Name	varchar(100)	"Name" varchar(100)
ImportHistory		CREATE TABLE ImportHistory (ImportHistoryId INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, ImportSourceTypeId INT NOT NULL, ImportDestinationTypeId INT NOT NULL, DateCreated DATETIME NOT NULL, DataSource varchar(500) NOT NULL, TemplateName varchar(500) NULL, NumberOfRecords INT NOT NULL DEFAULT(0), FOREIGN KEY (ImportSourceTypeId) REFERENCES ImportSourceType(ImportSourceTypeId), FOREIGN KEY (ImportDestinationTypeId) REFERENCES ImportDestinationType(ImportDestinationTypeId))
ImportHistoryId	INTEGER	"ImportHistoryId" INTEGER NOT NULL
ImportSourceTypeId	INT	"ImportSourceTypeId" INT NOT NULL
ImportDestinationTypeId	INT	"ImportDestinationTypeId" INT NOT NULL
DateCreated	DATETIME	"DateCreated" DATETIME NOT NULL
DataSource	varchar(500)	"DataSource" varchar(500) NOT NULL
TemplateName	varchar(500)	"TemplateName" varchar(500)
NumberOfRecords	INT	"NumberOfRecords" INT NOT NULL DEFAULT (0)
ImportHistoryError		CREATE TABLE ImportHistoryError (ImportHistoryErrorId INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, ImportHistoryId INT NOT NULL, ErrorMessage varchar(1000), FOREIGN KEY (ImportHistoryId) REFERENCES ImportHistory(ImportHistoryId))
ImportHistoryErrorId	INTEGER	"ImportHistoryErrorId" INTEGER NOT NULL
ImportHistoryId	INT	"ImportHistoryId" INT NOT NULL
ErrorMessage	varchar(1000)	"ErrorMessage" varchar(1000)
ImportSourceType		CREATE TABLE ImportSourceType (ImportSourceTypeId INT NOT NULL PRIMARY KEY, Name varchar(100))
ImportSourceTypeId	INT	"ImportSourceTypeId" INT NOT NULL
Name	varchar(100)	"Name" varchar(100)
IntelligentQueryType		CREATE TABLE [IntelligentQueryType] ("IntelligentQueryTypeId" integer PRIMARY KEY NOT NULL, "Name" varchar(50) NOT NULL COLLATE NOCASE

Name	Type	Schema
		)
IntelligentQueryTypeId	integer	"IntelligentQueryTypeId" integer NOT NULL
Name	varchar(50)	"Name" varchar(50) NOT NULL COLLATE NOCASE
InternalFlag		CREATE TABLE InternalFlag (Name varchar(100) NOT NULL, Value varchar(100) NOT NULL)
Name	varchar(100)	"Name" varchar(100) NOT NULL
Value	varchar(100)	"Value" varchar(100) NOT NULL
Photo		CREATE TABLE [Photo] ([PhotoId] guid NOT NULL, [FileExtension] varchar(10) NOT NULL, [OriginalFileName] varchar(260) NOT NULL, [FileSize] integer NOT NULL, [MD5] BLOB NOT NULL, [DateCreated] datetime DEFAULT (CURRENT_TIMESTAMP) NOT NULL, [DateModified] datetime DEFAULT (CURRENT_TIMESTAMP) NOT NULL, [Description] varchar(100) NULL, [Notes] varchar(300) NULL, [Address1] varchar(100) NULL, [City] varchar(50) NULL, [State] varchar(50) NULL, [Zip] varchar(20) NULL, [Neighborhood] varchar(50) NULL, [PhotoSeed] integer PRIMARY KEY AUTOINCREMENT NOT NULL, [ScrubbedAddress] varchar(1000) NULL, [FailedToGeocode] bit DEFAULT (0) NOT NULL, [DateTaken] datetime NOT NULL, [IsNeighborhoodPhoto] bit DEFAULT (0) NOT NULL, [IsPropertyPhoto] bit DEFAULT (0) NOT NULL, [NonScrubbedAddressKey] guid NOT NULL, [ScrubbedAddressKey] guid NULL, [GeocodingExceptionMessage] varchar(500) NULL, [GeocodingMatchType] integer NULL, [Latitude] FLOAT NULL, [Longitude] FLOAT NULL, [Address2] varchar(100) NULL , ContentHash BLOB NULL, AuroraImageId INT NULL, FailedToScrub bit NULL, LastIDCAAttempt datetime NULL)
PhotoId	guid	"PhotoId" guid NOT NULL
FileExtension	varchar(10)	"FileExtension" varchar(10) NOT NULL
OriginalFileName	varchar(260)	"OriginalFileName" varchar(260) NOT NULL
FileSize	integer	"FileSize" integer NOT NULL
MD5	BLOB	"MD5" BLOB NOT NULL
DateCreated	datetime	"DateCreated" datetime NOT NULL DEFAULT (CURRENT_TIMESTAMP)
DateModified	datetime	"DateModified" datetime NOT NULL DEFAULT (CURRENT_TIMESTAMP)
Description	varchar(100)	"Description" varchar(100)
Notes	varchar(300)	"Notes" varchar(300)
Address1	varchar(100)	"Address1" varchar(100)
City	varchar(50)	"City" varchar(50)
State	varchar(50)	"State" varchar(50)
Zip	varchar(20)	"Zip" varchar(20)
Neighborhood	varchar(50)	"Neighborhood" varchar(50)
PhotoSeed	integer	"PhotoSeed" integer NOT NULL
ScrubbedAddress	varchar(1000)	"ScrubbedAddress" varchar(1000)
FailedToGeocode	bit	"FailedToGeocode" bit NOT NULL DEFAULT (0)
DateTaken	datetime	"DateTaken" datetime NOT NULL
IsNeighborhoodPhoto	bit	"IsNeighborhoodPhoto" bit NOT NULL DEFAULT (0)
IsPropertyPhoto	bit	"IsPropertyPhoto" bit NOT NULL DEFAULT (0)

Name	Type	Schema
NonScrubbedAddressKey	guid	"NonScrubbedAddressKey" guid NOT NULL
ScrubbedAddressKey	guid	"ScrubbedAddressKey" guid
GeocodingExceptionMessage	varchar(500)	"GeocodingExceptionMessage" varchar(500)
GeocodingMatchType	integer	"GeocodingMatchType" integer
Latitude	FLOAT	"Latitude" FLOAT
Longitude	FLOAT	"Longitude" FLOAT
Address2	varchar(100)	"Address2" varchar(100)
ContentHash	BLOB	"ContentHash" BLOB
AuroraImageId	INT	"AuroraImageId" INT
FailedToScrub	bit	"FailedToScrub" bit
LastIDCAAttempt	datetime	"LastIDCAAttempt" datetime
Property		CREATE TABLE Property (PropertyID TEXT PRIMARY KEY, Address1 TEXT, Address2 TEXT, City TEXT, State TEXT, Zip TEXT, PropertyType TEXT, Latitude REAL, Longitude REAL, DateCreated TEXT, DateModified TEXT)
PropertyID	TEXT	"PropertyID" TEXT
Address1	TEXT	"Address1" TEXT
Address2	TEXT	"Address2" TEXT
City	TEXT	"City" TEXT
State	TEXT	"State" TEXT
Zip	TEXT	"Zip" TEXT
PropertyType	TEXT	"PropertyType" TEXT
Latitude	REAL	"Latitude" REAL
Longitude	REAL	"Longitude" REAL
DateCreated	TEXT	"DateCreated" TEXT
DateModified	TEXT	"DateModified" TEXT
PropertyFieldMapping		CREATE TABLE [PropertyFieldMapping] ("PropertyFieldMappingId" integer NOT NULL, "SourceFieldName" varchar(50) NOT NULL COLLATE NOCASE, "SpectrumFieldName" varchar(100) NOT NULL COLLATE NOCASE)
PropertyFieldMappingId	integer	"PropertyFieldMappingId" integer NOT NULL
SourceFieldName	varchar(50)	"SourceFieldName" varchar(50) NOT NULL COLLATE NOCASE
SpectrumFieldName	varchar(100)	"SpectrumFieldName" varchar(100) NOT NULL COLLATE NOCASE
PropertyType		CREATE TABLE [PropertyType] ("PropertyTypeId" integer PRIMARY KEY NOT NULL, "Name" varchar(50) NOT NULL COLLATE NOCASE)
PropertyTypeId	integer	"PropertyTypeId" integer NOT NULL
Name	varchar(50)	"Name" varchar(50) NOT NULL COLLATE NOCASE
ReportImportHistory		CREATE TABLE [ReportImportHistory] ([ReportImportHistoryId] Integer PRIMARY KEY AUTOINCREMENT NOT NULL, [P2ID] TEXT(34) COLLATE NOCASE NULL, [MD5] BLOB NOT NULL, [FileLength] Integer NOT NULL)
ReportImportHistoryId	Integer	"ReportImportHistoryId" Integer NOT NULL
P2ID	TEXT(34)	"P2ID" TEXT(34) COLLATE NOCASE
MD5	BLOB	"MD5" BLOB NOT NULL
FileLength	Integer	"FileLength" Integer NOT NULL

Name	Type	Schema
SyncLock		CREATE TABLE SyncLock ([Key] varchar(260) PRIMARY KEY NOT NULL, LastUpdated datetime NOT NULL, Progress int NOT NULL DEFAULT(0), [Status] varchar(150) NULL, MachineName varchar(500) NOT NULL)
Key	varchar(260)	"Key" varchar(260) NOT NULL
LastUpdated	datetime	"LastUpdated" datetime NOT NULL
Progress	int	"Progress" int NOT NULL DEFAULT (0)
Status	varchar(150)	"Status" varchar(150)
MachineName	varchar(500)	"MachineName" varchar(500) NOT NULL
TOTALFormSource		CREATE TABLE "TOTALFormSource" ([SourceId] INTEGER PRIMARY KEY NOT NULL, [AppraisalGridTypeId] int NOT NULL, [FormCode] varchar(50) NOT NULL, [DA_INTAPP1] varchar(200) NULL, [DA_QUAL] varchar(200) NULL, [DH_BSMEEXIT] varchar(200) NULL, [DH_CMPTYPE] varchar(200) NULL, [DH_FINTYP1] varchar(200) NULL, [DH_LOC1] varchar(200) NULL, [DH_LOC2] varchar(200) NULL, [DH_LOCAT] varchar(200) NULL, [DH_SALTYP1] varchar(200) NULL, [DH_SITVW1] varchar(200) NULL, [DH_SITVW2] varchar(200) NULL, [DH_SITVW3] varchar(200) NULL, [DOSPCT] varchar(200) NULL, [DT_CLOSE] varchar(200) NULL, [DT_CURDOM] varchar(200) NULL, [DT_MKTINSP] varchar(200) NULL, [DT_SALTIM1] varchar(200) NULL, [DT_SALTIM2] varchar(200) NULL, [DT_SALTIM2_TOT] varchar(200) NULL, [DT_UNDCONT] varchar(200) NULL, [EE_FPWDSTV] varchar(200) NULL, [EQ_BRDBAND] varchar(200) NULL, [EQ_MWVDSHW] varchar(200) NULL, [EQ_RNGREFR] varchar(200) NULL, [EQ_WASHDRY] varchar(200) NULL, [EQ_WNDCOV] varchar(200) NULL, [EX_ANNEXP] varchar(200) NULL, [EX_WALLMAT] varchar(200) NULL, [FE_MAINT] varchar(200) NULL, [FEESIMPLE] varchar(200) NULL, [FINANADJ] varchar(200) NULL, [FINANCNG] varchar(200) NULL, [FL_FLRCOV] varchar(200) NULL, [FL_LOC] varchar(200) NULL, [FN_COND] varchar(200) NULL, [FSDIVRT] varchar(200) NULL, [FSEGI] varchar(200) NULL, [FSEGIM] varchar(200) NULL, [FSEXGBA] varchar(200) NULL, [FSEXRT] varchar(200) NULL, [FSGPI] varchar(200) NULL, [FSLFDIVRT] varchar(200) NULL, [FSLFEGI] varchar(200) NULL, [FSLFEGIM] varchar(200) NULL, [FSLFEXGBA] varchar(200) NULL, [FSLFEXRT] varchar(200) NULL, [FSLFGPI] varchar(200) NULL, [FSLFNOI] varchar(200) NULL, [FSLFOPEX] varchar(200) NULL, [FSLFOVRT] varchar(200) NULL, [FSLFVALOS] varchar(200) NULL, [FSNOI] varchar(200) NULL, [FSOPEX] varchar(200) NULL, [FSORLF] varchar(200) NULL, [FSOVRT] varchar(200) NULL, [FSVALOS] varchar(200) NULL, [HC_ACTYPE] varchar(200) NULL, [HC_HEAT] varchar(200) NULL, [HOA_PERYEAR] varchar(200) NULL, [HS_BUYER] varchar(200) NULL, [HS_DSDATE] varchar(200) NULL, [HS_SELLER] varchar(200) NULL, [HS2_PRIOR1] varchar(200) NULL, [HS2_PRIOR2] varchar(200) NULL, [ID] varchar(200) NULL, [IN_CAPRATE] varchar(200) NULL, [IN_EXPPERC]

Name	Type	Schema
		varchar(200) NULL, [IN_GAI] varchar(200) NULL, [IN_GAIMN] varchar(200) NULL, [IN_NAI] varchar(200) NULL, [IND_VALUE_PRV1] varchar(200) NULL, [IND_VALUE_PRV2] varchar(200) NULL, [IND_VALUE_PRV3] varchar(200) NULL, [INDMKRNTSF] varchar(200) NULL, [INDVALPERUNIT] varchar(200) NULL, [IV_PERUNIT] varchar(200) NULL, [KT_EQRMDL1] varchar(200) NULL, [KT_EQRMDL2] varchar(200) NULL, [LATITUDE] varchar(200) NULL, [LC_LOCAT1_TOT] varchar(200) NULL, [LFDIVRT] varchar(200) NULL, [LFEGI] varchar(200) NULL, [LFEGIM] varchar(200) NULL, [LFEXGBA] varchar(200) NULL, [LFEXRAT] varchar(200) NULL, [LFGPI] varchar(200) NULL, [LFNOI] varchar(200) NULL, [LFOPEX] varchar(200) NULL, [LFOVRT] varchar(200) NULL, [LFVALOS] varchar(200) NULL, [LNDSCP] varchar(200) NULL, [LOCATADJ] varchar(200) NULL, [LONG1] varchar(500) NULL, [LONGITUDE] varchar(200) NULL, [MH_ADDN1] varchar(200) NULL, [MH_EXTRAS1] varchar(200) NULL, [MH_FURN] varchar(200) NULL, [MH_MAKE] varchar(200) NULL, [MH_NO] varchar(200) NULL, [MH_TIPOUT] varchar(200) NULL, [MH_YES] varchar(200) NULL, [MKTPCT] varchar(200) NULL, [MLSLSTNUM] varchar(200) NULL, [MO_RENTAL] varchar(200) NULL, [MRKT_COND] varchar(200) NULL, [MSTCOMPAT] varchar(200) NULL, [MTHRNTRM1] varchar(200) NULL, [MTHRNTRM2] varchar(200) NULL, [MTHRNTRM3] varchar(200) NULL, [MTHRNTRM4] varchar(200) NULL, [MU_UNITYYP] varchar(200) NULL, [NET_PCT_PRV1] varchar(200) NULL, [NET_PCT_PRV2] varchar(200) NULL, [NET_PCT_PRV3] varchar(200) NULL, [NET_TEXT1] varchar(200) NULL, [NET_TEXT2] varchar(200) NULL, [NETADJ] varchar(200) NULL, [NETADJUNIT] varchar(200) NULL, [NGH_APPEAL] varchar(200) NULL, [NONREALADJ] varchar(200) NULL, [NONREALTY] varchar(200) NULL, [NUMNEGADJB2D] varchar(200) NULL, [NUMPOSADJB2D] varchar(200) NULL, [OA_RATING] varchar(200) NULL, [OF_OTH_FEA1] varchar(200) NULL, [OTHER7ADJ] varchar(200) NULL, [OVRALLCMP_EQL] varchar(200) NULL, [OVRALLCMP_INF] varchar(200) NULL, [OVRALLCMP_SUP] varchar(200) NULL, [PF_FENCPL] varchar(200) NULL, [PF_POOLS] varchar(200) NULL, [PF_PORPAT2] varchar(200) NULL, [PJ_NUMUNITS] varchar(200) NULL, [PJ_PHASE] varchar(200) NULL, [PJ_SEC1] varchar(200) NULL, [PJ_SEC2] varchar(200) NULL, [PR_ADJUST] varchar(200) NULL, [PR_CURLIST] varchar(200) NULL, [PR_FINLIST] varchar(200) NULL, [PR_FURN] varchar(200) NULL, [PR_ORGLIST] varchar(200) NULL, [PR_PERBDRM] varchar(200) NULL, [PR_PERROOM] varchar(200) NULL, [PR_PERUNIT] varchar(200) NULL, [PR_PERUNIT2] varchar(200) NULL, [PR_PRICE] varchar(200) NULL, [PR_PRSHARE] varchar(200) NULL, [PR_UNFUR] varchar(200) NULL, [PROX1] varchar(200) NULL, [PROX2] varchar(200) NULL, [PU_PERGLA] varchar(200) NULL, [PU_PERUNKU] varchar(200) NULL, [QUALADJ] varchar(200) NULL, [RATING_PLUS] varchar(200)

Name	Type	Schema
		NULL, [RC_FACIL1] varchar(200) NULL, [RC_FACIL2] varchar(200) NULL, [REOPROP_YES] varchar(200) NULL, [REOSHORT] varchar(200) NULL, [RIGHTSADJ] varchar(200) NULL, [RM_CLUBMTG] varchar(200) NULL, [RN_ADJUST] varchar(200) NULL, [RN_EFFRNT] varchar(200) NULL, [RN_EFFRNTSF] varchar(200) NULL, [RN_GMRM] varchar(200) NULL, [RN_GRM] varchar(200) NULL, [RN_LAST] varchar(200) NULL, [RN_LESSEQP] varchar(200) NULL, [RN_LESSFRN] varchar(200) NULL, [RN_LESSUTL] varchar(200) NULL, [SALEPR1] varchar(200) NULL, [SF_SIZE] varchar(200) NULL, [SF_TOTLA] varchar(200) NULL, [SIZEADJ] varchar(200) NULL, [SIZEADJSF] varchar(200) NULL, [ST_APPEAL] varchar(200) NULL, [ST_BSNSCTR] varchar(200) NULL, [ST_FRONTGE] varchar(200) NULL, [ST_IMPR] varchar(200) NULL, [ST_IMPR_TOT] varchar(200) NULL, [ST_NBHNTWRK] varchar(200) NULL, [ST_NONSHLTR] varchar(200) NULL, [ST_PARKFEE] varchar(200) NULL, [ST_PERUNIT] varchar(200) NULL, [ST_SECUSYS] varchar(200) NULL, [ST_SIZVUE] varchar(200) NULL, [ST_SRVCOORD] varchar(200) NULL, [ST_STORAGE] varchar(200) NULL, [ST_STRTYPE] varchar(200) NULL, [ST_TOPO] varchar(200) NULL, [ST_TOPO_TOT] varchar(200) NULL, [ST_WATFEAT] varchar(200) NULL, [SUMNEGADJB2D] varchar(200) NULL, [SUMNEGADJUTL] varchar(200) NULL, [SUMNETADJB2E] varchar(200) NULL, [SUMPOSADJB2D] varchar(200) NULL, [SUMPOSADJUTL] varchar(200) NULL, [TAX_ASMT] varchar(200) NULL, [TERMS1ADJ] varchar(200) NULL, [TERMS3ADJ] varchar(200) NULL, [TIMEADJ] varchar(200) NULL, [TIMEADJSF] varchar(200) NULL, [TOTOTHADJ] varchar(200) NULL, [TR_AMNFEE1] varchar(200) NULL, [TR_AMNFEE2] varchar(200) NULL, [TR_TERMS1] varchar(200) NULL, [TR_TERMS2] varchar(200) NULL, [TR_TERMS3] varchar(200) NULL, [TY_STATUS] varchar(200) NULL, [TY_STATUS2] varchar(200) NULL, [UN_BLDNUM] varchar(200) NULL, [UN_NUM1] varchar(200) NULL, [UN_NUM2] varchar(200) NULL, [UN_NUM3] varchar(200) NULL, [UN_NUM4] varchar(200) NULL, [UN_NUM5] varchar(200) NULL, [UT_COOKNG] varchar(200) NULL, [UT_COOL] varchar(200) NULL, [UT_HOTWATER] varchar(200) NULL, [UT_OTHELEC] varchar(200) NULL, [UT_TRASHREC] varchar(200) NULL, [UT_UTILS] varchar(200) NULL, [UT_WATRSEW] varchar(200) NULL, [VA_NOVAC1] varchar(200) NULL, [VA_NOVAC2] varchar(200) NULL, [VA_NOVAC3] varchar(200) NULL, [VA_NOVAC4] varchar(200) NULL, [VL_PERUNIT] varchar(200) NULL, [AG_AGYRBLT] varchar(200) NULL, [AD_ADDR1] varchar(200) NULL, [AD_ADDR2] varchar(200) NULL, [AD_ADDR3] varchar(200) NULL, [MKTCNADJSF] varchar(200) NULL, [RN Asking] varchar(200) NULL, [ASMT_RATIO] varchar(200) NULL, [BM_BSM1] varchar(200) NULL, [DP_BSMEXIT] varchar(200) NULL, [EX_BSMFIN] varchar(200) NULL, [EX_BSMSF] varchar(200) NULL, [EX_BSMBATH] varchar(200) NULL, [RM_BATH] varchar(200) NULL, [RM_BATHS1]

Name	Type	Schema
		varchar(200) NULL, [RM_BATHS2] varchar(200) NULL, [RM_BATHS3] varchar(200) NULL, [RM_BATHS4] varchar(200) NULL, [RM_BATHS5] varchar(200) NULL, [RM_BATHS6] varchar(200) NULL, [RM_BATHS7] varchar(200) NULL, [RM_BATHS8] varchar(200) NULL, [RM_BED] varchar(200) NULL, [EX_BSMBED] varchar(200) NULL, [RM_BED1] varchar(200) NULL, [RM_BED2] varchar(200) NULL, [RM_BED3] varchar(200) NULL, [RM_BED4] varchar(200) NULL, [RM_BED5] varchar(200) NULL, [RM_BED6] varchar(200) NULL, [RM_BED7] varchar(200) NULL, [RM_BED8] varchar(200) NULL, [BL_BLANK1] varchar(200) NULL, [BL_BLANK10] varchar(200) NULL, [BL_BLANK2] varchar(200) NULL, [BL_BLANK3] varchar(200) NULL, [BL_BLANK4] varchar(200) NULL, [BL_BLANK5] varchar(200) NULL, [BL_BLANK6] varchar(200) NULL, [BL_BLANK7] varchar(200) NULL, [BL_BLANK8] varchar(200) NULL, [BL_BLANK9] varchar(200) NULL, [BLNK2ADJSF] varchar(200) NULL, [BLNK3ADJSF] varchar(200) NULL, [BLNK4ADJSF] varchar(200) NULL, [DA_IMPROV1] varchar(200) NULL, [BLDNGUSE] varchar(200) NULL, [CETRMADJPR] varchar(200) NULL, [DB_CITY] varchar(200) NULL, [DP_CMPTYPE] varchar(200) NULL, [COMP_SUB1] varchar(200) NULL, [EX_CONCAMT] varchar(200) NULL, [FN_CONC2] varchar(200) NULL, [EX_OTHCONC] varchar(200) NULL, [AG_COND1] varchar(200) NULL, [CONDADJSF] varchar(200) NULL, [AG_COND2] varchar(200) NULL, [COND2ADJ] varchar(200) NULL, [CONST_TYPE] varchar(200) NULL, [EX_CONTDAT] varchar(200) NULL, [EX_CONTKWN] varchar(200) NULL, [EX_CONTUNK] varchar(200) NULL, [MARKRNT] varchar(200) NULL, [VA_CURRPCT] varchar(200) NULL, [SC_SOURCE1] varchar(200) NULL, [HS_PRIOR3] varchar(200) NULL, [EX_DATSRC1] varchar(200) NULL, [HS_PRIOR1] varchar(200) NULL, [EX_DOM] varchar(200) NULL, [DA_DESAPL1] varchar(200) NULL, [AG_EFFAGE] varchar(200) NULL, [EE_EFFIC1] varchar(200) NULL, [EE_EFFIC2] varchar(200) NULL, [EXCLNDADJ] varchar(200) NULL, [EXCLNDADJ] varchar(200) NULL, [EX_EXPRDATE] varchar(200) NULL, [DT_DAYSMT] varchar(200) NULL, [DP_FINTYP1] varchar(200) NULL, [RM_FBATH] varchar(200) NULL, [EX_BSMFBATH] varchar(200) NULL, [FU_FUNCTUT] varchar(200) NULL, [CR_GARPRK1] varchar(200) NULL, [SF_GBA] varchar(200) NULL, [SF_GBATOT] varchar(200) NULL, [SF_GBA1] varchar(200) NULL, [SF_GBA2] varchar(200) NULL, [SF_GBA3] varchar(200) NULL, [SF_GBA4] varchar(200) NULL, [SF_GBA5] varchar(200) NULL, [SF_GBA6] varchar(200) NULL, [SF_GBA7] varchar(200) NULL, [SF_GBA8] varchar(200) NULL, [SF_GLA] varchar(200) NULL, [RM_HBATH] varchar(200) NULL, [EX_BSMHBATH] varchar(200) NULL, [HC_HTCOOL] varchar(200) NULL, [LNDBLDRATIO] varchar(200) NULL, [DT_LEASEBEG] varchar(200) NULL, [LS_DATES] varchar(200) NULL, [LS_PERIOD] varchar(200) NULL, [LS_TERM] varchar(200) NULL, [LS_TYPE] varchar(200) NULL, [RG_RIGHTS] varchar(200)

Name	Type	Schema
		NULL, [LC_LOCAT1] varchar(200) NULL, [LOCADJSF] varchar(200) NULL, [DP_LOC1] varchar(200) NULL, [EX_LOC1OTH] varchar(200) NULL, [DP_LOC2] varchar(200) NULL, [EX_LOC2OTH] varchar(200) NULL, [SF_LOTSIZE] varchar(200) NULL, [MAPCODE] varchar(200) NULL, [MARKETAREA] varchar(200) NULL, [AD_MORENT] varchar(200) NULL, [TOT_MTHRNT1] varchar(200) NULL, [TOT_MTHRNT2] varchar(200) NULL, [TOT_MTHRNT3] varchar(200) NULL, [TOT_MTHRNT4] varchar(200) NULL, [TOT_MTHRNT5] varchar(200) NULL, [TOT_MTHRNT6] varchar(200) NULL, [TOT_MTHRNT7] varchar(200) NULL, [TOT_MTHRNT8] varchar(200) NULL, [NET_AREA] varchar(200) NULL, [UN_TOTAL] varchar(200) NULL, [VAC_OCCUP] varchar(200) NULL, [NUMSTORIES] varchar(200) NULL, [VA_NUMUNIT] varchar(200) NULL, [CM_OTHR1] varchar(200) NULL, [CM_OTHR3] varchar(200) NULL, [CM_OTHR4] varchar(200) NULL, [CM_OTHR5] varchar(200) NULL, [CM_OTHR6] varchar(200) NULL, [CM_OTHR7] varchar(200) NULL, [CM_OTHR8] varchar(200) NULL, [CM_OTHR9] varchar(200) NULL, [SF_OLA1] varchar(200) NULL, [SF_OLA2] varchar(200) NULL, [SF_OLA3] varchar(200) NULL, [EX_BSMOTHRM] varchar(200) NULL, [DP_LOCAT] varchar(200) NULL, [DP_SITVW1] varchar(200) NULL, [PF_PORPAT1] varchar(200) NULL, [HS_PRIOR2] varchar(200) NULL, [MTHRNTSF1] varchar(200) NULL, [MTHRNTSF2] varchar(200) NULL, [MTHRNTSF3] varchar(200) NULL, [MTHRNTSF4] varchar(200) NULL, [MTHRNTSF5] varchar(200) NULL, [MTHRNTSF6] varchar(200) NULL, [MTHRNTSF7] varchar(200) NULL, [MTHRNTSF8] varchar(200) NULL, [AD_PROJECT] varchar(200) NULL, [QUALADJSF] varchar(200) NULL, [DA_CONSTQL] varchar(200) NULL, [EX_BSMRECRM] varchar(200) NULL, [RENTCONC1] varchar(200) NULL, [RENTCONC2] varchar(200) NULL, [RNCS1ADJSF] varchar(200) NULL, [RN_CTRLNO] varchar(200) NULL, [RN_CTRLYES] varchar(200) NULL, [RN_PERSF] varchar(200) NULL, [RN_SURVDTE] varchar(200) NULL, [SF_PRGBA] varchar(200) NULL, [BM_BSM2] varchar(200) NULL, [PR_SALEPR1] varchar(200) NULL, [DEEDREF] varchar(200) NULL, [FN_CONC1] varchar(200) NULL, [EX_SETTDATE] varchar(200) NULL, [ST_SITSIZE] varchar(200) NULL, [DB_STATE] varchar(200) NULL, [AP_TENAPP1] varchar(200) NULL, [IN_TENALLW] varchar(200) NULL, [SF_TENSF] varchar(200) NULL, [AP_TENNAME] varchar(200) NULL, [RM_BATHS] varchar(200) NULL, [TOT_MTHRNT] varchar(200) NULL, [RM_TOTAL] varchar(200) NULL, [RM_TOTAL1] varchar(200) NULL, [RM_TOTAL2] varchar(200) NULL, [RM_TOTAL3] varchar(200) NULL, [RM_TOTAL4] varchar(200) NULL, [RM_TOTAL5] varchar(200) NULL, [RM_TOTAL6] varchar(200) NULL, [RM_TOTAL7] varchar(200) NULL, [RM_TOTAL8] varchar(200) NULL, [DB_UNITNO] varchar(200) NULL, [UTLAMN_1] varchar(200) NULL, [PR_UTILBYO] varchar(200) NULL, [SC_SOURCE2] varchar(200) NULL, [ST_SITEVW] varchar(200) NULL, [DP_SITVW2] varchar(200) NULL, [EX_SITVWO2] varchar(200)

Name	Type	Schema
		NULL, [DP_SITVW3] varchar(200) NULL, [EX_SITVWO3] varchar(200) NULL, [EX_WTDRDATE] varchar(200) NULL, [DB_ZIPCODE] varchar(200) NULL, [IsSubject] bit NULL, [ReportId] varchar(200) NULL, [RECEFFECTDATE] varchar(200) NULL, [PR_REVDATE] varchar(200) NULL, [TP_DETACH] varchar(200) NULL, [TP_ATTACH] varchar(200) NULL, [TP_SEMIDET] varchar(200) NULL, [AB_DESAPL1] varchar(200) NULL, [EX_GARATT] varchar(200) NULL, [EX_GARDET] varchar(200) NULL, [EX_GARBLT] varchar(200) NULL, [EX_CARPT] varchar(200) NULL, [EX_DRVWY] varchar(200) NULL, [RM_XTOTAL] varchar(200) NULL, [RM_XBED] varchar(200) NULL, [RM_XBATH] varchar(200) NULL, [NUMLEVELS] varchar(200) NULL, [EX_GARPRK] varchar(200) NULL, [EX_COVPRK] varchar(200) NULL, [EX_OPENPRK] varchar(200) NULL, [AB_GARPRK] varchar(200) NULL, [AG_XAGYRBLT] varchar(200) NULL, [AG_XCOND1] varchar(200) NULL, [SIT_TYPE] varchar(200) NULL, [ADDRESSVALIDATED] varchar(50) NULL, [AddressMatchType] integer NOT NULL DEFAULT(0), [PT_DETACH] varchar(1), [PT_ROWTON] varchar(1), [PT_GARDEN] varchar(1), [PT_MIDRISE] varchar(1), [PT_HIRISE] varchar(1), [PT_OTHER] varchar(1), CM_OTHR1_TEXT varchar(200) NULL, CM_OTHR2_TEXT varchar(200) NULL, CM_OTHR3_TEXT varchar(200) NULL)
SourceId	INTEGER	"SourceId" INTEGER NOT NULL
AppraisalGridTypeId	int	"AppraisalGridTypeId" int NOT NULL
FormCode	varchar(50)	"FormCode" varchar(50) NOT NULL
DA_INTAPP1	varchar(200)	"DA_INTAPP1" varchar(200)
DA_QUAL	varchar(200)	"DA_QUAL" varchar(200)
DH_BSMEXIT	varchar(200)	"DH_BSMEXIT" varchar(200)
DH_CMPTYPE	varchar(200)	"DH_CMPTYPE" varchar(200)
DH_FINTYP1	varchar(200)	"DH_FINTYP1" varchar(200)
DH_LOC1	varchar(200)	"DH_LOC1" varchar(200)
DH_LOC2	varchar(200)	"DH_LOC2" varchar(200)
DH_LOCAT	varchar(200)	"DH_LOCAT" varchar(200)
DH_SALTYP1	varchar(200)	"DH_SALTYP1" varchar(200)
DH_SITW1	varchar(200)	"DH_SITW1" varchar(200)
DH_SITW2	varchar(200)	"DH_SITW2" varchar(200)
DH_SITW3	varchar(200)	"DH_SITW3" varchar(200)
DOSPCT	varchar(200)	"DOSPCT" varchar(200)
DT_CLOSE	varchar(200)	"DT_CLOSE" varchar(200)
DT_CURDOM	varchar(200)	"DT_CURDOM" varchar(200)
DT_MKTINSP	varchar(200)	"DT_MKTINSP" varchar(200)
DT_SALTIM1	varchar(200)	"DT_SALTIM1" varchar(200)
DT_SALTIM2	varchar(200)	"DT_SALTIM2" varchar(200)
DT_SALTIM2_TOT	varchar(200)	"DT_SALTIM2_TOT" varchar(200)
DT_UNDCONT	varchar(200)	"DT_UNDCONT" varchar(200)
EE_FPWDSTV	varchar(200)	"EE_FPWDSTV" varchar(200)

Name	Type	Schema
EQ_BRDBAND	varchar(200)	"EQ_BRDBAND" varchar(200)
EQ_MWVDSHW	varchar(200)	"EQ_MWVDSHW" varchar(200)
EQ_RNGREFR	varchar(200)	"EQ_RNGREFR" varchar(200)
EQ_WASHDRY	varchar(200)	"EQ_WASHDRY" varchar(200)
EQ_WNDCOV	varchar(200)	"EQ_WNDCOV" varchar(200)
EX_ANNEXP	varchar(200)	"EX_ANNEXP" varchar(200)
EX_WALLMAT	varchar(200)	"EX_WALLMAT" varchar(200)
FE_MAINT	varchar(200)	"FE_MAINT" varchar(200)
FEESIMPLE	varchar(200)	"FEESIMPLE" varchar(200)
FINANADJ	varchar(200)	"FINANADJ" varchar(200)
FINANCNG	varchar(200)	"FINANCNG" varchar(200)
FL_FLRCOV	varchar(200)	"FL_FLRCOV" varchar(200)
FL_LOC	varchar(200)	"FL_LOC" varchar(200)
FN_COND	varchar(200)	"FN_COND" varchar(200)
FSDIVRT	varchar(200)	"FSDIVRT" varchar(200)
FSEGI	varchar(200)	"FSEGI" varchar(200)
FSEGIM	varchar(200)	"FSEGIM" varchar(200)
FSEXGBA	varchar(200)	"FSEXGBA" varchar(200)
FSEXRAT	varchar(200)	"FSEXRAT" varchar(200)
FSGPI	varchar(200)	"FSGPI" varchar(200)
FSLFDIVRT	varchar(200)	"FSLFDIVRT" varchar(200)
FSLFEGI	varchar(200)	"FSLFEGI" varchar(200)
FSLFEGIM	varchar(200)	"FSLFEGIM" varchar(200)
FSLFEXGBA	varchar(200)	"FSLFEXGBA" varchar(200)
FSLFEXRAT	varchar(200)	"FSLFEXRAT" varchar(200)
FSLFGPI	varchar(200)	"FSLFGPI" varchar(200)
FSLFNOI	varchar(200)	"FSLFNOI" varchar(200)
FSLFOPEX	varchar(200)	"FSLFOPEX" varchar(200)
FSLFOVRT	varchar(200)	"FSLFOVRT" varchar(200)
FSLFVALOS	varchar(200)	"FSLFVALOS" varchar(200)
FSNOI	varchar(200)	"FSNOI" varchar(200)
FSOPEX	varchar(200)	"FSOPEX" varchar(200)
FSORLF	varchar(200)	"FSORLF" varchar(200)
FSOVRT	varchar(200)	"FSOVRT" varchar(200)
FSVALOS	varchar(200)	"FSVALOS" varchar(200)
HC_ACTYPE	varchar(200)	"HC_ACTYPE" varchar(200)
HC_HEAT	varchar(200)	"HC_HEAT" varchar(200)
HOA_PERYEAR	varchar(200)	"HOA_PERYEAR" varchar(200)
HS_BUYER	varchar(200)	"HS_BUYER" varchar(200)
HS_DSDATE	varchar(200)	"HS_DSDATE" varchar(200)
HS_SELLER	varchar(200)	"HS_SELLER" varchar(200)
HS2_PRIOR1	varchar(200)	"HS2_PRIOR1" varchar(200)
HS2_PRIOR2	varchar(200)	"HS2_PRIOR2" varchar(200)
ID	varchar(200)	"ID" varchar(200)
IN_CAPRATE	varchar(200)	"IN_CAPRATE" varchar(200)

Name	Type	Schema
IN_EXPPERC	varchar(200)	"IN_EXPPERC" varchar(200)
IN_GAI	varchar(200)	"IN_GAI" varchar(200)
IN_GAIMN	varchar(200)	"IN_GAIMN" varchar(200)
IN_NAI	varchar(200)	"IN_NAI" varchar(200)
IND_VALUE_PRV1	varchar(200)	"IND_VALUE_PRV1" varchar(200)
IND_VALUE_PRV2	varchar(200)	"IND_VALUE_PRV2" varchar(200)
IND_VALUE_PRV3	varchar(200)	"IND_VALUE_PRV3" varchar(200)
INDMKRNTSF	varchar(200)	"INDMKRNTSF" varchar(200)
INDVALPERUNIT	varchar(200)	"INDVALPERUNIT" varchar(200)
IV_PERUNIT	varchar(200)	"IV_PERUNIT" varchar(200)
KT_EQRMDL1	varchar(200)	"KT_EQRMDL1" varchar(200)
KT_EQRMDL2	varchar(200)	"KT_EQRMDL2" varchar(200)
LATITUDE	varchar(200)	"LATITUDE" varchar(200)
LC_LOCAT1_TOT	varchar(200)	"LC_LOCAT1_TOT" varchar(200)
LFDIVRT	varchar(200)	"LFDIVRT" varchar(200)
LFEGI	varchar(200)	"LFEGI" varchar(200)
LFEGIM	varchar(200)	"LFEGIM" varchar(200)
LFEXGBA	varchar(200)	"LFEXGBA" varchar(200)
LFEXRAT	varchar(200)	"LFEXRAT" varchar(200)
LFGPI	varchar(200)	"LFGPI" varchar(200)
LFNOI	varchar(200)	"LFNOI" varchar(200)
LFOPEX	varchar(200)	"LFOPEX" varchar(200)
LFOVRT	varchar(200)	"LFOVRT" varchar(200)
LFVALOS	varchar(200)	"LFVALOS" varchar(200)
LNDSCP	varchar(200)	"LNDSCP" varchar(200)
LOCATADJ	varchar(200)	"LOCATADJ" varchar(200)
LONG1	varchar(500)	"LONG1" varchar(500)
LONGITUDE	varchar(200)	"LONGITUDE" varchar(200)
MH_ADDN1	varchar(200)	"MH_ADDN1" varchar(200)
MH_EXTRAS1	varchar(200)	"MH_EXTRAS1" varchar(200)
MH_FURN	varchar(200)	"MH_FURN" varchar(200)
MH_MAKE	varchar(200)	"MH_MAKE" varchar(200)
MH_NO	varchar(200)	"MH_NO" varchar(200)
MH_TIPOUT	varchar(200)	"MH_TIPOUT" varchar(200)
MH_YES	varchar(200)	"MH_YES" varchar(200)
MKTPCT	varchar(200)	"MKTPCT" varchar(200)
MLSLSTNUM	varchar(200)	"MLSLSTNUM" varchar(200)
MO_RENTAL	varchar(200)	"MO_RENTAL" varchar(200)
MRKT_COND	varchar(200)	"MRKT_COND" varchar(200)
MSTCOMPAT	varchar(200)	"MSTCOMPAT" varchar(200)
MTHRNRTRM1	varchar(200)	"MTHRNRTRM1" varchar(200)
MTHRNRTRM2	varchar(200)	"MTHRNRTRM2" varchar(200)
MTHRNRTRM3	varchar(200)	"MTHRNRTRM3" varchar(200)
MTHRNRTRM4	varchar(200)	"MTHRNRTRM4" varchar(200)
MU_UNITYYP	varchar(200)	"MU_UNITYYP" varchar(200)

Name	Type	Schema
NET_PCT_PRV1	varchar(200)	"NET_PCT_PRV1" varchar(200)
NET_PCT_PRV2	varchar(200)	"NET_PCT_PRV2" varchar(200)
NET_PCT_PRV3	varchar(200)	"NET_PCT_PRV3" varchar(200)
NET_TEXT1	varchar(200)	"NET_TEXT1" varchar(200)
NET_TEXT2	varchar(200)	"NET_TEXT2" varchar(200)
NETADJ	varchar(200)	"NETADJ" varchar(200)
NETADJUNIT	varchar(200)	"NETADJUNIT" varchar(200)
NGH_APPEAL	varchar(200)	"NGH_APPEAL" varchar(200)
NONREALADJ	varchar(200)	"NONREALADJ" varchar(200)
NONREALTY	varchar(200)	"NONREALTY" varchar(200)
NUMNEGADJB2D	varchar(200)	"NUMNEGADJB2D" varchar(200)
NUMPOSADJB2D	varchar(200)	"NUMPOSADJB2D" varchar(200)
OA_RATING	varchar(200)	"OA_RATING" varchar(200)
OF_OTH_FEA1	varchar(200)	"OF_OTH_FEA1" varchar(200)
OTHER7ADJ	varchar(200)	"OTHER7ADJ" varchar(200)
OVALLCMP_EQL	varchar(200)	"OVALLCMP_EQL" varchar(200)
OVALLCMP_INF	varchar(200)	"OVALLCMP_INF" varchar(200)
OVALLCMP_SUP	varchar(200)	"OVALLCMP_SUP" varchar(200)
PF_FENCPL	varchar(200)	"PF_FENCPL" varchar(200)
PF_POOLS	varchar(200)	"PF_POOLS" varchar(200)
PF_PORPAT2	varchar(200)	"PF_PORPAT2" varchar(200)
PJ_NUMUNITS	varchar(200)	"PJ_NUMUNITS" varchar(200)
PJ_PHASE	varchar(200)	"PJ_PHASE" varchar(200)
PJ_SEC1	varchar(200)	"PJ_SEC1" varchar(200)
PJ_SEC2	varchar(200)	"PJ_SEC2" varchar(200)
PR_ADJUST	varchar(200)	"PR_ADJUST" varchar(200)
PR_CURLIST	varchar(200)	"PR_CURLIST" varchar(200)
PR_FINLIST	varchar(200)	"PR_FINLIST" varchar(200)
PR_FURN	varchar(200)	"PR_FURN" varchar(200)
PR_ORGLIST	varchar(200)	"PR_ORGLIST" varchar(200)
PR_PERBDRM	varchar(200)	"PR_PERBDRM" varchar(200)
PR_PERROOM	varchar(200)	"PR_PERROOM" varchar(200)
PR_PERUNIT	varchar(200)	"PR_PERUNIT" varchar(200)
PR_PERUNIT2	varchar(200)	"PR_PERUNIT2" varchar(200)
PR_PRICE	varchar(200)	"PR_PRICE" varchar(200)
PR_PRSHARE	varchar(200)	"PR_PRSHARE" varchar(200)
PR_UNFUR	varchar(200)	"PR_UNFUR" varchar(200)
PROX1	varchar(200)	"PROX1" varchar(200)
PROX2	varchar(200)	"PROX2" varchar(200)
PU_PERGLA	varchar(200)	"PU_PERGLA" varchar(200)
PU_PERUNKU	varchar(200)	"PU_PERUNKU" varchar(200)
QUALADJ	varchar(200)	"QUALADJ" varchar(200)
RATING_PLUS	varchar(200)	"RATING_PLUS" varchar(200)
RC_FACIL1	varchar(200)	"RC_FACIL1" varchar(200)
RC_FACIL2	varchar(200)	"RC_FACIL2" varchar(200)

Name	Type	Schema
REOPROP_YES	varchar(200)	"REOPROP_YES" varchar(200)
REOSHORT	varchar(200)	"REOSHORT" varchar(200)
RIGHTSADJ	varchar(200)	"RIGHTSADJ" varchar(200)
RM_CLUBMTG	varchar(200)	"RM_CLUBMTG" varchar(200)
RN_ADJUST	varchar(200)	"RN_ADJUST" varchar(200)
RN_EFFRNT	varchar(200)	"RN_EFFRNT" varchar(200)
RN_EFFRNTSF	varchar(200)	"RN_EFFRNTSF" varchar(200)
RN_GMRM	varchar(200)	"RN_GMRM" varchar(200)
RN_GRM	varchar(200)	"RN_GRM" varchar(200)
RN_LAST	varchar(200)	"RN_LAST" varchar(200)
RN_LESSEQP	varchar(200)	"RN_LESSEQP" varchar(200)
RN_LESSFRN	varchar(200)	"RN_LESSFRN" varchar(200)
RN_LESSUTL	varchar(200)	"RN_LESSUTL" varchar(200)
SALEPR1	varchar(200)	"SALEPR1" varchar(200)
SF_SIZE	varchar(200)	"SF_SIZE" varchar(200)
SF_TOTLA	varchar(200)	"SF_TOTLA" varchar(200)
SIZEADJ	varchar(200)	"SIZEADJ" varchar(200)
SIZEADJSF	varchar(200)	"SIZEADJSF" varchar(200)
ST_APPEAL	varchar(200)	"ST_APPEAL" varchar(200)
ST_BSNSCTR	varchar(200)	"ST_BSNSCTR" varchar(200)
ST_FRONTGE	varchar(200)	"ST_FRONTGE" varchar(200)
ST_IMPR	varchar(200)	"ST_IMPR" varchar(200)
ST_IMPR_TOT	varchar(200)	"ST_IMPR_TOT" varchar(200)
ST_NBHNTWRK	varchar(200)	"ST_NBHNTWRK" varchar(200)
ST_NONSHLTR	varchar(200)	"ST_NONSHLTR" varchar(200)
ST_PARKFEE	varchar(200)	"ST_PARKFEE" varchar(200)
ST_PERUNIT	varchar(200)	"ST_PERUNIT" varchar(200)
ST_SECUSYS	varchar(200)	"ST_SECUSYS" varchar(200)
ST_SIZVUE	varchar(200)	"ST_SIZVUE" varchar(200)
ST_SRVCOORD	varchar(200)	"ST_SRVCOORD" varchar(200)
ST_STORAGE	varchar(200)	"ST_STORAGE" varchar(200)
ST_STRTYPE	varchar(200)	"ST_STRTYPE" varchar(200)
ST_TOPO	varchar(200)	"ST_TOPO" varchar(200)
ST_TOPO_TOT	varchar(200)	"ST_TOPO_TOT" varchar(200)
ST_WATFEAT	varchar(200)	"ST_WATFEAT" varchar(200)
SUMNEGADJB2D	varchar(200)	"SUMNEGADJB2D" varchar(200)
SUMNEGADJUTL	varchar(200)	"SUMNEGADJUTL" varchar(200)
SUMNETADJB2E	varchar(200)	"SUMNETADJB2E" varchar(200)
SUMPOSADJB2D	varchar(200)	"SUMPOSADJB2D" varchar(200)
SUMPOSADJUTL	varchar(200)	"SUMPOSADJUTL" varchar(200)
TAX_ASMT	varchar(200)	"TAX_ASMT" varchar(200)
TERMS1ADJ	varchar(200)	"TERMS1ADJ" varchar(200)
TERMS3ADJ	varchar(200)	"TERMS3ADJ" varchar(200)
TIMEADJ	varchar(200)	"TIMEADJ" varchar(200)
TIMEADJSF	varchar(200)	"TIMEADJSF" varchar(200)

Name	Type	Schema
TOTOTHADJ	varchar(200)	"TOTOTHADJ" varchar(200)
TR_AMNFEE1	varchar(200)	"TR_AMNFEE1" varchar(200)
TR_AMNFEE2	varchar(200)	"TR_AMNFEE2" varchar(200)
TR_TERMS1	varchar(200)	"TR_TERMS1" varchar(200)
TR_TERMS2	varchar(200)	"TR_TERMS2" varchar(200)
TR_TERMS3	varchar(200)	"TR_TERMS3" varchar(200)
TY_STATUS	varchar(200)	"TY_STATUS" varchar(200)
TY_STATUS2	varchar(200)	"TY_STATUS2" varchar(200)
UN_BLDNUM	varchar(200)	"UN_BLDNUM" varchar(200)
UN_NUM1	varchar(200)	"UN_NUM1" varchar(200)
UN_NUM2	varchar(200)	"UN_NUM2" varchar(200)
UN_NUM3	varchar(200)	"UN_NUM3" varchar(200)
UN_NUM4	varchar(200)	"UN_NUM4" varchar(200)
UN_NUM5	varchar(200)	"UN_NUM5" varchar(200)
UT_COOKNG	varchar(200)	"UT_COOKNG" varchar(200)
UT_COOL	varchar(200)	"UT_COOL" varchar(200)
UT_HOTWATER	varchar(200)	"UT_HOTWATER" varchar(200)
UT_OTHELEC	varchar(200)	"UT_OTHELEC" varchar(200)
UT_TRASHREC	varchar(200)	"UT_TRASHREC" varchar(200)
UT_UTILS	varchar(200)	"UT_UTILS" varchar(200)
UT_WATRSEW	varchar(200)	"UT_WATRSEW" varchar(200)
VA_NOVAC1	varchar(200)	"VA_NOVAC1" varchar(200)
VA_NOVAC2	varchar(200)	"VA_NOVAC2" varchar(200)
VA_NOVAC3	varchar(200)	"VA_NOVAC3" varchar(200)
VA_NOVAC4	varchar(200)	"VA_NOVAC4" varchar(200)
VL_PERUNIT	varchar(200)	"VL_PERUNIT" varchar(200)
AG_AGYRBLT	varchar(200)	"AG_AGYRBLT" varchar(200)
AD_ADDR1	varchar(200)	"AD_ADDR1" varchar(200)
AD_ADDR2	varchar(200)	"AD_ADDR2" varchar(200)
AD_ADDR3	varchar(200)	"AD_ADDR3" varchar(200)
MKTCNADJSF	varchar(200)	"MKTCNADJSF" varchar(200)
RN Asking	varchar(200)	"RN Asking" varchar(200)
ASMT_RATIO	varchar(200)	"ASMT_RATIO" varchar(200)
BM_BSM1	varchar(200)	"BM_BSM1" varchar(200)
DP_BSMEXIT	varchar(200)	"DP_BSMEXIT" varchar(200)
EX_BSMFIN	varchar(200)	"EX_BSMFIN" varchar(200)
EX_BSMSF	varchar(200)	"EX_BSMSF" varchar(200)
EX_BSMBATH	varchar(200)	"EX_BSMBATH" varchar(200)
RM_BATH	varchar(200)	"RM_BATH" varchar(200)
RM_BATHS1	varchar(200)	"RM_BATHS1" varchar(200)
RM_BATHS2	varchar(200)	"RM_BATHS2" varchar(200)
RM_BATHS3	varchar(200)	"RM_BATHS3" varchar(200)
RM_BATHS4	varchar(200)	"RM_BATHS4" varchar(200)
RM_BATHS5	varchar(200)	"RM_BATHS5" varchar(200)
RM_BATHS6	varchar(200)	"RM_BATHS6" varchar(200)

Name	Type	Schema
RM_BATHS7	varchar(200)	"RM_BATHS7" varchar(200)
RM_BATHS8	varchar(200)	"RM_BATHS8" varchar(200)
RM_BED	varchar(200)	"RM_BED" varchar(200)
EX_BSMBED	varchar(200)	"EX_BSMBED" varchar(200)
RM_BED1	varchar(200)	"RM_BED1" varchar(200)
RM_BED2	varchar(200)	"RM_BED2" varchar(200)
RM_BED3	varchar(200)	"RM_BED3" varchar(200)
RM_BED4	varchar(200)	"RM_BED4" varchar(200)
RM_BED5	varchar(200)	"RM_BED5" varchar(200)
RM_BED6	varchar(200)	"RM_BED6" varchar(200)
RM_BED7	varchar(200)	"RM_BED7" varchar(200)
RM_BED8	varchar(200)	"RM_BED8" varchar(200)
BL_BLANK1	varchar(200)	"BL_BLANK1" varchar(200)
BL_BLANK10	varchar(200)	"BL_BLANK10" varchar(200)
BL_BLANK2	varchar(200)	"BL_BLANK2" varchar(200)
BL_BLANK3	varchar(200)	"BL_BLANK3" varchar(200)
BL_BLANK4	varchar(200)	"BL_BLANK4" varchar(200)
BL_BLANK5	varchar(200)	"BL_BLANK5" varchar(200)
BL_BLANK6	varchar(200)	"BL_BLANK6" varchar(200)
BL_BLANK7	varchar(200)	"BL_BLANK7" varchar(200)
BL_BLANK8	varchar(200)	"BL_BLANK8" varchar(200)
BL_BLANK9	varchar(200)	"BL_BLANK9" varchar(200)
BLNK2ADJSF	varchar(200)	"BLNK2ADJSF" varchar(200)
BLNK3ADJSF	varchar(200)	"BLNK3ADJSF" varchar(200)
BLNK4ADJSF	varchar(200)	"BLNK4ADJSF" varchar(200)
DA_IMPROV1	varchar(200)	"DA_IMPROV1" varchar(200)
BLDNGUSE	varchar(200)	"BLDNGUSE" varchar(200)
CETRMADJPR	varchar(200)	"CETRMADJPR" varchar(200)
DB_CITY	varchar(200)	"DB_CITY" varchar(200)
DP_CMPTYPE	varchar(200)	"DP_CMPTYPE" varchar(200)
COMP_SUB1	varchar(200)	"COMP_SUB1" varchar(200)
EX_CONCAMT	varchar(200)	"EX_CONCAMT" varchar(200)
FN_CONC2	varchar(200)	"FN_CONC2" varchar(200)
EX_OTHCONC	varchar(200)	"EX_OTHCONC" varchar(200)
AG_COND1	varchar(200)	"AG_COND1" varchar(200)
CONDADJSF	varchar(200)	"CONDADJSF" varchar(200)
AG_COND2	varchar(200)	"AG_COND2" varchar(200)
COND2ADJ	varchar(200)	"COND2ADJ" varchar(200)
CONST_TYPE	varchar(200)	"CONST_TYPE" varchar(200)
EX_CONTDAT	varchar(200)	"EX_CONTDAT" varchar(200)
EX_CONTKWN	varchar(200)	"EX_CONTKWN" varchar(200)
EX_CONTUNK	varchar(200)	"EX_CONTUNK" varchar(200)
MARKRNT	varchar(200)	"MARKRNT" varchar(200)
VA_CURRPCT	varchar(200)	"VA_CURRPCT" varchar(200)
SC_SOURCE1	varchar(200)	"SC_SOURCE1" varchar(200)

Name	Type	Schema
HS_PRIOR3	varchar(200)	"HS_PRIOR3" varchar(200)
EX_DATSRC1	varchar(200)	"EX_DATSRC1" varchar(200)
HS_PRIOR1	varchar(200)	"HS_PRIOR1" varchar(200)
EX_DOM	varchar(200)	"EX_DOM" varchar(200)
DA_DESAPL1	varchar(200)	"DA_DESAPL1" varchar(200)
AG_EFFAGE	varchar(200)	"AG_EFFAGE" varchar(200)
EE_EFFIC1	varchar(200)	"EE_EFFIC1" varchar(200)
EE_EFFIC2	varchar(200)	"EE_EFFIC2" varchar(200)
EXCLAND	varchar(200)	"EXCLAND" varchar(200)
EXCLNDADJ	varchar(200)	"EXCLNDADJ" varchar(200)
EX_EXPRDATE	varchar(200)	"EX_EXPRDATE" varchar(200)
DT_DAYSMTKT	varchar(200)	"DT_DAYSMTKT" varchar(200)
DP_FINTYP1	varchar(200)	"DP_FINTYP1" varchar(200)
RM_FBATH	varchar(200)	"RM_FBATH" varchar(200)
EX_BSMFBATH	varchar(200)	"EX_BSMFBATH" varchar(200)
FU_FUNCTUT	varchar(200)	"FU_FUNCTUT" varchar(200)
CR_GARPRK1	varchar(200)	"CR_GARPRK1" varchar(200)
SF_GBA	varchar(200)	"SF_GBA" varchar(200)
SF_GBATOT	varchar(200)	"SF_GBATOT" varchar(200)
SF_GBA1	varchar(200)	"SF_GBA1" varchar(200)
SF_GBA2	varchar(200)	"SF_GBA2" varchar(200)
SF_GBA3	varchar(200)	"SF_GBA3" varchar(200)
SF_GBA4	varchar(200)	"SF_GBA4" varchar(200)
SF_GBA5	varchar(200)	"SF_GBA5" varchar(200)
SF_GBA6	varchar(200)	"SF_GBA6" varchar(200)
SF_GBA7	varchar(200)	"SF_GBA7" varchar(200)
SF_GBA8	varchar(200)	"SF_GBA8" varchar(200)
SF_GLA	varchar(200)	"SF_GLA" varchar(200)
RM_HBATH	varchar(200)	"RM_HBATH" varchar(200)
EX_BSMHBATH	varchar(200)	"EX_BSMHBATH" varchar(200)
HC_HTCOOL	varchar(200)	"HC_HTCOOL" varchar(200)
LNDBLDRATIO	varchar(200)	"LNDBLDRATIO" varchar(200)
DT_LEASEBEG	varchar(200)	"DT_LEASEBEG" varchar(200)
LS_DATES	varchar(200)	"LS_DATES" varchar(200)
LS_PERIOD	varchar(200)	"LS_PERIOD" varchar(200)
LS_TERM	varchar(200)	"LS_TERM" varchar(200)
LS_TYPE	varchar(200)	"LS_TYPE" varchar(200)
RG_RIGHTS	varchar(200)	"RG_RIGHTS" varchar(200)
LC_LOCAT1	varchar(200)	"LC_LOCAT1" varchar(200)
LOCADJSF	varchar(200)	"LOCADJSF" varchar(200)
DP_LOC1	varchar(200)	"DP_LOC1" varchar(200)
EX_LOC10TH	varchar(200)	"EX_LOC10TH" varchar(200)
DP_LOC2	varchar(200)	"DP_LOC2" varchar(200)
EX_LOC20TH	varchar(200)	"EX_LOC20TH" varchar(200)
SF_LOTSIZE	varchar(200)	"SF_LOTSIZE" varchar(200)

Name	Type	Schema
MAPCODE	varchar(200)	"MAPCODE" varchar(200)
MARKETAREA	varchar(200)	"MARKETAREA" varchar(200)
AD_MORENT	varchar(200)	"AD_MORENT" varchar(200)
TOT_MTHRNT1	varchar(200)	"TOT_MTHRNT1" varchar(200)
TOT_MTHRNT2	varchar(200)	"TOT_MTHRNT2" varchar(200)
TOT_MTHRNT3	varchar(200)	"TOT_MTHRNT3" varchar(200)
TOT_MTHRNT4	varchar(200)	"TOT_MTHRNT4" varchar(200)
TOT_MTHRNT5	varchar(200)	"TOT_MTHRNT5" varchar(200)
TOT_MTHRNT6	varchar(200)	"TOT_MTHRNT6" varchar(200)
TOT_MTHRNT7	varchar(200)	"TOT_MTHRNT7" varchar(200)
TOT_MTHRNT8	varchar(200)	"TOT_MTHRNT8" varchar(200)
NET_AREA	varchar(200)	"NET_AREA" varchar(200)
UN_TOTAL	varchar(200)	"UN_TOTAL" varchar(200)
VAC_OCCUP	varchar(200)	"VAC_OCCUP" varchar(200)
NUMSTORIES	varchar(200)	"NUMSTORIES" varchar(200)
VA_NUMUNIT	varchar(200)	"VA_NUMUNIT" varchar(200)
CM_OTHR1	varchar(200)	"CM_OTHR1" varchar(200)
CM_OTHR3	varchar(200)	"CM_OTHR3" varchar(200)
CM_OTHR4	varchar(200)	"CM_OTHR4" varchar(200)
CM_OTHR5	varchar(200)	"CM_OTHR5" varchar(200)
CM_OTHR6	varchar(200)	"CM_OTHR6" varchar(200)
CM_OTHR7	varchar(200)	"CM_OTHR7" varchar(200)
CM_OTHR8	varchar(200)	"CM_OTHR8" varchar(200)
CM_OTHR9	varchar(200)	"CM_OTHR9" varchar(200)
SF_OLA1	varchar(200)	"SF_OLA1" varchar(200)
SF_OLA2	varchar(200)	"SF_OLA2" varchar(200)
SF_OLA3	varchar(200)	"SF_OLA3" varchar(200)
EX_BSMOTHRM	varchar(200)	"EX_BSMOTHRM" varchar(200)
DP_LOCAT	varchar(200)	"DP_LOCAT" varchar(200)
DP_SITVW1	varchar(200)	"DP_SITVW1" varchar(200)
PF_PORPAT1	varchar(200)	"PF_PORPAT1" varchar(200)
HS_PRIOR2	varchar(200)	"HS_PRIOR2" varchar(200)
MTHRNTSF1	varchar(200)	"MTHRNTSF1" varchar(200)
MTHRNTSF2	varchar(200)	"MTHRNTSF2" varchar(200)
MTHRNTSF3	varchar(200)	"MTHRNTSF3" varchar(200)
MTHRNTSF4	varchar(200)	"MTHRNTSF4" varchar(200)
MTHRNTSF5	varchar(200)	"MTHRNTSF5" varchar(200)
MTHRNTSF6	varchar(200)	"MTHRNTSF6" varchar(200)
MTHRNTSF7	varchar(200)	"MTHRNTSF7" varchar(200)
MTHRNTSF8	varchar(200)	"MTHRNTSF8" varchar(200)
AD_PROJECT	varchar(200)	"AD_PROJECT" varchar(200)
QUALADJSF	varchar(200)	"QUALADJSF" varchar(200)
DA_CONSTQL	varchar(200)	"DA_CONSTQL" varchar(200)
EX_BSMRECRM	varchar(200)	"EX_BSMRECRM" varchar(200)
RENTCONC1	varchar(200)	"RENTCONC1" varchar(200)

Name	Type	Schema
RENTCONC2	varchar(200)	"RENTCONC2" varchar(200)
RNCS1ADJSF	varchar(200)	"RNCS1ADJSF" varchar(200)
RN_CTRLNO	varchar(200)	"RN_CTRLNO" varchar(200)
RN_CTRLYES	varchar(200)	"RN_CTRLYES" varchar(200)
RN_PERSF	varchar(200)	"RN_PERSF" varchar(200)
RN_SURVDTE	varchar(200)	"RN_SURVDTE" varchar(200)
SF_PRGBA	varchar(200)	"SF_PRGBA" varchar(200)
BM_BSM2	varchar(200)	"BM_BSM2" varchar(200)
PR_SALEPR1	varchar(200)	"PR_SALEPR1" varchar(200)
DEEDREF	varchar(200)	"DEEDREF" varchar(200)
FN_CONC1	varchar(200)	"FN_CONC1" varchar(200)
EX_SETTDATE	varchar(200)	"EX_SETTDATE" varchar(200)
ST_SITSIZE	varchar(200)	"ST_SITSIZE" varchar(200)
DB_STATE	varchar(200)	"DB_STATE" varchar(200)
AP_TENAPP1	varchar(200)	"AP_TENAPP1" varchar(200)
IN_TENALLW	varchar(200)	"IN_TENALLW" varchar(200)
SF_TENSF	varchar(200)	"SF_TENSF" varchar(200)
AP_TENNAME	varchar(200)	"AP_TENNAME" varchar(200)
RM_BATHS	varchar(200)	"RM_BATHS" varchar(200)
TOT_MTHRNT	varchar(200)	"TOT_MTHRNT" varchar(200)
RM_TOTAL	varchar(200)	"RM_TOTAL" varchar(200)
RM_TOTAL1	varchar(200)	"RM_TOTAL1" varchar(200)
RM_TOTAL2	varchar(200)	"RM_TOTAL2" varchar(200)
RM_TOTAL3	varchar(200)	"RM_TOTAL3" varchar(200)
RM_TOTAL4	varchar(200)	"RM_TOTAL4" varchar(200)
RM_TOTAL5	varchar(200)	"RM_TOTAL5" varchar(200)
RM_TOTAL6	varchar(200)	"RM_TOTAL6" varchar(200)
RM_TOTAL7	varchar(200)	"RM_TOTAL7" varchar(200)
RM_TOTAL8	varchar(200)	"RM_TOTAL8" varchar(200)
DB_UNITNO	varchar(200)	"DB_UNITNO" varchar(200)
UTLAMN_1	varchar(200)	"UTLAMN_1" varchar(200)
PR_UTILBYO	varchar(200)	"PR_UTILBYO" varchar(200)
SC_SOURCE2	varchar(200)	"SC_SOURCE2" varchar(200)
ST_SITEWW	varchar(200)	"ST_SITEWW" varchar(200)
DP_SITVW2	varchar(200)	"DP_SITVW2" varchar(200)
EX_SITVWO2	varchar(200)	"EX_SITVWO2" varchar(200)
DP_SITVW3	varchar(200)	"DP_SITVW3" varchar(200)
EX_SITVWO3	varchar(200)	"EX_SITVWO3" varchar(200)
EX_WTDRDATE	varchar(200)	"EX_WTDRDATE" varchar(200)
DB_ZIPCODE	varchar(200)	"DB_ZIPCODE" varchar(200)
IsSubject	bit	"IsSubject" bit
ReportId	varchar(200)	"ReportId" varchar(200)
RECEFFECTDATE	varchar(200)	"RECEFFECTDATE" varchar(200)
PR_REVDATE	varchar(200)	"PR_REVDATE" varchar(200)
TP_DETACH	varchar(200)	"TP_DETACH" varchar(200)

Name	Type	Schema
TP_ATTACH	varchar(200)	"TP_ATTACH" varchar(200)
TP_SEMIDET	varchar(200)	"TP_SEMIDET" varchar(200)
AB_DESAPL1	varchar(200)	"AB_DESAPL1" varchar(200)
EX_GARATT	varchar(200)	"EX_GARATT" varchar(200)
EX_GARDET	varchar(200)	"EX_GARDET" varchar(200)
EX_GARBLT	varchar(200)	"EX_GARBLT" varchar(200)
EX_CARPT	varchar(200)	"EX_CARPT" varchar(200)
EX_DRVWY	varchar(200)	"EX_DRVWY" varchar(200)
RM_XTOTAL	varchar(200)	"RM_XTOTAL" varchar(200)
RM_XBED	varchar(200)	"RM_XBED" varchar(200)
RM_XBATH	varchar(200)	"RM_XBATH" varchar(200)
NUMLEVELS	varchar(200)	"NUMLEVELS" varchar(200)
EX_GARPRK	varchar(200)	"EX_GARPRK" varchar(200)
EX_COVPRK	varchar(200)	"EX_COVPRK" varchar(200)
EX_OPENPRK	varchar(200)	"EX_OPENPRK" varchar(200)
AB_GARPRK	varchar(200)	"AB_GARPRK" varchar(200)
AG_XAGYRBLT	varchar(200)	"AG_XAGYRBLT" varchar(200)
AG_XCOND1	varchar(200)	"AG_XCOND1" varchar(200)
SIT_TYPE	varchar(200)	"SIT_TYPE" varchar(200)
ADDRESSVALIDATED	varchar(50)	"ADDRESSVALIDATED" varchar(50)
AddressMatchType	integer	"AddressMatchType" integer NOT NULL DEFAULT (0)
PT_DETACH	varchar(1)	"PT_DETACH" varchar(1)
PT_ROW TOWN	varchar(1)	"PT_ROW TOWN" varchar(1)
PT_GARDEN	varchar(1)	"PT_GARDEN" varchar(1)
PT_MIDRISE	varchar(1)	"PT_MIDRISE" varchar(1)
PT_HIRISE	varchar(1)	"PT_HIRISE" varchar(1)
PT_OTHER	varchar(1)	"PT_OTHER" varchar(1)
CM_OTHR1_TEXT	varchar(200)	"CM_OTHR1_TEXT" varchar(200)
CM_OTHR2_TEXT	varchar(200)	"CM_OTHR2_TEXT" varchar(200)
CM_OTHR3_TEXT	varchar(200)	"CM_OTHR3_TEXT" varchar(200)
TaskAtomicLocks		CREATE TABLE [TaskAtomicLocks] ([TaskAtomicLockID] guid PRIMARY KEY NOT NULL, [RecordCreateTimeStamp] datetime DEFAULT(datetime('now')) NOT NULL, [TaskDescription] varchar(255) NOT NULL, [LockAcquiredTimeStamp] datetime NULL, [LockAcquiredMachineName] varchar(255) NULL, [LockAcquiredUserName] varchar(255) NULL)
TaskAtomicLockID	guid	"TaskAtomicLockID" guid NOT NULL
RecordCreateTimeStamp	datetime	"RecordCreateTimeStamp" datetime NOT NULL DEFAULT (datetime('now'))
TaskDescription	varchar(255)	"TaskDescription" varchar(255) NOT NULL
LockAcquiredTimeStamp	datetime	"LockAcquiredTimeStamp" datetime
LockAcquiredMachineName	varchar(255)	"LockAcquiredMachineName" varchar(255)
LockAcquiredUserName	varchar(255)	"LockAcquiredUserName" varchar(255)
TaskConfiguration		CREATE TABLE [TaskConfiguration] ("TaskConfigurationId" integer PRIMARY KEY AUTOINCREMENT NOT NULL, "Name" varchar(50) NOT

Name	Type	Schema
		NULL COLLATE NOCASE, "TaskTypeName" varchar(255) NOT NULL COLLATE NOCASE, "IntervalInSeconds" integer, "LastRun" datetime, "DailyRunTime" numeric)
TaskConfigurationId	integer	"TaskConfigurationId" integer NOT NULL
Name	varchar(50)	"Name" varchar(50) NOT NULL COLLATE NOCASE
TaskTypeName	varchar(255)	"TaskTypeName" varchar(255) NOT NULL COLLATE NOCASE
IntervalInSeconds	integer	"IntervalInSeconds" integer
LastRun	datetime	"LastRun" datetime
DailyRunTime	numeric	"DailyRunTime" numeric
UrlHistory		CREATE TABLE [UrlHistory] ("Url" varchar(500) NOT NULL COLLATE NOCASE)
Url	varchar(500)	"Url" varchar(500) NOT NULL COLLATE NOCASE
UsedPhoto		CREATE TABLE UsedPhoto(MD5 BLOB PRIMARY KEY NOT NULL)
MD5	BLOB	"MD5" BLOB NOT NULL
Version		CREATE TABLE [Version] ("DatabaseVersion" varchar(50) NOT NULL COLLATE NOCASE , RestoreVersion integer NOT NULL DEFAULT(0))
DatabaseVersion	varchar(50)	"DatabaseVersion" varchar(50) NOT NULL COLLATE NOCASE
RestoreVersion	integer	"RestoreVersion" integer NOT NULL DEFAULT (0)
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"

Indices (16)

Name	Type	Schema
IX_AuroraCompsDbSource_Subject		CREATE INDEX IX_AuroraCompsDbSource_Subject ON AuroraCompsDbSource (Subject ASC)
Subject	ASC	"Subject" ASC
IX_CompHistory_SourceId_PropertyId		CREATE INDEX IX_CompHistory_SourceId_PropertyId on CompHistory (SourceId, PropertyId)
SourceId		"SourceId"
PropertyId		"PropertyId"
IX_CompSourcePhoto_XREF_SourceId		CREATE INDEX IX_CompSourcePhoto_XREF_SourceId on CompSourcePhoto_XREF (SourceId)
SourceId		"SourceId"
IX_CompSource_CompId		CREATE INDEX IX_CompSource_CompId ON CompSource (CompId)
CompId		"CompId"
IX_CompUsageCloudSync_EnteredStamp		CREATE INDEX IX_CompUsageCloudSync_EnteredStamp ON CompUsageCloudSync (EnteredStamp)
EnteredStamp		"EnteredStamp"
IX_InternalFlag_Name		CREATE UNIQUE INDEX IX_InternalFlag_Name ON InternalFlag (Name)
Name		"Name"

Name	Type	Schema
IX_Photo_PhotoId		CREATE INDEX IX_Photo_PhotoId on Photo(PhotoId)
PhotoId		"PhotoId"
IX_TOTALFormSource_PT Garden		CREATE INDEX IX_TOTALFormSource_PTGarden ON TOTALFormSource(PT_GARDEN ASC)
PT_GARDEN	ASC	"PT_GARDEN" ASC
IX_TaskConfigurtaion_TaskTypeName		CREATE UNIQUE INDEX IX_TaskConfigurtaion_TaskTypeName ON TaskConfiguration(TaskTypeName)
TaskTypeName		"TaskTypeName"
Photo_IX_Photo_DateTaken		CREATE INDEX [Photo_IX_Photo_DateTaken] ON [Photo]([DateTaken] ASC)
DateTaken	ASC	"DateTaken" ASC
Photo_IX_Photo_IsNeighborhoodPhoto		CREATE INDEX [Photo_IX_Photo_IsNeighborhoodPhoto] ON [Photo]([IsNeighborhoodPhoto] ASC)
IsNeighborhoodPhoto	ASC	"IsNeighborhoodPhoto" ASC
Photo_IX_Photo_NeighborhoodAndIsNeighborhoodPhoto		CREATE INDEX [Photo_IX_Photo_NeighborhoodAndIsNeighborhoodPhoto] ON [Photo]([Neighborhood] ASC, [IsNeighborhoodPhoto] ASC)
Neighborhood	ASC	"Neighborhood" ASC
IsNeighborhoodPhoto	ASC	"IsNeighborhoodPhoto" ASC
Photo_IX_Photo_NonScrubbedAddressKey		CREATE INDEX [Photo_IX_Photo_NonScrubbedAddressKey] ON [Photo]([NonScrubbedAddressKey] ASC)
NonScrubbedAddressKey	ASC	"NonScrubbedAddressKey" ASC
Photo_IX_Photo_PhotoSeed		CREATE UNIQUE INDEX [Photo_IX_Photo_PhotoSeed] ON [Photo]([PhotoSeed] ASC)
PhotoSeed	ASC	"PhotoSeed" ASC
Photo_IX_Photo_ScrubbedAddressKey		CREATE INDEX [Photo_IX_Photo_ScrubbedAddressKey] ON [Photo]([ScrubbedAddressKey] ASC)
ScrubbedAddressKey	ASC	"ScrubbedAddressKey" ASC
UrlHistory_IX_UrlHistory		CREATE UNIQUE INDEX [UrlHistory_IX_UrlHistory] ON [UrlHistory] ([Url] ASC)
Url	ASC	"Url" ASC

Views (0)

Name	Type	Schema
------	------	--------

Triggers (0)

Name	Type	Schema
------	------	--------